


WIFI 5.2G:


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	98.19	0.08	0.71
NVNT	a	5200	Ant1	98.2	0.08	0.72
NVNT	a	5240	Ant1	98.21	0.08	0.72
NVNT	ac20	5180	Ant1	98.07	0.08	0.77
NVNT	ac20	5200	Ant1	98.08	0.08	0.77
NVNT	ac20	5240	Ant1	98.09	0.08	0.77
NVNT	ac40	5190	Ant1	96.37	0.16	1.54
NVNT	ac40	5230	Ant1	96.37	0.16	1.54
NVNT	n20	5180	Ant1	98.08	0.08	0.77
NVNT	n20	5200	Ant1	98.09	0.08	0.77
NVNT	n20	5240	Ant1	98.09	0.08	0.77
NVNT	n40	5190	Ant1	96.38	0.16	1.56
NVNT	n40	5230	Ant1	96.36	0.16	1.54


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1



Duty Cycle NVNT n40 5190MHz Ant1



Duty Cycle NVNT n40 5230MHz Ant1



Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	11.715	24	Pass
NVNT	a	5200	Ant1	12.399	24	Pass
NVNT	a	5240	Ant1	12.104	24	Pass
NVNT	ac20	5180	Ant1	12.335	24	Pass
NVNT	ac20	5200	Ant1	11.863	24	Pass


NVNT	ac20	5240	Ant1	12.134	24	Pass
NVNT	ac40	5190	Ant1	10.989	24	Pass
NVNT	ac40	5230	Ant1	12.3	24	Pass
NVNT	n20	5180	Ant1	12.19	24	Pass
NVNT	n20	5200	Ant1	11.952	24	Pass
NVNT	n20	5240	Ant1	12.185	24	Pass
NVNT	n40	5190	Ant1	10.974	24	Pass
NVNT	n40	5230	Ant1	11.961	24	Pass

Note: The average power value already includes the duty cycle factor.


-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	19.485	Pass
NVNT	a	5200	Ant1	19.766	Pass
NVNT	a	5240	Ant1	19.435	Pass
NVNT	ac20	5180	Ant1	19.78	Pass
NVNT	ac20	5200	Ant1	19.763	Pass
NVNT	ac20	5240	Ant1	19.66	Pass
NVNT	ac40	5190	Ant1	39.69	Pass
NVNT	ac40	5230	Ant1	41.003	Pass
NVNT	n20	5180	Ant1	19.811	Pass
NVNT	n20	5200	Ant1	19.55	Pass
NVNT	n20	5240	Ant1	19.829	Pass
NVNT	n40	5190	Ant1	39.714	Pass
NVNT	n40	5230	Ant1	42.14	Pass


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1



-26dB Bandwidth NVNT n40 5190MHz Ant1



-26dB Bandwidth NVNT n40 5230MHz Ant1




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.455
NVNT	a	5200	Ant1	16.519
NVNT	a	5240	Ant1	16.469
NVNT	ac20	5180	Ant1	17.599
NVNT	ac20	5200	Ant1	17.579

NVNT	ac20	5240	Ant1	17.599
NVNT	ac40	5190	Ant1	35.983
NVNT	ac40	5230	Ant1	35.964
NVNT	n20	5180	Ant1	17.577
NVNT	n20	5200	Ant1	17.571
NVNT	n20	5240	Ant1	17.567
NVNT	n40	5190	Ant1	35.957
NVNT	n40	5230	Ant1	36.002


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1



OBW NVNT n40 5190MHz Ant1



OBW NVNT n40 5230MHz Ant1




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	1.99	0.08	2.07	11	Pass
NVNT	a	5200	Ant1	2.796	0.08	2.876	11	Pass
NVNT	a	5240	Ant1	2.42	0.08	2.5	11	Pass
NVNT	ac20	5180	Ant1	2.439	0.08	2.519	11	Pass

NVNT	ac20	5200	Ant1	1.934	0.08	2.014	11	Pass
NVNT	ac20	5240	Ant1	2.486	0.08	2.566	11	Pass
NVNT	ac40	5190	Ant1	-2.346	0.16	-2.186	11	Pass
NVNT	ac40	5230	Ant1	-1.137	0.16	-0.977	11	Pass
NVNT	n20	5180	Ant1	2.55	0.08	2.63	11	Pass
NVNT	n20	5200	Ant1	1.941	0.08	2.021	11	Pass
NVNT	n20	5240	Ant1	2.586	0.08	2.666	11	Pass
NVNT	n40	5190	Ant1	-2.817	0.16	-2.657	11	Pass
NVNT	n40	5230	Ant1	-1.574	0.16	-1.414	11	Pass


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1



PSD NVNT n40 5190MHz Ant1



PSD NVNT n40 5230MHz Ant1




Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-40.39	-27	Pass
NVNT	a	5240	Ant1	-43.97	-27	Pass
NVNT	ac20	5180	Ant1	-39.08	-27	Pass
NVNT	ac20	5240	Ant1	-43.34	-27	Pass
NVNT	ac40	5190	Ant1	-30.52	-27	Pass

NVNT	ac40	5230	Ant1	-43.67	-27	Pass
NVNT	n20	5180	Ant1	-38.9	-27	Pass
NVNT	n20	5240	Ant1	-43.85	-27	Pass
NVNT	n40	5190	Ant1	-28.82	-27	Pass
NVNT	n40	5230	Ant1	-42.94	-27	Pass


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5230MHz High Ant1




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1



Band Edge NVNT n40 5190MHz Low Ant1



Band Edge NVNT n40 5230MHz High Ant1




Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-32.38	-27	Pass
NVNT	a	5200	Ant1	-32.95	-27	Pass
NVNT	a	5240	Ant1	-31.83	-27	Pass
NVNT	ac20	5180	Ant1	-29.7	-27	Pass
NVNT	ac20	5200	Ant1	-32.22	-27	Pass

NVNT	ac20	5240	Ant1	-32.63	-27	Pass
NVNT	ac40	5190	Ant1	-32.51	-27	Pass
NVNT	ac40	5230	Ant1	-32	-27	Pass
NVNT	n20	5180	Ant1	-32.42	-27	Pass
NVNT	n20	5200	Ant1	-31.83	-27	Pass
NVNT	n20	5240	Ant1	-32.72	-27	Pass
NVNT	n40	5190	Ant1	-32.83	-27	Pass
NVNT	n40	5230	Ant1	-32.67	-27	Pass


Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission



Tx. Spurious NVNT n40 5190MHz Ant1 Emission



Tx. Spurious NVNT n40 5230MHz Ant1 Emission




WIFI 5.8G:


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	98.22	0.08	0.71
NVNT	a	5785	Ant1	98.22	0.08	0.71
NVNT	a	5825	Ant1	98.2	0.08	0.72
NVNT	ac20	5745	Ant1	98.08	0.08	0.77
NVNT	ac20	5785	Ant1	98.07	0.08	0.77
NVNT	ac20	5825	Ant1	98.08	0.08	0.77
NVNT	ac40	5755	Ant1	96.37	0.16	1.54
NVNT	ac40	5795	Ant1	96.36	0.16	1.54
NVNT	n20	5745	Ant1	98.07	0.08	0.77
NVNT	n20	5785	Ant1	98.07	0.08	0.77
NVNT	n20	5825	Ant1	98.07	0.08	0.77
NVNT	n40	5755	Ant1	96.39	0.16	1.54
NVNT	n40	5795	Ant1	96.33	0.16	1.56


Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1




Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1




Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1




Duty Cycle NVNT ac40 5795MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1



Duty Cycle NVNT n40 5755MHz Ant1



Duty Cycle NVNT n40 5795MHz Ant1



Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	12.234	30	Pass
NVNT	a	5785	Ant1	11.998	30	Pass
NVNT	a	5825	Ant1	11.814	30	Pass
NVNT	ac20	5745	Ant1	11.844	30	Pass
NVNT	ac20	5785	Ant1	12.017	30	Pass


NVNT	ac20	5825	Ant1	12.278	30	Pass
NVNT	ac40	5755	Ant1	11.85	30	Pass
NVNT	ac40	5795	Ant1	12.099	30	Pass
NVNT	n20	5745	Ant1	12.283	30	Pass
NVNT	n20	5785	Ant1	11.967	30	Pass
NVNT	n20	5825	Ant1	11.877	30	Pass
NVNT	n40	5755	Ant1	11.835	30	Pass
NVNT	n40	5795	Ant1	12.172	30	Pass

Note: The average power value already includes the duty cycle factor.


-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.043	0.5	Pass
NVNT	a	5785	Ant1	16.023	0.5	Pass
NVNT	a	5825	Ant1	14.385	0.5	Pass
NVNT	ac20	5745	Ant1	15.094	0.5	Pass
NVNT	ac20	5785	Ant1	14.789	0.5	Pass
NVNT	ac20	5825	Ant1	17.549	0.5	Pass
NVNT	ac40	5755	Ant1	35.098	0.5	Pass
NVNT	ac40	5795	Ant1	35.317	0.5	Pass
NVNT	n20	5745	Ant1	13.874	0.5	Pass
NVNT	n20	5785	Ant1	15.071	0.5	Pass
NVNT	n20	5825	Ant1	15.089	0.5	Pass
NVNT	n40	5755	Ant1	35.128	0.5	Pass
NVNT	n40	5795	Ant1	35.144	0.5	Pass


-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1




-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1




-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1




-6dB Bandwidth NVNT ac40 5795MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1




-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1



-6dB Bandwidth NVNT n40 5755MHz Ant1



-6dB Bandwidth NVNT n40 5795MHz Ant1




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.55
NVNT	a	5785	Ant1	16.47
NVNT	a	5825	Ant1	16.503
NVNT	ac20	5745	Ant1	17.594
NVNT	ac20	5785	Ant1	17.592

NVNT	ac20	5825	Ant1	17.604
NVNT	ac40	5755	Ant1	36.015
NVNT	ac40	5795	Ant1	36.023
NVNT	n20	5745	Ant1	17.586
NVNT	n20	5785	Ant1	17.588
NVNT	n20	5825	Ant1	17.597
NVNT	n40	5755	Ant1	36.032
NVNT	n40	5795	Ant1	36.028


OBW NVNT a 5745MHz Ant1




OBW NVNT a 5785MHz Ant1




OBW NVNT a 5825MHz Ant1




OBW NVNT ac20 5745MHz Ant1




OBW NVNT ac20 5785MHz Ant1




OBW NVNT ac20 5825MHz Ant1




OBW NVNT ac40 5755MHz Ant1




OBW NVNT ac40 5795MHz Ant1




OBW NVNT n20 5745MHz Ant1




OBW NVNT n20 5785MHz Ant1




OBW NVNT n20 5825MHz Ant1



OBW NVNT n40 5755MHz Ant1



OBW NVNT n40 5795MHz Ant1




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-0.233	0.08	-0.153	30	Pass
NVNT	a	5785	Ant1	-0.604	0.08	-0.524	30	Pass
NVNT	a	5825	Ant1	-0.787	0.08	-0.707	30	Pass
NVNT	ac20	5745	Ant1	-0.818	0.08	-0.738	30	Pass

NVNT	ac20	5785	Ant1	-0.691	0.08	-0.611	30	Pass
NVNT	ac20	5825	Ant1	-0.109	0.08	-0.029	30	Pass
NVNT	ac40	5755	Ant1	-4.459	0.16	-4.299	30	Pass
NVNT	ac40	5795	Ant1	-3.728	0.16	-3.568	30	Pass
NVNT	n20	5745	Ant1	-0.704	0.08	-0.624	30	Pass
NVNT	n20	5785	Ant1	-0.569	0.08	-0.489	30	Pass
NVNT	n20	5825	Ant1	-0.906	0.08	-0.826	30	Pass
NVNT	n40	5755	Ant1	-4.152	0.16	-3.992	30	Pass
NVNT	n40	5795	Ant1	-4.151	0.16	-3.991	30	Pass


PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1




PSD NVNT a 5825MHz Ant1




PSD NVNT ac20 5745MHz Ant1




PSD NVNT ac20 5785MHz Ant1




PSD NVNT ac20 5825MHz Ant1




PSD NVNT ac40 5755MHz Ant1




PSD NVNT ac40 5795MHz Ant1




PSD NVNT n20 5745MHz Ant1




PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1



PSD NVNT n40 5755MHz Ant1



PSD NVNT n40 5795MHz Ant1




Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-35.8	-27	Pass
NVNT	a	5825	Ant1	-33.74	-27	Pass
NVNT	ac20	5745	Ant1	-33.74	-27	Pass
NVNT	ac20	5825	Ant1	-34.54	-27	Pass
NVNT	ac40	5755	Ant1	-34.97	-27	Pass

NVNT	ac40	5795	Ant1	-35.28	-27	Pass
NVNT	n20	5745	Ant1	-35.21	-27	Pass
NVNT	n20	5825	Ant1	-34.91	-27	Pass
NVNT	n40	5755	Ant1	-35.22	-27	Pass
NVNT	n40	5795	Ant1	-34.79	-27	Pass


Band Edge NVNT a 5745MHz Low Ant1




Band Edge NVNT a 5825MHz High Ant1




Band Edge NVNT ac20 5745MHz Low Ant1



Band Edge NVNT ac20 5825MHz High Ant1




Band Edge NVNT ac40 5755MHz Low Ant1




Band Edge NVNT ac40 5795MHz High Ant1




Band Edge NVNT n20 5745MHz Low Ant1



Band Edge NVNT n20 5825MHz High Ant1



Band Edge NVNT n40 5755MHz Low Ant1



Band Edge NVNT n40 5795MHz High Ant1




Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5745	Ant1	-32.41	-27	Pass
NVNT	a	5785	Ant1	-32.4	-27	Pass
NVNT	a	5825	Ant1	-32.4	-27	Pass
NVNT	ac20	5745	Ant1	-32.43	-27	Pass
NVNT	ac20	5785	Ant1	-32.6	-27	Pass

NVNT	ac20	5825	Ant1	-32.36	-27	Pass
NVNT	ac40	5755	Ant1	-31.83	-27	Pass
NVNT	ac40	5795	Ant1	-32.78	-27	Pass
NVNT	n20	5745	Ant1	-32.05	-27	Pass
NVNT	n20	5785	Ant1	-37.11	-27	Pass
NVNT	n20	5825	Ant1	-32.52	-27	Pass
NVNT	n40	5755	Ant1	-32.53	-27	Pass
NVNT	n40	5795	Ant1	-32.79	-27	Pass


Tx. Spurious NVNT a 5745MHz Ant1 Emission




Tx. Spurious NVNT a 5785MHz Ant1 Emission




Tx. Spurious NVNT a 5825MHz Ant1 Emission




Tx. Spurious NVNT ac20 5745MHz Ant1 Emission




Tx. Spurious NVNT ac20 5785MHz Ant1 Emission




Tx. Spurious NVNT ac20 5825MHz Ant1 Emission




Tx. Spurious NVNT ac40 5755MHz Ant1 Emission




Tx. Spurious NVNT ac40 5795MHz Ant1 Emission




Tx. Spurious NVNT n20 5745MHz Ant1 Emission




Tx. Spurious NVNT n20 5785MHz Ant1 Emission



Tx. Spurious NVNT n20 5825MHz Ant1 Emission



Tx. Spurious NVNT n40 5755MHz Ant1 Emission



Tx. Spurious NVNT n40 5795MHz Ant1 Emission

