






Date: 12.JUN.2026 19:08:41

11AC40SISO_Ant1_5230




Date: 12.JUN.2026 19:11:33

11AC40SISO_Ant1_5755



Date: 12.JUN.2026 19:14:28

11AC40SISO_Ant1_5795



Date: 12.JUN.2026 19:17:08

Appendix E: Band edge measurements

Test Result B1


TestMode	Antenna	ChName	Freq(MHz)	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-43.08	≤ -27	PASS
		High	5240	-43.77	≤ -27	PASS
11N20SISO	Ant1	Low	5180	-42.78	≤ -27	PASS
		High	5240	-45.35	≤ -27	PASS
11N40SISO	Ant1	Low	5190	-36.08	≤ -27	PASS
		High	5230	-44.83	≤ -27	PASS
11AC20SISO	Ant1	Low	5180	-40.61	≤ -27	PASS
		High	5240	-44.51	≤ -27	PASS
11AC40SISO	Ant1	Low	5190	-36.61	≤ -27	PASS
		High	5230	-45.34	≤ -27	PASS


Test Result B4

TestMode	Antenna	ChName	Freq(MHz)	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5645~5650	-45.42	≤ -27	PASS
				5650~5700	-46.72	≤ -26.88	PASS
				5700~5720	-44.99	≤ 10.05	PASS
				5720~5725	-43.45	≤ 15.98	PASS
		High	5825	5850~5855	-43.44	≤ 16.10	PASS
				5855~5875	-43.15	≤ 10.07	PASS
				5875~5925	-45.7	≤ -26.58	PASS
				5925~5935	-44.88	≤ -27	PASS
11N20SISO	Ant1	Low	5745	5645~5650	-44.91	≤ -27	PASS
				5650~5700	-46.03	≤ -26.38	PASS
				5700~5720	-45.46	≤ 10.05	PASS
				5720~5725	-44.2	≤ 15.98	PASS
		High	5825	5850~5855	-45.02	≤ 15.65	PASS
				5855~5875	-45.49	≤ 10.18	PASS
				5875~5925	-45.9	≤ -26.58	PASS
				5925~5935	-44.84	≤ -27	PASS
11N40SISO	Ant1	Low	5755	5645~5650	-45.53	≤ -27	PASS
				5650~5700	-45.71	≤ -25.92	PASS
				5700~5720	-35.17	≤ 14.81	PASS
				5720~5725	-34.69	≤ 15.90	PASS
		High	5795	5850~5855	-45.54	≤ 15.85	PASS
				5855~5875	-43.29	≤ 11.35	PASS

				5875~5925	-45.95	≤ -26.97	PASS
				5925~5935	-45.07	≤ -27	PASS
11AC20S ISO	Ant1	Low	5745	5645~5650	-44.87	≤ -27	PASS
				5650~5700	-45.29	≤ -25.40	PASS
				5700~5720	-43.74	≤ -11.31	PASS
				5720~5725	-43.97	≤ -16.36	PASS
		High	5825	5850~5855	-44.42	≤ -15.65	PASS
				5855~5875	-45.04	≤ -10.24	PASS
				5875~5925	-45.81	≤ -26.87	PASS
				5925~5935	-44.33	≤ -27	PASS
11AC40S ISO	Ant1	Low	5755	5645~5650	-45.49	≤ -27	PASS
				5650~5700	-45.74	≤ -26.94	PASS
				5700~5720	-36.22	≤ -15.53	PASS
				5720~5725	-36.93	≤ -15.90	PASS
		High	5795	5850~5855	-45.94	≤ -15.85	PASS
				5855~5875	-42.85	≤ -11.21	PASS
				5875~5925	-45.23	≤ -26.61	PASS
				5925~5935	-45.19	≤ -27	PASS


Test Graphs B1






Date: 12.JUN.2026 18:01:14

11N20SISO_Ant1_High_5240




Date: 12.JUN.2026 18:05:51

11N40SISO_Ant1_Low_5190




Date: 12.JUN.2026 18:15:58

11N40SISO_Ant1_High_5230




Date: 12.JUN.2026 18:18:46

11AC20SISO_Ant1_Low_5180




Date: 12.JUN.2026 18:28:24


11AC20SISO_Ant1_High_5240




11AC40SISO_Ant1_Low_5190




11AC40SISO_Ant1_High_5230




Test Graphs B4






Date: 12.JUN.2026 18:08:48

11N20SISO_Ant1_High_5825




Date: 12.JUN.2026 18:13:07

11N40SISO_Ant1_Low_5755




Date: 12.JUN.2026 18:22:41


11N40SISO_Ant1_High_5795



11AC20SISO_Ant1_Low_5745




11AC20SISO_Ant1_High_5825




Date: 12.JUN.2026 19:06:21

11AC40SISO_Ant1_Low_5755



Date: 12.JUN.2026 19:14:47

11AC40SISO_Ant1_High_5795



Date: 12.JUN.2026 19:17:27


Appendix F: Conducted Spurious Emission


Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	975.06	-33.84	≤-27	PASS
			5360~40000	6474.8	-50.2	≤-27	PASS
		5220	30~5140	1013.9	-43.25	≤-27	PASS
			5360~40000	39769.7	-41.59	≤-27	PASS
		5240	30~5140	1035.53	-44.6	≤-27	PASS
			5360~40000	39797.4	-41.67	≤-27	PASS
		5745	30~5650	1541.82	-45.33	≤-27	PASS
			5925~40000	5984.6	-50.19	≤-27	PASS
		5785	30~5650	5624.99	-45.67	≤-27	PASS
			5925~40000	39854.1	-42.33	≤-27	PASS
11N20SISO	Ant1	5180	30~5140	5139.91	-44.01	≤-27	PASS
			5360~40000	39774.3	-42.35	≤-27	PASS
		5220	30~5140	1013.39	-42.97	≤-27	PASS
			5360~40000	39976.3	-42.2	≤-27	PASS
		5240	30~5140	1034.85	-44.64	≤-27	PASS
			5360~40000	39773.1	-40.81	≤-27	PASS
		5745	30~5650	5639.04	-44.36	≤-27	PASS
			5925~40000	39967.6	-42.75	≤-27	PASS
		5785	30~5650	5608.32	-45.81	≤-27	PASS
			5925~40000	39767.7	-42.6	≤-27	PASS
11N40SISO	Ant1	5190	30~5140	5138.38	-34.22	≤-27	PASS
			5360~40000	39684.2	-42.08	≤-27	PASS
		5230	30~5140	5139.06	-42.91	≤-27	PASS
			5360~40000	39965.9	-41.4	≤-27	PASS
		5755	30~5650	5628.93	-45.78	≤-27	PASS
			5925~40000	39766.6	-42.16	≤-27	PASS
		5795	30~5650	5639.04	-46	≤-27	PASS
			5925~40000	39930.1	-41.37	≤-27	PASS
11AC20SISO	Ant1	5180	30~5140	5138.55	-41.96	≤-27	PASS
			5360~40000	39819.3	-42.08	≤-27	PASS
		5220	30~5140	1013.56	-44.95	≤-27	PASS
			5360~40000	39710.8	-42.55	≤-27	PASS

		5240	30~5140	1035.53	-43.59	≤-27	PASS
			5360~40000	39840.1	-42.05	≤-27	PASS
		5745	30~5650	5636.04	-47.08	≤-27	PASS
			5925~40000	39867.7	-42.7	≤-27	PASS
		5785	30~5650	5625.55	-46.77	≤-27	PASS
			5925~40000	39791.6	-41.9	≤-27	PASS
		5825	30~5650	5646.16	-46.01	≤-27	PASS
			5925~40000	39753	-41.23	≤-27	PASS
11AC40SISO	Ant1	5190	30~5140	5138.55	-36.27	≤-27	PASS
			5360~40000	39970.6	-42.6	≤-27	PASS
		5230	30~5140	5130.89	-42.12	≤-27	PASS
			5360~40000	39829.7	-42.26	≤-27	PASS
		5755	30~5650	5616.37	-45.1	≤-27	PASS
			5925~40000	39785.9	-42.42	≤-27	PASS
		5795	30~5650	5621.43	-45.52	≤-27	PASS
			5925~40000	39768.9	-41.07	≤-27	PASS


Test Graphs






Date: 12.JUN.2026 17:45:56

11A_Ant1_5220_5360~40000




Date: 12.JUN.2026 17:46:04

11A_Ant1_5240_30~5140




Date: 12.JUN.2026 17:48:45

11A_Ant1_5240_5360~40000




Date: 12.JUN.2026 17:48:54

11A_Ant1_5745_30~5650




Date: 12.JUN.2026 17:51:39

11A_Ant1_5745_5925~40000




Date: 12.JUN.2026 17:51:44

11A_Ant1_5785_30~5650




Date: 12.JUN.2026 17:56:16

11A_Ant1_5785_5925~40000




Date: 12.JUN.2026 17:56:21


11A_Ant1_5825_30~5650



11A_Ant1_5825_5925~40000




11N20SISO_Ant1_5180_30~5140




Date: 12.JUN.2026 18:02:23

11N20SISO_Ant1_5180_5360~40000




Date: 12.JUN.2026 18:02:31

11N20SISO_Ant1_5220_30~5140




Date: 12.JUN.2026 18:04:14

11N20SISO_Ant1_5220_5360~40000




Date: 12.JUN.2026 18:04:22

11N20SISO_Ant1_5240_30~5140




Date: 12.JUN.2026 18:07:00


11N20SISO_Ant1_5240_5360~40000




11N20SISO_Ant1_5745_30~5650



11N20SISO_Ant1_5745_5925~40000




11N20SISO_Ant1_5785_30~5650




Date: 12.JUN.2026 18:11:22

11N20SISO_Ant1_5785_5925~40000




Date: 12.JUN.2026 18:11:27


11N20SISO_Ant1_5825_30~5650




11N20SISO_Ant1_5825_5925~40000



11N40SISO_Ant1_5190_30~5140




11N40SISO_Ant1_5190_5360~40000




Date: 12.JUN.2026 18:17:15

11N40SISO_Ant1_5230_30~5140




Date: 12.JUN.2026 18:19:55


11N40SISO_Ant1_5230_5360~40000




11N40SISO_Ant1_5755_30~5650



11N40SISO_Ant1_5755_5925~40000




11N40SISO_Ant1_5795_30~5650




Date: 12.JUN.2026 18:26:31

11N40SISO_Ant1_5795_5925~40000




Date: 12.JUN.2026 18:26:36

11AC20SISO_Ant1_5180_30~5140




Date: 12.JUN.2026 18:29:33

11AC20SISO_Ant1_5180_5360~40000




Date: 12.JUN.2026 18:29:41

11AC20SISO_Ant1_5220_30~5140




Date: 12.JUN.2026 18:31:48

11AC20SISO_Ant1_5220_5360~40000




Date: 12.JUN.2026 18:31:57

11AC20SISO_Ant1_5240_30~5140




Date: 12.JUN.2026 18:35:15


11AC20SISO_Ant1_5240_5360~40000




11AC20SISO_Ant1_5745_30~5650



11AC20SISO_Ant1_5745_5925~40000




11AC20SISO_Ant1_5785_30~5650




Date: 12.JUN.2026 18:41:46

11AC20SISO_Ant1_5785_5925~40000




Date: 12.JUN.2026 18:41:51


11AC20SISO_Ant1_5825_30~5650




11AC20SISO_Ant1_5825_5925~40000



11AC40SISO_Ant1_5190_30~5140




11AC40SISO_Ant1_5190_5360~40000




Date: 12.JUN.2026 19:10:17

11AC40SISO_Ant1_5230_30~5140




Date: 12.JUN.2026 19:13:01


11AC40SISO_Ant1_5230_5360~40000




11AC40SISO_Ant1_5755_30~5650



11AC40SISO_Ant1_5755_5925~40000




11AC40SISO_Ant1_5795_30~5650



Date: 12.JUN.2026 19:18:26

11AC40SISO_Ant1_5795_5925~40000



Date: 12.JUN.2026 19:18:31

Appendix G: Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-57.21	2.00	1.25	-53.96	≤-41.20	PASS
				AV	5149.275	-52.94	2.00	1.25	-49.69	≤-41.20	PASS
				AV	5150.000	-52.7	2.00	1.25	-49.45	≤-41.20	PASS
				Peak	4500.000	-47.16	2.00	0.00	-45.16	≤-27.00	PASS
				Peak	5141.159	-41.56	2.00	0.00	-39.56	≤-27.00	PASS
				Peak	5150.000	-40.31	2.00	0.00	-38.31	≤-27.00	PASS
		High	5240	AV	5350.000	-58.84	2.00	1.03	-55.81	≤-41.20	PASS
				AV	5352.870	-58.36	2.00	1.03	-55.33	≤-41.20	PASS
				AV	5460.000	-59.45	2.00	1.03	-56.42	≤-41.20	PASS
				Peak	5350.000	-48.44	2.00	0.00	-46.44	≤-27.00	PASS
				Peak	5400.522	-46.43	2.00	0.00	-44.43	≤-27.00	PASS
				Peak	5460.000	-48.6	2.00	0.00	-46.6	≤-27.00	PASS
		Low	5745	Peak	5650.000	-46.98	2.00	0.00	-44.98	≤-27.00	PASS
				Peak	5700.000	-45.18	2.00	0.00	-43.18	≤10.00	PASS
				Peak	5720.000	-42.37	2.00	0.00	-40.37	≤15.60	PASS
				Peak	5725.000	-35.04	2.00	0.00	-33.04	≤27.00	PASS
		High	5825	Peak	5850.000	-39.81	2.00	0.00	-37.81	≤27.00	PASS
				Peak	5855.000	-44.84	2.00	0.00	-42.84	≤15.60	PASS
				Peak	5875.000	-44.89	2.00	0.00	-42.89	≤10.00	PASS
				Peak	5925.000	-46.31	2.00	0.00	-44.31	≤-27.00	PASS
11N20SI SO	Ant1	Low	5180	AV	4500.000	-60.74	2.00	1.12	-57.62	≤-41.20	PASS
				AV	5149.275	-53.64	2.00	1.12	-50.52	≤-41.20	PASS
				AV	5150.000	-53.33	2.00	1.12	-50.21	≤-41.20	PASS
				Peak	4500.000	-50.18	2.00	0.00	-48.18	≤-27.00	PASS
				Peak	5149.275	-42.1	2.00	0.00	-40.1	≤-27.00	PASS
				Peak	5150.000	-40.2	2.00	0.00	-38.2	≤-27.00	PASS
		High	5240	AV	5350.000	-58.78	2.00	1.12	-55.66	≤-41.20	PASS
				AV	5364.000	-58.31	2.00	1.12	-55.19	≤-41.20	PASS
				AV	5460.000	-59.3	2.00	1.12	-56.18	≤-41.20	PASS
				Peak	5350.000	-47.64	2.00	0.00	-45.64	≤-27.00	PASS
				Peak	5364.000	-46.45	2.00	0.00	-44.45	≤-27.00	PASS
				Peak	5460.000	-49.08	2.00	0.00	-47.08	≤-27.00	PASS
		Low	5745	Peak	5650.000	-46.74	2.00	0.00	-44.74	≤-27.00	PASS
				Peak	5700.000	-45.88	2.00	0.00	-43.88	≤10.00	PASS
				Peak	5720.000	-40.96	2.00	0.00	-38.96	≤15.60	PASS
				Peak	5725.000	-33.4	2.00	0.00	-31.4	≤27.00	PASS

		High	5825	Peak	5850.000	-34.62	2.00	0.00	-32.62	≤27.00	PASS
				Peak	5855.000	-42.95	2.00	0.00	-40.95	≤15.60	PASS
				Peak	5875.000	-45.28	2.00	0.00	-43.28	≤10.00	PASS
				Peak	5925.000	-46.05	2.00	0.00	-44.05	≤-27.00	PASS
11N40SI SO	Ant1	Low	5190	AV	4500.000	-60.65	2.00	1.06	-57.59	≤-41.20	PASS
				AV	5149.275	-48.01	2.00	1.06	-44.95	≤-41.20	PASS
				AV	5150.000	-48.54	2.00	1.06	-45.48	≤-41.20	PASS
				Peak	4500.000	-51	2.00	0.00	-49	≤-27.00	PASS
				Peak	5139.130	-35.6	2.00	0.00	-33.6	≤-27.00	PASS
				Peak	5150.000	-35.29	2.00	0.00	-33.29	≤-27.00	PASS
		High	5230	AV	5350.000	-58.47	2.00	0.87	-55.6	≤-41.20	PASS
				AV	5352.986	-58.37	2.00	0.87	-55.5	≤-41.20	PASS
				AV	5460.000	-58.94	2.00	0.87	-56.07	≤-41.20	PASS
				Peak	5350.000	-47.98	2.00	0.00	-45.98	≤-27.00	PASS
				Peak	5417.420	-46.79	2.00	0.00	-44.79	≤-27.00	PASS
				Peak	5460.000	-47.32	2.00	0.00	-45.32	≤-27.00	PASS
		Low	5755	Peak	5650.000	-45.77	2.00	0.00	-43.77	≤-27.00	PASS
				Peak	5700.000	-40.15	2.00	0.00	-38.15	≤10.00	PASS
				Peak	5720.000	-33.42	2.00	0.00	-31.42	≤15.60	PASS
				Peak	5725.000	-33.44	2.00	0.00	-31.44	≤27.00	PASS
		High	5795	Peak	5850.000	-42.11	2.00	0.00	-40.11	≤27.00	PASS
				Peak	5855.000	-44.03	2.00	0.00	-42.03	≤15.60	PASS
				Peak	5875.000	-45.49	2.00	0.00	-43.49	≤10.00	PASS
				Peak	5925.000	-46.43	2.00	0.00	-44.43	≤-27.00	PASS
11AC20S ISO	Ant1	Low	5180	AV	4500.000	-60.66	2.00	0.62	-58.04	≤-41.20	PASS
				AV	5149.275	-52.4	2.00	0.62	-49.78	≤-41.20	PASS
				AV	5150.000	-52.16	2.00	0.62	-49.54	≤-41.20	PASS
				Peak	4500.000	-51.05	2.00	0.00	-49.05	≤-27.00	PASS
				Peak	5149.275	-39.85	2.00	0.00	-37.85	≤-27.00	PASS
				Peak	5150.000	-39.81	2.00	0.00	-37.81	≤-27.00	PASS
		High	5240	AV	5350.000	-58.62	2.00	0.62	-56	≤-41.20	PASS
				AV	5381.391	-58.13	2.00	0.62	-55.51	≤-41.20	PASS
				AV	5460.000	-59.06	2.00	0.62	-56.44	≤-41.20	PASS
				Peak	5350.000	-47.69	2.00	0.00	-45.69	≤-27.00	PASS
				Peak	5400.174	-45.92	2.00	0.00	-43.92	≤-27.00	PASS
				Peak	5460.000	-48.35	2.00	0.00	-46.35	≤-27.00	PASS
		Low	5745	Peak	5650.000	-44.45	2.00	0.00	-42.45	≤-27.00	PASS
				Peak	5700.000	-45.35	2.00	0.00	-43.35	≤10.00	PASS
				Peak	5720.000	-40.94	2.00	0.00	-38.94	≤15.60	PASS
				Peak	5725.000	-35.58	2.00	0.00	-33.58	≤27.00	PASS
		High	5825	Peak	5850.000	-33.76	2.00	0.00	-31.76	≤27.00	PASS
				Peak	5855.000	-43.91	2.00	0.00	-41.91	≤15.60	PASS
				Peak	5875.000	-45.97	2.00	0.00	-43.97	≤10.00	PASS


				Peak	5925.000	-45.82	2.00	0.00	-43.82	≤-27.00	PASS
11AC40S ISO	Ant1	Low	5190	AV	4500.000	-60.77	2.00	1.06	-57.71	≤-41.20	PASS
				AV	5149.275	-47.33	2.00	1.06	-44.27	≤-41.20	PASS
				AV	5150.000	-47.42	2.00	1.06	-44.36	≤-41.20	PASS
				Peak	4500.000	-51.19	2.00	0.00	-49.19	≤-27.00	PASS
				Peak	5149.275	-35.14	2.00	0.00	-33.14	≤-27.00	PASS
				Peak	5150.000	-35.93	2.00	0.00	-33.93	≤-27.00	PASS
		High	5230	AV	5350.000	-58.76	2.00	1.12	-55.64	≤-41.20	PASS
				AV	5352.232	-58.42	2.00	1.12	-55.3	≤-41.20	PASS
				AV	5460.000	-58.87	2.00	1.12	-55.75	≤-41.20	PASS
				Peak	5350.000	-48.34	2.00	0.00	-46.34	≤-27.00	PASS
				Peak	5353.362	-46.21	2.00	0.00	-44.21	≤-27.00	PASS
				Peak	5460.000	-48.5	2.00	0.00	-46.5	≤-27.00	PASS
		Low	5755	Peak	5650.000	-45.61	2.00	0.00	-43.61	≤-27.00	PASS
				Peak	5700.000	-42.42	2.00	0.00	-40.42	≤10.00	PASS
				Peak	5720.000	-34.77	2.00	0.00	-32.77	≤15.60	PASS
				Peak	5725.000	-35.11	2.00	0.00	-33.11	≤27.00	PASS
		High	5795	Peak	5850.000	-42.2	2.00	0.00	-40.2	≤27.00	PASS
				Peak	5855.000	-44.37	2.00	0.00	-42.37	≤15.60	PASS
				Peak	5875.000	-44.92	2.00	0.00	-42.92	≤10.00	PASS
				Peak	5925.000	-46.1	2.00	0.00	-44.1	≤-27.00	PASS

Note:

1. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


Test Graphs






Date: 12.JUN.2026 17:48:38

11A_Ant1_High_5240_Peak




Date: 12.JUN.2026 17:48:22

11A_Ant1_Low_5745_Peak




Date: 12.JUN.2026 17:51:29

11A_Ant1_High_5825_Peak




Date: 12.JUN.2026 17:59:07

11N20SISO_Ant1_Low_5180_AV




Date: 12.JUN.2026 18:02:15


11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5240_AV



11N20SISO_Ant1_High_5240_Peak




11N20SISO_Ant1_Low_5745_Peak




Date: 12.JUN.2026 18:09:36

11N20SISO_Ant1_High_5825_Peak




Date: 12.JUN.2026 18:13:55


11N40SISO_Ant1_Low_5190_AV




11N40SISO_Ant1_Low_5190_Peak




11N40SISO_Ant1_High_5230_AV




11N40SISO_Ant1_High_5230_Peak



11N40SISO_Ant1_Low_5755_Peak




11N40SISO_Ant1_High_5795_Peak




Date: 12.JUN.2026 18:26:21

11AC20ISO_Ant1_Low_5180_AV




Date: 12.JUN.2026 18:29:25

11AC20ISO_Ant1_Low_5180_Peak




Date: 12.JUN.2026 18:29:09

11AC20SISO_Ant1_High_5240_AV




Date: 12.JUN.2026 18:35:07

11AC20SISO_Ant1_High_5240_Peak




Date: 12.JUN.2026 18:34:51

11AC20SISO_Ant1_Low_5745_Peak




Date: 12.JUN.2026 18:40:07

11AC20ISO_Ant1_High_5825_Peak




Date: 12.JUN.2026 19:07:10

11AC40ISO_Ant1_Low_5190_AV




Date: 12.JUN.2026 19:10:01

11AC40SISO_Ant1_Low_5190_Peak




Date: 12.JUN.2026 19:09:46

11AC40SISO_Ant1_High_5230_AV




Date: 12.JUN.2026 19:12:53

11AC40SISO_Ant1_High_5230_Peak




Date: 12.JUN.2026 19:12:38

11AC40SISO_Ant1_Low_5755_Peak



Date: 12.JUN.2026 19:15:36

11AC40SISO_Ant1_High_5795_Peak



Date: 12.JUN.2026 19:18:16