

Appendix Test Data for LTE_band_26b

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b 1.4MHz ERP

Band: 26b / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	24.53	-11.87	10.51	<=38.45	Pass
			2	24.63	-11.87	10.61	<=38.45	Pass
			5	24.55	-11.87	10.53	<=38.45	Pass
		3	0	24.78	-11.87	10.76	<=38.45	Pass
			2	24.72	-11.87	10.70	<=38.45	Pass
			3	24.81	-11.87	10.79	<=38.45	Pass
		6	0	23.84	-11.87	9.82	<=38.45	Pass
	836.5	1	0	24.34	-11.87	10.32	<=38.45	Pass
			2	24.40	-11.87	10.38	<=38.45	Pass
			5	24.39	-11.87	10.37	<=38.45	Pass
		3	0	24.64	-11.87	10.62	<=38.45	Pass
			2	24.59	-11.87	10.57	<=38.45	Pass
			3	24.64	-11.87	10.62	<=38.45	Pass
		6	0	23.72	-11.87	9.70	<=38.45	Pass
	848.3	1	0	24.13	-11.87	10.11	<=38.45	Pass
			2	23.88	-11.87	9.86	<=38.45	Pass
			5	23.75	-11.87	9.73	<=38.45	Pass
		3	0	24.07	-11.87	10.05	<=38.45	Pass
			2	24.00	-11.87	9.98	<=38.45	Pass
			3	24.07	-11.87	10.05	<=38.45	Pass
		6	0	23.11	-11.87	9.09	<=38.45	Pass
16QAM	824.7	1	0	23.78	-11.87	9.76	<=38.45	Pass
			2	23.78	-11.87	9.76	<=38.45	Pass
			5	23.77	-11.87	9.75	<=38.45	Pass
		3	0	24.04	-11.87	10.02	<=38.45	Pass
			2	23.97	-11.87	9.95	<=38.45	Pass
			3	24.04	-11.87	10.02	<=38.45	Pass
		6	0	22.99	-11.87	8.97	<=38.45	Pass
	836.5	1	0	23.77	-11.87	9.75	<=38.45	Pass
			2	23.84	-11.87	9.82	<=38.45	Pass
			5	23.79	-11.87	9.77	<=38.45	Pass
		3	0	23.88	-11.87	9.86	<=38.45	Pass
			2	23.84	-11.87	9.82	<=38.45	Pass
			3	23.89	-11.87	9.87	<=38.45	Pass
		6	0	23.00	-11.87	8.98	<=38.45	Pass
	848.3	1	0	23.03	-11.87	9.01	<=38.45	Pass
			2	23.00	-11.87	8.98	<=38.45	Pass
			5	23.05	-11.87	9.03	<=38.45	Pass
		3	0	23.51	-11.87	9.49	<=38.45	Pass
			2	23.47	-11.87	9.45	<=38.45	Pass
			3	23.55	-11.87	9.53	<=38.45	Pass
		6	0	22.45	-11.87	8.43	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	24.56	-11.87	10.54	<=38.45	Pass
			7	24.50	-11.87	10.48	<=38.45	Pass
			14	24.46	-11.87	10.44	<=38.45	Pass
		8	0	23.98	-11.87	9.96	<=38.45	Pass
			4	23.93	-11.87	9.91	<=38.45	Pass
			7	23.93	-11.87	9.91	<=38.45	Pass
		15	0	23.93	-11.87	9.91	<=38.45	Pass
	836.5	1	0	24.30	-11.87	10.28	<=38.45	Pass
			7	24.11	-11.87	10.09	<=38.45	Pass
			14	24.06	-11.87	10.04	<=38.45	Pass
		8	0	23.47	-11.87	9.45	<=38.45	Pass
			4	23.52	-11.87	9.50	<=38.45	Pass
			7	23.45	-11.87	9.43	<=38.45	Pass
		15	0	23.55	-11.87	9.53	<=38.45	Pass
	847.5	1	0	23.74	-11.87	9.72	<=38.45	Pass
			7	23.72	-11.87	9.70	<=38.45	Pass
			14	23.77	-11.87	9.75	<=38.45	Pass
		8	0	23.25	-11.87	9.23	<=38.45	Pass
			4	23.27	-11.87	9.25	<=38.45	Pass
			7	23.25	-11.87	9.23	<=38.45	Pass
		15	0	23.31	-11.87	9.29	<=38.45	Pass
16QAM	825.5	1	0	23.77	-11.87	9.75	<=38.45	Pass
			7	23.70	-11.87	9.68	<=38.45	Pass
			14	23.69	-11.87	9.67	<=38.45	Pass
		8	0	23.27	-11.87	9.25	<=38.45	Pass
			4	23.24	-11.87	9.22	<=38.45	Pass
			7	23.19	-11.87	9.17	<=38.45	Pass
		15	0	23.24	-11.87	9.22	<=38.45	Pass
	836.5	1	0	23.39	-11.87	9.37	<=38.45	Pass
			7	23.39	-11.87	9.37	<=38.45	Pass
			14	23.41	-11.87	9.39	<=38.45	Pass
		8	0	22.71	-11.87	8.69	<=38.45	Pass
			4	22.74	-11.87	8.72	<=38.45	Pass
			7	22.74	-11.87	8.72	<=38.45	Pass
		15	0	22.81	-11.87	8.79	<=38.45	Pass
	847.5	1	0	23.56	-11.87	9.54	<=38.45	Pass
			7	23.55	-11.87	9.53	<=38.45	Pass
			14	23.53	-11.87	9.51	<=38.45	Pass
		8	0	22.66	-11.87	8.64	<=38.45	Pass
			4	22.65	-11.87	8.63	<=38.45	Pass
			7	22.68	-11.87	8.66	<=38.45	Pass
		15	0	22.71	-11.87	8.69	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	24.69	-11.87	10.67	<=38.45	Pass
			13	24.67	-11.87	10.65	<=38.45	Pass
			24	24.58	-11.87	10.56	<=38.45	Pass
		12	0	24.03	-11.87	10.01	<=38.45	Pass
			6	24.00	-11.87	9.98	<=38.45	Pass
			13	23.88	-11.87	9.86	<=38.45	Pass
		25	0	23.80	-11.87	9.78	<=38.45	Pass
	836.5	1	0	24.26	-11.87	10.24	<=38.45	Pass
			13	24.22	-11.87	10.20	<=38.45	Pass
			24	24.21	-11.87	10.19	<=38.45	Pass
		12	0	23.56	-11.87	9.54	<=38.45	Pass
			6	23.57	-11.87	9.55	<=38.45	Pass
			13	23.62	-11.87	9.60	<=38.45	Pass
		25	0	23.61	-11.87	9.59	<=38.45	Pass
	846.5	1	0	24.08	-11.87	10.06	<=38.45	Pass
			13	24.01	-11.87	9.99	<=38.45	Pass
			24	24.01	-11.87	9.99	<=38.45	Pass
		12	0	23.46	-11.87	9.44	<=38.45	Pass
			6	23.36	-11.87	9.34	<=38.45	Pass
			13	23.40	-11.87	9.38	<=38.45	Pass
		25	0	23.43	-11.87	9.41	<=38.45	Pass
16QAM	826.5	1	0	23.74	-11.87	9.72	<=38.45	Pass
			13	23.67	-11.87	9.65	<=38.45	Pass
			24	23.53	-11.87	9.51	<=38.45	Pass
		12	0	22.95	-11.87	8.93	<=38.45	Pass
			6	23.03	-11.87	9.01	<=38.45	Pass
			13	22.91	-11.87	8.89	<=38.45	Pass
		25	0	22.96	-11.87	8.94	<=38.45	Pass
	836.5	1	0	23.65	-11.87	9.63	<=38.45	Pass
			13	23.75	-11.87	9.73	<=38.45	Pass
			24	23.73	-11.87	9.71	<=38.45	Pass
		12	0	22.88	-11.87	8.86	<=38.45	Pass
			6	22.91	-11.87	8.89	<=38.45	Pass
			13	22.96	-11.87	8.94	<=38.45	Pass
		25	0	22.85	-11.87	8.83	<=38.45	Pass
	846.5	1	0	23.16	-11.87	9.14	<=38.45	Pass
			13	23.10	-11.87	9.08	<=38.45	Pass
			24	23.14	-11.87	9.12	<=38.45	Pass
		12	0	22.76	-11.87	8.74	<=38.45	Pass
			6	22.61	-11.87	8.59	<=38.45	Pass
			13	22.67	-11.87	8.65	<=38.45	Pass
		25	0	22.76	-11.87	8.74	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	24.75	-11.87	10.73	<=38.45	Pass
			25	24.58	-11.87	10.56	<=38.45	Pass
			49	24.41	-11.87	10.39	<=38.45	Pass
		25	0	23.76	-11.87	9.74	<=38.45	Pass
			13	23.65	-11.87	9.63	<=38.45	Pass
			25	23.58	-11.87	9.56	<=38.45	Pass
		50	0	23.71	-11.87	9.69	<=38.45	Pass
	836.5	1	0	24.15	-11.87	10.13	<=38.45	Pass
			25	24.15	-11.87	10.13	<=38.45	Pass
			49	24.21	-11.87	10.19	<=38.45	Pass
		25	0	23.55	-11.87	9.53	<=38.45	Pass
			13	23.61	-11.87	9.59	<=38.45	Pass
			25	23.68	-11.87	9.66	<=38.45	Pass
		50	0	23.66	-11.87	9.64	<=38.45	Pass
	844	1	0	24.19	-11.87	10.17	<=38.45	Pass
			25	24.05	-11.87	10.03	<=38.45	Pass
			49	24.02	-11.87	10.00	<=38.45	Pass
		25	0	23.63	-11.87	9.61	<=38.45	Pass
			13	23.48	-11.87	9.46	<=38.45	Pass
			25	23.38	-11.87	9.36	<=38.45	Pass
		50	0	23.55	-11.87	9.53	<=38.45	Pass
16QAM	829	1	0	23.58	-11.87	9.56	<=38.45	Pass
			25	23.41	-11.87	9.39	<=38.45	Pass
			49	23.46	-11.87	9.44	<=38.45	Pass
		25	0	23.06	-11.87	9.04	<=38.45	Pass
			13	23.00	-11.87	8.98	<=38.45	Pass
			25	22.95	-11.87	8.93	<=38.45	Pass
		50	0	23.00	-11.87	8.98	<=38.45	Pass
	836.5	1	0	23.57	-11.87	9.55	<=38.45	Pass
			25	23.57	-11.87	9.55	<=38.45	Pass
			49	23.63	-11.87	9.61	<=38.45	Pass
		25	0	22.89	-11.87	8.87	<=38.45	Pass
			13	22.93	-11.87	8.91	<=38.45	Pass
			25	22.96	-11.87	8.94	<=38.45	Pass
		50	0	22.96	-11.87	8.94	<=38.45	Pass
	844	1	0	24.00	-11.87	9.98	<=38.45	Pass
			25	23.82	-11.87	9.80	<=38.45	Pass
			49	23.80	-11.87	9.78	<=38.45	Pass
		25	0	22.95	-11.87	8.93	<=38.45	Pass
			13	22.83	-11.87	8.81	<=38.45	Pass
			25	22.72	-11.87	8.70	<=38.45	Pass
		50	0	22.88	-11.87	8.86	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	24.70	-11.87	10.68	<=38.45	Pass
			38	24.58	-11.87	10.56	<=38.45	Pass
			74	24.40	-11.87	10.38	<=38.45	Pass
		36	0	23.64	-11.87	9.62	<=38.45	Pass
			18	23.49	-11.87	9.47	<=38.45	Pass
			39	23.55	-11.87	9.53	<=38.45	Pass
		75	0	23.61	-11.87	9.59	<=38.45	Pass
	836.5	1	0	24.18	-11.87	10.16	<=38.45	Pass
			38	24.19	-11.87	10.17	<=38.45	Pass
			74	24.17	-11.87	10.15	<=38.45	Pass
		36	0	23.49	-11.87	9.47	<=38.45	Pass
			18	23.48	-11.87	9.46	<=38.45	Pass
			39	23.53	-11.87	9.51	<=38.45	Pass
		75	0	23.52	-11.87	9.50	<=38.45	Pass
	841.5	1	0	24.17	-11.87	10.15	<=38.45	Pass
			38	24.19	-11.87	10.17	<=38.45	Pass
			74	23.99	-11.87	9.97	<=38.45	Pass
		36	0	23.48	-11.87	9.46	<=38.45	Pass
			18	23.48	-11.87	9.46	<=38.45	Pass
			39	23.32	-11.87	9.30	<=38.45	Pass
		75	0	23.40	-11.87	9.38	<=38.45	Pass
16QAM	831.5	1	0	23.86	-11.87	9.84	<=38.45	Pass
			38	23.77	-11.87	9.75	<=38.45	Pass
			74	23.90	-11.87	9.88	<=38.45	Pass
		36	0	22.81	-11.87	8.79	<=38.45	Pass
			18	22.70	-11.87	8.68	<=38.45	Pass
			39	22.80	-11.87	8.78	<=38.45	Pass
		75	0	22.79	-11.87	8.77	<=38.45	Pass
	836.5	1	0	23.59	-11.87	9.57	<=38.45	Pass
			38	23.63	-11.87	9.61	<=38.45	Pass
			74	23.61	-11.87	9.59	<=38.45	Pass
		36	0	22.75	-11.87	8.73	<=38.45	Pass
			18	22.77	-11.87	8.75	<=38.45	Pass
			39	22.81	-11.87	8.79	<=38.45	Pass
		75	0	22.79	-11.87	8.77	<=38.45	Pass
	841.5	1	0	23.96	-11.87	9.94	<=38.45	Pass
			38	23.95	-11.87	9.93	<=38.45	Pass
			74	23.80	-11.87	9.78	<=38.45	Pass
		36	0	22.78	-11.87	8.76	<=38.45	Pass
			18	22.75	-11.87	8.73	<=38.45	Pass
			39	22.62	-11.87	8.60	<=38.45	Pass
		75	0	22.66	-11.87	8.64	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	LV	-5.822	-0.0071	-2.5 to 2.5	Pass
					NV	-4.578	-0.0056	-2.5 to 2.5	Pass
					HV	-3.433	-0.0042	-2.5 to 2.5	Pass
				-30	NV	-3.061	-0.0037	-2.5 to 2.5	Pass
				-20	NV	-5.536	-0.0067	-2.5 to 2.5	Pass
				-10	NV	-0.343	-0.0004	-2.5 to 2.5	Pass
				0	NV	-5.550	-0.0067	-2.5 to 2.5	Pass
				10	NV	3.147	0.0038	-2.5 to 2.5	Pass
				30	NV	-1.988	-0.0024	-2.5 to 2.5	Pass
				40	NV	-0.901	-0.0011	-2.5 to 2.5	Pass
				50	NV	-1.602	-0.0019	-2.5 to 2.5	Pass
	836.5	6	0	20	LV	0.501	0.0006	-2.5 to 2.5	Pass
					NV	-5.221	-0.0062	-2.5 to 2.5	Pass
					HV	-5.665	-0.0068	-2.5 to 2.5	Pass
				-30	NV	-0.014	0.0000	-2.5 to 2.5	Pass
				-20	NV	-3.533	-0.0042	-2.5 to 2.5	Pass
				-10	NV	0.644	0.0008	-2.5 to 2.5	Pass
				0	NV	-5.093	-0.0061	-2.5 to 2.5	Pass
				10	NV	-2.804	-0.0034	-2.5 to 2.5	Pass
				30	NV	-4.878	-0.0058	-2.5 to 2.5	Pass
				40	NV	-5.679	-0.0068	-2.5 to 2.5	Pass
				50	NV	-2.189	-0.0026	-2.5 to 2.5	Pass
	848.3	6	0	20	LV	-7.610	-0.0090	-2.5 to 2.5	Pass
					NV	-1.760	-0.0021	-2.5 to 2.5	Pass
					HV	-0.257	-0.0003	-2.5 to 2.5	Pass
				-30	NV	-2.017	-0.0024	-2.5 to 2.5	Pass
				-20	NV	-7.424	-0.0088	-2.5 to 2.5	Pass
				-10	NV	-2.146	-0.0025	-2.5 to 2.5	Pass
				0	NV	0.257	0.0003	-2.5 to 2.5	Pass
				10	NV	-3.419	-0.0040	-2.5 to 2.5	Pass
				30	NV	-3.133	-0.0037	-2.5 to 2.5	Pass
				40	NV	-2.704	-0.0032	-2.5 to 2.5	Pass
				50	NV	-5.150	-0.0061	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	LV	-4.020	-0.0049	-2.5 to 2.5	Pass
					NV	-2.561	-0.0031	-2.5 to 2.5	Pass
					HV	-6.523	-0.0079	-2.5 to 2.5	Pass
				-30	NV	-1.431	-0.0017	-2.5 to 2.5	Pass
				-20	NV	0.615	0.0007	-2.5 to 2.5	Pass
				-10	NV	2.446	0.0030	-2.5 to 2.5	Pass
				0	NV	-1.674	-0.0020	-2.5 to 2.5	Pass
				10	NV	1.316	0.0016	-2.5 to 2.5	Pass
				30	NV	-4.892	-0.0059	-2.5 to 2.5	Pass
				40	NV	-5.822	-0.0071	-2.5 to 2.5	Pass
				50	NV	-4.277	-0.0052	-2.5 to 2.5	Pass
	836.5	6	0	20	LV	0.658	0.0008	-2.5 to 2.5	Pass
					NV	-6.795	-0.0081	-2.5 to 2.5	Pass
					HV	-0.858	-0.0010	-2.5 to 2.5	Pass
				-30	NV	-4.578	-0.0055	-2.5 to 2.5	Pass
				-20	NV	-4.578	-0.0055	-2.5 to 2.5	Pass

				-10	NV	-9.856	-0.0118	-2.5 to 2.5	Pass
				0	NV	-0.486	-0.0006	-2.5 to 2.5	Pass
				10	NV	-2.031	-0.0024	-2.5 to 2.5	Pass
				30	NV	0.501	0.0006	-2.5 to 2.5	Pass
				40	NV	-10.543	-0.0126	-2.5 to 2.5	Pass
				50	NV	-3.362	-0.0040	-2.5 to 2.5	Pass
	848.3	6	0	20	LV	-1.731	-0.0020	-2.5 to 2.5	Pass
					NV	-2.003	-0.0024	-2.5 to 2.5	Pass
					HV	-7.038	-0.0083	-2.5 to 2.5	Pass
				-30	NV	0.830	0.0010	-2.5 to 2.5	Pass
				-20	NV	-5.450	-0.0064	-2.5 to 2.5	Pass
				-10	NV	0.958	0.0011	-2.5 to 2.5	Pass
				0	NV	-3.533	-0.0042	-2.5 to 2.5	Pass
				10	NV	-0.458	-0.0005	-2.5 to 2.5	Pass
				30	NV	-3.719	-0.0044	-2.5 to 2.5	Pass
				40	NV	-4.377	-0.0052	-2.5 to 2.5	Pass
				50	NV	-7.553	-0.0089	-2.5 to 2.5	Pass

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	LV	-7.396	-0.0090	-2.5 to 2.5	Pass
					NV	-5.879	-0.0071	-2.5 to 2.5	Pass
					HV	-0.129	-0.0002	-2.5 to 2.5	Pass
				-30	NV	-2.732	-0.0033	-2.5 to 2.5	Pass
				-20	NV	-2.532	-0.0031	-2.5 to 2.5	Pass
				-10	NV	-3.304	-0.0040	-2.5 to 2.5	Pass
				0	NV	-3.519	-0.0043	-2.5 to 2.5	Pass
				10	NV	-3.090	-0.0037	-2.5 to 2.5	Pass
				30	NV	-3.877	-0.0047	-2.5 to 2.5	Pass
				40	NV	-8.254	-0.0100	-2.5 to 2.5	Pass
				50	NV	-1.831	-0.0022	-2.5 to 2.5	Pass
	836.5	15	0	20	LV	-7.367	-0.0088	-2.5 to 2.5	Pass
					NV	-7.453	-0.0089	-2.5 to 2.5	Pass
					HV	0.558	0.0007	-2.5 to 2.5	Pass
				-30	NV	-3.462	-0.0041	-2.5 to 2.5	Pass
				-20	NV	-1.931	-0.0023	-2.5 to 2.5	Pass
				-10	NV	-4.277	-0.0051	-2.5 to 2.5	Pass
				0	NV	-2.146	-0.0026	-2.5 to 2.5	Pass
				10	NV	-3.319	-0.0040	-2.5 to 2.5	Pass
				30	NV	-4.635	-0.0055	-2.5 to 2.5	Pass
				40	NV	-3.676	-0.0044	-2.5 to 2.5	Pass
				50	NV	1.116	0.0013	-2.5 to 2.5	Pass
	847.5	15	0	20	LV	-0.343	-0.0004	-2.5 to 2.5	Pass
					NV	-1.245	-0.0015	-2.5 to 2.5	Pass
					HV	-1.760	-0.0021	-2.5 to 2.5	Pass
				-30	NV	-3.319	-0.0039	-2.5 to 2.5	Pass
				-20	NV	-1.402	-0.0017	-2.5 to 2.5	Pass
				-10	NV	-3.748	-0.0044	-2.5 to 2.5	Pass
				0	NV	-2.289	-0.0027	-2.5 to 2.5	Pass
				10	NV	-4.163	-0.0049	-2.5 to 2.5	Pass
				30	NV	-3.247	-0.0038	-2.5 to 2.5	Pass
				40	NV	-2.561	-0.0030	-2.5 to 2.5	Pass
				50	NV	0.200	0.0002	-2.5 to 2.5	Pass
16QAM	825.5	15	0	20	LV	-1.903	-0.0023	-2.5 to 2.5	Pass
					NV	-3.691	-0.0045	-2.5 to 2.5	Pass

					HV	-6.437	-0.0078	-2.5 to 2.5	Pass
				-30	NV	-2.847	-0.0034	-2.5 to 2.5	Pass
				-20	NV	-6.166	-0.0075	-2.5 to 2.5	Pass
				-10	NV	-6.852	-0.0083	-2.5 to 2.5	Pass
				0	NV	-2.632	-0.0032	-2.5 to 2.5	Pass
				10	NV	-5.994	-0.0073	-2.5 to 2.5	Pass
				30	NV	-1.731	-0.0021	-2.5 to 2.5	Pass
				40	NV	-10.700	-0.0130	-2.5 to 2.5	Pass
				50	NV	-6.423	-0.0078	-2.5 to 2.5	Pass
	836.5	15	0	20	LV	-1.974	-0.0024	-2.5 to 2.5	Pass
					NV	-4.134	-0.0049	-2.5 to 2.5	Pass
					HV	-3.691	-0.0044	-2.5 to 2.5	Pass
				-30	NV	-6.423	-0.0077	-2.5 to 2.5	Pass
				-20	NV	-6.723	-0.0080	-2.5 to 2.5	Pass
				-10	NV	-1.788	-0.0021	-2.5 to 2.5	Pass
				0	NV	-1.860	-0.0022	-2.5 to 2.5	Pass
				10	NV	-8.883	-0.0106	-2.5 to 2.5	Pass
				30	NV	-3.662	-0.0044	-2.5 to 2.5	Pass
				40	NV	2.217	0.0027	-2.5 to 2.5	Pass
				50	NV	-1.659	-0.0020	-2.5 to 2.5	Pass
	847.5	15	0	20	LV	-2.303	-0.0027	-2.5 to 2.5	Pass
					NV	-5.550	-0.0065	-2.5 to 2.5	Pass
					HV	-0.186	-0.0002	-2.5 to 2.5	Pass
				-30	NV	-3.290	-0.0039	-2.5 to 2.5	Pass
				-20	NV	-1.745	-0.0021	-2.5 to 2.5	Pass
				-10	NV	-4.220	-0.0050	-2.5 to 2.5	Pass
				0	NV	-0.014	0.0000	-2.5 to 2.5	Pass
				10	NV	-2.990	-0.0035	-2.5 to 2.5	Pass
				30	NV	-4.106	-0.0048	-2.5 to 2.5	Pass
				40	NV	-5.035	-0.0059	-2.5 to 2.5	Pass
				50	NV	-2.146	-0.0025	-2.5 to 2.5	Pass

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	LV	-1.945	-0.0024	-2.5 to 2.5	Pass
					NV	-5.150	-0.0062	-2.5 to 2.5	Pass
					HV	-1.445	-0.0017	-2.5 to 2.5	Pass
				-30	NV	-1.845	-0.0022	-2.5 to 2.5	Pass
				-20	NV	-2.375	-0.0029	-2.5 to 2.5	Pass
				-10	NV	-5.093	-0.0062	-2.5 to 2.5	Pass
				0	NV	1.788	0.0022	-2.5 to 2.5	Pass
				10	NV	-0.730	-0.0009	-2.5 to 2.5	Pass
				30	NV	-2.832	-0.0034	-2.5 to 2.5	Pass
				40	NV	0.129	0.0002	-2.5 to 2.5	Pass
				50	NV	-4.334	-0.0052	-2.5 to 2.5	Pass
	836.5	25	0	20	LV	-4.206	-0.0050	-2.5 to 2.5	Pass
					NV	-4.191	-0.0050	-2.5 to 2.5	Pass
					HV	-1.745	-0.0021	-2.5 to 2.5	Pass
				-30	NV	-3.548	-0.0042	-2.5 to 2.5	Pass
				-20	NV	-0.858	-0.0010	-2.5 to 2.5	Pass
				-10	NV	-2.661	-0.0032	-2.5 to 2.5	Pass
				0	NV	-2.861	-0.0034	-2.5 to 2.5	Pass
				10	NV	-2.375	-0.0028	-2.5 to 2.5	Pass
				30	NV	-3.676	-0.0044	-2.5 to 2.5	Pass
				40	NV	-4.435	-0.0053	-2.5 to 2.5	Pass

	846.5	25	0	50	NV	-1.874	-0.0022	-2.5 to 2.5	Pass
				20	LV	-3.133	-0.0037	-2.5 to 2.5	Pass
					NV	-1.874	-0.0022	-2.5 to 2.5	Pass
					HV	-2.546	-0.0030	-2.5 to 2.5	Pass
				-30	NV	-4.950	-0.0058	-2.5 to 2.5	Pass
				-20	NV	-2.189	-0.0026	-2.5 to 2.5	Pass
				-10	NV	-1.888	-0.0022	-2.5 to 2.5	Pass
				0	NV	-3.219	-0.0038	-2.5 to 2.5	Pass
				10	NV	-5.035	-0.0059	-2.5 to 2.5	Pass
				30	NV	-3.991	-0.0047	-2.5 to 2.5	Pass
16QAM	826.5	25	0	40	NV	-0.930	-0.0011	-2.5 to 2.5	Pass
				50	NV	-1.001	-0.0012	-2.5 to 2.5	Pass
				20	LV	-5.994	-0.0073	-2.5 to 2.5	Pass
					NV	-2.160	-0.0026	-2.5 to 2.5	Pass
					HV	-0.086	-0.0001	-2.5 to 2.5	Pass
				-30	NV	-1.416	-0.0017	-2.5 to 2.5	Pass
				-20	NV	-5.836	-0.0071	-2.5 to 2.5	Pass
				-10	NV	-2.732	-0.0033	-2.5 to 2.5	Pass
				0	NV	2.103	0.0025	-2.5 to 2.5	Pass
				10	NV	-4.749	-0.0057	-2.5 to 2.5	Pass
	836.5	25	0	30	NV	-5.479	-0.0066	-2.5 to 2.5	Pass
				40	NV	-0.801	-0.0010	-2.5 to 2.5	Pass
				50	NV	-4.406	-0.0053	-2.5 to 2.5	Pass
				20	LV	-5.565	-0.0067	-2.5 to 2.5	Pass
					NV	-3.977	-0.0048	-2.5 to 2.5	Pass
					HV	0.501	0.0006	-2.5 to 2.5	Pass
				-30	NV	-8.240	-0.0099	-2.5 to 2.5	Pass
				-20	NV	-4.206	-0.0050	-2.5 to 2.5	Pass
				-10	NV	-1.388	-0.0017	-2.5 to 2.5	Pass
				0	NV	-6.294	-0.0075	-2.5 to 2.5	Pass
	846.5	25	0	10	NV	-5.665	-0.0068	-2.5 to 2.5	Pass
				30	NV	-0.143	-0.0002	-2.5 to 2.5	Pass
				40	NV	-7.267	-0.0087	-2.5 to 2.5	Pass
				50	NV	-1.001	-0.0012	-2.5 to 2.5	Pass
				20	LV	-3.490	-0.0041	-2.5 to 2.5	Pass
					NV	-7.539	-0.0089	-2.5 to 2.5	Pass
					HV	-8.211	-0.0097	-2.5 to 2.5	Pass
				-30	NV	-7.796	-0.0092	-2.5 to 2.5	Pass
				-20	NV	-0.758	-0.0009	-2.5 to 2.5	Pass
				-10	NV	-7.439	-0.0088	-2.5 to 2.5	Pass
				0	NV	-4.449	-0.0053	-2.5 to 2.5	Pass
				10	NV	-6.781	-0.0080	-2.5 to 2.5	Pass
				30	NV	-4.706	-0.0056	-2.5 to 2.5	Pass
				40	NV	-2.503	-0.0030	-2.5 to 2.5	Pass
				50	NV	-4.506	-0.0053	-2.5 to 2.5	Pass

2.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	LV	-1.273	-0.0015	-2.5 to 2.5	Pass
					NV	-4.706	-0.0057	-2.5 to 2.5	Pass
					HV	-2.789	-0.0034	-2.5 to 2.5	Pass
				-30	NV	-3.676	-0.0044	-2.5 to 2.5	Pass
				-20	NV	-3.247	-0.0039	-2.5 to 2.5	Pass
				-10	NV	-3.290	-0.0040	-2.5 to 2.5	Pass
				0	NV	-5.879	-0.0071	-2.5 to 2.5	Pass

				10	NV	-3.877	-0.0047	-2.5 to 2.5	Pass
				30	NV	-4.520	-0.0055	-2.5 to 2.5	Pass
				40	NV	-0.529	-0.0006	-2.5 to 2.5	Pass
				50	NV	-2.575	-0.0031	-2.5 to 2.5	Pass
	836.5	50	0	20	LV	-1.574	-0.0019	-2.5 to 2.5	Pass
					NV	-2.604	-0.0031	-2.5 to 2.5	Pass
					HV	-1.016	-0.0012	-2.5 to 2.5	Pass
				-30	NV	-4.005	-0.0048	-2.5 to 2.5	Pass
				-20	NV	-2.432	-0.0029	-2.5 to 2.5	Pass
				-10	NV	-3.204	-0.0038	-2.5 to 2.5	Pass
				0	NV	-5.264	-0.0063	-2.5 to 2.5	Pass
				10	NV	-4.606	-0.0055	-2.5 to 2.5	Pass
				30	NV	-2.260	-0.0027	-2.5 to 2.5	Pass
				40	NV	-6.108	-0.0073	-2.5 to 2.5	Pass
				50	NV	-2.060	-0.0025	-2.5 to 2.5	Pass
	844	50	0	20	LV	-4.749	-0.0056	-2.5 to 2.5	Pass
					NV	-3.533	-0.0042	-2.5 to 2.5	Pass
					HV	-4.678	-0.0055	-2.5 to 2.5	Pass
				-30	NV	-2.174	-0.0026	-2.5 to 2.5	Pass
				-20	NV	-3.376	-0.0040	-2.5 to 2.5	Pass
				-10	NV	-1.802	-0.0021	-2.5 to 2.5	Pass
				0	NV	-3.591	-0.0043	-2.5 to 2.5	Pass
				10	NV	-3.963	-0.0047	-2.5 to 2.5	Pass
				30	NV	-1.659	-0.0020	-2.5 to 2.5	Pass
				40	NV	-4.621	-0.0055	-2.5 to 2.5	Pass
				50	NV	-2.775	-0.0033	-2.5 to 2.5	Pass
16QAM	829	50	0	20	LV	-1.087	-0.0013	-2.5 to 2.5	Pass
					NV	-4.921	-0.0059	-2.5 to 2.5	Pass
					HV	-3.691	-0.0045	-2.5 to 2.5	Pass
				-30	NV	-3.033	-0.0037	-2.5 to 2.5	Pass
				-20	NV	-4.120	-0.0050	-2.5 to 2.5	Pass
				-10	NV	-2.961	-0.0036	-2.5 to 2.5	Pass
				0	NV	-1.688	-0.0020	-2.5 to 2.5	Pass
				10	NV	-2.732	-0.0033	-2.5 to 2.5	Pass
				30	NV	-5.050	-0.0061	-2.5 to 2.5	Pass
				40	NV	-2.232	-0.0027	-2.5 to 2.5	Pass
				50	NV	-3.119	-0.0038	-2.5 to 2.5	Pass
	836.5	50	0	20	LV	-2.646	-0.0032	-2.5 to 2.5	Pass
					NV	-3.891	-0.0047	-2.5 to 2.5	Pass
					HV	-4.005	-0.0048	-2.5 to 2.5	Pass
				-30	NV	-2.704	-0.0032	-2.5 to 2.5	Pass
				-20	NV	-4.792	-0.0057	-2.5 to 2.5	Pass
				-10	NV	-1.988	-0.0024	-2.5 to 2.5	Pass
				0	NV	-3.476	-0.0042	-2.5 to 2.5	Pass
				10	NV	-6.509	-0.0078	-2.5 to 2.5	Pass
				30	NV	-2.804	-0.0034	-2.5 to 2.5	Pass
				40	NV	-2.446	-0.0029	-2.5 to 2.5	Pass
				50	NV	-2.832	-0.0034	-2.5 to 2.5	Pass
	844	50	0	20	LV	-3.376	-0.0040	-2.5 to 2.5	Pass
					NV	-4.120	-0.0049	-2.5 to 2.5	Pass
					HV	-3.991	-0.0047	-2.5 to 2.5	Pass
				-30	NV	-2.275	-0.0027	-2.5 to 2.5	Pass
				-20	NV	-2.289	-0.0027	-2.5 to 2.5	Pass
				-10	NV	-4.892	-0.0058	-2.5 to 2.5	Pass
				0	NV	-4.649	-0.0055	-2.5 to 2.5	Pass
				10	NV	-2.117	-0.0025	-2.5 to 2.5	Pass
				30	NV	-2.174	-0.0026	-2.5 to 2.5	Pass
				40	NV	-4.420	-0.0052	-2.5 to 2.5	Pass
				50	NV	-0.501	-0.0006	-2.5 to 2.5	Pass

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	LV	-2.432	-0.0029	-2.5 to 2.5	Pass
					NV	-2.332	-0.0028	-2.5 to 2.5	Pass
					HV	-3.476	-0.0042	-2.5 to 2.5	Pass
				-30	NV	-4.406	-0.0053	-2.5 to 2.5	Pass
				-20	NV	-4.077	-0.0049	-2.5 to 2.5	Pass
				-10	NV	-4.063	-0.0049	-2.5 to 2.5	Pass
				0	NV	-1.688	-0.0020	-2.5 to 2.5	Pass
				10	NV	-2.289	-0.0028	-2.5 to 2.5	Pass
				30	NV	-4.821	-0.0058	-2.5 to 2.5	Pass
				40	NV	-2.689	-0.0032	-2.5 to 2.5	Pass
				50	NV	-2.174	-0.0026	-2.5 to 2.5	Pass
	836.5	75	0	20	LV	-3.304	-0.0039	-2.5 to 2.5	Pass
					NV	-3.490	-0.0042	-2.5 to 2.5	Pass
					HV	-2.475	-0.0030	-2.5 to 2.5	Pass
				-30	NV	-2.232	-0.0027	-2.5 to 2.5	Pass
				-20	NV	-3.290	-0.0039	-2.5 to 2.5	Pass
				-10	NV	-2.975	-0.0036	-2.5 to 2.5	Pass
				0	NV	-3.533	-0.0042	-2.5 to 2.5	Pass
				10	NV	-3.347	-0.0040	-2.5 to 2.5	Pass
				30	NV	-4.063	-0.0049	-2.5 to 2.5	Pass
				40	NV	-4.621	-0.0055	-2.5 to 2.5	Pass
				50	NV	-3.219	-0.0038	-2.5 to 2.5	Pass
	841.5	75	0	20	LV	-1.974	-0.0023	-2.5 to 2.5	Pass
					NV	-2.961	-0.0035	-2.5 to 2.5	Pass
					HV	-2.561	-0.0030	-2.5 to 2.5	Pass
				-30	NV	-3.576	-0.0042	-2.5 to 2.5	Pass
				-20	NV	-4.935	-0.0059	-2.5 to 2.5	Pass
				-10	NV	-2.475	-0.0029	-2.5 to 2.5	Pass
				0	NV	-1.645	-0.0020	-2.5 to 2.5	Pass
				10	NV	-4.821	-0.0057	-2.5 to 2.5	Pass
				30	NV	-2.975	-0.0035	-2.5 to 2.5	Pass
				40	NV	-6.166	-0.0073	-2.5 to 2.5	Pass
				50	NV	-4.592	-0.0055	-2.5 to 2.5	Pass
16QAM	831.5	75	0	20	LV	-2.947	-0.0035	-2.5 to 2.5	Pass
					NV	-1.259	-0.0015	-2.5 to 2.5	Pass
					HV	-2.561	-0.0031	-2.5 to 2.5	Pass
				-30	NV	-3.262	-0.0039	-2.5 to 2.5	Pass
				-20	NV	-3.791	-0.0046	-2.5 to 2.5	Pass
				-10	NV	-1.616	-0.0019	-2.5 to 2.5	Pass
				0	NV	-1.330	-0.0016	-2.5 to 2.5	Pass
				10	NV	-3.476	-0.0042	-2.5 to 2.5	Pass
				30	NV	-3.605	-0.0043	-2.5 to 2.5	Pass
				40	NV	-4.077	-0.0049	-2.5 to 2.5	Pass
				50	NV	-3.376	-0.0041	-2.5 to 2.5	Pass
	836.5	75	0	20	LV	-2.160	-0.0026	-2.5 to 2.5	Pass
					NV	-2.246	-0.0027	-2.5 to 2.5	Pass
					HV	-3.018	-0.0036	-2.5 to 2.5	Pass
				-30	NV	-2.632	-0.0031	-2.5 to 2.5	Pass
				-20	NV	-3.519	-0.0042	-2.5 to 2.5	Pass
				-10	NV	-4.749	-0.0057	-2.5 to 2.5	Pass
				0	NV	-1.860	-0.0022	-2.5 to 2.5	Pass
				10	NV	-3.018	-0.0036	-2.5 to 2.5	Pass

				30	NV	-2.403	-0.0029	-2.5 to 2.5	Pass
				40	NV	-3.376	-0.0040	-2.5 to 2.5	Pass
				50	NV	-0.801	-0.0010	-2.5 to 2.5	Pass
	841.5	75	0	20	LV	-4.821	-0.0057	-2.5 to 2.5	Pass
					NV	-3.705	-0.0044	-2.5 to 2.5	Pass
					HV	-4.435	-0.0053	-2.5 to 2.5	Pass
				-30	NV	-3.619	-0.0043	-2.5 to 2.5	Pass
				-20	NV	-4.678	-0.0056	-2.5 to 2.5	Pass
				-10	NV	-3.576	-0.0042	-2.5 to 2.5	Pass
				0	NV	-4.234	-0.0050	-2.5 to 2.5	Pass
				10	NV	-3.548	-0.0042	-2.5 to 2.5	Pass
				30	NV	-3.819	-0.0045	-2.5 to 2.5	Pass
				40	NV	-3.462	-0.0041	-2.5 to 2.5	Pass
				50	NV	-3.848	-0.0046	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

3.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	Refer To Test Graph		Pass
16QAM	836.5	75	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B26b_1.4MHz




3.2.2 B26b_3MHz




3.2.3 B26b_5MHz



3.2.4 B26b_10MHz



3.2.5 B26b_15MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26b_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.084	/	Pass
		836.5	6	0	1.081	/	Pass
		848.3	6	0	1.078	/	Pass
	16QAM	824.7	6	0	1.083	/	Pass
		836.5	6	0	1.077	/	Pass
		848.3	6	0	1.082	/	Pass
3	QPSK	825.5	15	0	2.687	/	Pass
		836.5	15	0	2.681	/	Pass
		847.5	15	0	2.678	/	Pass
	16QAM	825.5	15	0	2.675	/	Pass
		836.5	15	0	2.673	/	Pass
		847.5	15	0	2.679	/	Pass
5	QPSK	826.5	25	0	4.469	/	Pass
		836.5	25	0	4.493	/	Pass
		846.5	25	0	4.483	/	Pass
	16QAM	826.5	25	0	4.475	/	Pass
		836.5	25	0	4.484	/	Pass
		846.5	25	0	4.473	/	Pass
10	QPSK	829	50	0	8.946	/	Pass
		836.5	50	0	8.957	/	Pass
		844	50	0	8.953	/	Pass
	16QAM	829	50	0	8.957	/	Pass
		836.5	50	0	8.962	/	Pass
		844	50	0	8.955	/	Pass
15	QPSK	831.5	75	0	13.418	/	Pass
		836.5	75	0	13.407	/	Pass
		841.5	75	0	13.398	/	Pass
	16QAM	831.5	75	0	13.431	/	Pass
		836.5	75	0	13.415	/	Pass
		841.5	75	0	13.387	/	Pass


4.1.2 Band26b_XDB

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.243	/	Pass
		836.5	6	0	1.246	/	Pass
		848.3	6	0	1.236	/	Pass
	16QAM	824.7	6	0	1.249	/	Pass
		836.5	6	0	1.236	/	Pass
		848.3	6	0	1.255	/	Pass
3	QPSK	825.5	15	0	2.909	/	Pass
		836.5	15	0	2.909	/	Pass
		847.5	15	0	2.903	/	Pass
	16QAM	825.5	15	0	2.918	/	Pass
		836.5	15	0	2.932	/	Pass
		847.5	15	0	2.951	/	Pass
5	QPSK	826.5	25	0	4.840	/	Pass


	16QAM	836.5	25	0	4.824	/	Pass
		846.5	25	0	4.859	/	Pass
		826.5	25	0	4.847	/	Pass
		836.5	25	0	4.856	/	Pass
		846.5	25	0	4.843	/	Pass
10	QPSK	829	50	0	9.597	/	Pass
		836.5	50	0	9.532	/	Pass
		844	50	0	9.609	/	Pass
	16QAM	829	50	0	9.583	/	Pass
		836.5	50	0	9.555	/	Pass
		844	50	0	9.551	/	Pass
15	QPSK	831.5	75	0	14.353	/	Pass
		836.5	75	0	14.255	/	Pass
		841.5	75	0	14.396	/	Pass
	16QAM	831.5	75	0	14.363	/	Pass
		836.5	75	0	14.385	/	Pass
		841.5	75	0	14.338	/	Pass

4.2 Test Graph


4.2.1 Band26b_OBW




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




4.2.2 Band26b_XDB




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




Band: 26b / Bandwidth: 15MHz / NTV


Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	5.26	<=13	Pass
	836.5	75	0	5.41	<=13	Pass
	841.5	75	0	5.61	<=13	Pass
16QAM	831.5	75	0	5.82	<=13	Pass
	836.5	75	0	6.04	<=13	Pass
	841.5	75	0	6.12	<=13	Pass

5.2 Test Graph


5.2.1 B26b_1.4MHz




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV



Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




5.2.2 B26b_3MHz


Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV



Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV



Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV



Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV

