



Mode	31																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full RU_6475MHz																																																																																																															
ANT	8+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>53.57</td><td>88.20</td><td>-34.63</td><td>32.64</td><td>41.10</td><td>18.77</td><td>40.85</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>38.19</td><td>74.00</td><td>-35.81</td><td>52.60</td><td>38.25</td><td>23.39</td><td>66.51</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	53.57	88.20	-34.63	32.64	41.10	18.77	40.85	0.43	--	Peak	2	19425.00	38.19	74.00	-35.81	52.60	38.25	23.39	66.51	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>53.85</td><td>88.20</td><td>-34.35</td><td>32.92</td><td>41.10</td><td>18.77</td><td>40.85</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>37.24</td><td>74.00</td><td>-36.76</td><td>51.65</td><td>38.25</td><td>23.39</td><td>66.51</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	53.85	88.20	-34.35	32.92	41.10	18.77	40.85	0.43	--	Peak	2	19425.00	37.24	74.00	-36.76	51.65	38.25	23.39	66.51	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12950.00	53.57	88.20	-34.63	32.64	41.10	18.77	40.85	0.43	--	Peak																																																																																																					
2	19425.00	38.19	74.00	-35.81	52.60	38.25	23.39	66.51	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12950.00	53.85	88.20	-34.35	32.92	41.10	18.77	40.85	0.43	--	Peak																																																																																																					
2	19425.00	37.24	74.00	-36.76	51.65	38.25	23.39	66.51	-9.54	--	Peak																																																																																																					



Mode	31	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full RU_6475MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII_6E) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII_6E) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	32																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full RU_6515MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>54.66</td><td>88.20</td><td>-33.54</td><td>33.93</td><td>40.92</td><td>18.82</td><td>40.92</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>38.37</td><td>74.00</td><td>-35.63</td><td>52.38</td><td>38.39</td><td>23.46</td><td>66.32</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	54.66	88.20	-33.54	33.93	40.92	18.82	40.92	0.43	--	Peak	2	19545.00	38.37	74.00	-35.63	52.38	38.39	23.46	66.32	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>53.75</td><td>88.20</td><td>-34.45</td><td>33.02</td><td>40.92</td><td>18.82</td><td>40.92</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>38.91</td><td>74.00</td><td>-35.09</td><td>52.92</td><td>38.39</td><td>23.46</td><td>66.32</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	53.75	88.20	-34.45	33.02	40.92	18.82	40.92	0.43	--	Peak	2	19545.00	38.91	74.00	-35.09	52.92	38.39	23.46	66.32	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	54.66	88.20	-33.54	33.93	40.92	18.82	40.92	0.43	--	Peak																																																																																																															
2	19545.00	38.37	74.00	-35.63	52.38	38.39	23.46	66.32	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	53.75	88.20	-34.45	33.02	40.92	18.82	40.92	0.43	--	Peak																																																																																																															
2	19545.00	38.91	74.00	-35.09	52.92	38.39	23.46	66.32	-9.54	--	Peak																																																																																																															



Mode	32	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full RU_6515MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII_6E) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII_6E) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	33																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>53.96</td><td>88.20</td><td>-34.24</td><td>33.17</td><td>40.98</td><td>18.73</td><td>40.84</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>38.67</td><td>74.00</td><td>-35.33</td><td>53.27</td><td>38.23</td><td>23.34</td><td>66.63</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	53.96	88.20	-34.24	33.17	40.98	18.73	40.84	0.44	--	Peak	2	19335.00	38.67	74.00	-35.33	53.27	38.23	23.34	66.63	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>53.20</td><td>88.20</td><td>-35.00</td><td>32.41</td><td>40.98</td><td>18.73</td><td>40.84</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>37.70</td><td>74.00</td><td>-36.30</td><td>52.30</td><td>38.23</td><td>23.34</td><td>66.63</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	53.20	88.20	-35.00	32.41	40.98	18.73	40.84	0.44	--	Peak	2	19335.00	37.70	74.00	-36.30	52.30	38.23	23.34	66.63	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12890.00	53.96	88.20	-34.24	33.17	40.98	18.73	40.84	0.44	--	Peak																																																																																																															
2	19335.00	38.67	74.00	-35.33	53.27	38.23	23.34	66.63	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12890.00	53.20	88.20	-35.00	32.41	40.98	18.73	40.84	0.44	--	Peak																																																																																																															
2	19335.00	37.70	74.00	-36.30	52.30	38.23	23.34	66.63	-9.54	--	Peak																																																																																																															





Mode	33	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	34																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz																																																																																																															
ANT	8+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>53.29</td><td>88.20</td><td>-34.91</td><td>32.36</td><td>41.10</td><td>18.78</td><td>40.86</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>38.74</td><td>74.00</td><td>-35.26</td><td>53.03</td><td>38.30</td><td>23.41</td><td>66.46</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	53.29	88.20	-34.91	32.36	41.10	18.78	40.86	0.43	--	Peak	2	19455.00	38.74	74.00	-35.26	53.03	38.30	23.41	66.46	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>53.82</td><td>88.20</td><td>-34.38</td><td>32.89</td><td>41.10</td><td>18.78</td><td>40.86</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>37.57</td><td>74.00</td><td>-36.43</td><td>51.86</td><td>38.30</td><td>23.41</td><td>66.46</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	53.82	88.20	-34.38	32.89	41.10	18.78	40.86	0.43	--	Peak	2	19455.00	37.57	74.00	-36.43	51.86	38.30	23.41	66.46	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12970.00	53.29	88.20	-34.91	32.36	41.10	18.78	40.86	0.43	--	Peak																																																																																																					
2	19455.00	38.74	74.00	-35.26	53.03	38.30	23.41	66.46	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12970.00	53.82	88.20	-34.38	32.89	41.10	18.78	40.86	0.43	--	Peak																																																																																																					
2	19455.00	37.57	74.00	-36.43	51.86	38.30	23.41	66.46	-9.54	--	Peak																																																																																																					



Mode	34	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	35																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>53.47</td><td>88.20</td><td>-34.73</td><td>32.88</td><td>40.80</td><td>18.84</td><td>40.96</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>38.45</td><td>74.00</td><td>-35.55</td><td>52.42</td><td>38.35</td><td>23.48</td><td>66.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	53.47	88.20	-34.73	32.88	40.80	18.84	40.96	0.43	--	Peak	2	19575.00	38.45	74.00	-35.55	52.42	38.35	23.48	66.26	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>53.83</td><td>88.20</td><td>-34.37</td><td>33.24</td><td>40.80</td><td>18.84</td><td>40.96</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>37.47</td><td>74.00</td><td>-36.53</td><td>51.44</td><td>38.35</td><td>23.48</td><td>66.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	53.83	88.20	-34.37	33.24	40.80	18.84	40.96	0.43	--	Peak	2	19575.00	37.47	74.00	-36.53	51.44	38.35	23.48	66.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13050.00	53.47	88.20	-34.73	32.88	40.80	18.84	40.96	0.43	--	Peak																																																																																																															
2	19575.00	38.45	74.00	-35.55	52.42	38.35	23.48	66.26	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13050.00	53.83	88.20	-34.37	33.24	40.80	18.84	40.96	0.43	--	Peak																																																																																																															
2	19575.00	37.47	74.00	-36.53	51.44	38.35	23.48	66.26	-9.54	--	Peak																																																																																																															



Mode	35	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	36																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz																																																																																																																								
ANT	8+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>53.92</td><td>88.20</td><td>-34.28</td><td>33.04</td><td>41.06</td><td>18.76</td><td>40.85</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>37.48</td><td>74.00</td><td>-36.52</td><td>51.99</td><td>38.20</td><td>23.38</td><td>66.55</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	53.92	88.20	-34.28	33.04	41.06	18.76	40.85	0.43	--	Peak	2	19395.00	37.48	74.00	-36.52	51.99	38.20	23.38	66.55	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>54.49</td><td>88.20</td><td>-33.71</td><td>33.61</td><td>41.06</td><td>18.76</td><td>40.85</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>37.47</td><td>74.00</td><td>-36.53</td><td>51.98</td><td>38.20</td><td>23.38</td><td>66.55</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	54.49	88.20	-33.71	33.61	41.06	18.76	40.85	0.43	--	Peak	2	19395.00	37.47	74.00	-36.53	51.98	38.20	23.38	66.55	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12930.00	53.92	88.20	-34.28	33.04	41.06	18.76	40.85	0.43	--	Peak																																																																																																														
2	19395.00	37.48	74.00	-36.52	51.99	38.20	23.38	66.55	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12930.00	54.49	88.20	-33.71	33.61	41.06	18.76	40.85	0.43	--	Peak																																																																																																														
2	19395.00	37.47	74.00	-36.53	51.98	38.20	23.38	66.55	-9.54	--	Peak																																																																																																														



Mode	36	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	37																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11be EHT80_CH119_Full RU_6545MHz																																																																																																																								
ANT	8+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>54.43</td><td>88.20</td><td>-33.77</td><td>33.74</td><td>40.96</td><td>18.87</td><td>41.04</td><td>0.42</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19635.00</td><td>38.18</td><td>74.00</td><td>-35.82</td><td>52.87</td><td>38.30</td><td>23.51</td><td>66.16</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	54.43	88.20	-33.77	33.74	40.96	18.87	41.04	0.42	--	Peak	2	19635.00	38.18	74.00	-35.82	52.87	38.30	23.51	66.16	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>53.99</td><td>88.20</td><td>-34.21</td><td>33.30</td><td>40.96</td><td>18.87</td><td>41.04</td><td>0.42</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19635.00</td><td>37.56</td><td>74.00</td><td>-36.44</td><td>51.45</td><td>38.30</td><td>23.51</td><td>66.16</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	53.99	88.20	-34.21	33.30	40.96	18.87	41.04	0.42	--	Peak	2	19635.00	37.56	74.00	-36.44	51.45	38.30	23.51	66.16	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13090.00	54.43	88.20	-33.77	33.74	40.96	18.87	41.04	0.42	--	Peak																																																																																																														
2	19635.00	38.18	74.00	-35.82	52.87	38.30	23.51	66.16	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13090.00	53.99	88.20	-34.21	33.30	40.96	18.87	41.04	0.42	--	Peak																																																																																																														
2	19635.00	37.56	74.00	-36.44	51.45	38.30	23.51	66.16	-9.54	--	Peak																																																																																																														



Mode	37	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT80_CH119_Full RU_6545MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	38																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>54.75</td><td>88.20</td><td>-33.45</td><td>33.87</td><td>41.04</td><td>18.81</td><td>40.88</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>37.85</td><td>74.00</td><td>-36.15</td><td>51.99</td><td>38.33</td><td>23.44</td><td>66.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	54.75	88.20	-33.45	33.87	41.04	18.81	40.88	0.43	--	Peak	2	19515.00	37.85	74.00	-36.15	51.99	38.33	23.44	66.37	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>54.11</td><td>88.20</td><td>-34.09</td><td>33.23</td><td>41.04</td><td>18.81</td><td>40.88</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>38.01</td><td>74.00</td><td>-35.99</td><td>52.15</td><td>38.33</td><td>23.44</td><td>66.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	54.11	88.20	-34.09	33.23	41.04	18.81	40.88	0.43	--	Peak	2	19515.00	38.01	74.00	-35.99	52.15	38.33	23.44	66.37	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13010.00	54.75	88.20	-33.45	33.87	41.04	18.81	40.88	0.43	--	Peak																																																																																																															
2	19515.00	37.85	74.00	-36.15	51.99	38.33	23.44	66.37	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13010.00	54.11	88.20	-34.09	33.23	41.04	18.81	40.88	0.43	--	Peak																																																																																																															
2	19515.00	38.01	74.00	-35.99	52.15	38.33	23.44	66.37	-9.54	--	Peak																																																																																																															





Mode	38	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	39																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT320_CH127_6585MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-25 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>54.50</td><td>88.20</td><td>-33.70</td><td>33.68</td><td>41.18</td><td>18.93</td><td>41.19</td><td>0.42</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19755.00</td><td>37.96</td><td>74.00</td><td>-36.04</td><td>51.57</td><td>38.29</td><td>23.58</td><td>65.94</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	54.50	88.20	-33.70	33.68	41.18	18.93	41.19	0.42	--	Peak	2	19755.00	37.96	74.00	-36.04	51.57	38.29	23.58	65.94	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-25 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>55.11</td><td>88.20</td><td>-33.09</td><td>34.29</td><td>41.18</td><td>18.93</td><td>41.19</td><td>0.42</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19755.00</td><td>38.70</td><td>74.00</td><td>-35.30</td><td>52.31</td><td>38.29</td><td>23.58</td><td>65.94</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	55.11	88.20	-33.09	34.29	41.18	18.93	41.19	0.42	--	Peak	2	19755.00	38.70	74.00	-35.30	52.31	38.29	23.58	65.94	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13170.00	54.50	88.20	-33.70	33.68	41.18	18.93	41.19	0.42	--	Peak																																																																																																															
2	19755.00	37.96	74.00	-36.04	51.57	38.29	23.58	65.94	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13170.00	55.11	88.20	-33.09	34.29	41.18	18.93	41.19	0.42	--	Peak																																																																																																															
2	19755.00	38.70	74.00	-35.30	52.31	38.29	23.58	65.94	-9.54	--	Peak																																																																																																															



Mode	39	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT320_CH127_6585MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Date: 2026-07-25  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Date: 2026-07-25  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	40																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.73</td><td>88.20</td><td>-34.47</td><td>33.09</td><td>40.88</td><td>18.85</td><td>41.00</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>39.60</td><td>74.00</td><td>-34.40</td><td>53.56</td><td>38.30</td><td>23.49</td><td>66.21</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.73	88.20	-34.47	33.09	40.88	18.85	41.00	0.43	--	Peak	2	19605.00	39.60	74.00	-34.40	53.56	38.30	23.49	66.21	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.54</td><td>88.20</td><td>-34.66</td><td>32.90</td><td>40.88</td><td>18.85</td><td>41.00</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>38.29</td><td>74.00</td><td>-35.71</td><td>52.25</td><td>38.30</td><td>23.49</td><td>66.21</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.54	88.20	-34.66	32.90	40.88	18.85	41.00	0.43	--	Peak	2	19605.00	38.29	74.00	-35.71	52.25	38.30	23.49	66.21	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	53.73	88.20	-34.47	33.09	40.88	18.85	41.00	0.43	--	Peak																																																																																																															
2	19605.00	39.60	74.00	-34.40	53.56	38.30	23.49	66.21	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	53.54	88.20	-34.66	32.90	40.88	18.85	41.00	0.43	--	Peak																																																																																																															
2	19605.00	38.29	74.00	-35.71	52.25	38.30	23.49	66.21	-9.54	--	Peak																																																																																																															



Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	41																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13390.00</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>33.45</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>-- -- Peak</td></tr><tr><td>2 13390.00</td><td>44.21</td><td>54.00</td><td>-9.79</td><td>23.60</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>-- -- Average</td></tr><tr><td>3 20805.00</td><td>38.56</td><td>74.00</td><td>-35.44</td><td>51.31</td><td>38.40</td><td>23.77</td><td>65.38</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13390.00	54.06	74.00	-19.94	33.45	41.24	19.10	41.62	0.41	-- -- Peak	2 13390.00	44.21	54.00	-9.79	23.60	41.24	19.10	41.62	0.41	-- -- Average	3 20805.00	38.56	74.00	-35.44	51.31	38.40	23.77	65.38	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13390.00</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>32.66</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>-- -- Peak</td></tr><tr><td>2 13390.00</td><td>44.12</td><td>54.00</td><td>-9.88</td><td>23.51</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>-- -- Average</td></tr><tr><td>3 20805.00</td><td>38.35</td><td>74.00</td><td>-35.65</td><td>51.10</td><td>38.40</td><td>23.77</td><td>65.38</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13390.00	53.27	74.00	-20.73	32.66	41.24	19.10	41.62	0.41	-- -- Peak	2 13390.00	44.12	54.00	-9.88	23.51	41.24	19.10	41.62	0.41	-- -- Average	3 20805.00	38.35	74.00	-35.65	51.10	38.40	23.77	65.38	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13390.00	54.06	74.00	-19.94	33.45	41.24	19.10	41.62	0.41	-- -- Peak																																																																																																																	
2 13390.00	44.21	54.00	-9.79	23.60	41.24	19.10	41.62	0.41	-- -- Average																																																																																																																	
3 20805.00	38.56	74.00	-35.44	51.31	38.40	23.77	65.38	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13390.00	53.27	74.00	-20.73	32.66	41.24	19.10	41.62	0.41	-- -- Peak																																																																																																																	
2 13390.00	44.12	54.00	-9.88	23.51	41.24	19.10	41.62	0.41	-- -- Average																																																																																																																	
3 20805.00	38.35	74.00	-35.65	51.10	38.40	23.77	65.38	-9.54	-- -- Peak																																																																																																																	



Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	42																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>54.62</td><td>88.20</td><td>-33.58</td><td>33.73</td><td>41.74</td><td>19.35</td><td>42.08</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>37.27</td><td>74.00</td><td>-36.73</td><td>48.96</td><td>38.50</td><td>24.05</td><td>64.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	54.62	88.20	-33.58	33.73	41.74	19.35	42.08	0.39	--	Peak	2	20565.00	37.27	74.00	-36.73	48.96	38.50	24.05	64.70	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>54.91</td><td>88.20</td><td>-33.29</td><td>34.02</td><td>41.74</td><td>19.35</td><td>42.08</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>37.83</td><td>74.00</td><td>-36.17</td><td>49.52</td><td>38.50</td><td>24.05</td><td>64.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	54.91	88.20	-33.29	34.02	41.74	19.35	42.08	0.39	--	Peak	2	20565.00	37.83	74.00	-36.17	49.52	38.50	24.05	64.70	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13710.00	54.62	88.20	-33.58	33.73	41.74	19.35	42.08	0.39	--	Peak																																																																																																															
2	20565.00	37.27	74.00	-36.73	48.96	38.50	24.05	64.70	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13710.00	54.91	88.20	-33.29	34.02	41.74	19.35	42.08	0.39	--	Peak																																																																																																															
2	20565.00	37.83	74.00	-36.17	49.52	38.50	24.05	64.70	-9.54	--	Peak																																																																																																															



Mode	42	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	43																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>55.16</td><td>88.20</td><td>-33.04</td><td>34.14</td><td>41.90</td><td>19.38</td><td>42.13</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>38.24</td><td>74.00</td><td>-35.76</td><td>49.79</td><td>38.50</td><td>24.09</td><td>64.60</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	55.16	88.20	-33.04	34.14	41.90	19.38	42.13	0.38	--	Peak	2	20625.00	38.24	74.00	-35.76	49.79	38.50	24.09	64.60	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>55.24</td><td>88.20</td><td>-32.96</td><td>34.22</td><td>41.90</td><td>19.38</td><td>42.13</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>37.89</td><td>74.00</td><td>-36.11</td><td>49.44</td><td>38.50</td><td>24.09</td><td>64.60</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	55.24	88.20	-32.96	34.22	41.90	19.38	42.13	0.38	--	Peak	2	20625.00	37.89	74.00	-36.11	49.44	38.50	24.09	64.60	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13750.00	55.16	88.20	-33.04	34.14	41.90	19.38	42.13	0.38	--	Peak																																																																																																															
2	20625.00	38.24	74.00	-35.76	49.79	38.50	24.09	64.60	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13750.00	55.24	88.20	-32.96	34.22	41.90	19.38	42.13	0.38	--	Peak																																																																																																															
2	20625.00	37.89	74.00	-36.11	49.44	38.50	24.09	64.60	-9.54	--	Peak																																																																																																															



Mode	43	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	44																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.61</td><td>88.20</td><td>-34.59</td><td>32.97</td><td>40.88</td><td>18.85</td><td>41.00</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>38.46</td><td>74.00</td><td>-35.54</td><td>52.42</td><td>38.30</td><td>23.49</td><td>66.21</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.61	88.20	-34.59	32.97	40.88	18.85	41.00	0.43	--	Peak	2	19605.00	38.46	74.00	-35.54	52.42	38.30	23.49	66.21	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>52.97</td><td>88.20</td><td>-35.23</td><td>32.33</td><td>40.88</td><td>18.85</td><td>41.00</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>38.02</td><td>74.00</td><td>-35.98</td><td>51.98</td><td>38.30</td><td>23.49</td><td>66.21</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	52.97	88.20	-35.23	32.33	40.88	18.85	41.00	0.43	--	Peak	2	19605.00	38.02	74.00	-35.98	51.98	38.30	23.49	66.21	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	53.61	88.20	-34.59	32.97	40.88	18.85	41.00	0.43	--	Peak																																																																																																															
2	19605.00	38.46	74.00	-35.54	52.42	38.30	23.49	66.21	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	52.97	88.20	-35.23	32.33	40.88	18.85	41.00	0.43	--	Peak																																																																																																															
2	19605.00	38.02	74.00	-35.98	51.98	38.30	23.49	66.21	-9.54	--	Peak																																																																																																															



Mode	44	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	45																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13390.00</td><td>52.97</td><td>74.00</td><td>-21.03</td><td>32.36</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>-- -- Peak</td></tr><tr><td>2 13390.00</td><td>43.86</td><td>54.00</td><td>-10.14</td><td>23.25</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>-- -- Average</td></tr><tr><td>3 20085.00</td><td>38.19</td><td>74.00</td><td>-35.81</td><td>50.94</td><td>38.40</td><td>23.77</td><td>65.38</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13390.00	52.97	74.00	-21.03	32.36	41.24	19.10	41.62	0.41	-- -- Peak	2 13390.00	43.86	54.00	-10.14	23.25	41.24	19.10	41.62	0.41	-- -- Average	3 20085.00	38.19	74.00	-35.81	50.94	38.40	23.77	65.38	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13390.00</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>32.82</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>-- -- Peak</td></tr><tr><td>2 13390.00</td><td>43.85</td><td>54.00</td><td>-10.15</td><td>23.24</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>-- -- Average</td></tr><tr><td>3 20085.00</td><td>38.18</td><td>74.00</td><td>-35.82</td><td>50.93</td><td>38.40</td><td>23.77</td><td>65.38</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13390.00	53.43	74.00	-20.57	32.82	41.24	19.10	41.62	0.41	-- -- Peak	2 13390.00	43.85	54.00	-10.15	23.24	41.24	19.10	41.62	0.41	-- -- Average	3 20085.00	38.18	74.00	-35.82	50.93	38.40	23.77	65.38	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13390.00	52.97	74.00	-21.03	32.36	41.24	19.10	41.62	0.41	-- -- Peak																																																																																																																	
2 13390.00	43.86	54.00	-10.14	23.25	41.24	19.10	41.62	0.41	-- -- Average																																																																																																																	
3 20085.00	38.19	74.00	-35.81	50.94	38.40	23.77	65.38	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13390.00	53.43	74.00	-20.57	32.82	41.24	19.10	41.62	0.41	-- -- Peak																																																																																																																	
2 13390.00	43.85	54.00	-10.15	23.24	41.24	19.10	41.62	0.41	-- -- Average																																																																																																																	
3 20085.00	38.18	74.00	-35.82	50.93	38.40	23.77	65.38	-9.54	-- -- Peak																																																																																																																	



Mode	45	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	46																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																																																																															
ANT	8+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>55.36</td><td>88.20</td><td>-32.84</td><td>34.47</td><td>41.74</td><td>19.35</td><td>42.08</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>37.52</td><td>74.00</td><td>-36.48</td><td>49.21</td><td>38.50</td><td>24.05</td><td>64.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	55.36	88.20	-32.84	34.47	41.74	19.35	42.08	0.39	--	Peak	2	20565.00	37.52	74.00	-36.48	49.21	38.50	24.05	64.70	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>54.98</td><td>88.20</td><td>-33.22</td><td>34.09</td><td>41.74</td><td>19.35</td><td>42.08</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>37.36</td><td>74.00</td><td>-36.64</td><td>49.05</td><td>38.50</td><td>24.05</td><td>64.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	54.98	88.20	-33.22	34.09	41.74	19.35	42.08	0.39	--	Peak	2	20565.00	37.36	74.00	-36.64	49.05	38.50	24.05	64.70	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13710.00	55.36	88.20	-32.84	34.47	41.74	19.35	42.08	0.39	--	Peak																																																																																																					
2	20565.00	37.52	74.00	-36.48	49.21	38.50	24.05	64.70	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13710.00	54.98	88.20	-33.22	34.09	41.74	19.35	42.08	0.39	--	Peak																																																																																																					
2	20565.00	37.36	74.00	-36.64	49.05	38.50	24.05	64.70	-9.54	--	Peak																																																																																																					



Mode	46	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	47																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full RU_6875MHz																																																																																																															
ANT	8+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>55.02</td><td>88.20</td><td>-33.18</td><td>34.00</td><td>41.90</td><td>19.38</td><td>42.13</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>37.76</td><td>74.00</td><td>-36.24</td><td>49.31</td><td>38.50</td><td>24.09</td><td>64.60</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	55.02	88.20	-33.18	34.00	41.90	19.38	42.13	0.38	--	Peak	2	20625.00	37.76	74.00	-36.24	49.31	38.50	24.09	64.60	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>54.87</td><td>88.20</td><td>-33.33</td><td>33.85</td><td>41.90</td><td>19.38</td><td>42.13</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>37.46</td><td>74.00</td><td>-36.54</td><td>49.01</td><td>38.50</td><td>24.09</td><td>64.60</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	54.87	88.20	-33.33	33.85	41.90	19.38	42.13	0.38	--	Peak	2	20625.00	37.46	74.00	-36.54	49.01	38.50	24.09	64.60	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13750.00	55.02	88.20	-33.18	34.00	41.90	19.38	42.13	0.38	--	Peak																																																																																																					
2	20625.00	37.76	74.00	-36.24	49.31	38.50	24.09	64.60	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13750.00	54.87	88.20	-33.33	33.85	41.90	19.38	42.13	0.38	--	Peak																																																																																																					
2	20625.00	37.46	74.00	-36.54	49.01	38.50	24.09	64.60	-9.54	--	Peak																																																																																																					



Mode	47	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full RU_6875MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	48																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																																																																															
ANT	8+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>53.81</td><td>88.20</td><td>-34.39</td><td>32.94</td><td>41.18</td><td>18.90</td><td>41.11</td><td>0.42</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>38.10</td><td>74.00</td><td>-35.90</td><td>51.75</td><td>38.39</td><td>23.55</td><td>66.05</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	53.81	88.20	-34.39	32.94	41.18	18.90	41.11	0.42	--	Peak	2	19695.00	38.10	74.00	-35.90	51.75	38.39	23.55	66.05	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>53.95</td><td>88.20</td><td>-34.25</td><td>33.08</td><td>41.18</td><td>18.90</td><td>41.11</td><td>0.42</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>38.27</td><td>74.00</td><td>-35.73</td><td>51.92</td><td>38.39</td><td>23.55</td><td>66.05</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	53.95	88.20	-34.25	33.08	41.18	18.90	41.11	0.42	--	Peak	2	19695.00	38.27	74.00	-35.73	51.92	38.39	23.55	66.05	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13130.00	53.81	88.20	-34.39	32.94	41.18	18.90	41.11	0.42	--	Peak																																																																																																					
2	19695.00	38.10	74.00	-35.90	51.75	38.39	23.55	66.05	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13130.00	53.95	88.20	-34.25	33.08	41.18	18.90	41.11	0.42	--	Peak																																																																																																					
2	19695.00	38.27	74.00	-35.73	51.92	38.39	23.55	66.05	-9.54	--	Peak																																																																																																					



Mode	48	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	49																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13370.00</td><td>53.62</td><td>74.00</td><td>-20.38</td><td>32.92</td><td>41.32</td><td>19.08</td><td>41.59</td><td>0.41</td><td>-- -- Peak</td></tr><tr><td>2 13370.00</td><td>44.24</td><td>54.00</td><td>-9.76</td><td>23.54</td><td>41.32</td><td>19.08</td><td>41.59</td><td>0.41</td><td>-- -- Average</td></tr><tr><td>3 20055.00</td><td>37.54</td><td>74.00</td><td>-36.46</td><td>50.35</td><td>38.40</td><td>23.75</td><td>65.42</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13370.00	53.62	74.00	-20.38	32.92	41.32	19.08	41.59	0.41	-- -- Peak	2 13370.00	44.24	54.00	-9.76	23.54	41.32	19.08	41.59	0.41	-- -- Average	3 20055.00	37.54	74.00	-36.46	50.35	38.40	23.75	65.42	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13370.00</td><td>54.10</td><td>74.00</td><td>-19.90</td><td>33.40</td><td>41.32</td><td>19.08</td><td>41.59</td><td>0.41</td><td>-- -- Peak</td></tr><tr><td>2 13370.00</td><td>44.37</td><td>54.00</td><td>-9.63</td><td>23.67</td><td>41.32</td><td>19.08</td><td>41.59</td><td>0.41</td><td>-- -- Average</td></tr><tr><td>3 20055.00</td><td>37.00</td><td>74.00</td><td>-37.00</td><td>49.81</td><td>38.40</td><td>23.75</td><td>65.42</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13370.00	54.10	74.00	-19.90	33.40	41.32	19.08	41.59	0.41	-- -- Peak	2 13370.00	44.37	54.00	-9.63	23.67	41.32	19.08	41.59	0.41	-- -- Average	3 20055.00	37.00	74.00	-37.00	49.81	38.40	23.75	65.42	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13370.00	53.62	74.00	-20.38	32.92	41.32	19.08	41.59	0.41	-- -- Peak																																																																																																																	
2 13370.00	44.24	54.00	-9.76	23.54	41.32	19.08	41.59	0.41	-- -- Average																																																																																																																	
3 20055.00	37.54	74.00	-36.46	50.35	38.40	23.75	65.42	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13370.00	54.10	74.00	-19.90	33.40	41.32	19.08	41.59	0.41	-- -- Peak																																																																																																																	
2 13370.00	44.37	54.00	-9.63	23.67	41.32	19.08	41.59	0.41	-- -- Average																																																																																																																	
3 20055.00	37.00	74.00	-37.00	49.81	38.40	23.75	65.42	-9.54	-- -- Peak																																																																																																																	



Mode	49	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	50																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>55.96</td><td>88.20</td><td>-32.24</td><td>35.15</td><td>41.66</td><td>19.33</td><td>42.06</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20535.00</td><td>36.90</td><td>74.00</td><td>-37.10</td><td>48.67</td><td>38.47</td><td>24.04</td><td>64.74</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	55.96	88.20	-32.24	35.15	41.66	19.33	42.06	0.39	--	Peak	2	20535.00	36.90	74.00	-37.10	48.67	38.47	24.04	64.74	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>56.29</td><td>88.20</td><td>-31.91</td><td>35.48</td><td>41.66</td><td>19.33</td><td>42.06</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20535.00</td><td>37.61</td><td>74.00</td><td>-36.39</td><td>49.38</td><td>38.47</td><td>24.04</td><td>64.74</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	56.29	88.20	-31.91	35.48	41.66	19.33	42.06	0.39	--	Peak	2	20535.00	37.61	74.00	-36.39	49.38	38.47	24.04	64.74	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13690.00	55.96	88.20	-32.24	35.15	41.66	19.33	42.06	0.39	--	Peak																																																																																																															
2	20535.00	36.90	74.00	-37.10	48.67	38.47	24.04	64.74	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13690.00	56.29	88.20	-31.91	35.48	41.66	19.33	42.06	0.39	--	Peak																																																																																																															
2	20535.00	37.61	74.00	-36.39	49.38	38.47	24.04	64.74	-9.54	--	Peak																																																																																																															



Mode	50	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	51																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>56.28</td><td>88.20</td><td>-31.92</td><td>35.27</td><td>41.90</td><td>19.39</td><td>42.15</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20655.00</td><td>37.07</td><td>74.00</td><td>-36.93</td><td>48.54</td><td>38.51</td><td>24.11</td><td>64.55</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	56.28	88.20	-31.92	35.27	41.90	19.39	42.15	0.38	--	Peak	2	20655.00	37.07	74.00	-36.93	48.54	38.51	24.11	64.55	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>55.47</td><td>88.20</td><td>-32.73</td><td>34.46</td><td>41.90</td><td>19.39</td><td>42.15</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20655.00</td><td>36.80</td><td>74.00</td><td>-37.20</td><td>48.27</td><td>38.51</td><td>24.11</td><td>64.55</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	55.47	88.20	-32.73	34.46	41.90	19.39	42.15	0.38	--	Peak	2	20655.00	36.80	74.00	-37.20	48.27	38.51	24.11	64.55	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13770.00	56.28	88.20	-31.92	35.27	41.90	19.39	42.15	0.38	--	Peak																																																																																																															
2	20655.00	37.07	74.00	-36.93	48.54	38.51	24.11	64.55	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13770.00	55.47	88.20	-32.73	34.46	41.90	19.39	42.15	0.38	--	Peak																																																																																																															
2	20655.00	36.80	74.00	-37.20	48.27	38.51	24.11	64.55	-9.54	--	Peak																																																																																																															





Mode	51	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	52																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																																																																																																							
ANT	8+9																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>54.73</td><td>74.00</td><td>-19.27</td><td>34.09</td><td>41.10</td><td>18.99</td><td>41.35</td><td>0.42</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13250.00</td><td>44.25</td><td>54.00</td><td>-9.75</td><td>23.61</td><td>41.10</td><td>18.99</td><td>41.35</td><td>0.42</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19875.00</td><td>36.81</td><td>74.00</td><td>-37.19</td><td>50.17</td><td>38.25</td><td>23.65</td><td>65.72</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	54.73	74.00	-19.27	34.09	41.10	18.99	41.35	0.42	--	Peak	2	13250.00	44.25	54.00	-9.75	23.61	41.10	18.99	41.35	0.42	--	Average	3	19875.00	36.81	74.00	-37.19	50.17	38.25	23.65	65.72	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>54.66</td><td>74.00</td><td>-19.34</td><td>34.02</td><td>41.10</td><td>18.99</td><td>41.35</td><td>0.42</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13250.00</td><td>44.17</td><td>54.00</td><td>-9.83</td><td>23.53</td><td>41.10</td><td>18.99</td><td>41.35</td><td>0.42</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19875.00</td><td>37.00</td><td>74.00</td><td>-37.00</td><td>50.36</td><td>38.25</td><td>23.65</td><td>65.72</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	54.66	74.00	-19.34	34.02	41.10	18.99	41.35	0.42	--	Peak	2	13250.00	44.17	54.00	-9.83	23.53	41.10	18.99	41.35	0.42	--	Average	3	19875.00	37.00	74.00	-37.00	50.36	38.25	23.65	65.72	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	13250.00	54.73	74.00	-19.27	34.09	41.10	18.99	41.35	0.42	--	Peak																																																																																																																													
2	13250.00	44.25	54.00	-9.75	23.61	41.10	18.99	41.35	0.42	--	Average																																																																																																																													
3	19875.00	36.81	74.00	-37.19	50.17	38.25	23.65	65.72	-9.54	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	13250.00	54.66	74.00	-19.34	34.02	41.10	18.99	41.35	0.42	--	Peak																																																																																																																													
2	13250.00	44.17	54.00	-9.83	23.53	41.10	18.99	41.35	0.42	--	Average																																																																																																																													
3	19875.00	37.00	74.00	-37.00	50.36	38.25	23.65	65.72	-9.54	--	Peak																																																																																																																													



Mode	52	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	53																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																																																																															
ANT	8+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>54.15</td><td>88.20</td><td>-34.05</td><td>33.58</td><td>41.22</td><td>19.12</td><td>41.66</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>38.84</td><td>74.00</td><td>-35.16</td><td>51.53</td><td>38.40</td><td>23.79</td><td>65.34</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	54.15	88.20	-34.05	33.58	41.22	19.12	41.66	0.41	--	Peak	2	20115.00	38.84	74.00	-35.16	51.53	38.40	23.79	65.34	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>54.58</td><td>88.20</td><td>-33.62</td><td>34.01</td><td>41.22</td><td>19.12</td><td>41.66</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>38.27</td><td>74.00</td><td>-35.73</td><td>50.96</td><td>38.40</td><td>23.79</td><td>65.34</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	54.58	88.20	-33.62	34.01	41.22	19.12	41.66	0.41	--	Peak	2	20115.00	38.27	74.00	-35.73	50.96	38.40	23.79	65.34	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13410.00	54.15	88.20	-34.05	33.58	41.22	19.12	41.66	0.41	--	Peak																																																																																																					
2	20115.00	38.84	74.00	-35.16	51.53	38.40	23.79	65.34	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13410.00	54.58	88.20	-33.62	34.01	41.22	19.12	41.66	0.41	--	Peak																																																																																																					
2	20115.00	38.27	74.00	-35.73	50.96	38.40	23.79	65.34	-9.54	--	Peak																																																																																																					



Mode	53	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	54																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>56.04</td><td>88.20</td><td>-32.16</td><td>35.41</td><td>41.42</td><td>19.24</td><td>41.92</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20355.00</td><td>38.70</td><td>74.00</td><td>-35.30</td><td>50.91</td><td>38.40</td><td>23.93</td><td>65.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	56.04	88.20	-32.16	35.41	41.42	19.24	41.92	0.40	--	Peak	2	20355.00	38.70	74.00	-35.30	50.91	38.40	23.93	65.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>55.43</td><td>88.20</td><td>-32.77</td><td>34.80</td><td>41.42</td><td>19.24</td><td>41.92</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20355.00</td><td>38.46</td><td>74.00</td><td>-35.54</td><td>50.67</td><td>38.40</td><td>23.93</td><td>65.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	55.43	88.20	-32.77	34.80	41.42	19.24	41.92	0.40	--	Peak	2	20355.00	38.46	74.00	-35.54	50.67	38.40	23.93	65.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13570.00	56.04	88.20	-32.16	35.41	41.42	19.24	41.92	0.40	--	Peak																																																																																																															
2	20355.00	38.70	74.00	-35.30	50.91	38.40	23.93	65.00	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13570.00	55.43	88.20	-32.77	34.80	41.42	19.24	41.92	0.40	--	Peak																																																																																																															
2	20355.00	38.46	74.00	-35.54	50.67	38.40	23.93	65.00	-9.54	--	Peak																																																																																																															



Mode	54	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	55																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>56.64</td><td>88.20</td><td>-31.56</td><td>35.69</td><td>41.82</td><td>19.36</td><td>42.11</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20595.00</td><td>37.37</td><td>74.00</td><td>-36.63</td><td>48.99</td><td>38.50</td><td>24.07</td><td>64.65</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	56.64	88.20	-31.56	35.69	41.82	19.36	42.11	0.39	--	Peak	2	20595.00	37.37	74.00	-36.63	48.99	38.50	24.07	64.65	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>55.78</td><td>88.20</td><td>-32.42</td><td>34.83</td><td>41.82</td><td>19.36</td><td>42.11</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20595.00</td><td>37.81</td><td>74.00</td><td>-36.19</td><td>49.43</td><td>38.50</td><td>24.07</td><td>64.65</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	55.78	88.20	-32.42	34.83	41.82	19.36	42.11	0.39	--	Peak	2	20595.00	37.81	74.00	-36.19	49.43	38.50	24.07	64.65	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13730.00	56.64	88.20	-31.56	35.69	41.82	19.36	42.11	0.39	--	Peak																																																																																																															
2	20595.00	37.37	74.00	-36.63	48.99	38.50	24.07	64.65	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13730.00	55.78	88.20	-32.42	34.83	41.82	19.36	42.11	0.39	--	Peak																																																																																																															
2	20595.00	37.81	74.00	-36.19	49.43	38.50	24.07	64.65	-9.54	--	Peak																																																																																																															



Mode	55	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	56																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13330.00</td><td>54.99</td><td>74.00 -19.01</td><td>34.24</td><td>41.32</td><td>19.05</td><td>41.51</td><td>0.41</td><td>--</td><td>-- Peak</td></tr><tr><td>2 13330.00</td><td>43.56</td><td>54.00 -10.44</td><td>22.81</td><td>41.32</td><td>19.05</td><td>41.51</td><td>0.41</td><td>--</td><td>-- Average</td></tr><tr><td>3 19995.00</td><td>37.97</td><td>74.00 -36.03</td><td>50.91</td><td>38.39</td><td>23.72</td><td>65.51</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13330.00	54.99	74.00 -19.01	34.24	41.32	19.05	41.51	0.41	--	-- Peak	2 13330.00	43.56	54.00 -10.44	22.81	41.32	19.05	41.51	0.41	--	-- Average	3 19995.00	37.97	74.00 -36.03	50.91	38.39	23.72	65.51	-9.54	--	-- Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13330.00</td><td>54.52</td><td>74.00 -19.48</td><td>33.77</td><td>41.32</td><td>19.05</td><td>41.51</td><td>0.41</td><td>--</td><td>-- Peak</td></tr><tr><td>2 13330.00</td><td>43.53</td><td>54.00 -10.47</td><td>22.78</td><td>41.32</td><td>19.05</td><td>41.51</td><td>0.41</td><td>--</td><td>-- Average</td></tr><tr><td>3 19995.00</td><td>38.46</td><td>74.00 -35.54</td><td>51.40</td><td>38.39</td><td>23.72</td><td>65.51</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13330.00	54.52	74.00 -19.48	33.77	41.32	19.05	41.51	0.41	--	-- Peak	2 13330.00	43.53	54.00 -10.47	22.78	41.32	19.05	41.51	0.41	--	-- Average	3 19995.00	38.46	74.00 -35.54	51.40	38.39	23.72	65.51	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13330.00	54.99	74.00 -19.01	34.24	41.32	19.05	41.51	0.41	--	-- Peak																																																																																																																	
2 13330.00	43.56	54.00 -10.44	22.81	41.32	19.05	41.51	0.41	--	-- Average																																																																																																																	
3 19995.00	37.97	74.00 -36.03	50.91	38.39	23.72	65.51	-9.54	--	-- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13330.00	54.52	74.00 -19.48	33.77	41.32	19.05	41.51	0.41	--	-- Peak																																																																																																																	
2 13330.00	43.53	54.00 -10.47	22.78	41.32	19.05	41.51	0.41	--	-- Average																																																																																																																	
3 19995.00	38.46	74.00 -35.54	51.40	38.39	23.72	65.51	-9.54	--	-- Peak																																																																																																																	



Mode	56	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII_6E) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII_6E) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	57																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>55.57</td><td>88.20</td><td>-32.63</td><td>34.90</td><td>41.50</td><td>19.30</td><td>42.01</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20475.00</td><td>39.12</td><td>74.00</td><td>-34.88</td><td>51.10</td><td>38.40</td><td>24.00</td><td>64.04</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	55.57	88.20	-32.63	34.90	41.50	19.30	42.01	0.39	--	Peak	2	20475.00	39.12	74.00	-34.88	51.10	38.40	24.00	64.04	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>55.48</td><td>88.20</td><td>-32.72</td><td>34.81</td><td>41.50</td><td>19.30</td><td>42.01</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20475.00</td><td>39.27</td><td>74.00</td><td>-34.73</td><td>51.25</td><td>38.40</td><td>24.00</td><td>64.04</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	55.48	88.20	-32.72	34.81	41.50	19.30	42.01	0.39	--	Peak	2	20475.00	39.27	74.00	-34.73	51.25	38.40	24.00	64.04	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13650.00	55.57	88.20	-32.63	34.90	41.50	19.30	42.01	0.39	--	Peak																																																																																																															
2	20475.00	39.12	74.00	-34.88	51.10	38.40	24.00	64.04	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13650.00	55.48	88.20	-32.72	34.81	41.50	19.30	42.01	0.39	--	Peak																																																																																																															
2	20475.00	39.27	74.00	-34.73	51.25	38.40	24.00	64.04	-9.54	--	Peak																																																																																																															



Mode	57	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	58																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_6745MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-25 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>56.21</td><td>88.20</td><td>-31.99</td><td>35.59</td><td>41.38</td><td>19.18</td><td>41.82</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20235.00</td><td>39.10</td><td>74.00</td><td>-34.90</td><td>51.52</td><td>38.43</td><td>23.86</td><td>65.17</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13490.00	56.21	88.20	-31.99	35.59	41.38	19.18	41.82	0.40	--	Peak	2	20235.00	39.10	74.00	-34.90	51.52	38.43	23.86	65.17	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-25 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>56.39</td><td>88.20</td><td>-31.81</td><td>35.77</td><td>41.38</td><td>19.18</td><td>41.82</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20235.00</td><td>38.66</td><td>74.00</td><td>-35.34</td><td>51.08</td><td>38.43</td><td>23.86</td><td>65.17</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13490.00	56.39	88.20	-31.81	35.77	41.38	19.18	41.82	0.40	--	Peak	2	20235.00	38.66	74.00	-35.34	51.08	38.43	23.86	65.17	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13490.00	56.21	88.20	-31.99	35.59	41.38	19.18	41.82	0.40	--	Peak																																																																																																															
2	20235.00	39.10	74.00	-34.90	51.52	38.43	23.86	65.17	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13490.00	56.39	88.20	-31.81	35.77	41.38	19.18	41.82	0.40	--	Peak																																																																																																															
2	20235.00	38.66	74.00	-35.34	51.08	38.43	23.86	65.17	-9.54	--	Peak																																																																																																															



Mode	58	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_6745MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-25 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-25 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	59																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>54.87</td><td>88.20</td><td>-33.33</td><td>33.87</td><td>41.90</td><td>19.41</td><td>42.18</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>37.82</td><td>74.00</td><td>-36.18</td><td>49.17</td><td>38.57</td><td>24.12</td><td>64.50</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	54.87	88.20	-33.33	33.87	41.90	19.41	42.18	0.38	--	Peak	2	20685.00	37.82	74.00	-36.18	49.17	38.57	24.12	64.50	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>54.88</td><td>88.20</td><td>-33.32</td><td>33.88</td><td>41.90</td><td>19.41</td><td>42.18</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>37.47</td><td>74.00</td><td>-36.53</td><td>48.82</td><td>38.57</td><td>24.12</td><td>64.50</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	54.88	88.20	-33.32	33.88	41.90	19.41	42.18	0.38	--	Peak	2	20685.00	37.47	74.00	-36.53	48.82	38.57	24.12	64.50	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13790.00	54.87	88.20	-33.33	33.87	41.90	19.41	42.18	0.38	--	Peak																																																																																																															
2	20685.00	37.82	74.00	-36.18	49.17	38.57	24.12	64.50	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13790.00	54.88	88.20	-33.32	33.88	41.90	19.41	42.18	0.38	--	Peak																																																																																																															
2	20685.00	37.47	74.00	-36.53	48.82	38.57	24.12	64.50	-9.54	--	Peak																																																																																																															



Mode	59	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	60																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13990.00</td><td>55.24</td><td>88.20 -32.96</td><td>34.31</td><td>41.92</td><td>19.56</td><td>42.41</td><td>0.37</td><td>300</td><td>45 Peak</td></tr><tr><td>2 13990.00</td><td>46.90</td><td>68.20 -21.30</td><td>25.97</td><td>41.92</td><td>19.56</td><td>42.41</td><td>0.37</td><td>300</td><td>45 Average</td></tr><tr><td>3 20985.00</td><td>38.62</td><td>74.00 -35.38</td><td>49.38</td><td>38.50</td><td>24.30</td><td>64.02</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 13990.00	55.24	88.20 -32.96	34.31	41.92	19.56	42.41	0.37	300	45 Peak	2 13990.00	46.90	68.20 -21.30	25.97	41.92	19.56	42.41	0.37	300	45 Average	3 20985.00	38.62	74.00 -35.38	49.38	38.50	24.30	64.02	-9.54	--	-- Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13990.00</td><td>56.45</td><td>88.20 -31.75</td><td>35.52</td><td>41.92</td><td>19.56</td><td>42.41</td><td>0.37</td><td>100</td><td>5 Peak</td></tr><tr><td>2 13990.00</td><td>47.60</td><td>68.20 -20.52</td><td>26.75</td><td>41.92</td><td>19.56</td><td>42.41</td><td>0.37</td><td>100</td><td>5 Average</td></tr><tr><td>3 20985.00</td><td>38.14</td><td>74.00 -35.86</td><td>48.90</td><td>38.50</td><td>24.30</td><td>64.02</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 13990.00	56.45	88.20 -31.75	35.52	41.92	19.56	42.41	0.37	100	5 Peak	2 13990.00	47.60	68.20 -20.52	26.75	41.92	19.56	42.41	0.37	100	5 Average	3 20985.00	38.14	74.00 -35.86	48.90	38.50	24.30	64.02	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																	
1 13990.00	55.24	88.20 -32.96	34.31	41.92	19.56	42.41	0.37	300	45 Peak																																																																																																																	
2 13990.00	46.90	68.20 -21.30	25.97	41.92	19.56	42.41	0.37	300	45 Average																																																																																																																	
3 20985.00	38.62	74.00 -35.38	49.38	38.50	24.30	64.02	-9.54	--	-- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																	
1 13990.00	56.45	88.20 -31.75	35.52	41.92	19.56	42.41	0.37	100	5 Peak																																																																																																																	
2 13990.00	47.60	68.20 -20.52	26.75	41.92	19.56	42.41	0.37	100	5 Average																																																																																																																	
3 20985.00	38.14	74.00 -35.86	48.90	38.50	24.30	64.02	-9.54	--	-- Peak																																																																																																																	



Mode	60	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	61																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																	
ANT	8+9																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-07-23 PEAK_BE(UNII)_6E Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7129.95</td><td>73.16</td><td>88.20</td><td>-15.04</td><td>57.32</td><td>36.80</td><td>13.91</td><td>35.90</td><td>1.03 103 40 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 7129.95	73.16	88.20	-15.04	57.32	36.80	13.91	35.90	1.03 103 40 Peak	Level (dBuV/m) Date: 2026-07-23 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>115.52</td><td>-----</td><td>-----</td><td>99.73</td><td>36.79</td><td>13.87</td><td>35.88</td><td>1.01 103 40 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 7095.00	115.52	-----	-----	99.73	36.79	13.87	35.88	1.01 103 40 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																											
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																										
1 7129.95	73.16	88.20	-15.04	57.32	36.80	13.91	35.90	1.03 103 40 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																											
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																										
1 7095.00	115.52	-----	-----	99.73	36.79	13.87	35.88	1.01 103 40 Peak																																																																										
Avg	Level (dBuV/m) Date: 2026-07-23 AVG_BE(UNII)_6E Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.15</td><td>59.60</td><td>68.20</td><td>-8.60</td><td>43.78</td><td>36.80</td><td>13.90</td><td>35.90</td><td>1.02 103 40 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 7125.15	59.60	68.20	-8.60	43.78	36.80	13.90	35.90	1.02 103 40 Average	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>108.85</td><td>-----</td><td>-----</td><td>93.06</td><td>36.79</td><td>13.87</td><td>35.88</td><td>1.01 103 40 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 7095.00	108.85	-----	-----	93.06	36.79	13.87	35.88	1.01 103 40 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																											
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																										
1 7125.15	59.60	68.20	-8.60	43.78	36.80	13.90	35.90	1.02 103 40 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																											
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																										
1 7095.00	108.85	-----	-----	93.06	36.79	13.87	35.88	1.01 103 40 Average																																																																										



Mode	61																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																									
ANT	8+9																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-07-23 PEAK_BE(UNII)_6E Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7125.60</td><td>65.91</td><td>88.20 -22.29</td><td>50.09</td><td>36.00</td><td>13.90</td><td>35.90</td><td>1.02</td><td>100</td><td>313 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7125.60	65.91	88.20 -22.29	50.09	36.00	13.90	35.90	1.02	100	313 Peak	Level (dBuV/m) Date: 2026-07-23 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7095.00</td><td>112.47</td><td>-----</td><td>96.69</td><td>36.78</td><td>13.86</td><td>35.87</td><td>1.01</td><td>100</td><td>313 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7095.00	112.47	-----	96.69	36.78	13.86	35.87	1.01	100	313 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7125.60	65.91	88.20 -22.29	50.09	36.00	13.90	35.90	1.02	100	313 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7095.00	112.47	-----	96.69	36.78	13.86	35.87	1.01	100	313 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-07-23 AVG_BE(UNII)_6E Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7126.20</td><td>54.41</td><td>68.20 -13.79</td><td>38.59</td><td>36.00</td><td>13.90</td><td>35.90</td><td>1.02</td><td>100</td><td>313 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7126.20	54.41	68.20 -13.79	38.59	36.00	13.90	35.90	1.02	100	313 Average	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7095.00</td><td>105.55</td><td>-----</td><td>89.77</td><td>36.78</td><td>13.86</td><td>35.87</td><td>1.01</td><td>100</td><td>313 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7095.00	105.55	-----	89.77	36.78	13.86	35.87	1.01	100	313 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7126.20	54.41	68.20 -13.79	38.59	36.00	13.90	35.90	1.02	100	313 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7095.00	105.55	-----	89.77	36.78	13.86	35.87	1.01	100	313 Average																																																																																	



Mode	61																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14190.00</td><td>57.52</td><td>88.20 -30.68</td><td>36.28</td><td>42.42</td><td>19.71</td><td>42.81</td><td>0.40</td><td>281</td><td>0 Peak</td></tr><tr><td>2 14190.00</td><td>46.98</td><td>68.20 -21.22</td><td>25.74</td><td>42.42</td><td>19.71</td><td>42.81</td><td>0.40</td><td>281</td><td>0 Average</td></tr><tr><td>3 21285.00</td><td>38.08</td><td>74.00 -35.92</td><td>47.86</td><td>38.66</td><td>24.53</td><td>63.43</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	57.52	88.20 -30.68	36.28	42.42	19.71	42.81	0.40	281	0 Peak	2 14190.00	46.98	68.20 -21.22	25.74	42.42	19.71	42.81	0.40	281	0 Average	3 21285.00	38.08	74.00 -35.92	47.86	38.66	24.53	63.43	-9.54	--	-- Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14190.00</td><td>56.72</td><td>88.20 -31.48</td><td>35.48</td><td>42.42</td><td>19.71</td><td>42.81</td><td>0.40</td><td>108</td><td>2 Peak</td></tr><tr><td>2 14190.00</td><td>47.62</td><td>68.20 -20.58</td><td>26.38</td><td>42.42</td><td>19.71</td><td>42.81</td><td>0.40</td><td>108</td><td>2 Average</td></tr><tr><td>3 21285.00</td><td>38.06</td><td>74.00 -35.94</td><td>47.84</td><td>38.66</td><td>24.53</td><td>63.43</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	56.72	88.20 -31.48	35.48	42.42	19.71	42.81	0.40	108	2 Peak	2 14190.00	47.62	68.20 -20.58	26.38	42.42	19.71	42.81	0.40	108	2 Average	3 21285.00	38.06	74.00 -35.94	47.84	38.66	24.53	63.43	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 14190.00	57.52	88.20 -30.68	36.28	42.42	19.71	42.81	0.40	281	0 Peak																																																																																																																	
2 14190.00	46.98	68.20 -21.22	25.74	42.42	19.71	42.81	0.40	281	0 Average																																																																																																																	
3 21285.00	38.08	74.00 -35.92	47.86	38.66	24.53	63.43	-9.54	--	-- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 14190.00	56.72	88.20 -31.48	35.48	42.42	19.71	42.81	0.40	108	2 Peak																																																																																																																	
2 14190.00	47.62	68.20 -20.58	26.38	42.42	19.71	42.81	0.40	108	2 Average																																																																																																																	
3 21285.00	38.06	74.00 -35.94	47.84	38.66	24.53	63.43	-9.54	--	-- Peak																																																																																																																	



Mode	61	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	62																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz																																																																																																																																	
ANT	8+9																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>55.02</td><td>88.20</td><td>-33.18</td><td>34.02</td><td>41.90</td><td>19.41</td><td>42.18</td><td>0.38</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>20685.00</td><td>37.32</td><td>74.00</td><td>-36.68</td><td>48.67</td><td>38.57</td><td>24.12</td><td>64.50</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	55.02	88.20	-33.18	34.02	41.90	19.41	42.18	0.38	--	-- Peak	2	20685.00	37.32	74.00	-36.68	48.67	38.57	24.12	64.50	-9.54	--	-- Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>54.84</td><td>88.20</td><td>-33.36</td><td>33.84</td><td>41.90</td><td>19.41</td><td>42.18</td><td>0.38</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>20685.00</td><td>37.27</td><td>74.00</td><td>-36.73</td><td>48.62</td><td>38.57</td><td>24.12</td><td>64.50</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	54.84	88.20	-33.36	33.84	41.90	19.41	42.18	0.38	--	-- Peak	2	20685.00	37.27	74.00	-36.73	48.62	38.57	24.12	64.50	-9.54	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	13790.00	55.02	88.20	-33.18	34.02	41.90	19.41	42.18	0.38	--	-- Peak																																																																																																																							
2	20685.00	37.32	74.00	-36.68	48.67	38.57	24.12	64.50	-9.54	--	-- Peak																																																																																																																							
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	13790.00	54.84	88.20	-33.36	33.84	41.90	19.41	42.18	0.38	--	-- Peak																																																																																																																							
2	20685.00	37.27	74.00	-36.73	48.62	38.57	24.12	64.50	-9.54	--	-- Peak																																																																																																																							



Mode	62	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	63																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz																																																																																																																								
ANT	8+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>56.13</td><td>88.20</td><td>-32.07</td><td>35.20</td><td>41.92</td><td>19.56</td><td>42.41</td><td>0.37</td><td>283</td><td>10 Peak</td></tr><tr><td>2</td><td>20905.00</td><td>38.29</td><td>74.00</td><td>-35.71</td><td>49.05</td><td>38.50</td><td>24.30</td><td>64.02</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	56.13	88.20	-32.07	35.20	41.92	19.56	42.41	0.37	283	10 Peak	2	20905.00	38.29	74.00	-35.71	49.05	38.50	24.30	64.02	-9.54	--	-- Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>56.74</td><td>88.20</td><td>-31.46</td><td>35.81</td><td>41.92</td><td>19.56</td><td>42.41</td><td>0.37</td><td>101</td><td>7 Peak</td></tr><tr><td>2</td><td>20905.00</td><td>37.93</td><td>74.00</td><td>-36.07</td><td>48.69</td><td>38.50</td><td>24.30</td><td>64.02</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	56.74	88.20	-31.46	35.81	41.92	19.56	42.41	0.37	101	7 Peak	2	20905.00	37.93	74.00	-36.07	48.69	38.50	24.30	64.02	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13990.00	56.13	88.20	-32.07	35.20	41.92	19.56	42.41	0.37	283	10 Peak																																																																																																														
2	20905.00	38.29	74.00	-35.71	49.05	38.50	24.30	64.02	-9.54	--	-- Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13990.00	56.74	88.20	-31.46	35.81	41.92	19.56	42.41	0.37	101	7 Peak																																																																																																														
2	20905.00	37.93	74.00	-36.07	48.69	38.50	24.30	64.02	-9.54	--	-- Peak																																																																																																														



Mode	63	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	64																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																	
ANT	8+9																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-07-23 PEAK_BE(UNII)_6E Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7131.45 67.45 88.20 -20.75 51.61 36.00 13.91 35.90 1.03 100 36 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 7131.45 67.45 88.20 -20.75 51.61 36.00 13.91 35.90 1.03 100 36 Peak									Level (dBuV/m) Date: 2026-07-23 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 116.25 ----- 100.47 36.78 13.86 35.87 1.01 100 36 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 7095.00 116.25 ----- 100.47 36.78 13.86 35.87 1.01 100 36 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7131.45 67.45 88.20 -20.75 51.61 36.00 13.91 35.90 1.03 100 36 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7095.00 116.25 ----- 100.47 36.78 13.86 35.87 1.01 100 36 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-07-23 AVG_BE(UNII)_6E Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7130.55 54.33 68.20 -13.87 38.49 36.00 13.91 35.90 1.03 100 36 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 7130.55 54.33 68.20 -13.87 38.49 36.00 13.91 35.90 1.03 100 36 Average									Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 107.82 ----- 92.03 36.79 13.87 35.88 1.01 100 36 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 7095.00 107.82 ----- 92.03 36.79 13.87 35.88 1.01 100 36 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7130.55 54.33 68.20 -13.87 38.49 36.00 13.91 35.90 1.03 100 36 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7095.00 107.82 ----- 92.03 36.79 13.87 35.88 1.01 100 36 Average																																																																																		



Mode	64																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																	
ANT	8+9																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-07-23 PEAK_BE(UNII)_6E Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7126.65 61.84 88.20 -26.36 46.02 36.00 13.90 35.90 1.02 100 235 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7126.65 61.84 88.20 -26.36 46.02 36.00 13.90 35.90 1.02 100 235 Peak									Level (dBuV/m) Date: 2026-07-23 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 109.16 ----- 93.38 36.78 13.86 35.87 1.01 100 235 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7095.00 109.16 ----- 93.38 36.78 13.86 35.87 1.01 100 235 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7126.65 61.84 88.20 -26.36 46.02 36.00 13.90 35.90 1.02 100 235 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7095.00 109.16 ----- 93.38 36.78 13.86 35.87 1.01 100 235 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-07-23 AVG_BE(UNII)_6E Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7126.65 49.46 68.20 -18.74 33.64 36.00 13.90 35.90 1.02 100 235 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7126.65 49.46 68.20 -18.74 33.64 36.00 13.90 35.90 1.02 100 235 Average									Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 101.78 ----- 86.00 36.78 13.86 35.87 1.01 100 235 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7095.00 101.78 ----- 86.00 36.78 13.86 35.87 1.01 100 235 Average								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7126.65 49.46 68.20 -18.74 33.64 36.00 13.90 35.90 1.02 100 235 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7095.00 101.78 ----- 86.00 36.78 13.86 35.87 1.01 100 235 Average																																																																																		



Mode	64																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																																														
ANT	8+9																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>56.52</td><td>88.20</td><td>-31.68</td><td>35.28</td><td>42.42</td><td>19.71</td><td>42.81</td><td>0.40</td><td>286</td><td>0</td><td>Peak</td></tr><tr><td>2</td><td>21285.00</td><td>38.90</td><td>74.00</td><td>-35.10</td><td>48.68</td><td>38.66</td><td>24.53</td><td>63.43</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	56.52	88.20	-31.68	35.28	42.42	19.71	42.81	0.40	286	0	Peak	2	21285.00	38.90	74.00	-35.10	48.68	38.66	24.53	63.43	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>57.03</td><td>88.20</td><td>-31.17</td><td>35.79</td><td>42.42</td><td>19.71</td><td>42.81</td><td>0.40</td><td>115</td><td>4</td><td>Peak</td></tr><tr><td>2</td><td>21285.00</td><td>38.11</td><td>74.00</td><td>-35.89</td><td>47.89</td><td>38.66</td><td>24.53</td><td>63.43</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14190.00	57.03	88.20	-31.17	35.79	42.42	19.71	42.81	0.40	115	4	Peak	2	21285.00	38.11	74.00	-35.89	47.89	38.66	24.53	63.43	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	14190.00	56.52	88.20	-31.68	35.28	42.42	19.71	42.81	0.40	286	0	Peak																																																																																																																			
2	21285.00	38.90	74.00	-35.10	48.68	38.66	24.53	63.43	-9.54	--	--	Peak																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	14190.00	57.03	88.20	-31.17	35.79	42.42	19.71	42.81	0.40	115	4	Peak																																																																																																																			
2	21285.00	38.11	74.00	-35.89	47.89	38.66	24.53	63.43	-9.54	--	--	Peak																																																																																																																			



Mode	64	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	65																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>55.46</td><td>88.20</td><td>-32.74</td><td>34.69</td><td>41.70</td><td>19.45</td><td>42.25</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20775.00</td><td>38.71</td><td>74.00</td><td>-35.29</td><td>49.83</td><td>38.60</td><td>24.18</td><td>64.36</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	55.46	88.20	-32.74	34.69	41.70	19.45	42.25	0.38	--	Peak	2	20775.00	38.71	74.00	-35.29	49.83	38.60	24.18	64.36	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>54.65</td><td>88.20</td><td>-33.55</td><td>33.88</td><td>41.70</td><td>19.45</td><td>42.25</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20775.00</td><td>36.53</td><td>74.00</td><td>-37.47</td><td>47.65</td><td>38.60</td><td>24.18</td><td>64.36</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	54.65	88.20	-33.55	33.88	41.70	19.45	42.25	0.38	--	Peak	2	20775.00	36.53	74.00	-37.47	47.65	38.60	24.18	64.36	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13850.00	55.46	88.20	-32.74	34.69	41.70	19.45	42.25	0.38	--	Peak																																																																																																															
2	20775.00	38.71	74.00	-35.29	49.83	38.60	24.18	64.36	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13850.00	54.65	88.20	-33.55	33.88	41.70	19.45	42.25	0.38	--	Peak																																																																																																															
2	20775.00	36.53	74.00	-37.47	47.65	38.60	24.18	64.36	-9.54	--	Peak																																																																																																															



Mode	65	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	66																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_Full RU_7005MHz																																																																																																																																													
ANT	8+9																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>56.14</td><td>88.20</td><td>-32.06</td><td>35.20</td><td>41.94</td><td>19.58</td><td>42.44</td><td>0.37</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>14010.00</td><td>46.29</td><td>68.20</td><td>-21.91</td><td>25.35</td><td>41.94</td><td>19.58</td><td>42.44</td><td>0.37</td><td>100</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>21015.00</td><td>38.03</td><td>74.00</td><td>-35.97</td><td>48.75</td><td>38.47</td><td>24.32</td><td>63.97</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	56.14	88.20	-32.06	35.20	41.94	19.58	42.44	0.37	100	360	Peak	2	14010.00	46.29	68.20	-21.91	25.35	41.94	19.58	42.44	0.37	100	360	Average	3	21015.00	38.03	74.00	-35.97	48.75	38.47	24.32	63.97	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>56.25</td><td>88.20</td><td>-31.95</td><td>35.31</td><td>41.94</td><td>19.58</td><td>42.44</td><td>0.37</td><td>129</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>14010.00</td><td>46.97</td><td>68.20</td><td>-21.23</td><td>26.03</td><td>41.94</td><td>19.58</td><td>42.44</td><td>0.37</td><td>129</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>21015.00</td><td>38.26</td><td>74.00</td><td>-35.74</td><td>48.98</td><td>38.47</td><td>24.32</td><td>63.97</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	56.25	88.20	-31.95	35.31	41.94	19.58	42.44	0.37	129	360	Peak	2	14010.00	46.97	68.20	-21.23	26.03	41.94	19.58	42.44	0.37	129	360	Average	3	21015.00	38.26	74.00	-35.74	48.98	38.47	24.32	63.97	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	14010.00	56.14	88.20	-32.06	35.20	41.94	19.58	42.44	0.37	100	360	Peak																																																																																																																																		
2	14010.00	46.29	68.20	-21.91	25.35	41.94	19.58	42.44	0.37	100	360	Average																																																																																																																																		
3	21015.00	38.03	74.00	-35.97	48.75	38.47	24.32	63.97	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	14010.00	56.25	88.20	-31.95	35.31	41.94	19.58	42.44	0.37	129	360	Peak																																																																																																																																		
2	14010.00	46.97	68.20	-21.23	26.03	41.94	19.58	42.44	0.37	129	360	Average																																																																																																																																		
3	21015.00	38.26	74.00	-35.74	48.98	38.47	24.32	63.97	-9.54	--	--	Peak																																																																																																																																		



Mode	66	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_Full RU_7005MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	67																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																	
ANT	8+9																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.48 73.71 88.20 -14.49 57.89 36.80 13.90 35.90 1.02 101 33 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 7125.48 73.71 88.20 -14.49 57.89 36.80 13.90 35.90 1.02 101 33 Peak									Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7085.00 113.14 ----- 97.37 36.77 13.86 35.87 1.01 101 33 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 7085.00 113.14 ----- 97.37 36.77 13.86 35.87 1.01 101 33 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																																		
1 7125.48 73.71 88.20 -14.49 57.89 36.80 13.90 35.90 1.02 101 33 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																																		
1 7085.00 113.14 ----- 97.37 36.77 13.86 35.87 1.01 101 33 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.16 62.60 68.20 -5.60 46.78 36.80 13.90 35.90 1.02 101 33 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 7125.16 62.60 68.20 -5.60 46.78 36.80 13.90 35.90 1.02 101 33 Average									Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7085.00 104.73 ----- 88.96 36.77 13.86 35.87 1.01 101 33 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 7085.00 104.73 ----- 88.96 36.77 13.86 35.87 1.01 101 33 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																																		
1 7125.16 62.60 68.20 -5.60 46.78 36.80 13.90 35.90 1.02 101 33 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																																		
1 7085.00 104.73 ----- 88.96 36.77 13.86 35.87 1.01 101 33 Average																																																																																		



Mode	67																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																			
ANT	8+9																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-07-21 PEAK_BE(UNII)_6E Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7137.00</td><td>68.28</td><td>88.20</td><td>-19.92</td><td>52.45</td><td>36.00</td><td>13.91</td><td>35.91</td><td>1.03</td><td>100</td><td>310</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7137.00	68.28	88.20	-19.92	52.45	36.00	13.91	35.91	1.03	100	310	Peak	Level (dBuV/m) Date: 2026-07-21 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>111.51</td><td>-----</td><td>-----</td><td>95.76</td><td>36.75</td><td>13.85</td><td>35.86</td><td>1.01</td><td>100</td><td>310</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	111.51	-----	-----	95.76	36.75	13.85	35.86	1.01	100	310	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7137.00	68.28	88.20	-19.92	52.45	36.00	13.91	35.91	1.03	100	310	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7085.00	111.51	-----	-----	95.76	36.75	13.85	35.86	1.01	100	310	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-07-21 AVG_BE(UNII)_6E Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7130.28</td><td>55.13</td><td>68.20</td><td>-13.07</td><td>39.29</td><td>36.00</td><td>13.91</td><td>35.90</td><td>1.03</td><td>100</td><td>310</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7130.28	55.13	68.20	-13.07	39.29	36.00	13.91	35.90	1.03	100	310	Average	Level (dBuV/m) Date: 2026-07-21 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>103.19</td><td>-----</td><td>-----</td><td>87.44</td><td>36.75</td><td>13.85</td><td>35.86</td><td>1.01</td><td>100</td><td>310</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	103.19	-----	-----	87.44	36.75	13.85	35.86	1.01	100	310	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7130.28	55.13	68.20	-13.07	39.29	36.00	13.91	35.90	1.03	100	310	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7085.00	103.19	-----	-----	87.44	36.75	13.85	35.86	1.01	100	310	Average																																																																																								



Mode	67																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 14170.00</td><td>55.89</td><td>88.20</td><td>-32.31</td><td>34.00</td><td>42.26</td><td>19.70</td><td>42.77</td><td>0.39</td><td>290 360 Peak</td></tr><tr><td>2 14170.00</td><td>46.26</td><td>68.20</td><td>-21.94</td><td>25.17</td><td>42.26</td><td>19.70</td><td>42.77</td><td>0.39</td><td>290 360 Average</td></tr><tr><td>3 21255.00</td><td>38.51</td><td>74.00</td><td>-35.49</td><td>48.25</td><td>38.78</td><td>24.51</td><td>63.49</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 14170.00	55.89	88.20	-32.31	34.00	42.26	19.70	42.77	0.39	290 360 Peak	2 14170.00	46.26	68.20	-21.94	25.17	42.26	19.70	42.77	0.39	290 360 Average	3 21255.00	38.51	74.00	-35.49	48.25	38.78	24.51	63.49	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 14170.00</td><td>57.14</td><td>88.20</td><td>-31.06</td><td>36.05</td><td>42.26</td><td>19.70</td><td>42.77</td><td>0.39</td><td>120 360 Peak</td></tr><tr><td>2 14170.00</td><td>46.42</td><td>68.20</td><td>-21.78</td><td>25.33</td><td>42.26</td><td>19.70</td><td>42.77</td><td>0.39</td><td>120 360 Average</td></tr><tr><td>3 21255.00</td><td>38.69</td><td>74.00</td><td>-35.31</td><td>48.43</td><td>38.78</td><td>24.51</td><td>63.49</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 14170.00	57.14	88.20	-31.06	36.05	42.26	19.70	42.77	0.39	120 360 Peak	2 14170.00	46.42	68.20	-21.78	25.33	42.26	19.70	42.77	0.39	120 360 Average	3 21255.00	38.69	74.00	-35.31	48.43	38.78	24.51	63.49	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 14170.00	55.89	88.20	-32.31	34.00	42.26	19.70	42.77	0.39	290 360 Peak																																																																																																																	
2 14170.00	46.26	68.20	-21.94	25.17	42.26	19.70	42.77	0.39	290 360 Average																																																																																																																	
3 21255.00	38.51	74.00	-35.49	48.25	38.78	24.51	63.49	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 14170.00	57.14	88.20	-31.06	36.05	42.26	19.70	42.77	0.39	120 360 Peak																																																																																																																	
2 14170.00	46.42	68.20	-21.78	25.33	42.26	19.70	42.77	0.39	120 360 Average																																																																																																																	
3 21255.00	38.69	74.00	-35.31	48.43	38.78	24.51	63.49	-9.54	-- -- Peak																																																																																																																	



Mode	67	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	68																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_Full RU_6945MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>55.99</td><td>88.20</td><td>-32.21</td><td>34.98</td><td>41.94</td><td>19.49</td><td>42.29</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20835.00</td><td>37.41</td><td>74.00</td><td>-36.59</td><td>48.40</td><td>38.60</td><td>24.21</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	55.99	88.20	-32.21	34.98	41.94	19.49	42.29	0.38	--	Peak	2	20835.00	37.41	74.00	-36.59	48.40	38.60	24.21	64.26	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>55.98</td><td>88.20</td><td>-32.22</td><td>34.97</td><td>41.94</td><td>19.49</td><td>42.29</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20835.00</td><td>37.89</td><td>74.00</td><td>-36.11</td><td>48.88</td><td>38.60</td><td>24.21</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	55.98	88.20	-32.22	34.97	41.94	19.49	42.29	0.38	--	Peak	2	20835.00	37.89	74.00	-36.11	48.88	38.60	24.21	64.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13890.00	55.99	88.20	-32.21	34.98	41.94	19.49	42.29	0.38	--	Peak																																																																																																															
2	20835.00	37.41	74.00	-36.59	48.40	38.60	24.21	64.26	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13890.00	55.98	88.20	-32.22	34.97	41.94	19.49	42.29	0.38	--	Peak																																																																																																															
2	20835.00	37.89	74.00	-36.11	48.88	38.60	24.21	64.26	-9.54	--	Peak																																																																																																															



Mode	68	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_Full RU_6945MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	69																																																																																							
	Band Edge																																																																																							
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																							
ANT	8+9																																																																																							
Pol.	Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7126.20</td><td>67.06</td><td>88.20</td><td>-21.14</td><td>51.24</td><td>36.00</td><td>13.90</td><td>35.90</td><td>1.02</td><td>100</td><td>36</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7126.20	67.06	88.20	-21.14	51.24	36.00	13.90	35.90	1.02	100	36	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7025.00</td><td>110.54</td><td>-----</td><td>-----</td><td>94.06</td><td>36.70</td><td>13.82</td><td>35.84</td><td>1.00</td><td>100</td><td>36</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB dB cm deg									1 7025.00	110.54	-----	-----	94.06	36.70	13.82	35.84	1.00	100	36	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																																	
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																								
1 7126.20	67.06	88.20	-21.14	51.24	36.00	13.90	35.90	1.02	100	36	Peak																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																																	
MHz dBuV/m dB dBuV dB/m dB dB dB dB dB cm deg																																																																																								
1 7025.00	110.54	-----	-----	94.06	36.70	13.82	35.84	1.00	100	36	Peak																																																																													
Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.10</td><td>57.68</td><td>68.20</td><td>-10.52</td><td>41.06</td><td>36.00</td><td>13.90</td><td>35.90</td><td>1.02</td><td>100</td><td>36</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB dB cm deg									1 7125.10	57.68	68.20	-10.52	41.06	36.00	13.90	35.90	1.02	100	36	Average	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7025.00</td><td>102.54</td><td>-----</td><td>-----</td><td>86.89</td><td>36.70</td><td>13.78</td><td>35.81</td><td>0.98</td><td>100</td><td>36</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB dB cm deg									1 7025.00	102.54	-----	-----	86.89	36.70	13.78	35.81	0.98	100	36	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																																	
MHz dBuV/m dB dBuV dB/m dB dB dB dB dB cm deg																																																																																								
1 7125.10	57.68	68.20	-10.52	41.06	36.00	13.90	35.90	1.02	100	36	Average																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																																	
MHz dBuV/m dB dBuV dB/m dB dB dB dB dB cm deg																																																																																								
1 7025.00	102.54	-----	-----	86.89	36.70	13.78	35.81	0.98	100	36	Average																																																																													



		69																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																			
ANT	8+9																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-07-23 PEAK_BE(UNII)_6E Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7131.92</td><td>64.40</td><td>88.20</td><td>-23.80</td><td>48.56</td><td>36.80</td><td>13.91</td><td>35.90</td><td>1.03</td><td>106</td><td>314</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7131.92	64.40	88.20	-23.80	48.56	36.80	13.91	35.90	1.03	106	314	Peak	Level (dBuV/m) Date: 2026-07-23 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>100.04</td><td>-----</td><td>-----</td><td>92.40</td><td>36.70</td><td>13.76</td><td>35.80</td><td>0.98</td><td>106</td><td>314</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	100.04	-----	-----	92.40	36.70	13.76	35.80	0.98	106	314	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7131.92	64.40	88.20	-23.80	48.56	36.80	13.91	35.90	1.03	106	314	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7025.00	100.04	-----	-----	92.40	36.70	13.76	35.80	0.98	106	314	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-07-23 AVG_BE(UNII)_6E Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7131.70</td><td>53.71</td><td>68.20</td><td>-14.49</td><td>37.87</td><td>36.80</td><td>13.91</td><td>35.90</td><td>1.03</td><td>106</td><td>314</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7131.70	53.71	68.20	-14.49	37.87	36.80	13.91	35.90	1.03	106	314	Average	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>100.14</td><td>-----</td><td>-----</td><td>84.50</td><td>36.70</td><td>13.78</td><td>35.82</td><td>0.98</td><td>106</td><td>314</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	100.14	-----	-----	84.50	36.70	13.78	35.82	0.98	106	314	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7131.70	53.71	68.20	-14.49	37.87	36.80	13.91	35.90	1.03	106	314	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7025.00	100.14	-----	-----	84.50	36.70	13.78	35.82	0.98	106	314	Average																																																																																								



Mode	69																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>55.43</td><td>88.20</td><td>-32.77</td><td>34.36</td><td>42.10</td><td>19.61</td><td>42.52</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21075.00</td><td>38.06</td><td>74.00</td><td>-35.94</td><td>48.58</td><td>38.50</td><td>24.37</td><td>63.85</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	55.43	88.20	-32.77	34.36	42.10	19.61	42.52	0.38	--	Peak	2	21075.00	38.06	74.00	-35.94	48.58	38.50	24.37	63.85	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>56.32</td><td>88.20</td><td>-31.88</td><td>35.25</td><td>42.10</td><td>19.61</td><td>42.52</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21075.00</td><td>38.41</td><td>74.00</td><td>-35.59</td><td>48.93</td><td>38.50</td><td>24.37</td><td>63.85</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	56.32	88.20	-31.88	35.25	42.10	19.61	42.52	0.38	--	Peak	2	21075.00	38.41	74.00	-35.59	48.93	38.50	24.37	63.85	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14050.00	55.43	88.20	-32.77	34.36	42.10	19.61	42.52	0.38	--	Peak																																																																																																															
2	21075.00	38.06	74.00	-35.94	48.58	38.50	24.37	63.85	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14050.00	56.32	88.20	-31.88	35.25	42.10	19.61	42.52	0.38	--	Peak																																																																																																															
2	21075.00	38.41	74.00	-35.59	48.93	38.50	24.37	63.85	-9.54	--	Peak																																																																																																															



Mode	69	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL





Mode	70																																																																																																																
	Band Edge																																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																																
ANT	8+9																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7219.86</td><td>74.26</td><td>88.20</td><td>-13.94</td><td>58.24</td><td>36.94</td><td>14.00</td><td>35.97</td><td>1.05</td><td>172</td><td>36 Peak</td></tr><tr><td>2</td><td>7275.70</td><td>68.42</td><td>74.00</td><td>-5.58</td><td>52.25</td><td>37.10</td><td>14.04</td><td>36.01</td><td>1.04</td><td>172</td><td>36 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7219.86	74.26	88.20	-13.94	58.24	36.94	14.00	35.97	1.05	172	36 Peak	2	7275.70	68.42	74.00	-5.58	52.25	37.10	14.04	36.01	1.04	172	36 Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>100.15</td><td>-----</td><td>-----</td><td>92.46</td><td>36.74</td><td>13.68</td><td>35.71</td><td>0.98</td><td>172</td><td>36 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6985.00	100.15	-----	-----	92.46	36.74	13.68	35.71	0.98	172	36 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	7219.86	74.26	88.20	-13.94	58.24	36.94	14.00	35.97	1.05	172	36 Peak																																																																																																						
2	7275.70	68.42	74.00	-5.58	52.25	37.10	14.04	36.01	1.04	172	36 Peak																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	6985.00	100.15	-----	-----	92.46	36.74	13.68	35.71	0.98	172	36 Peak																																																																																																						
Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>97.86</td><td>68.20</td><td>29.66</td><td>82.22</td><td>36.70</td><td>13.75</td><td>35.79</td><td>0.98</td><td>172</td><td>36 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6985.00	97.86	68.20	29.66	82.22	36.70	13.75	35.79	0.98	172	36 Average	Blank																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	6985.00	97.86	68.20	29.66	82.22	36.70	13.75	35.79	0.98	172	36 Average																																																																																																						



Mode	70																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																			
ANT	8+9																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7131.12</td><td>69.62</td><td>88.20</td><td>-18.58</td><td>53.78</td><td>36.00</td><td>13.91</td><td>35.90</td><td>1.03 103 309 Peak</td></tr><tr><td>2</td><td>7267.29</td><td>61.61</td><td>74.00</td><td>-12.39</td><td>45.46</td><td>37.07</td><td>14.04</td><td>36.00</td><td>1.04 103 309 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7131.12	69.62	88.20	-18.58	53.78	36.00	13.91	35.90	1.03 103 309 Peak	2	7267.29	61.61	74.00	-12.39	45.46	37.07	14.04	36.00	1.04 103 309 Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6985.00</td><td>104.98</td><td>-----</td><td>-----</td><td>89.34</td><td>36.70</td><td>13.78</td><td>35.82</td><td>0.98 103 309 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6985.00	104.98	-----	-----	89.34	36.70	13.78	35.82	0.98 103 309 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																											
1	7131.12	69.62	88.20	-18.58	53.78	36.00	13.91	35.90	1.03 103 309 Peak																																																																																											
2	7267.29	61.61	74.00	-12.39	45.46	37.07	14.04	36.00	1.04 103 309 Peak																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																											
1	6985.00	104.98	-----	-----	89.34	36.70	13.78	35.82	0.98 103 309 Peak																																																																																											
Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7131.12</td><td>54.76</td><td>68.20</td><td>-13.44</td><td>38.92</td><td>36.00</td><td>13.91</td><td>35.90</td><td>1.03 103 309 Average</td></tr><tr><td>2</td><td>7252.75</td><td>46.75</td><td>54.00</td><td>-7.25</td><td>30.67</td><td>37.01</td><td>14.02</td><td>35.99</td><td>1.04 103 309 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7131.12	54.76	68.20	-13.44	38.92	36.00	13.91	35.90	1.03 103 309 Average	2	7252.75	46.75	54.00	-7.25	30.67	37.01	14.02	35.99	1.04 103 309 Average	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6985.00</td><td>95.97</td><td>-----</td><td>-----</td><td>80.33</td><td>36.70</td><td>13.76</td><td>35.80</td><td>0.98 103 309 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6985.00	95.97	-----	-----	80.33	36.70	13.76	35.80	0.98 103 309 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																											
1	7131.12	54.76	68.20	-13.44	38.92	36.00	13.91	35.90	1.03 103 309 Average																																																																																											
2	7252.75	46.75	54.00	-7.25	30.67	37.01	14.02	35.99	1.04 103 309 Average																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																											
1	6985.00	95.97	-----	-----	80.33	36.70	13.76	35.80	0.98 103 309 Average																																																																																											



Mode	70																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																															
ANT	8+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-07-24  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>56.13</td><td>88.20</td><td>-32.07</td><td>35.15</td><td>41.96</td><td>19.55</td><td>42.39</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20955.00</td><td>38.32</td><td>74.00</td><td>-35.68</td><td>49.15</td><td>38.50</td><td>24.28</td><td>64.07</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	56.13	88.20	-32.07	35.15	41.96	19.55	42.39	0.37	--	Peak	2	20955.00	38.32	74.00	-35.68	49.15	38.50	24.28	64.07	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>56.54</td><td>88.20</td><td>-31.66</td><td>35.56</td><td>41.96</td><td>19.55</td><td>42.39</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20955.00</td><td>38.14</td><td>74.00</td><td>-35.86</td><td>48.97</td><td>38.50</td><td>24.28</td><td>64.07</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	56.54	88.20	-31.66	35.56	41.96	19.55	42.39	0.37	--	Peak	2	20955.00	38.14	74.00	-35.86	48.97	38.50	24.28	64.07	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13970.00	56.13	88.20	-32.07	35.15	41.96	19.55	42.39	0.37	--	Peak																																																																																																					
2	20955.00	38.32	74.00	-35.68	49.15	38.50	24.28	64.07	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13970.00	56.54	88.20	-31.66	35.56	41.96	19.55	42.39	0.37	--	Peak																																																																																																					
2	20955.00	38.14	74.00	-35.86	48.97	38.50	24.28	64.07	-9.54	--	Peak																																																																																																					



Mode	70	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	71																																																																																																												
	Band Edge																																																																																																												
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																												
ANT	8+9																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7199.91</td><td>61.35</td><td>88.20</td><td>-26.85</td><td>45.37</td><td>36.90</td><td>13.98</td><td>35.95</td><td>1.05</td><td>100</td><td>16 Peak</td></tr><tr><td>2</td><td>7259.06</td><td>59.54</td><td>74.00</td><td>-14.46</td><td>43.43</td><td>37.04</td><td>14.03</td><td>36.00</td><td>1.04</td><td>100</td><td>16 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7199.91	61.35	88.20	-26.85	45.37	36.90	13.98	35.95	1.05	100	16 Peak	2	7259.06	59.54	74.00	-14.46	43.43	37.04	14.03	36.00	1.04	100	16 Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>102.01</td><td>-----</td><td>-----</td><td>86.41</td><td>36.60</td><td>13.49</td><td>35.48</td><td>0.99</td><td>100</td><td>16 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	102.01	-----	-----	86.41	36.60	13.49	35.48	0.99	100	16 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7199.91	61.35	88.20	-26.85	45.37	36.90	13.98	35.95	1.05	100	16 Peak																																																																																																		
2	7259.06	59.54	74.00	-14.46	43.43	37.04	14.03	36.00	1.04	100	16 Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	6905.00	102.01	-----	-----	86.41	36.60	13.49	35.48	0.99	100	16 Peak																																																																																																		
Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7139.91</td><td>51.38</td><td>68.20</td><td>-16.82</td><td>35.54</td><td>36.00</td><td>13.92</td><td>35.91</td><td>1.03</td><td>100</td><td>16 Average</td></tr><tr><td>2</td><td>7268.75</td><td>48.62</td><td>54.00</td><td>-5.38</td><td>32.51</td><td>37.04</td><td>14.03</td><td>36.00</td><td>1.04</td><td>100</td><td>16 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7139.91	51.38	68.20	-16.82	35.54	36.00	13.92	35.91	1.03	100	16 Average	2	7268.75	48.62	54.00	-5.38	32.51	37.04	14.03	36.00	1.04	100	16 Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>93.73</td><td>-----</td><td>-----</td><td>78.13</td><td>36.60</td><td>13.49</td><td>35.48</td><td>0.99</td><td>100</td><td>16 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	93.73	-----	-----	78.13	36.60	13.49	35.48	0.99	100	16 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7139.91	51.38	68.20	-16.82	35.54	36.00	13.92	35.91	1.03	100	16 Average																																																																																																		
2	7268.75	48.62	54.00	-5.38	32.51	37.04	14.03	36.00	1.04	100	16 Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	6905.00	93.73	-----	-----	78.13	36.60	13.49	35.48	0.99	100	16 Average																																																																																																		



Mode	71																																																																																																															
	Band Edge																																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																															
ANT	8+9																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak	Level (dBuV/m) Date: 2026-07-23 PEAK_BE(UNII)_6E Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7143.29</td><td>57.28</td><td>88.20</td><td>-30.92</td><td>41.44</td><td>36.00</td><td>13.92</td><td>35.91</td><td>1.03</td><td>100</td><td>227</td><td>Peak</td></tr><tr><td>2</td><td>7261.59</td><td>56.45</td><td>74.00</td><td>-17.55</td><td>40.33</td><td>37.05</td><td>14.03</td><td>36.00</td><td>1.04</td><td>100</td><td>227</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7143.29	57.28	88.20	-30.92	41.44	36.00	13.92	35.91	1.03	100	227	Peak	2	7261.59	56.45	74.00	-17.55	40.33	37.05	14.03	36.00	1.04	100	227	Peak	Level (dBuV/m) Date: 2026-07-23 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>95.48</td><td>-----</td><td>-----</td><td>79.76</td><td>36.76</td><td>13.68</td><td>35.70</td><td>0.98</td><td>100</td><td>227</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	95.48	-----	-----	79.76	36.76	13.68	35.70	0.98	100	227	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7143.29	57.28	88.20	-30.92	41.44	36.00	13.92	35.91	1.03	100	227	Peak																																																																																																				
2	7261.59	56.45	74.00	-17.55	40.33	37.05	14.03	36.00	1.04	100	227	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	6905.00	95.48	-----	-----	79.76	36.76	13.68	35.70	0.98	100	227	Peak																																																																																																				
Avg	Level (dBuV/m) Date: 2026-07-23 AVG_BE(UNII)_6E Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7139.91</td><td>47.80</td><td>68.20</td><td>-20.40</td><td>31.96</td><td>36.00</td><td>13.92</td><td>35.91</td><td>1.03</td><td>100</td><td>227</td><td>Average</td></tr><tr><td>2</td><td>7259.06</td><td>46.23</td><td>54.00</td><td>-7.77</td><td>30.12</td><td>37.04</td><td>14.03</td><td>36.00</td><td>1.04</td><td>100</td><td>227</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7139.91	47.80	68.20	-20.40	31.96	36.00	13.92	35.91	1.03	100	227	Average	2	7259.06	46.23	54.00	-7.77	30.12	37.04	14.03	36.00	1.04	100	227	Average	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>87.89</td><td>-----</td><td>-----</td><td>72.17</td><td>36.76</td><td>13.68</td><td>35.70</td><td>0.98</td><td>100</td><td>227</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	87.89	-----	-----	72.17	36.76	13.68	35.70	0.98	100	227	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7139.91	47.80	68.20	-20.40	31.96	36.00	13.92	35.91	1.03	100	227	Average																																																																																																				
2	7259.06	46.23	54.00	-7.77	30.12	37.04	14.03	36.00	1.04	100	227	Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	6905.00	87.89	-----	-----	72.17	36.76	13.68	35.70	0.98	100	227	Average																																																																																																				



Mode	71																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-25 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>56.95</td><td>88.20</td><td>-31.25</td><td>36.00</td><td>41.06</td><td>19.42</td><td>42.20</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20715.00</td><td>38.69</td><td>74.00</td><td>-35.31</td><td>49.95</td><td>38.60</td><td>24.14</td><td>64.46</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	56.95	88.20	-31.25	36.00	41.06	19.42	42.20	0.38	--	Peak	2	20715.00	38.69	74.00	-35.31	49.95	38.60	24.14	64.46	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-25 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>56.36</td><td>88.20</td><td>-31.84</td><td>35.41</td><td>41.06</td><td>19.42</td><td>42.20</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20715.00</td><td>39.41</td><td>74.00</td><td>-34.59</td><td>50.67</td><td>38.60</td><td>24.14</td><td>64.46</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	56.36	88.20	-31.84	35.41	41.06	19.42	42.20	0.38	--	Peak	2	20715.00	39.41	74.00	-34.59	50.67	38.60	24.14	64.46	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13810.00	56.95	88.20	-31.25	36.00	41.06	19.42	42.20	0.38	--	Peak																																																																																																															
2	20715.00	38.69	74.00	-35.31	49.95	38.60	24.14	64.46	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13810.00	56.36	88.20	-31.84	35.41	41.06	19.42	42.20	0.38	--	Peak																																																																																																															
2	20715.00	39.41	74.00	-34.59	50.67	38.60	24.14	64.46	-9.54	--	Peak																																																																																																															



Mode	71	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-25 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-25 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	73																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial RU_26/8_7095MHz																																																																																	
ANT	8+9																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-07-27 PEAK_BE(UNII)_6E Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.60 76.43 88.20 -11.77 60.61 36.00 13.90 35.90 1.02 100 38 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 7125.60 76.43 88.20 -11.77 60.61 36.00 13.90 35.90 1.02 100 38 Peak									Level (dBuV/m) Date: 2026-07-27 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 115.40 ----- 99.58 36.80 13.88 35.88 1.02 100 38 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 7095.00 115.40 ----- 99.58 36.80 13.88 35.88 1.02 100 38 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7125.60 76.43 88.20 -11.77 60.61 36.00 13.90 35.90 1.02 100 38 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7095.00 115.40 ----- 99.58 36.80 13.88 35.88 1.02 100 38 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-07-27 AVG_BE(UNII)_6E Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7137.90 56.49 68.20 -11.71 40.66 36.00 13.91 35.91 1.03 100 38 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 7137.90 56.49 68.20 -11.71 40.66 36.00 13.91 35.91 1.03 100 38 Average									Level (dBuV/m) Date: 2026-07-27 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 110.09 ----- 94.27 36.80 13.88 35.88 1.02 100 38 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 7095.00 110.09 ----- 94.27 36.80 13.88 35.88 1.02 100 38 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7137.90 56.49 68.20 -11.71 40.66 36.00 13.91 35.91 1.03 100 38 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7095.00 110.09 ----- 94.27 36.80 13.88 35.88 1.02 100 38 Average																																																																																		



Mode	73																																														
	Band Edge																																														
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial RU_26/8_7095MHz																																														
ANT	8+9																																														
Pol.	Vertical																																														
Peak	Level (dBuV/m) Date: 2026-07-27 PEAK_BE(UNII)_6E Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.75</td><td>70.20</td><td>88.20</td><td>-18.00</td><td>54.38</td><td>36.00</td><td>13.90</td><td>35.90</td><td>1.02</td><td>100</td><td>313</td><td>Peak</td></tr></table>											Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.75	70.20	88.20	-18.00	54.38	36.00	13.90	35.90	1.02	100	313	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 7125.75	70.20	88.20	-18.00	54.38	36.00	13.90	35.90	1.02	100	313	Peak																																				
Level (dBuV/m) Date: 2026-07-27 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7095.00</td><td>119.22</td><td>-----</td><td>-----</td><td>103.40</td><td>36.80</td><td>13.88</td><td>35.88</td><td>1.02</td><td>100</td><td>313</td><td>Peak</td></tr></table>											Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7095.00	119.22	-----	-----	103.40	36.80	13.88	35.88	1.02	100	313	Peak	
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 7095.00	119.22	-----	-----	103.40	36.80	13.88	35.88	1.02	100	313	Peak																																				
Avg	Level (dBuV/m) Date: 2026-07-27 AVG_BE(UNII)_6E Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7138.20</td><td>47.18</td><td>68.20</td><td>-21.02</td><td>31.34</td><td>36.00</td><td>13.92</td><td>35.91</td><td>1.03</td><td>100</td><td>313</td><td>Average</td></tr></table>											Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7138.20	47.18	68.20	-21.02	31.34	36.00	13.92	35.91	1.03	100	313	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 7138.20	47.18	68.20	-21.02	31.34	36.00	13.92	35.91	1.03	100	313	Average																																				
Level (dBuV/m) Date: 2026-07-27 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7095.00</td><td>113.59</td><td>-----</td><td>-----</td><td>97.77</td><td>36.80</td><td>13.88</td><td>35.88</td><td>1.02</td><td>100</td><td>313</td><td>Average</td></tr></table>											Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7095.00	113.59	-----	-----	97.77	36.80	13.88	35.88	1.02	100	313	Average	
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 7095.00	113.59	-----	-----	97.77	36.80	13.88	35.88	1.02	100	313	Average																																				



Mode	74																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial RU_52/40_7095MHz																																																																																	
ANT	8+9																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7136.55 81.30 88.20 -6.90 65.47 36.00 13.91 35.91 1.03 100 37 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7136.55 81.30 88.20 -6.90 65.47 36.00 13.91 35.91 1.03 100 37 Peak									Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 116.26 ----- 100.44 36.80 13.88 35.88 1.02 100 37 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7095.00 116.26 ----- 100.44 36.80 13.88 35.88 1.02 100 37 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7136.55 81.30 88.20 -6.90 65.47 36.00 13.91 35.91 1.03 100 37 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7095.00 116.26 ----- 100.44 36.80 13.88 35.88 1.02 100 37 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7133.40 60.66 68.20 -7.54 44.83 36.00 13.91 35.91 1.03 100 37 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7133.40 60.66 68.20 -7.54 44.83 36.00 13.91 35.91 1.03 100 37 Average									Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 108.92 ----- 93.10 36.80 13.88 35.88 1.02 100 37 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7095.00 108.92 ----- 93.10 36.80 13.88 35.88 1.02 100 37 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7133.40 60.66 68.20 -7.54 44.83 36.00 13.91 35.91 1.03 100 37 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7095.00 108.92 ----- 93.10 36.80 13.88 35.88 1.02 100 37 Average																																																																																		



Mode	74																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial RU_52/40_7095MHz																																																																																																			
ANT	8+9																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-07-27 PEAK_BE(UNII)_6E Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7133.55</td><td>73.56</td><td>88.20</td><td>-14.64</td><td>57.73</td><td>36.00</td><td>13.91</td><td>35.91</td><td>1.03</td><td>100</td><td>315</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7133.55	73.56	88.20	-14.64	57.73	36.00	13.91	35.91	1.03	100	315	Peak	Level (dBuV/m) Date: 2026-07-27 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>118.12</td><td>-----</td><td>-----</td><td>102.30</td><td>36.80</td><td>13.88</td><td>35.88</td><td>1.02</td><td>100</td><td>315</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	118.12	-----	-----	102.30	36.80	13.88	35.88	1.02	100	315	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7133.55	73.56	88.20	-14.64	57.73	36.00	13.91	35.91	1.03	100	315	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	118.12	-----	-----	102.30	36.80	13.88	35.88	1.02	100	315	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-07-27 AVG_BE(UNII)_6E Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7134.60</td><td>52.79</td><td>68.20</td><td>-15.41</td><td>36.96</td><td>36.00</td><td>13.91</td><td>35.91</td><td>1.03</td><td>100</td><td>315</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7134.60	52.79	68.20	-15.41	36.96	36.00	13.91	35.91	1.03	100	315	Average	Level (dBuV/m) Date: 2026-07-27 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>110.90</td><td>-----</td><td>-----</td><td>95.00</td><td>36.80</td><td>13.88</td><td>35.88</td><td>1.02</td><td>100</td><td>315</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	110.90	-----	-----	95.00	36.80	13.88	35.88	1.02	100	315	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7134.60	52.79	68.20	-15.41	36.96	36.00	13.91	35.91	1.03	100	315	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	110.90	-----	-----	95.00	36.80	13.88	35.88	1.02	100	315	Average																																																																																								





Mode	75																																																																					
	Band Edge																																																																					
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial RU_106/54_7095MHz																																																																					
ANT	8+9																																																																					
Pol.	Horizontal					Fundamental																																																																
Peak	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7127.55</td><td>72.07</td><td>88.20 -16.13</td><td>56.25</td><td>36.00</td><td>13.90</td><td>35.90</td><td>1.02</td><td>103</td><td>68 Peak</td></tr></table>					Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7127.55	72.07	88.20 -16.13	56.25	36.00	13.90	35.90	1.02	103	68 Peak	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>116.16</td><td>-----</td><td>100.37</td><td>36.79</td><td>13.87</td><td>35.88</td><td>1.01</td><td>103</td><td>68 Peak</td></tr></table>					Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	116.16	-----	100.37	36.79	13.87	35.88	1.01	103	68 Peak
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 7127.55	72.07	88.20 -16.13	56.25	36.00	13.90	35.90	1.02	103	68 Peak																																																													
Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 7095.00	116.16	-----	100.37	36.79	13.87	35.88	1.01	103	68 Peak																																																													
Avg	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.033kHz SMT:Auto <table><tr><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.15</td><td>58.41</td><td>68.20 -9.79</td><td>42.59</td><td>36.00</td><td>13.90</td><td>35.90</td><td>1.02</td><td>103</td><td>68 Average</td></tr></table>					Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.15	58.41	68.20 -9.79	42.59	36.00	13.90	35.90	1.02	103	68 Average	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.033kHz SMT:Auto <table><tr><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>108.17</td><td>-----</td><td>92.35</td><td>36.80</td><td>13.88</td><td>35.88</td><td>1.02</td><td>103</td><td>68 Average</td></tr></table>					Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	108.17	-----	92.35	36.80	13.88	35.88	1.02	103	68 Average
Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 7125.15	58.41	68.20 -9.79	42.59	36.00	13.90	35.90	1.02	103	68 Average																																																													
Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 7095.00	108.17	-----	92.35	36.80	13.88	35.88	1.02	103	68 Average																																																													



		75																																																																																	
Mode	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial RU_106/54_7095MHz																																																																																		
ANT	8+9																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-07-27 PEAK_BE(UNII)_6E Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 75 Setting : 17.5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.15 66.85 88.20 -21.35 51.03 36.80 13.90 35.90 1.02 400 57 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> <td colspan="5"> Level (dBuV/m) Date: 2026-07-27 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 113.12 ----- 97.30 36.80 13.88 35.88 1.02 400 57 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> </td>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level								MHz dBuV/m dB dB dB dB dB dB cm deg									1 7125.15 66.85 88.20 -21.35 51.03 36.80 13.90 35.90 1.02 400 57 Peak									Level (dBuV/m) Date: 2026-07-27 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 113.12 ----- 97.30 36.80 13.88 35.88 1.02 400 57 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level								MHz dBuV/m dB dB dB dB dB dB cm deg									1 7095.00 113.12 ----- 97.30 36.80 13.88 35.88 1.02 400 57 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																			
1 7125.15 66.85 88.20 -21.35 51.03 36.80 13.90 35.90 1.02 400 57 Peak																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																			
1 7095.00 113.12 ----- 97.30 36.80 13.88 35.88 1.02 400 57 Peak																																																																																			
Avg	Level (dBuV/m) Date: 2026-07-27 AVG_BE(UNII)_6E Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.033kHz SMT:Auto Detector : PEAK Mode : 75 Setting : 17.5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.15 53.67 68.20 -14.53 37.85 36.80 13.90 35.90 1.02 400 57 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> <td colspan="5"> Level (dBuV/m) Date: 2026-07-27 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.033kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 104.69 ----- 88.87 36.80 13.88 35.88 1.02 400 57 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> </td>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level								MHz dBuV/m dB dB dB dB dB dB cm deg									1 7125.15 53.67 68.20 -14.53 37.85 36.80 13.90 35.90 1.02 400 57 Average									Level (dBuV/m) Date: 2026-07-27 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.033kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7095.00 104.69 ----- 88.87 36.80 13.88 35.88 1.02 400 57 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level								MHz dBuV/m dB dB dB dB dB dB cm deg									1 7095.00 104.69 ----- 88.87 36.80 13.88 35.88 1.02 400 57 Average								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																			
1 7125.15 53.67 68.20 -14.53 37.85 36.80 13.90 35.90 1.02 400 57 Average																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																			
1 7095.00 104.69 ----- 88.87 36.80 13.88 35.88 1.02 400 57 Average																																																																																			



Mode	90																																																																																																																																																																																																																																														
	LF																																																																																																																																																																																																																																														
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																																																																																																																																																														
ANT	8+9																																																																																																																																																																																																																																														
Pol.	Horizontal								Vertical																																																																																																																																																																																																																																						
QPI Peak																																																																																																																																																																																																																																															
	Site : 03CH22-HY Condition: QP 3m Bilog_63304_251126 HORIZONTAL								Site : 03CH22-HY Condition: QP 3m Bilog_63304_251126 VERTICAL																																																																																																																																																																																																																																						
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV</th><th>dB/m</th><th>Loss</th><th>Factor</th><th>Factor</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>79.47</td><td>24.42</td><td>40.00</td><td>-15.58</td><td>42.03</td><td>13.43</td><td>1.43</td><td>32.62</td><td>0.15</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>141.55</td><td>32.46</td><td>43.50</td><td>-11.04</td><td>45.43</td><td>17.52</td><td>1.92</td><td>32.62</td><td>0.21</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>244.37</td><td>24.33</td><td>46.00</td><td>-21.67</td><td>36.50</td><td>17.71</td><td>2.57</td><td>32.60</td><td>0.15</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>451.95</td><td>25.23</td><td>46.00</td><td>-20.77</td><td>31.23</td><td>23.04</td><td>3.53</td><td>32.73</td><td>0.16</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>740.04</td><td>37.44</td><td>46.00</td><td>-8.56</td><td>37.33</td><td>27.95</td><td>4.48</td><td>32.57</td><td>0.25</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>902.03</td><td>38.61</td><td>46.00</td><td>-7.39</td><td>36.17</td><td>28.95</td><td>4.95</td><td>31.69</td><td>0.23</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>									Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dB	dBuV	dB/m	Loss	Factor	Factor	dB	dB		1	79.47	24.42	40.00	-15.58	42.03	13.43	1.43	32.62	0.15	--	--	--	Peak	2	141.55	32.46	43.50	-11.04	45.43	17.52	1.92	32.62	0.21	--	--	--	Peak	3	244.37	24.33	46.00	-21.67	36.50	17.71	2.57	32.60	0.15	--	--	--	Peak	4	451.95	25.23	46.00	-20.77	31.23	23.04	3.53	32.73	0.16	--	--	--	Peak	5	740.04	37.44	46.00	-8.56	37.33	27.95	4.48	32.57	0.25	--	--	--	Peak	6	902.03	38.61	46.00	-7.39	36.17	28.95	4.95	31.69	0.23	--	--	--	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV</th><th>dB/m</th><th>Loss</th><th>Factor</th><th>Factor</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>79.47</td><td>28.68</td><td>40.00</td><td>-11.32</td><td>46.29</td><td>13.43</td><td>1.43</td><td>32.62</td><td>0.15</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>141.55</td><td>25.40</td><td>43.50</td><td>-18.10</td><td>38.37</td><td>17.52</td><td>1.92</td><td>32.62</td><td>0.21</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>261.83</td><td>23.24</td><td>46.00</td><td>-22.76</td><td>32.95</td><td>20.09</td><td>2.66</td><td>32.61</td><td>0.15</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>506.27</td><td>24.69</td><td>46.00</td><td>-21.31</td><td>29.40</td><td>24.07</td><td>3.71</td><td>32.75</td><td>0.26</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>740.04</td><td>38.41</td><td>46.00</td><td>-7.59</td><td>38.30</td><td>27.95</td><td>4.48</td><td>32.57</td><td>0.25</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>903.97</td><td>38.74</td><td>46.00</td><td>-7.26</td><td>36.27</td><td>28.95</td><td>4.95</td><td>31.67</td><td>0.24</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>									Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dB	dBuV	dB/m	Loss	Factor	Factor	dB	dB		1	79.47	28.68	40.00	-11.32	46.29	13.43	1.43	32.62	0.15	--	--	--	Peak	2	141.55	25.40	43.50	-18.10	38.37	17.52	1.92	32.62	0.21	--	--	--	Peak	3	261.83	23.24	46.00	-22.76	32.95	20.09	2.66	32.61	0.15	--	--	--	Peak	4	506.27	24.69	46.00	-21.31	29.40	24.07	3.71	32.75	0.26	--	--	--	Peak	5	740.04	38.41	46.00	-7.59	38.30	27.95	4.48	32.57	0.25	--	--	--	Peak	6	903.97	38.74	46.00	-7.26	36.27	28.95	4.95	31.67	0.24	--	--	--
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m		dB	dBuV	dB/m	Loss	Factor	Factor	dB	dB																																																																																																																																																																																																																																			
1	79.47	24.42	40.00	-15.58	42.03	13.43	1.43	32.62	0.15	--	--	--	Peak																																																																																																																																																																																																																																		
2	141.55	32.46	43.50	-11.04	45.43	17.52	1.92	32.62	0.21	--	--	--	Peak																																																																																																																																																																																																																																		
3	244.37	24.33	46.00	-21.67	36.50	17.71	2.57	32.60	0.15	--	--	--	Peak																																																																																																																																																																																																																																		
4	451.95	25.23	46.00	-20.77	31.23	23.04	3.53	32.73	0.16	--	--	--	Peak																																																																																																																																																																																																																																		
5	740.04	37.44	46.00	-8.56	37.33	27.95	4.48	32.57	0.25	--	--	--	Peak																																																																																																																																																																																																																																		
6	902.03	38.61	46.00	-7.39	36.17	28.95	4.95	31.69	0.23	--	--	--	Peak																																																																																																																																																																																																																																		
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m		dB	dBuV	dB/m	Loss	Factor	Factor	dB	dB																																																																																																																																																																																																																																			
1	79.47	28.68	40.00	-11.32	46.29	13.43	1.43	32.62	0.15	--	--	--	Peak																																																																																																																																																																																																																																		
2	141.55	25.40	43.50	-18.10	38.37	17.52	1.92	32.62	0.21	--	--	--	Peak																																																																																																																																																																																																																																		
3	261.83	23.24	46.00	-22.76	32.95	20.09	2.66	32.61	0.15	--	--	--	Peak																																																																																																																																																																																																																																		
4	506.27	24.69	46.00	-21.31	29.40	24.07	3.71	32.75	0.26	--	--	--	Peak																																																																																																																																																																																																																																		
5	740.04	38.41	46.00	-7.59	38.30	27.95	4.48	32.57	0.25	--	--	--	Peak																																																																																																																																																																																																																																		
6	903.97	38.74	46.00	-7.26	36.27	28.95	4.95	31.67	0.24	--	--	--	Peak																																																																																																																																																																																																																																		



Appendix D. Duty Cycle Plots

Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
6G 802.11a	99.24	-	-	10Hz
6GHz 802.11be EHT20 Full RU	100.00	-	-	10Hz
6GHz 802.11be EHT20 26 RU	99.42	-	-	10Hz
6GHz 802.11be EHT20 52 RU	98.14	-	-	10Hz
6GHz 802.11be EHT20 106 RU	97.91	33.750	0.03	33Hz
6GHz 802.11be EHT40 Full RU	100.00	-	-	10Hz
6GHz 802.11be EHT80 Full RU	99.52	-	-	10Hz
6GHz 802.11be EHT160 Full RU	100.00	-	-	10Hz
6GHz 802.11be EHT320 Full RU	100.00	-	-	10Hz



MIMO <Ant.8+9>



