




EUT Mode


802.11be EHT40 FullIRU

Plot on 5965 MHz




08:08:33 PM 08/20/2026

Plot on 6205 MHz




08:12:42 PM 08/20/2026

Plot on 6405 MHz



08:16:27 PM 08/20/2026


Plot on 6565 MHz



08:29:58 PM 08/20/2026




Plot on 6685 MHz



08:34:18 PM 08/20/2026

Plot on 6845 MHz




08:38:39 PM 08/20/2026



EUT Mode

802.11be EHT80 Large

Plot on 5985 MHz




Date: 6.AUG.2026 23:01:11



EUT Mode


802.11be EHT80 FullRU

Plot on 5985 MHz




Date: 5.AUG.2026 23:13:49

Plot on 6225 MHz




Date: 5.AUG.2026 23:31:08

Plot on 6385 MHz



Date: 5.AUG.2026 23:34:09


Plot on 6625 MHz



Date: 6.AUG.2026 00:31:09




Plot on 6705 MHz



Date: 6.AUG.2026 00:35:58

Plot on 6785 MHz




Date: 6.AUG.2026 00:42:51



EUT Mode

802.11be EHT160 Large

Plot on 6025 MHz




Date: 10.AUG.2026 21:01:10



EUT Mode


802.11be EHT160 FullIRU

Plot on 6025 MHz




Date: 6.AUG.2026 01:06:18

Plot on 6185 MHz




Date: 6.AUG.2026 01:16:44

Plot on 6345 MHz



Date: 6.AUG.2026 01:19:09

Plot on 6665 MHz




Date: 6.AUG.2026 01:42:54



EUT Mode

802.11be EHT160 Puncture20 8

Plot on 6025 MHz




Date: 10.AUG.2026 20:48:18



EUT Mode

802.11be EHT160 Puncture40 4

Plot on 6025 MHz




Date: 7.AUG.2026 00:37:40



EUT Mode


802.11be EHT320 FullIRU

Plot on 6105 MHz



Date: 21.AUG.2026 10:46:03

Plot on 6265 MHz




Date: 21.AUG.2026 10:40:36



EUT Mode

802.11be EHT320 (H160+H80)2x996T+484T102

Plot on 6105 MHz




Date: 21.AUG.2026 11:18:42



EUT Mode

802.11be EHT320 (H160+H80)3x996T104

Plot on 6105 MHz




Date: 21.AUG.2026 11:16:45



EUT Mode

802.11be EHT320 (H160+H80)3x996T+484T106

Plot on 6105 MHz




Date: 21.AUG.2026 11:13:49



EUT Mode

802.11be EHT320 Puncture40 8

Plot on 6105 MHz




Date: 21.AUG.2026 11:08:25



EUT Mode

802.11be EHT320 Puncture80 4

Plot on 6105 MHz




Date: 21.AUG.2026 11:10:01



EUT Mode

802.11be EHT320 Puncture120 6

Plot on 6105 MHz



Date: 21.AUG.2026 11:11:35




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Brian Chen	Temperature :	23 ~ 26°C
		Relative Humidity :	45 ~ 55%

EUT Information

Report NO : 670105
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	32.30	56.00	23.70	L1	OFF	19.8
0.150000	51.37	---	66.00	14.63	L1	OFF	19.8
0.161250	---	33.92	55.40	21.48	L1	OFF	19.7
0.161250	51.03	---	65.40	14.37	L1	OFF	19.7
0.172500	---	30.12	54.84	24.72	L1	OFF	19.7
0.172500	48.67	---	64.84	16.17	L1	OFF	19.7
0.190500	---	20.08	54.02	33.94	L1	OFF	19.7
0.190500	37.85	---	64.02	26.17	L1	OFF	19.7
0.210750	---	23.23	53.18	29.95	L1	OFF	19.7
0.210750	39.88	---	63.18	23.30	L1	OFF	19.7
0.226500	---	24.20	52.58	28.38	L1	OFF	19.7
0.226500	40.56	---	62.58	22.02	L1	OFF	19.7
3.988500	---	13.22	46.00	32.78	L1	OFF	19.9
3.988500	22.21	---	56.00	33.79	L1	OFF	19.9
11.413500	---	18.10	50.00	31.90	L1	OFF	20.4
11.413500	25.46	---	60.00	34.54	L1	OFF	20.4

EUT Information

Report NO : 670105
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	32.48	55.88	23.40	N	OFF	19.8
0.152250	50.85	---	65.88	15.03	N	OFF	19.8
0.161250	---	33.23	55.40	22.17	N	OFF	19.8
0.161250	50.66	---	65.40	14.74	N	OFF	19.8
0.170250	---	32.26	54.95	22.69	N	OFF	19.8
0.170250	49.73	---	64.95	15.22	N	OFF	19.8
0.192750	---	19.98	53.92	33.94	N	OFF	19.8
0.192750	39.50	---	63.92	24.42	N	OFF	19.8
0.210750	---	22.55	53.18	30.63	N	OFF	19.8
0.210750	39.51	---	63.18	23.67	N	OFF	19.8
0.699000	---	10.84	46.00	35.16	N	OFF	19.8
0.699000	20.16	---	56.00	35.84	N	OFF	19.8
4.107750	---	13.22	46.00	32.78	N	OFF	20.0
4.107750	20.30	---	56.00	35.70	N	OFF	20.0
11.400000	---	23.92	50.00	26.08	N	OFF	20.5
11.400000	30.75	---	60.00	29.25	N	OFF	20.5



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Ken Kuo、York Huang、Vic Li	Temperature :	21.3~25.1°C
		Relative Humidity :	56.4~65.3%

Note symbol

-L	Low channel location
-R	High channel location

C1.Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	8+9	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	8+9	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	8+9	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	8+9	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	8+9	802.11be EHT20	49	6195	MCS0	Full RU	-
Mode 6	U-NII-5	5.925-6.425	8+9	802.11be EHT20	93	6415	MCS0	Full RU	-
Mode 7	U-NII-5	5.925-6.425	8+9	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 8	U-NII-5	5.925-6.425	8+9	802.11be EHT40	51	6205	MCS0	Full RU	-
Mode 9	U-NII-5	5.925-6.425	8+9	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 10	U-NII-5	5.925-6.425	8+9	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 11	U-NII-5	5.925-6.425	8+9	802.11be EHT80	55	6225	MCS0	Full RU	-

**FCC RADIO TEST REPORT**

Report No. :FR670105G

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII-5	5.925-6.425	8+9	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	8+9	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	8+9	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	8+9	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	8+9	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 17	U-NII-5	5.925-6.425	8+9	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 18	U-NII-5	5.925-6.425	8+9	802.11be EHT320	95	6425	MCS0	Full RU	-
Mode 19	U-NII-5	5.925-6.425	8+9	802.11be EHT20	1	5955	MCS0	Partial RU_26/0	-
Mode 20	U-NII-5	5.925-6.425	8+9	802.11be EHT20	1	5955	MCS0	Partial RU_52/37	-
Mode 21	U-NII-5	5.925-6.425	8+9	802.11be EHT20	1	5955	MCS0	Partial RU_106/53	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 40	U-NII-7	6.525-6.875	8+9	802.11a	117	6535	MCS0	-	-
Mode 41	U-NII-7	6.525-6.875	8+9	802.11a	149	6695	MCS0	-	-
Mode 42	U-NII-7	6.525-6.875	8+9	802.11a	181	6855	MCS0	-	-
Mode 44	U-NII-7	6.525-6.875	8+9	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 45	U-NII-7	6.525-6.875	8+9	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 46	U-NII-7	6.525-6.875	8+9	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 48	U-NII-7	6.525-6.875	8+9	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 49	U-NII-7	6.525-6.875	8+9	802.11be EHT40	147	6685	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 50	U-NII-7	6.525-6.875	8+9	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 52	U-NII-7	6.525-6.875	8+9	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 53	U-NII-7	6.525-6.875	8+9	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 54	U-NII-7	6.525-6.875	8+9	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 56	U-NII-7	6.525-6.875	8+9	802.11be EHT160	143	6665	MCS0	Full RU	-

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5921.59	46.64	68.20	-21.56	H	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	47.14	54.00	-6.86	H	Avg.	Pass	-	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	43.31	54.00	-10.69	V	Avg.	Pass	-	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	12830.00	53.81	88.20	-34.39	V	Peak	Pass	-	Harmonic
4	802.11be EHT20	1	5924.58	47.28	68.20	-20.92	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	1	17865.00	47.64	54.00	-6.36	V	Avg.	Pass	Full RU	Harmonic
5	802.11be EHT20	49	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	49	12390.00	43.93	54.00	-10.07	V	Avg.	Pass	Full RU	Harmonic
6	802.11be EHT20	93	-	-	-	-	-	-	-	Full RU	Band Edge

**FCC RADIO TEST REPORT**

Report No. :FR670105G

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
6	802.11be EHT20	93	12830.00	54.06	88.20	-34.14	V	Peak	Pass	Full RU	Harmonic
7	802.11be EHT40	3	5924.82	56.40	68.20	-11.80	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	3	17895.00	47.29	54.00	-6.71	H	Avg.	Pass	Full RU	Harmonic
8	802.11be EHT40	51	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	51	12410.00	43.33	54.00	-10.67	H	Avg.	Pass	Full RU	Harmonic
9	802.11be EHT40	91	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	91	12810.00	53.84	88.20	-34.36	V	Peak	Pass	Full RU	Harmonic
10	802.11be EHT80	7	5921.48	59.38	68.20	-8.82	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	7	17955.00	47.91	54.00	-6.09	V	Avg.	Pass	Full RU	Harmonic
11	802.11be EHT80	55	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	55	12450.00	42.39	54.00	-11.61	V	Avg.	Pass	Full RU	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
12	802.11be EHT80	87	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	87	12770.00	54.17	88.20	-34.03	H	Peak	Pass	Full RU	Harmonic
13	802.11be EHT160	15	5892.20	54.72	68.20	-13.48	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	15	12050.00	42.44	54.00	-11.56	V	Avg.	Pass	Full RU	Harmonic
14	802.11be EHT160	47	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	47	12370.00	42.37	54.00	-11.63	V	Avg.	Pass	Full RU	Harmonic
15	802.11be EHT160	79	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	79	12690.00	43.06	54.00	-10.94	V	Avg.	Pass	Full RU	Harmonic
16	802.11be EHT320	31	5862.52	57.11	68.20	-11.09	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT320	31	12210.00	42.94	54.00	-11.06	V	Avg.	Pass	Full RU	Harmonic
17	802.11be EHT320	63	-	-	-	-	-	-	-	Full RU	Band Edge

**FCC RADIO TEST REPORT**

Report No. :FR670105G

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
17	802.11be EHT320	63	12530.00	42.62	54.00	-11.38	V	Avg.	Pass	Full RU	Harmonic
18	802.11be EHT320	95	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT320	95	12850.00	55.18	88.20	-33.02	H	Peak	Pass	Full RU	Harmonic
19	802.11be EHT20	1	5911.97	80.59	88.20	-7.61	H	Peak	Pass	Partial RU_26/0	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial RU_26/0	Harmonic
20	802.11be EHT20	1	5922.76	47.92	68.20	-20.28	H	Avg.	Pass	Partial RU_52/37	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial RU_52/37	Harmonic
21	802.11be EHT20	1	5924.58	46.34	68.20	-21.86	H	Avg.	Pass	Partial RU_106/53	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial RU_106/53	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
40	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	19605.00	39.60	74.00	-34.40	H	Peak	Pass	-	Harmonic
41	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	44.21	54.00	-9.79	H	Avg.	Pass	-	Harmonic
42	802.11a	181	-	-	-	-	-	-	-	-	Band Edge
	802.11a	181	13710.00	54.91	88.20	-33.29	V	Peak	Pass	-	Harmonic
44	802.11be EHT20	117	-	-	-	-	-	-	-	Full RU	Band Edge

**FCC RADIO TEST REPORT**

Report No. :FR670105G

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
44	802.11be EHT20	117	13070.00	53.61	88.20	-34.59	H	Peak	Pass	Full RU	Harmonic
45	802.11be EHT20	149	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	149	13390.00	43.86	54.00	-10.14	H	Avg.	Pass	Full RU	Harmonic
46	802.11be EHT20	181	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	181	13710.00	55.36	88.20	-32.84	H	Peak	Pass	Full RU	Harmonic
48	802.11be EHT40	123	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	123	13130.00	53.95	88.20	-34.25	V	Peak	Pass	Full RU	Harmonic
49	802.11be EHT40	147	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	147	13370.00	44.37	54.00	-9.63	V	Avg.	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
50	802.11be EHT40	179	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	179	13690.00	56.29	88.20	-31.91	V	Peak	Pass	Full RU	Harmonic
52	802.11be EHT80	135	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	135	13250.00	44.25	54.00	-9.75	H	Avg.	Pass	Full RU	Harmonic
53	802.11be EHT80	151	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	151	13410.00	54.58	88.20	-33.62	V	Peak	Pass	Full RU	Harmonic
54	802.11be EHT80	167	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	167	13570.00	56.04	88.20	-32.16	H	Peak	Pass	Full RU	Harmonic
56	802.11be EHT160	143	-	-	-	-	-	-	-	Full RU	Band Edge
56	802.11be EHT160	143	13330.00	43.56	54.00	-10.44	H	Avg.	Pass	Full RU	Harmonic



Mode	1																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																
ANT	8+9																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5928.68</td><td>57.53</td><td>88.20</td><td>-30.67</td><td>44.53</td><td>34.04</td><td>12.72</td><td>34.80</td><td>1.04</td><td>320</td><td>0 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5928.68	57.53	88.20	-30.67	44.53	34.04	12.72	34.80	1.04	320	0 Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>113.43</td><td>-----</td><td>-----</td><td>100.38</td><td>34.10</td><td>12.78</td><td>34.83</td><td>1.00</td><td>320</td><td>0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	113.43	-----	-----	100.38	34.10	12.78	34.83	1.00	320	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5928.68	57.53	88.20	-30.67	44.53	34.04	12.72	34.80	1.04	320	0 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	113.43	-----	-----	100.38	34.10	12.78	34.83	1.00	320	0 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.59</td><td>46.64</td><td>68.20</td><td>-21.56</td><td>33.64</td><td>34.04</td><td>12.72</td><td>34.80</td><td>1.04</td><td>320</td><td>0 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.59	46.64	68.20	-21.56	33.64	34.04	12.72	34.80	1.04	320	0 Average	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.10</td><td>-----</td><td>-----</td><td>94.04</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>320</td><td>0 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.10	-----	-----	94.04	34.10	12.77	34.82	1.01	320	0 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5921.59	46.64	68.20	-21.56	33.64	34.04	12.72	34.80	1.04	320	0 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	107.10	-----	-----	94.04	34.10	12.77	34.82	1.01	320	0 Average																																																																																						



Mode	1																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																							
ANT	8+9																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.74</td><td>52.89</td><td>88.20</td><td>-35.31</td><td>39.89</td><td>34.03</td><td>12.71</td><td>34.79</td><td>1.05</td><td>100</td><td>226 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.74	52.89	88.20	-35.31	39.89	34.03	12.71	34.79	1.05	100	226 Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.04</td><td>-----</td><td>-----</td><td>97.98</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>100</td><td>226 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.04	-----	-----	97.98	34.10	12.77	34.82	1.01	100	226 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5915.74	52.89	88.20	-35.31	39.89	34.03	12.71	34.79	1.05	100	226 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	111.04	-----	-----	97.98	34.10	12.77	34.82	1.01	100	226 Peak																																																																													
Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>44.09</td><td>68.20</td><td>-24.11</td><td>31.07</td><td>34.05</td><td>12.73</td><td>34.80</td><td>1.04</td><td>100</td><td>226 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	44.09	68.20	-24.11	31.07	34.05	12.73	34.80	1.04	100	226 Average	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.15</td><td>-----</td><td>-----</td><td>91.09</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>100</td><td>226 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.15	-----	-----	91.09	34.10	12.77	34.82	1.01	100	226 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5924.58	44.09	68.20	-24.11	31.07	34.05	12.73	34.80	1.04	100	226 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	104.15	-----	-----	91.09	34.10	12.77	34.82	1.01	100	226 Average																																																																													



		1																																																																																																																																																																								
Mode	Harmonic																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																																																									
ANT	8+9																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>51.89</td><td>74.00</td><td>-22.11</td><td>33.36</td><td>39.06</td><td>18.13</td><td>40.62</td><td>0.50</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>42.36</td><td>54.00</td><td>-11.64</td><td>23.83</td><td>39.06</td><td>18.13</td><td>40.62</td><td>0.50</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>56.48</td><td>74.00</td><td>-17.52</td><td>35.69</td><td>41.79</td><td>22.54</td><td>46.20</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>47.14</td><td>54.00</td><td>-6.86</td><td>26.35</td><td>41.79</td><td>22.54</td><td>46.20</td><td>0.71</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	51.89	74.00	-22.11	33.36	39.06	18.13	40.62	0.50	--	Peak	2	11910.00	42.36	54.00	-11.64	23.83	39.06	18.13	40.62	0.50	--	Average	3	17865.00	56.48	74.00	-17.52	35.69	41.79	22.54	46.20	0.71	--	Peak	4	17865.00	47.14	54.00	-6.86	26.35	41.79	22.54	46.20	0.71	--	Average	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>52.54</td><td>74.00</td><td>-21.46</td><td>34.01</td><td>39.06</td><td>18.13</td><td>40.62</td><td>0.50</td><td>258</td><td>360 Peak</td></tr><tr><td>2</td><td>11910.00</td><td>43.36</td><td>54.00</td><td>-10.64</td><td>24.83</td><td>39.06</td><td>18.13</td><td>40.62</td><td>0.50</td><td>258</td><td>360 Average</td></tr><tr><td>3</td><td>17865.00</td><td>57.26</td><td>74.00</td><td>-16.74</td><td>36.47</td><td>41.79</td><td>22.54</td><td>46.20</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>47.13</td><td>54.00</td><td>-6.87</td><td>26.34</td><td>41.79</td><td>22.54</td><td>46.20</td><td>0.71</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	52.54	74.00	-21.46	34.01	39.06	18.13	40.62	0.50	258	360 Peak	2	11910.00	43.36	54.00	-10.64	24.83	39.06	18.13	40.62	0.50	258	360 Average	3	17865.00	57.26	74.00	-16.74	36.47	41.79	22.54	46.20	0.71	--	Peak	4	17865.00	47.13	54.00	-6.87	26.34	41.79	22.54	46.20	0.71	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11910.00	51.89	74.00	-22.11	33.36	39.06	18.13	40.62	0.50	--	Peak																																																																																																																																																															
2	11910.00	42.36	54.00	-11.64	23.83	39.06	18.13	40.62	0.50	--	Average																																																																																																																																																															
3	17865.00	56.48	74.00	-17.52	35.69	41.79	22.54	46.20	0.71	--	Peak																																																																																																																																																															
4	17865.00	47.14	54.00	-6.86	26.35	41.79	22.54	46.20	0.71	--	Average																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11910.00	52.54	74.00	-21.46	34.01	39.06	18.13	40.62	0.50	258	360 Peak																																																																																																																																																															
2	11910.00	43.36	54.00	-10.64	24.83	39.06	18.13	40.62	0.50	258	360 Average																																																																																																																																																															
3	17865.00	57.26	74.00	-16.74	36.47	41.79	22.54	46.20	0.71	--	Peak																																																																																																																																																															
4	17865.00	47.13	54.00	-6.87	26.34	41.79	22.54	46.20	0.71	--	Average																																																																																																																																																															



Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	2																																																																																
	Harmonic																																																																																
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																
ANT	8+9																																																																																
Pol.	Horizontal																																																																																
Peak Avg	Level (dBuV/m) Date: 2026-07-23 PEAK(UNII)_6E Avg(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>52.61</td><td>74.00</td><td>-21.39</td><td>33.03</td><td>39.98</td><td>18.43</td><td>40.77</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>23.55</td><td>39.98</td><td>18.43</td><td>40.77</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>38.25</td><td>74.00</td><td>-35.75</td><td>54.30</td><td>38.30</td><td>22.95</td><td>67.76</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	52.61	74.00	-21.39	33.03	39.98	18.43	40.77	0.47	--	--	Peak	2	12390.00	43.13	54.00	-10.87	23.55	39.98	18.43	40.77	0.47	--	--	Average	3	18585.00	38.25	74.00	-35.75	54.30	38.30	22.95	67.76	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	12390.00	52.61	74.00	-21.39	33.03	39.98	18.43	40.77	0.47	--	--	Peak																																																																					
2	12390.00	43.13	54.00	-10.87	23.55	39.98	18.43	40.77	0.47	--	--	Average																																																																					
3	18585.00	38.25	74.00	-35.75	54.30	38.30	22.95	67.76	-9.54	--	--	Peak																																																																					
Level (dBuV/m) Date: 2026-07-23 PEAK(UNII)_6E Avg(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>33.09</td><td>39.98</td><td>18.43</td><td>40.77</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>43.31</td><td>54.00</td><td>-10.69</td><td>23.73</td><td>39.98</td><td>18.43</td><td>40.77</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>37.93</td><td>74.00</td><td>-36.07</td><td>53.98</td><td>38.30</td><td>22.95</td><td>67.76</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	52.67	74.00	-21.33	33.09	39.98	18.43	40.77	0.47	--	--	Peak	2	12390.00	43.31	54.00	-10.69	23.73	39.98	18.43	40.77	0.47	--	--	Average	3	18585.00	37.93	74.00	-36.07	53.98	38.30	22.95	67.76	-9.54	--	--	Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	12390.00	52.67	74.00	-21.33	33.09	39.98	18.43	40.77	0.47	--	--	Peak																																																																					
2	12390.00	43.31	54.00	-10.69	23.73	39.98	18.43	40.77	0.47	--	--	Average																																																																					
3	18585.00	37.93	74.00	-36.07	53.98	38.30	22.95	67.76	-9.54	--	--	Peak																																																																					



Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL







Mode	3																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																															
ANT	8+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.11</td><td>88.20</td><td>-35.09</td><td>32.47</td><td>40.86</td><td>18.70</td><td>40.84</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>37.33</td><td>74.00</td><td>-36.67</td><td>52.12</td><td>38.22</td><td>23.29</td><td>66.76</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.11	88.20	-35.09	32.47	40.86	18.70	40.84	0.44	--	Peak	2	19245.00	37.33	74.00	-36.67	52.12	38.22	23.29	66.76	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.81</td><td>88.20</td><td>-34.39</td><td>33.17</td><td>40.86</td><td>18.70</td><td>40.84</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>36.58</td><td>74.00</td><td>-37.42</td><td>51.37</td><td>38.22</td><td>23.29</td><td>66.76</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.81	88.20	-34.39	33.17	40.86	18.70	40.84	0.44	--	Peak	2	19245.00	36.58	74.00	-37.42	51.37	38.22	23.29	66.76	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12830.00	53.11	88.20	-35.09	32.47	40.86	18.70	40.84	0.44	--	Peak																																																																																																					
2	19245.00	37.33	74.00	-36.67	52.12	38.22	23.29	66.76	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12830.00	53.81	88.20	-34.39	33.17	40.86	18.70	40.84	0.44	--	Peak																																																																																																					
2	19245.00	36.58	74.00	-37.42	51.37	38.22	23.29	66.76	-9.54	--	Peak																																																																																																					



Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	4																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																									
ANT	8+9																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-07-21  Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5921.59</td><td>56.91</td><td>88.20 -31.29</td><td>43.91</td><td>34.04</td><td>12.72</td><td>34.80</td><td>1.04</td><td>200 353 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5921.59	56.91	88.20 -31.29	43.91	34.04	12.72	34.80	1.04	200 353 Peak	Level (dBuV/m) Date: 2026-07-21  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5955.00</td><td>114.59</td><td>-----</td><td>101.54</td><td>34.10</td><td>12.80</td><td>34.84</td><td>0.99</td><td>200 353 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5955.00	114.59	-----	101.54	34.10	12.80	34.84	0.99	200 353 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1	5921.59	56.91	88.20 -31.29	43.91	34.04	12.72	34.80	1.04	200 353 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1	5955.00	114.59	-----	101.54	34.10	12.80	34.84	0.99	200 353 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-07-21  Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5924.58</td><td>47.28</td><td>68.20 -20.92</td><td>34.26</td><td>34.05</td><td>12.73</td><td>34.80</td><td>1.04</td><td>200 353 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5924.58	47.28	68.20 -20.92	34.26	34.05	12.73	34.80	1.04	200 353 Average	Level (dBuV/m) Date: 2026-07-21  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.50</td><td>-----</td><td>94.45</td><td>34.10</td><td>12.78</td><td>34.83</td><td>1.00</td><td>200 353 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5955.00	107.50	-----	94.45	34.10	12.78	34.83	1.00	200 353 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1	5924.58	47.28	68.20 -20.92	34.26	34.05	12.73	34.80	1.04	200 353 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1	5955.00	107.50	-----	94.45	34.10	12.78	34.83	1.00	200 353 Average																																																																																	



Mode	4																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																	
ANT	8+9																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.90</td><td>53.80</td><td>88.20</td><td>-34.40</td><td>40.80</td><td>34.04</td><td>12.72</td><td>34.80</td><td>1.04</td><td>101</td><td>232 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.90	53.80	88.20	-34.40	40.80	34.04	12.72	34.80	1.04	101	232 Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>113.04</td><td>-----</td><td>-----</td><td>99.98</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>101</td><td>232 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	113.04	-----	-----	99.98	34.10	12.77	34.82	1.01	101	232 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5919.90	53.80	88.20	-34.40	40.80	34.04	12.72	34.80	1.04	101	232 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	113.04	-----	-----	99.98	34.10	12.77	34.82	1.01	101	232 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>44.73</td><td>68.20</td><td>-23.47</td><td>31.71</td><td>34.05</td><td>12.73</td><td>34.80</td><td>1.04</td><td>101</td><td>232 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	44.73	68.20	-23.47	31.71	34.05	12.73	34.80	1.04	101	232 Average	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>105.42</td><td>-----</td><td>-----</td><td>92.36</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>101</td><td>232 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.42	-----	-----	92.36	34.10	12.77	34.82	1.01	101	232 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.97	44.73	68.20	-23.47	31.71	34.05	12.73	34.80	1.04	101	232 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	105.42	-----	-----	92.36	34.10	12.77	34.82	1.01	101	232 Average																																																																																							



Mode	4																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																																																																																									
ANT	8+9																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>51.91</td><td>74.00</td><td>-22.09</td><td>33.58</td><td>39.06</td><td>18.13</td><td>40.62</td><td>0.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>42.66</td><td>54.00</td><td>-11.34</td><td>24.33</td><td>39.06</td><td>18.13</td><td>40.62</td><td>0.30</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>56.56</td><td>74.00</td><td>-17.44</td><td>36.10</td><td>41.79</td><td>22.54</td><td>46.20</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>47.48</td><td>54.00</td><td>-6.52</td><td>27.02</td><td>41.79</td><td>22.54</td><td>46.20</td><td>0.38</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	51.91	74.00	-22.09	33.58	39.06	18.13	40.62	0.30	--	Peak	2	11910.00	42.66	54.00	-11.34	24.33	39.06	18.13	40.62	0.30	--	Average	3	17865.00	56.56	74.00	-17.44	36.10	41.79	22.54	46.20	0.38	--	Peak	4	17865.00	47.48	54.00	-6.52	27.02	41.79	22.54	46.20	0.38	--	Average	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>51.95</td><td>74.00</td><td>-22.05</td><td>33.62</td><td>39.06</td><td>18.13</td><td>40.62</td><td>0.30</td><td>285</td><td>356 Peak</td></tr><tr><td>2</td><td>11910.00</td><td>43.45</td><td>54.00</td><td>-10.55</td><td>25.12</td><td>39.06</td><td>18.13</td><td>40.62</td><td>0.30</td><td>285</td><td>356 Average</td></tr><tr><td>3</td><td>17865.00</td><td>56.85</td><td>74.00</td><td>-17.15</td><td>36.39</td><td>41.79</td><td>22.54</td><td>46.20</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>47.64</td><td>54.00</td><td>-6.36</td><td>27.18</td><td>41.79</td><td>22.54</td><td>46.20</td><td>0.38</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	51.95	74.00	-22.05	33.62	39.06	18.13	40.62	0.30	285	356 Peak	2	11910.00	43.45	54.00	-10.55	25.12	39.06	18.13	40.62	0.30	285	356 Average	3	17865.00	56.85	74.00	-17.15	36.39	41.79	22.54	46.20	0.38	--	Peak	4	17865.00	47.64	54.00	-6.36	27.18	41.79	22.54	46.20	0.38	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11910.00	51.91	74.00	-22.09	33.58	39.06	18.13	40.62	0.30	--	Peak																																																																																																																																																															
2	11910.00	42.66	54.00	-11.34	24.33	39.06	18.13	40.62	0.30	--	Average																																																																																																																																																															
3	17865.00	56.56	74.00	-17.44	36.10	41.79	22.54	46.20	0.38	--	Peak																																																																																																																																																															
4	17865.00	47.48	54.00	-6.52	27.02	41.79	22.54	46.20	0.38	--	Average																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11910.00	51.95	74.00	-22.05	33.62	39.06	18.13	40.62	0.30	285	356 Peak																																																																																																																																																															
2	11910.00	43.45	54.00	-10.55	25.12	39.06	18.13	40.62	0.30	285	356 Average																																																																																																																																																															
3	17865.00	56.85	74.00	-17.15	36.39	41.79	22.54	46.20	0.38	--	Peak																																																																																																																																																															
4	17865.00	47.64	54.00	-6.36	27.18	41.79	22.54	46.20	0.38	--	Average																																																																																																																																																															



Mode	4	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-21 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-21 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL





Mode	5																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12390.00</td><td>52.91</td><td>74.00</td><td>-21.09</td><td>33.33</td><td>39.98</td><td>18.43</td><td>40.77</td><td>0.47</td><td>-- -- Peak</td></tr><tr><td>2 12390.00</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>24.05</td><td>39.98</td><td>18.43</td><td>40.77</td><td>0.47</td><td>-- -- Average</td></tr><tr><td>3 18585.00</td><td>37.79</td><td>74.00</td><td>-36.21</td><td>53.84</td><td>38.30</td><td>22.95</td><td>67.76</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12390.00	52.91	74.00	-21.09	33.33	39.98	18.43	40.77	0.47	-- -- Peak	2 12390.00	43.63	54.00	-10.37	24.05	39.98	18.43	40.77	0.47	-- -- Average	3 18585.00	37.79	74.00	-36.21	53.84	38.30	22.95	67.76	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12390.00</td><td>53.16</td><td>74.00</td><td>-20.84</td><td>33.58</td><td>39.98</td><td>18.43</td><td>40.77</td><td>0.47</td><td>-- -- Peak</td></tr><tr><td>2 12390.00</td><td>43.93</td><td>54.00</td><td>-10.07</td><td>24.35</td><td>39.98</td><td>18.43</td><td>40.77</td><td>0.47</td><td>-- -- Average</td></tr><tr><td>3 18585.00</td><td>37.44</td><td>74.00</td><td>-36.56</td><td>53.49</td><td>38.30</td><td>22.95</td><td>67.76</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12390.00	53.16	74.00	-20.84	33.58	39.98	18.43	40.77	0.47	-- -- Peak	2 12390.00	43.93	54.00	-10.07	24.35	39.98	18.43	40.77	0.47	-- -- Average	3 18585.00	37.44	74.00	-36.56	53.49	38.30	22.95	67.76	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12390.00	52.91	74.00	-21.09	33.33	39.98	18.43	40.77	0.47	-- -- Peak																																																																																																																	
2 12390.00	43.63	54.00	-10.37	24.05	39.98	18.43	40.77	0.47	-- -- Average																																																																																																																	
3 18585.00	37.79	74.00	-36.21	53.84	38.30	22.95	67.76	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12390.00	53.16	74.00	-20.84	33.58	39.98	18.43	40.77	0.47	-- -- Peak																																																																																																																	
2 12390.00	43.93	54.00	-10.07	24.35	39.98	18.43	40.77	0.47	-- -- Average																																																																																																																	
3 18585.00	37.44	74.00	-36.56	53.49	38.30	22.95	67.76	-9.54	-- -- Peak																																																																																																																	



Mode	5	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	6																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-23  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.83</td><td>88.20</td><td>-34.37</td><td>33.19</td><td>40.86</td><td>18.70</td><td>40.84</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>37.15</td><td>74.00</td><td>-36.85</td><td>51.94</td><td>38.22</td><td>23.29</td><td>66.76</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.83	88.20	-34.37	33.19	40.86	18.70	40.84	0.44	--	Peak	2	19245.00	37.15	74.00	-36.85	51.94	38.22	23.29	66.76	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>54.06</td><td>88.20</td><td>-34.14</td><td>33.42</td><td>40.86</td><td>18.70</td><td>40.84</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>37.29</td><td>74.00</td><td>-36.71</td><td>52.08</td><td>38.22</td><td>23.29</td><td>66.76</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	54.06	88.20	-34.14	33.42	40.86	18.70	40.84	0.44	--	Peak	2	19245.00	37.29	74.00	-36.71	52.08	38.22	23.29	66.76	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	53.83	88.20	-34.37	33.19	40.86	18.70	40.84	0.44	--	Peak																																																																																																															
2	19245.00	37.15	74.00	-36.85	51.94	38.22	23.29	66.76	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	54.06	88.20	-34.14	33.42	40.86	18.70	40.84	0.44	--	Peak																																																																																																															
2	19245.00	37.29	74.00	-36.71	52.08	38.22	23.29	66.76	-9.54	--	Peak																																																																																																															



Mode	6	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	7																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																			
ANT	8+9																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.54</td><td>64.47</td><td>88.20</td><td>-23.73</td><td>51.45</td><td>34.05</td><td>12.73</td><td>34.80</td><td>1.04</td><td>186</td><td>345</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.54	64.47	88.20	-23.73	51.45	34.05	12.73	34.80	1.04	186	345	Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>109.30</td><td>-----</td><td>-----</td><td>96.25</td><td>34.10</td><td>12.81</td><td>34.84</td><td>0.98</td><td>186</td><td>345</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	109.30	-----	-----	96.25	34.10	12.81	34.84	0.98	186	345	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.54	64.47	88.20	-23.73	51.45	34.05	12.73	34.80	1.04	186	345	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	109.30	-----	-----	96.25	34.10	12.81	34.84	0.98	186	345	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>56.12</td><td>68.20</td><td>-12.08</td><td>43.10</td><td>34.05</td><td>12.73</td><td>34.80</td><td>1.04</td><td>186</td><td>345</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	56.12	68.20	-12.08	43.10	34.05	12.73	34.80	1.04	186	345	Average	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>102.29</td><td>-----</td><td>-----</td><td>89.24</td><td>34.10</td><td>12.81</td><td>34.84</td><td>0.98</td><td>186</td><td>345</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	102.29	-----	-----	89.24	34.10	12.81	34.84	0.98	186	345	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.96	56.12	68.20	-12.08	43.10	34.05	12.73	34.80	1.04	186	345	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	102.29	-----	-----	89.24	34.10	12.81	34.84	0.98	186	345	Average																																																																																								



Mode	7																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																
ANT	8+9																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.54</td><td>69.35</td><td>88.20</td><td>-18.85</td><td>56.33</td><td>34.05</td><td>12.73</td><td>34.80</td><td>1.04</td><td>100</td><td>232 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.54	69.35	88.20	-18.85	56.33	34.05	12.73	34.80	1.04	100	232 Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>111.44</td><td>-----</td><td>-----</td><td>98.39</td><td>34.10</td><td>12.80</td><td>34.84</td><td>0.99</td><td>100</td><td>232 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	111.44	-----	-----	98.39	34.10	12.80	34.84	0.99	100	232 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.54	69.35	88.20	-18.85	56.33	34.05	12.73	34.80	1.04	100	232 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	111.44	-----	-----	98.39	34.10	12.80	34.84	0.99	100	232 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>56.40</td><td>68.20</td><td>-11.80</td><td>43.38</td><td>34.05</td><td>12.73</td><td>34.80</td><td>1.04</td><td>100</td><td>232 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	56.40	68.20	-11.80	43.38	34.05	12.73	34.80	1.04	100	232 Average	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>102.17</td><td>-----</td><td>-----</td><td>89.12</td><td>34.10</td><td>12.80</td><td>34.84</td><td>0.99</td><td>100</td><td>232 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	102.17	-----	-----	89.12	34.10	12.80	34.84	0.99	100	232 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.82	56.40	68.20	-11.80	43.38	34.05	12.73	34.80	1.04	100	232 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	102.17	-----	-----	89.12	34.10	12.80	34.84	0.99	100	232 Average																																																																																						



Mode	7																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																																																																																	
ANT	8+9																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>51.50</td><td>74.00</td><td>-22.50</td><td>32.84</td><td>39.18</td><td>18.15</td><td>40.63</td><td>0.50</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>23.59</td><td>39.18</td><td>18.15</td><td>40.63</td><td>0.50</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>57.20</td><td>74.00</td><td>-16.80</td><td>36.16</td><td>41.97</td><td>22.57</td><td>46.16</td><td>0.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>47.29</td><td>54.00</td><td>-6.71</td><td>26.25</td><td>41.97</td><td>22.57</td><td>46.16</td><td>0.71</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	51.50	74.00	-22.50	32.84	39.18	18.15	40.63	0.50	--	--	Peak	2	11930.00	42.25	54.00	-11.75	23.59	39.18	18.15	40.63	0.50	--	--	Average	3	17895.00	57.20	74.00	-16.80	36.16	41.97	22.57	46.16	0.71	--	--	Peak	4	17895.00	47.29	54.00	-6.71	26.25	41.97	22.57	46.16	0.71	--	--	Average	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>51.95</td><td>74.00</td><td>-22.05</td><td>33.29</td><td>39.18</td><td>18.15</td><td>40.63</td><td>0.50</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>42.84</td><td>54.00</td><td>-11.16</td><td>24.18</td><td>39.18</td><td>18.15</td><td>40.63</td><td>0.50</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>56.00</td><td>74.00</td><td>-17.92</td><td>35.04</td><td>41.97</td><td>22.57</td><td>46.16</td><td>0.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>47.03</td><td>54.00</td><td>-6.97</td><td>25.99</td><td>41.97</td><td>22.57</td><td>46.16</td><td>0.71</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	51.95	74.00	-22.05	33.29	39.18	18.15	40.63	0.50	--	--	Peak	2	11930.00	42.84	54.00	-11.16	24.18	39.18	18.15	40.63	0.50	--	--	Average	3	17895.00	56.00	74.00	-17.92	35.04	41.97	22.57	46.16	0.71	--	--	Peak	4	17895.00	47.03	54.00	-6.97	25.99	41.97	22.57	46.16	0.71	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11930.00	51.50	74.00	-22.50	32.84	39.18	18.15	40.63	0.50	--	--	Peak																																																																																																																																																																						
2	11930.00	42.25	54.00	-11.75	23.59	39.18	18.15	40.63	0.50	--	--	Average																																																																																																																																																																						
3	17895.00	57.20	74.00	-16.80	36.16	41.97	22.57	46.16	0.71	--	--	Peak																																																																																																																																																																						
4	17895.00	47.29	54.00	-6.71	26.25	41.97	22.57	46.16	0.71	--	--	Average																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11930.00	51.95	74.00	-22.05	33.29	39.18	18.15	40.63	0.50	--	--	Peak																																																																																																																																																																						
2	11930.00	42.84	54.00	-11.16	24.18	39.18	18.15	40.63	0.50	--	--	Average																																																																																																																																																																						
3	17895.00	56.00	74.00	-17.92	35.04	41.97	22.57	46.16	0.71	--	--	Peak																																																																																																																																																																						
4	17895.00	47.03	54.00	-6.97	25.99	41.97	22.57	46.16	0.71	--	--	Average																																																																																																																																																																						



Mode	7	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	8																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12410.00</td><td>52.57</td><td>74.00 -21.43</td><td>32.95</td><td>40.00</td><td>18.45</td><td>40.77</td><td>0.47</td><td>--</td><td>-- Peak</td></tr><tr><td>2 12410.00</td><td>43.33</td><td>54.00 -10.67</td><td>23.71</td><td>40.00</td><td>18.45</td><td>40.77</td><td>0.47</td><td>--</td><td>-- Average</td></tr><tr><td>3 18615.00</td><td>38.13</td><td>74.00 -35.87</td><td>54.13</td><td>38.30</td><td>22.96</td><td>67.72</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12410.00	52.57	74.00 -21.43	32.95	40.00	18.45	40.77	0.47	--	-- Peak	2 12410.00	43.33	54.00 -10.67	23.71	40.00	18.45	40.77	0.47	--	-- Average	3 18615.00	38.13	74.00 -35.87	54.13	38.30	22.96	67.72	-9.54	--	-- Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12410.00</td><td>52.51</td><td>74.00 -21.49</td><td>32.89</td><td>40.00</td><td>18.45</td><td>40.77</td><td>0.47</td><td>--</td><td>-- Peak</td></tr><tr><td>2 12410.00</td><td>42.96</td><td>54.00 -11.04</td><td>23.34</td><td>40.00</td><td>18.45</td><td>40.77</td><td>0.47</td><td>--</td><td>-- Average</td></tr><tr><td>3 18615.00</td><td>37.85</td><td>74.00 -36.15</td><td>53.85</td><td>38.30</td><td>22.96</td><td>67.72</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12410.00	52.51	74.00 -21.49	32.89	40.00	18.45	40.77	0.47	--	-- Peak	2 12410.00	42.96	54.00 -11.04	23.34	40.00	18.45	40.77	0.47	--	-- Average	3 18615.00	37.85	74.00 -36.15	53.85	38.30	22.96	67.72	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 12410.00	52.57	74.00 -21.43	32.95	40.00	18.45	40.77	0.47	--	-- Peak																																																																																																																	
2 12410.00	43.33	54.00 -10.67	23.71	40.00	18.45	40.77	0.47	--	-- Average																																																																																																																	
3 18615.00	38.13	74.00 -35.87	54.13	38.30	22.96	67.72	-9.54	--	-- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 12410.00	52.51	74.00 -21.49	32.89	40.00	18.45	40.77	0.47	--	-- Peak																																																																																																																	
2 12410.00	42.96	54.00 -11.04	23.34	40.00	18.45	40.77	0.47	--	-- Average																																																																																																																	
3 18615.00	37.85	74.00 -36.15	53.85	38.30	22.96	67.72	-9.54	--	-- Peak																																																																																																																	



Mode	8	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	9																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12810.00</td><td>53.71</td><td>88.20</td><td>-34.49</td><td>33.11</td><td>40.82</td><td>18.69</td><td>40.83</td><td>0.44</td><td>-- -- Peak</td></tr><tr><td>2 19215.00</td><td>37.22</td><td>74.00</td><td>-36.78</td><td>51.95</td><td>38.34</td><td>23.27</td><td>66.00</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>3 25620.00</td><td>43.75</td><td>88.20</td><td>-44.45</td><td>48.10</td><td>39.30</td><td>27.14</td><td>61.25</td><td>-9.54</td><td>206 308 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12810.00	53.71	88.20	-34.49	33.11	40.82	18.69	40.83	0.44	-- -- Peak	2 19215.00	37.22	74.00	-36.78	51.95	38.34	23.27	66.00	-9.54	-- -- Peak	3 25620.00	43.75	88.20	-44.45	48.10	39.30	27.14	61.25	-9.54	206 308 Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12810.00</td><td>53.84</td><td>88.20</td><td>-34.36</td><td>33.24</td><td>40.82</td><td>18.69</td><td>40.83</td><td>0.44</td><td>-- -- Peak</td></tr><tr><td>2 19215.00</td><td>36.87</td><td>74.00</td><td>-37.13</td><td>51.60</td><td>38.34</td><td>23.27</td><td>66.00</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>3 25620.00</td><td>43.47</td><td>88.20</td><td>-44.73</td><td>47.82</td><td>39.30</td><td>27.14</td><td>61.25</td><td>-9.54</td><td>176 360 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12810.00	53.84	88.20	-34.36	33.24	40.82	18.69	40.83	0.44	-- -- Peak	2 19215.00	36.87	74.00	-37.13	51.60	38.34	23.27	66.00	-9.54	-- -- Peak	3 25620.00	43.47	88.20	-44.73	47.82	39.30	27.14	61.25	-9.54	176 360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12810.00	53.71	88.20	-34.49	33.11	40.82	18.69	40.83	0.44	-- -- Peak																																																																																																																	
2 19215.00	37.22	74.00	-36.78	51.95	38.34	23.27	66.00	-9.54	-- -- Peak																																																																																																																	
3 25620.00	43.75	88.20	-44.45	48.10	39.30	27.14	61.25	-9.54	206 308 Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12810.00	53.84	88.20	-34.36	33.24	40.82	18.69	40.83	0.44	-- -- Peak																																																																																																																	
2 19215.00	36.87	74.00	-37.13	51.60	38.34	23.27	66.00	-9.54	-- -- Peak																																																																																																																	
3 25620.00	43.47	88.20	-44.73	47.82	39.30	27.14	61.25	-9.54	176 360 Peak																																																																																																																	



Mode	9	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	10																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																	
ANT	8+9																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.00</td><td>69.48</td><td>88.20</td><td>-18.72</td><td>56.49</td><td>34.02</td><td>12.70</td><td>34.79</td><td>1.06</td><td>105</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5911.00	69.48	88.20	-18.72	56.49	34.02	12.70	34.79	1.06	105	360	Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>109.32</td><td>-----</td><td>-----</td><td>96.27</td><td>34.12</td><td>12.87</td><td>34.88</td><td>0.94</td><td>105</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	109.32	-----	-----	96.27	34.12	12.87	34.88	0.94	105	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5911.00	69.48	88.20	-18.72	56.49	34.02	12.70	34.79	1.06	105	360	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	109.32	-----	-----	96.27	34.12	12.87	34.88	0.94	105	360	Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.36</td><td>59.12</td><td>68.20</td><td>-9.08</td><td>46.13</td><td>34.02</td><td>12.71</td><td>34.79</td><td>1.05</td><td>105</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5912.36	59.12	68.20	-9.08	46.13	34.02	12.71	34.79	1.05	105	360	Average	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>101.00</td><td>-----</td><td>-----</td><td>87.97</td><td>34.10</td><td>12.84</td><td>34.86</td><td>0.95</td><td>105</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	101.00	-----	-----	87.97	34.10	12.84	34.86	0.95	105	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5912.36	59.12	68.20	-9.08	46.13	34.02	12.71	34.79	1.05	105	360	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	101.00	-----	-----	87.97	34.10	12.84	34.86	0.95	105	360	Average																																																																																						



Mode	10																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																	
ANT	8+9																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.20</td><td>69.76</td><td>88.20</td><td>-18.44</td><td>56.76</td><td>34.04</td><td>12.72</td><td>34.80</td><td>1.04</td><td>100</td><td>232</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5920.20	69.76	88.20	-18.44	56.76	34.04	12.72	34.80	1.04	100	232	Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>107.26</td><td>-----</td><td>-----</td><td>94.18</td><td>34.14</td><td>12.87</td><td>34.88</td><td>0.95</td><td>100</td><td>232</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	107.26	-----	-----	94.18	34.14	12.87	34.88	0.95	100	232	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5920.20	69.76	88.20	-18.44	56.76	34.04	12.72	34.80	1.04	100	232	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	107.26	-----	-----	94.18	34.14	12.87	34.88	0.95	100	232	Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.48</td><td>59.38</td><td>68.20</td><td>-8.82</td><td>46.38</td><td>34.04</td><td>12.72</td><td>34.80</td><td>1.04</td><td>100</td><td>232</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5921.48	59.38	68.20	-8.82	46.38	34.04	12.72	34.80	1.04	100	232	Average	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>99.27</td><td>-----</td><td>-----</td><td>86.22</td><td>34.10</td><td>12.80</td><td>34.84</td><td>0.99</td><td>100</td><td>232</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	99.27	-----	-----	86.22	34.10	12.80	34.84	0.99	100	232	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5921.48	59.38	68.20	-8.82	46.38	34.04	12.72	34.80	1.04	100	232	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	99.27	-----	-----	86.22	34.10	12.80	34.84	0.99	100	232	Average																																																																																						



Mode	10																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																																																																																									
ANT	8+9																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>52.17</td><td>74.00</td><td>-21.83</td><td>33.40</td><td>39.30</td><td>18.18</td><td>40.67</td><td>0.49</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>42.43</td><td>54.00</td><td>-11.57</td><td>23.66</td><td>39.30</td><td>18.18</td><td>40.67</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>58.18</td><td>74.00</td><td>-15.82</td><td>36.52</td><td>42.44</td><td>22.62</td><td>46.07</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>47.78</td><td>54.00</td><td>-6.22</td><td>26.12</td><td>42.44</td><td>22.62</td><td>46.07</td><td>0.71</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	52.17	74.00	-21.83	33.40	39.30	18.18	40.67	0.49	--	Peak	2	11970.00	42.43	54.00	-11.57	23.66	39.30	18.18	40.67	0.49	--	Average	3	17955.00	58.18	74.00	-15.82	36.52	42.44	22.62	46.07	0.71	--	Peak	4	17955.00	47.78	54.00	-6.22	26.12	42.44	22.62	46.07	0.71	--	Average	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>51.97</td><td>74.00</td><td>-22.03</td><td>33.20</td><td>39.30</td><td>18.18</td><td>40.67</td><td>0.49</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>43.68</td><td>54.00</td><td>-10.32</td><td>24.91</td><td>39.30</td><td>18.18</td><td>40.67</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>57.73</td><td>74.00</td><td>-16.27</td><td>36.07</td><td>42.44</td><td>22.62</td><td>46.07</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>47.91</td><td>54.00</td><td>-6.09</td><td>26.25</td><td>42.44</td><td>22.62</td><td>46.07</td><td>0.71</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	51.97	74.00	-22.03	33.20	39.30	18.18	40.67	0.49	--	Peak	2	11970.00	43.68	54.00	-10.32	24.91	39.30	18.18	40.67	0.49	--	Average	3	17955.00	57.73	74.00	-16.27	36.07	42.44	22.62	46.07	0.71	--	Peak	4	17955.00	47.91	54.00	-6.09	26.25	42.44	22.62	46.07	0.71	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11970.00	52.17	74.00	-21.83	33.40	39.30	18.18	40.67	0.49	--	Peak																																																																																																																																																															
2	11970.00	42.43	54.00	-11.57	23.66	39.30	18.18	40.67	0.49	--	Average																																																																																																																																																															
3	17955.00	58.18	74.00	-15.82	36.52	42.44	22.62	46.07	0.71	--	Peak																																																																																																																																																															
4	17955.00	47.78	54.00	-6.22	26.12	42.44	22.62	46.07	0.71	--	Average																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11970.00	51.97	74.00	-22.03	33.20	39.30	18.18	40.67	0.49	--	Peak																																																																																																																																																															
2	11970.00	43.68	54.00	-10.32	24.91	39.30	18.18	40.67	0.49	--	Average																																																																																																																																																															
3	17955.00	57.73	74.00	-16.27	36.07	42.44	22.62	46.07	0.71	--	Peak																																																																																																																																																															
4	17955.00	47.91	54.00	-6.09	26.25	42.44	22.62	46.07	0.71	--	Average																																																																																																																																																															



Mode	10	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	11																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz																																																																																																																																													
ANT	8+9																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>52.45</td><td>74.00</td><td>-21.55</td><td>32.83</td><td>40.00</td><td>18.47</td><td>40.78</td><td>0.46</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12450.00</td><td>42.37</td><td>54.00</td><td>-11.63</td><td>22.75</td><td>40.00</td><td>18.47</td><td>40.78</td><td>0.46</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18675.00</td><td>38.20</td><td>74.00</td><td>-35.80</td><td>54.12</td><td>38.25</td><td>22.99</td><td>67.62</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	52.45	74.00	-21.55	32.83	40.00	18.47	40.78	0.46	--	--	Peak	2	12450.00	42.37	54.00	-11.63	22.75	40.00	18.47	40.78	0.46	--	--	Average	3	18675.00	38.20	74.00	-35.80	54.12	38.25	22.99	67.62	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>53.15</td><td>74.00</td><td>-20.85</td><td>33.53</td><td>40.00</td><td>18.47</td><td>40.78</td><td>0.46</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12450.00</td><td>42.39</td><td>54.00</td><td>-11.61</td><td>22.77</td><td>40.00</td><td>18.47</td><td>40.78</td><td>0.46</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18675.00</td><td>37.81</td><td>74.00</td><td>-36.19</td><td>53.73</td><td>38.25</td><td>22.99</td><td>67.62</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	53.15	74.00	-20.85	33.53	40.00	18.47	40.78	0.46	--	--	Peak	2	12450.00	42.39	54.00	-11.61	22.77	40.00	18.47	40.78	0.46	--	--	Average	3	18675.00	37.81	74.00	-36.19	53.73	38.25	22.99	67.62	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12450.00	52.45	74.00	-21.55	32.83	40.00	18.47	40.78	0.46	--	--	Peak																																																																																																																																		
2	12450.00	42.37	54.00	-11.63	22.75	40.00	18.47	40.78	0.46	--	--	Average																																																																																																																																		
3	18675.00	38.20	74.00	-35.80	54.12	38.25	22.99	67.62	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12450.00	53.15	74.00	-20.85	33.53	40.00	18.47	40.78	0.46	--	--	Peak																																																																																																																																		
2	12450.00	42.39	54.00	-11.61	22.77	40.00	18.47	40.78	0.46	--	--	Average																																																																																																																																		
3	18675.00	37.81	74.00	-36.19	53.73	38.25	22.99	67.62	-9.54	--	--	Peak																																																																																																																																		



Mode	11	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	12																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																																																																															
ANT	8+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>54.17</td><td>88.20</td><td>-34.03</td><td>33.56</td><td>40.86</td><td>18.66</td><td>40.83</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>37.25</td><td>74.00</td><td>-36.75</td><td>52.12</td><td>38.31</td><td>23.24</td><td>66.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	54.17	88.20	-34.03	33.56	40.86	18.66	40.83	0.44	--	Peak	2	19155.00	37.25	74.00	-36.75	52.12	38.31	23.24	66.88	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>54.11</td><td>88.20</td><td>-34.09</td><td>33.50</td><td>40.86</td><td>18.66</td><td>40.83</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>37.35</td><td>74.00</td><td>-36.65</td><td>52.22</td><td>38.31</td><td>23.24</td><td>66.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	54.11	88.20	-34.09	33.50	40.86	18.66	40.83	0.44	--	Peak	2	19155.00	37.35	74.00	-36.65	52.22	38.31	23.24	66.88	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12770.00	54.17	88.20	-34.03	33.56	40.86	18.66	40.83	0.44	--	Peak																																																																																																					
2	19155.00	37.25	74.00	-36.75	52.12	38.31	23.24	66.88	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12770.00	54.11	88.20	-34.09	33.50	40.86	18.66	40.83	0.44	--	Peak																																																																																																					
2	19155.00	37.35	74.00	-36.65	52.22	38.31	23.24	66.88	-9.54	--	Peak																																																																																																					



Mode	12	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL





Mode	13																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																			
ANT	8+9																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5902.00</td><td>70.18</td><td>88.20</td><td>-18.02</td><td>57.19</td><td>34.01</td><td>12.69</td><td>34.78</td><td>1.07</td><td>198</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5902.00	70.18	88.20	-18.02	57.19	34.01	12.69	34.78	1.07	198	360	Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>106.56</td><td>-----</td><td>-----</td><td>93.45</td><td>34.17</td><td>12.88</td><td>34.89</td><td>0.95</td><td>198</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	106.56	-----	-----	93.45	34.17	12.88	34.89	0.95	198	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5902.00	70.18	88.20	-18.02	57.19	34.01	12.69	34.78	1.07	198	360	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	106.56	-----	-----	93.45	34.17	12.88	34.89	0.95	198	360	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5892.20</td><td>54.72</td><td>68.20</td><td>-13.48</td><td>41.74</td><td>34.00</td><td>12.67</td><td>34.77</td><td>1.08</td><td>198</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5892.20	54.72	68.20	-13.48	41.74	34.00	12.67	34.77	1.08	198	360	Average	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>97.92</td><td>-----</td><td>-----</td><td>84.81</td><td>34.17</td><td>12.88</td><td>34.89</td><td>0.95</td><td>198</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	97.92	-----	-----	84.81	34.17	12.88	34.89	0.95	198	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5892.20	54.72	68.20	-13.48	41.74	34.00	12.67	34.77	1.08	198	360	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	97.92	-----	-----	84.81	34.17	12.88	34.89	0.95	198	360	Average																																																																																								



Mode	13																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																			
ANT	8+9																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5809.20</td><td>71.80</td><td>88.20</td><td>-16.40</td><td>58.82</td><td>34.00</td><td>12.67</td><td>34.77</td><td>1.08</td><td>100</td><td>232</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5809.20	71.80	88.20	-16.40	58.82	34.00	12.67	34.77	1.08	100	232	Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>104.26</td><td>-----</td><td>-----</td><td>91.18</td><td>34.14</td><td>12.87</td><td>34.88</td><td>0.95</td><td>100</td><td>232</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	104.26	-----	-----	91.18	34.14	12.87	34.88	0.95	100	232	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5809.20	71.80	88.20	-16.40	58.82	34.00	12.67	34.77	1.08	100	232	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	104.26	-----	-----	91.18	34.14	12.87	34.88	0.95	100	232	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5902.40</td><td>53.53</td><td>68.20</td><td>-14.67</td><td>40.55</td><td>34.00</td><td>12.69</td><td>34.78</td><td>1.07</td><td>100</td><td>232</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5902.40	53.53	68.20	-14.67	40.55	34.00	12.69	34.78	1.07	100	232	Average	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>95.52</td><td>-----</td><td>-----</td><td>82.44</td><td>34.14</td><td>12.87</td><td>34.88</td><td>0.95</td><td>100</td><td>232</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	95.52	-----	-----	82.44	34.14	12.87	34.88	0.95	100	232	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5902.40	53.53	68.20	-14.67	40.55	34.00	12.69	34.78	1.07	100	232	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	95.52	-----	-----	82.44	34.14	12.87	34.88	0.95	100	232	Average																																																																																								



Mode	13																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																																																																							
ANT	8+9																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12050.00</td><td>52.53</td><td>74.00</td><td>-21.47</td><td>33.65</td><td>39.40</td><td>18.23</td><td>40.71</td><td>0.49</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12050.00</td><td>41.72</td><td>54.00</td><td>-12.28</td><td>22.84</td><td>39.40</td><td>18.23</td><td>40.71</td><td>0.49</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18075.00</td><td>38.50</td><td>74.00</td><td>-35.50</td><td>55.59</td><td>37.90</td><td>22.70</td><td>68.15</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	52.53	74.00	-21.47	33.65	39.40	18.23	40.71	0.49	--	--	Peak	2	12050.00	41.72	54.00	-12.28	22.84	39.40	18.23	40.71	0.49	--	--	Average	3	18075.00	38.50	74.00	-35.50	55.59	37.90	22.70	68.15	-9.54	--	--	Peak	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12050.00</td><td>52.39</td><td>74.00</td><td>-21.61</td><td>33.51</td><td>39.40</td><td>18.23</td><td>40.71</td><td>0.49</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12050.00</td><td>42.44</td><td>54.00</td><td>-11.56</td><td>23.56</td><td>39.40</td><td>18.23</td><td>40.71</td><td>0.49</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18075.00</td><td>38.76</td><td>74.00</td><td>-35.24</td><td>55.85</td><td>37.90</td><td>22.70</td><td>68.15</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	52.39	74.00	-21.61	33.51	39.40	18.23	40.71	0.49	--	--	Peak	2	12050.00	42.44	54.00	-11.56	23.56	39.40	18.23	40.71	0.49	--	--	Average	3	18075.00	38.76	74.00	-35.24	55.85	37.90	22.70	68.15	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12050.00	52.53	74.00	-21.47	33.65	39.40	18.23	40.71	0.49	--	--	Peak																																																																																																																																												
2	12050.00	41.72	54.00	-12.28	22.84	39.40	18.23	40.71	0.49	--	--	Average																																																																																																																																												
3	18075.00	38.50	74.00	-35.50	55.59	37.90	22.70	68.15	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12050.00	52.39	74.00	-21.61	33.51	39.40	18.23	40.71	0.49	--	--	Peak																																																																																																																																												
2	12050.00	42.44	54.00	-11.56	23.56	39.40	18.23	40.71	0.49	--	--	Average																																																																																																																																												
3	18075.00	38.76	74.00	-35.24	55.85	37.90	22.70	68.15	-9.54	--	--	Peak																																																																																																																																												



Mode	13	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	14																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																																																																																																													
ANT	8+9																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12370.00</td><td>53.40</td><td>74.00</td><td>-20.60</td><td>33.87</td><td>39.94</td><td>18.42</td><td>40.77</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12370.00</td><td>42.23</td><td>54.00</td><td>-11.77</td><td>22.70</td><td>39.94</td><td>18.42</td><td>40.77</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18555.00</td><td>38.05</td><td>74.00</td><td>-35.95</td><td>54.17</td><td>38.30</td><td>22.93</td><td>67.81</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	53.40	74.00	-20.60	33.87	39.94	18.42	40.77	0.47	--	--	Peak	2	12370.00	42.23	54.00	-11.77	22.70	39.94	18.42	40.77	0.47	--	--	Average	3	18555.00	38.05	74.00	-35.95	54.17	38.30	22.93	67.81	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12370.00</td><td>53.24</td><td>74.00</td><td>-20.76</td><td>33.71</td><td>39.94</td><td>18.42</td><td>40.77</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12370.00</td><td>42.37</td><td>54.00</td><td>-11.63</td><td>22.84</td><td>39.94</td><td>18.42</td><td>40.77</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18555.00</td><td>38.58</td><td>74.00</td><td>-35.42</td><td>54.70</td><td>38.30</td><td>22.93</td><td>67.81</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	53.24	74.00	-20.76	33.71	39.94	18.42	40.77	0.47	--	--	Peak	2	12370.00	42.37	54.00	-11.63	22.84	39.94	18.42	40.77	0.47	--	--	Average	3	18555.00	38.58	74.00	-35.42	54.70	38.30	22.93	67.81	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12370.00	53.40	74.00	-20.60	33.87	39.94	18.42	40.77	0.47	--	--	Peak																																																																																																																																		
2	12370.00	42.23	54.00	-11.77	22.70	39.94	18.42	40.77	0.47	--	--	Average																																																																																																																																		
3	18555.00	38.05	74.00	-35.95	54.17	38.30	22.93	67.81	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12370.00	53.24	74.00	-20.76	33.71	39.94	18.42	40.77	0.47	--	--	Peak																																																																																																																																		
2	12370.00	42.37	54.00	-11.63	22.84	39.94	18.42	40.77	0.47	--	--	Average																																																																																																																																		
3	18555.00	38.58	74.00	-35.42	54.70	38.30	22.93	67.81	-9.54	--	--	Peak																																																																																																																																		



Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	15																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																																																																													
ANT	8+9																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>54.26</td><td>74.00</td><td>-19.74</td><td>33.96</td><td>40.58</td><td>18.61</td><td>40.82</td><td>0.45</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12690.00</td><td>43.05</td><td>54.00</td><td>-10.95</td><td>22.75</td><td>40.58</td><td>18.61</td><td>40.82</td><td>0.45</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19035.00</td><td>38.15</td><td>74.00</td><td>-35.85</td><td>53.20</td><td>38.37</td><td>23.17</td><td>67.05</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	54.26	74.00	-19.74	33.96	40.58	18.61	40.82	0.45	--	--	Peak	2	12690.00	43.05	54.00	-10.95	22.75	40.58	18.61	40.82	0.45	--	--	Average	3	19035.00	38.15	74.00	-35.85	53.20	38.37	23.17	67.05	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>54.14</td><td>74.00</td><td>-19.86</td><td>33.84</td><td>40.58</td><td>18.61</td><td>40.82</td><td>0.45</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12690.00</td><td>43.06</td><td>54.00</td><td>-10.94</td><td>22.76</td><td>40.58</td><td>18.61</td><td>40.82</td><td>0.45</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19035.00</td><td>37.60</td><td>74.00</td><td>-36.40</td><td>52.65</td><td>38.37</td><td>23.17</td><td>67.05</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	54.14	74.00	-19.86	33.84	40.58	18.61	40.82	0.45	--	--	Peak	2	12690.00	43.06	54.00	-10.94	22.76	40.58	18.61	40.82	0.45	--	--	Average	3	19035.00	37.60	74.00	-36.40	52.65	38.37	23.17	67.05	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12690.00	54.26	74.00	-19.74	33.96	40.58	18.61	40.82	0.45	--	--	Peak																																																																																																																																		
2	12690.00	43.05	54.00	-10.95	22.75	40.58	18.61	40.82	0.45	--	--	Average																																																																																																																																		
3	19035.00	38.15	74.00	-35.85	53.20	38.37	23.17	67.05	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12690.00	54.14	74.00	-19.86	33.84	40.58	18.61	40.82	0.45	--	--	Peak																																																																																																																																		
2	12690.00	43.06	54.00	-10.94	22.76	40.58	18.61	40.82	0.45	--	--	Average																																																																																																																																		
3	19035.00	37.60	74.00	-36.40	52.65	38.37	23.17	67.05	-9.54	--	--	Peak																																																																																																																																		



Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	16																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																
ANT	8+9																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5861.40</td><td>68.61</td><td>88.20</td><td>-19.59</td><td>55.62</td><td>34.00</td><td>12.62</td><td>34.75</td><td>1.12</td><td>200</td><td>349 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5861.40	68.61	88.20	-19.59	55.62	34.00	12.62	34.75	1.12	200	349 Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>102.51</td><td>-----</td><td>-----</td><td>89.48</td><td>34.10</td><td>12.84</td><td>34.86</td><td>0.95</td><td>200</td><td>349 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	102.51	-----	-----	89.48	34.10	12.84	34.86	0.95	200	349 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5861.40	68.61	88.20	-19.59	55.62	34.00	12.62	34.75	1.12	200	349 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6105.00	102.51	-----	-----	89.48	34.10	12.84	34.86	0.95	200	349 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.56</td><td>56.91</td><td>68.20</td><td>-11.29</td><td>43.92</td><td>34.02</td><td>12.70</td><td>34.79</td><td>1.06</td><td>200</td><td>349 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5909.56	56.91	68.20	-11.29	43.92	34.02	12.70	34.79	1.06	200	349 Average	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>92.84</td><td>-----</td><td>-----</td><td>79.78</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>200</td><td>349 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	92.84	-----	-----	79.78	34.10	12.77	34.82	1.01	200	349 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5909.56	56.91	68.20	-11.29	43.92	34.02	12.70	34.79	1.06	200	349 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6105.00	92.84	-----	-----	79.78	34.10	12.77	34.82	1.01	200	349 Average																																																																																						



Mode	16																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																
ANT	8+9																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5838.72</td><td>68.88</td><td>88.20</td><td>-19.32</td><td>55.87</td><td>34.00</td><td>12.58</td><td>34.72</td><td>1.15</td><td>100</td><td>234 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5838.72	68.88	88.20	-19.32	55.87	34.00	12.58	34.72	1.15	100	234 Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>101.29</td><td>-----</td><td>-----</td><td>88.26</td><td>34.10</td><td>12.86</td><td>34.87</td><td>0.94</td><td>100</td><td>234 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	101.29	-----	-----	88.26	34.10	12.86	34.87	0.94	100	234 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5838.72	68.88	88.20	-19.32	55.87	34.00	12.58	34.72	1.15	100	234 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6105.00	101.29	-----	-----	88.26	34.10	12.86	34.87	0.94	100	234 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5862.52</td><td>57.11</td><td>68.20</td><td>-11.09</td><td>44.12</td><td>34.00</td><td>12.62</td><td>34.75</td><td>1.12</td><td>100</td><td>234 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5862.52	57.11	68.20	-11.09	44.12	34.00	12.62	34.75	1.12	100	234 Average	Level (dBuV/m) Date: 2026-07-21 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>91.91</td><td>-----</td><td>-----</td><td>78.86</td><td>34.10</td><td>12.80</td><td>34.84</td><td>0.99</td><td>100</td><td>234 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	91.91	-----	-----	78.86	34.10	12.80	34.84	0.99	100	234 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5862.52	57.11	68.20	-11.09	44.12	34.00	12.62	34.75	1.12	100	234 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6105.00	91.91	-----	-----	78.86	34.10	12.80	34.84	0.99	100	234 Average																																																																																						



Mode	16																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																																																																							
ANT	8+9																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>53.71</td><td>74.00</td><td>-20.29</td><td>34.57</td><td>39.60</td><td>18.33</td><td>40.74</td><td>0.48</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12210.00</td><td>42.86</td><td>54.00</td><td>-11.14</td><td>23.72</td><td>39.60</td><td>18.33</td><td>40.74</td><td>0.48</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18315.00</td><td>38.01</td><td>74.00</td><td>-35.99</td><td>54.69</td><td>38.06</td><td>22.81</td><td>68.01</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12210.00	53.71	74.00	-20.29	34.57	39.60	18.33	40.74	0.48	--	--	Peak	2	12210.00	42.86	54.00	-11.14	23.72	39.60	18.33	40.74	0.48	--	--	Average	3	18315.00	38.01	74.00	-35.99	54.69	38.06	22.81	68.01	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>34.29</td><td>39.60</td><td>18.33</td><td>40.74</td><td>0.48</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12210.00</td><td>42.94</td><td>54.00</td><td>-11.06</td><td>23.80</td><td>39.60</td><td>18.33</td><td>40.74</td><td>0.48</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18315.00</td><td>38.74</td><td>74.00</td><td>-35.26</td><td>55.42</td><td>38.06</td><td>22.81</td><td>68.01</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12210.00	53.43	74.00	-20.57	34.29	39.60	18.33	40.74	0.48	--	--	Peak	2	12210.00	42.94	54.00	-11.06	23.80	39.60	18.33	40.74	0.48	--	--	Average	3	18315.00	38.74	74.00	-35.26	55.42	38.06	22.81	68.01	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12210.00	53.71	74.00	-20.29	34.57	39.60	18.33	40.74	0.48	--	--	Peak																																																																																																																																												
2	12210.00	42.86	54.00	-11.14	23.72	39.60	18.33	40.74	0.48	--	--	Average																																																																																																																																												
3	18315.00	38.01	74.00	-35.99	54.69	38.06	22.81	68.01	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12210.00	53.43	74.00	-20.57	34.29	39.60	18.33	40.74	0.48	--	--	Peak																																																																																																																																												
2	12210.00	42.94	54.00	-11.06	23.80	39.60	18.33	40.74	0.48	--	--	Average																																																																																																																																												
3	18315.00	38.74	74.00	-35.26	55.42	38.06	22.81	68.01	-9.54	--	--	Peak																																																																																																																																												



Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	17																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12530.00</td><td>54.60</td><td>74.00</td><td>-19.40</td><td>34.71</td><td>40.22</td><td>18.52</td><td>40.79</td><td>0.46</td><td>-- -- Peak</td></tr><tr><td>2 12530.00</td><td>42.61</td><td>54.00</td><td>-11.39</td><td>22.72</td><td>40.22</td><td>18.52</td><td>40.79</td><td>0.46</td><td>-- -- Average</td></tr><tr><td>3 18795.00</td><td>38.24</td><td>74.00</td><td>-35.76</td><td>53.85</td><td>38.31</td><td>23.05</td><td>67.43</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12530.00	54.60	74.00	-19.40	34.71	40.22	18.52	40.79	0.46	-- -- Peak	2 12530.00	42.61	54.00	-11.39	22.72	40.22	18.52	40.79	0.46	-- -- Average	3 18795.00	38.24	74.00	-35.76	53.85	38.31	23.05	67.43	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12530.00</td><td>54.07</td><td>74.00</td><td>-19.93</td><td>34.18</td><td>40.22</td><td>18.52</td><td>40.79</td><td>0.46</td><td>-- -- Peak</td></tr><tr><td>2 12530.00</td><td>42.62</td><td>54.00</td><td>-11.38</td><td>22.73</td><td>40.22</td><td>18.52</td><td>40.79</td><td>0.46</td><td>-- -- Average</td></tr><tr><td>3 18795.00</td><td>38.93</td><td>74.00</td><td>-35.07</td><td>54.54</td><td>38.31</td><td>23.05</td><td>67.43</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12530.00	54.07	74.00	-19.93	34.18	40.22	18.52	40.79	0.46	-- -- Peak	2 12530.00	42.62	54.00	-11.38	22.73	40.22	18.52	40.79	0.46	-- -- Average	3 18795.00	38.93	74.00	-35.07	54.54	38.31	23.05	67.43	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12530.00	54.60	74.00	-19.40	34.71	40.22	18.52	40.79	0.46	-- -- Peak																																																																																																																	
2 12530.00	42.61	54.00	-11.39	22.72	40.22	18.52	40.79	0.46	-- -- Average																																																																																																																	
3 18795.00	38.24	74.00	-35.76	53.85	38.31	23.05	67.43	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12530.00	54.07	74.00	-19.93	34.18	40.22	18.52	40.79	0.46	-- -- Peak																																																																																																																	
2 12530.00	42.62	54.00	-11.38	22.73	40.22	18.52	40.79	0.46	-- -- Average																																																																																																																	
3 18795.00	38.93	74.00	-35.07	54.54	38.31	23.05	67.43	-9.54	-- -- Peak																																																																																																																	



Mode	17	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL







Mode	18																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT320_CH95_Full RU_6425MHz																																																																																																															
ANT	8+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>55.18</td><td>88.20</td><td>-33.02</td><td>34.49</td><td>40.90</td><td>18.71</td><td>40.84</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19275.00</td><td>37.65</td><td>74.00</td><td>-36.35</td><td>52.34</td><td>38.25</td><td>23.31</td><td>66.71</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	55.18	88.20	-33.02	34.49	40.90	18.71	40.84	0.44	--	Peak	2	19275.00	37.65	74.00	-36.35	52.34	38.25	23.31	66.71	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>54.32</td><td>88.20</td><td>-33.88</td><td>33.63</td><td>40.90</td><td>18.71</td><td>40.84</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19275.00</td><td>38.69</td><td>74.00</td><td>-35.31</td><td>53.38</td><td>38.25</td><td>23.31</td><td>66.71</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	54.32	88.20	-33.88	33.63	40.90	18.71	40.84	0.44	--	Peak	2	19275.00	38.69	74.00	-35.31	53.38	38.25	23.31	66.71	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12850.00	55.18	88.20	-33.02	34.49	40.90	18.71	40.84	0.44	--	Peak																																																																																																					
2	19275.00	37.65	74.00	-36.35	52.34	38.25	23.31	66.71	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12850.00	54.32	88.20	-33.88	33.63	40.90	18.71	40.84	0.44	--	Peak																																																																																																					
2	19275.00	38.69	74.00	-35.31	53.38	38.25	23.31	66.71	-9.54	--	Peak																																																																																																					



Mode	18	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH95_Full RU_6425MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	19																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU_26/0_5955MHz																																																																																																
ANT	8+9																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-07-27  Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5911.97</td><td>80.59</td><td>88.20</td><td>-7.61</td><td>67.60</td><td>34.02</td><td>12.71</td><td>34.79</td><td>1.05</td><td>195</td><td>31 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5911.97	80.59	88.20	-7.61	67.60	34.02	12.71	34.79	1.05	195	31 Peak	Level (dBuV/m) Date: 2026-07-27  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>122.02</td><td>-----</td><td>-----</td><td>108.96</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>195</td><td>31 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	122.02	-----	-----	108.96	34.10	12.77	34.82	1.01	195	31 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5911.97	80.59	88.20	-7.61	67.60	34.02	12.71	34.79	1.05	195	31 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	122.02	-----	-----	108.96	34.10	12.77	34.82	1.01	195	31 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-07-27  Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5912.49</td><td>58.12</td><td>68.20</td><td>-10.08</td><td>45.13</td><td>34.02</td><td>12.71</td><td>34.79</td><td>1.05</td><td>195</td><td>31 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.49	58.12	68.20	-10.08	45.13	34.02	12.71	34.79	1.05	195	31 Average	Level (dBuV/m) Date: 2026-07-27  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>114.49</td><td>-----</td><td>-----</td><td>101.43</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>195</td><td>31 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.49	-----	-----	101.43	34.10	12.77	34.82	1.01	195	31 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5912.49	58.12	68.20	-10.08	45.13	34.02	12.71	34.79	1.05	195	31 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	114.49	-----	-----	101.43	34.10	12.77	34.82	1.01	195	31 Average																																																																																						



		19																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU_26/0_5955MHz																																																																																																			
ANT	8+9																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.84</td><td>80.17</td><td>88.20</td><td>-8.03</td><td>67.18</td><td>34.02</td><td>12.71</td><td>34.79</td><td>1.05</td><td>100</td><td>233</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>119.68</td><td>-----</td><td>-----</td><td>106.62</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>100</td><td>233</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5911.84	80.17	88.20	-8.03	67.18	34.02	12.71	34.79	1.05	100	233	Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	119.68	-----	-----	106.62	34.10	12.77	34.82	1.01	100	233	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5911.84	80.17	88.20	-8.03	67.18	34.02	12.71	34.79	1.05	100	233	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	119.68	-----	-----	106.62	34.10	12.77	34.82	1.01	100	233	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.31</td><td>60.20</td><td>68.20</td><td>-8.00</td><td>47.20</td><td>34.03</td><td>12.71</td><td>34.79</td><td>1.05</td><td>100</td><td>233</td><td>Average</td></tr></table> Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>112.82</td><td>-----</td><td>-----</td><td>99.76</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>100</td><td>233</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.31	60.20	68.20	-8.00	47.20	34.03	12.71	34.79	1.05	100	233	Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.82	-----	-----	99.76	34.10	12.77	34.82	1.01	100	233	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5914.31	60.20	68.20	-8.00	47.20	34.03	12.71	34.79	1.05	100	233	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	112.82	-----	-----	99.76	34.10	12.77	34.82	1.01	100	233	Average																																																																																								







Mode	20																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU_52/37_5955MHz																																																																																			
ANT	8+9																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5923.28</td><td>64.39</td><td>88.20</td><td>-23.81</td><td>51.37</td><td>34.05</td><td>12.73</td><td>34.80</td><td>1.04</td><td>197</td><td></td><td>8 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5923.28	64.39	88.20	-23.81	51.37	34.05	12.73	34.80	1.04	197		8 Peak	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>120.84</td><td>-----</td><td>-----</td><td>107.78</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>197</td><td></td><td>8 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5955.00	120.84	-----	-----	107.78	34.10	12.77	34.82	1.01	197		8 Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5923.28	64.39	88.20	-23.81	51.37	34.05	12.73	34.80	1.04	197		8 Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5955.00	120.84	-----	-----	107.78	34.10	12.77	34.82	1.01	197		8 Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5922.76</td><td>47.92</td><td>68.20</td><td>-20.28</td><td>34.91</td><td>34.05</td><td>12.72</td><td>34.80</td><td>1.04</td><td>197</td><td></td><td>8 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5922.76	47.92	68.20	-20.28	34.91	34.05	12.72	34.80	1.04	197		8 Average	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>113.53</td><td>-----</td><td>-----</td><td>100.47</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>197</td><td></td><td>8 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5955.00	113.53	-----	-----	100.47	34.10	12.77	34.82	1.01	197		8 Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5922.76	47.92	68.20	-20.28	34.91	34.05	12.72	34.80	1.04	197		8 Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5955.00	113.53	-----	-----	100.47	34.10	12.77	34.82	1.01	197		8 Average																																																																									



Mode	20																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU_52/37_5955MHz																																																																																																			
ANT	8+9																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.67</td><td>63.45</td><td>88.20</td><td>-24.75</td><td>50.43</td><td>34.05</td><td>12.73</td><td>34.80</td><td>1.04</td><td>100</td><td>237</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.67	63.45	88.20	-24.75	50.43	34.05	12.73	34.80	1.04	100	237	Peak	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>117.01</td><td>-----</td><td>-----</td><td>103.95</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>100</td><td>237</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.01	-----	-----	103.95	34.10	12.77	34.82	1.01	100	237	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.67	63.45	88.20	-24.75	50.43	34.05	12.73	34.80	1.04	100	237	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	117.01	-----	-----	103.95	34.10	12.77	34.82	1.01	100	237	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.45</td><td>47.03</td><td>68.20</td><td>-21.17</td><td>34.01</td><td>34.05</td><td>12.73</td><td>34.80</td><td>1.04</td><td>100</td><td>237</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	47.03	68.20	-21.17	34.01	34.05	12.73	34.80	1.04	100	237	Average	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.15</td><td>-----</td><td>-----</td><td>97.09</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>100</td><td>237</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.15	-----	-----	97.09	34.10	12.77	34.82	1.01	100	237	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.45	47.03	68.20	-21.17	34.01	34.05	12.73	34.80	1.04	100	237	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	110.15	-----	-----	97.09	34.10	12.77	34.82	1.01	100	237	Average																																																																																								



		21																																																																																									
Mode	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU_106/53_5955MHz																																																																																										
ANT	8+9																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-07-27  Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5922.24</td><td>63.87</td><td>88.20</td><td>-24.33</td><td>50.87</td><td>34.04</td><td>12.72</td><td>34.80</td><td>1.04 200 9 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5922.24	63.87	88.20	-24.33	50.87	34.04	12.72	34.80	1.04 200 9 Peak	Level (dBuV/m) Date: 2026-07-27  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>116.66</td><td>-----</td><td>-----</td><td>103.60</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01 200 9 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5955.00	116.66	-----	-----	103.60	34.10	12.77	34.82	1.01 200 9 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																		
1	5922.24	63.87	88.20	-24.33	50.87	34.04	12.72	34.80	1.04 200 9 Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																		
1	5955.00	116.66	-----	-----	103.60	34.10	12.77	34.82	1.01 200 9 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-07-27  Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.033kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5924.58</td><td>46.34</td><td>68.20</td><td>-21.86</td><td>33.32</td><td>34.05</td><td>12.73</td><td>34.80</td><td>1.04 200 9 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5924.58	46.34	68.20	-21.86	33.32	34.05	12.73	34.80	1.04 200 9 Average	Level (dBuV/m) Date: 2026-07-27  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL : RBW:1000.000kHz VBW:0.033kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>110.16</td><td>-----</td><td>-----</td><td>97.10</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01 200 9 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5955.00	110.16	-----	-----	97.10	34.10	12.77	34.82	1.01 200 9 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																		
1	5924.58	46.34	68.20	-21.86	33.32	34.05	12.73	34.80	1.04 200 9 Average																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																		
1	5955.00	110.16	-----	-----	97.10	34.10	12.77	34.82	1.01 200 9 Average																																																																																		



Mode	21																																																																																																											
	Band Edge																																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU_106/53_5955MHz																																																																																																											
ANT	8+9																																																																																																											
Pol.	Vertical																																																																																																											
Peak	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.93</td><td>61.17</td><td>88.20</td><td>-27.03</td><td>48.15</td><td>34.05</td><td>12.73</td><td>34.80</td><td>1.04</td><td>100</td><td>231 Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.93	61.17	88.20	-27.03	48.15	34.05	12.73	34.80	1.04	100	231 Peak	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>116.22</td><td>-----</td><td>-----</td><td>103.16</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>100</td><td>231 Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	116.22	-----	-----	103.16	34.10	12.77	34.82	1.01	100	231 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5923.93	61.17	88.20	-27.03	48.15	34.05	12.73	34.80	1.04	100	231 Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5955.00	116.22	-----	-----	103.16	34.10	12.77	34.82	1.01	100	231 Peak																																																																																																	
Avg	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.033kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.45</td><td>45.11</td><td>68.20</td><td>-23.09</td><td>32.09</td><td>34.05</td><td>12.73</td><td>34.80</td><td>1.04</td><td>100</td><td>231 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	45.11	68.20	-23.09	32.09	34.05	12.73	34.80	1.04	100	231 Average	Level (dBuV/m) Date: 2026-07-27 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL : RBW:1000.000kHz VBW:0.033kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>108.92</td><td>-----</td><td>-----</td><td>95.86</td><td>34.10</td><td>12.77</td><td>34.82</td><td>1.01</td><td>100</td><td>231 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.92	-----	-----	95.86	34.10	12.77	34.82	1.01	100	231 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5924.45	45.11	68.20	-23.09	32.09	34.05	12.73	34.80	1.04	100	231 Average																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5955.00	108.92	-----	-----	95.86	34.10	12.77	34.82	1.01	100	231 Average																																																																																																	



Mode	40																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.73</td><td>88.20</td><td>-34.47</td><td>33.09</td><td>40.88</td><td>18.85</td><td>41.00</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>39.60</td><td>74.00</td><td>-34.40</td><td>53.56</td><td>38.30</td><td>23.49</td><td>66.21</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.73	88.20	-34.47	33.09	40.88	18.85	41.00	0.43	--	Peak	2	19605.00	39.60	74.00	-34.40	53.56	38.30	23.49	66.21	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.54</td><td>88.20</td><td>-34.66</td><td>32.90</td><td>40.88</td><td>18.85</td><td>41.00</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>38.29</td><td>74.00</td><td>-35.71</td><td>52.25</td><td>38.30</td><td>23.49</td><td>66.21</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.54	88.20	-34.66	32.90	40.88	18.85	41.00	0.43	--	Peak	2	19605.00	38.29	74.00	-35.71	52.25	38.30	23.49	66.21	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	53.73	88.20	-34.47	33.09	40.88	18.85	41.00	0.43	--	Peak																																																																																																															
2	19605.00	39.60	74.00	-34.40	53.56	38.30	23.49	66.21	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	53.54	88.20	-34.66	32.90	40.88	18.85	41.00	0.43	--	Peak																																																																																																															
2	19605.00	38.29	74.00	-35.71	52.25	38.30	23.49	66.21	-9.54	--	Peak																																																																																																															



Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	41																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13390.00</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>33.45</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>-- -- Peak</td></tr><tr><td>2 13390.00</td><td>44.21</td><td>54.00</td><td>-9.79</td><td>23.60</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>-- -- Average</td></tr><tr><td>3 20805.00</td><td>38.56</td><td>74.00</td><td>-35.44</td><td>51.31</td><td>38.40</td><td>23.77</td><td>65.38</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13390.00	54.06	74.00	-19.94	33.45	41.24	19.10	41.62	0.41	-- -- Peak	2 13390.00	44.21	54.00	-9.79	23.60	41.24	19.10	41.62	0.41	-- -- Average	3 20805.00	38.56	74.00	-35.44	51.31	38.40	23.77	65.38	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13390.00</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>32.66</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>-- -- Peak</td></tr><tr><td>2 13390.00</td><td>44.12</td><td>54.00</td><td>-9.88</td><td>23.51</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>-- -- Average</td></tr><tr><td>3 20805.00</td><td>38.35</td><td>74.00</td><td>-35.65</td><td>51.10</td><td>38.40</td><td>23.77</td><td>65.38</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13390.00	53.27	74.00	-20.73	32.66	41.24	19.10	41.62	0.41	-- -- Peak	2 13390.00	44.12	54.00	-9.88	23.51	41.24	19.10	41.62	0.41	-- -- Average	3 20805.00	38.35	74.00	-35.65	51.10	38.40	23.77	65.38	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13390.00	54.06	74.00	-19.94	33.45	41.24	19.10	41.62	0.41	-- -- Peak																																																																																																																	
2 13390.00	44.21	54.00	-9.79	23.60	41.24	19.10	41.62	0.41	-- -- Average																																																																																																																	
3 20805.00	38.56	74.00	-35.44	51.31	38.40	23.77	65.38	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13390.00	53.27	74.00	-20.73	32.66	41.24	19.10	41.62	0.41	-- -- Peak																																																																																																																	
2 13390.00	44.12	54.00	-9.88	23.51	41.24	19.10	41.62	0.41	-- -- Average																																																																																																																	
3 20805.00	38.35	74.00	-35.65	51.10	38.40	23.77	65.38	-9.54	-- -- Peak																																																																																																																	



Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	42																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																																								
ANT	8+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>54.62</td><td>88.20</td><td>-33.58</td><td>33.73</td><td>41.74</td><td>19.35</td><td>42.08</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>37.27</td><td>74.00</td><td>-36.73</td><td>48.96</td><td>38.50</td><td>24.05</td><td>64.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	54.62	88.20	-33.58	33.73	41.74	19.35	42.08	0.39	--	Peak	2	20565.00	37.27	74.00	-36.73	48.96	38.50	24.05	64.70	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>54.91</td><td>88.20</td><td>-33.29</td><td>34.02</td><td>41.74</td><td>19.35</td><td>42.08</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>37.83</td><td>74.00</td><td>-36.17</td><td>49.52</td><td>38.50</td><td>24.05</td><td>64.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	54.91	88.20	-33.29	34.02	41.74	19.35	42.08	0.39	--	Peak	2	20565.00	37.83	74.00	-36.17	49.52	38.50	24.05	64.70	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13710.00	54.62	88.20	-33.58	33.73	41.74	19.35	42.08	0.39	--	Peak																																																																																																														
2	20565.00	37.27	74.00	-36.73	48.96	38.50	24.05	64.70	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13710.00	54.91	88.20	-33.29	34.02	41.74	19.35	42.08	0.39	--	Peak																																																																																																														
2	20565.00	37.83	74.00	-36.17	49.52	38.50	24.05	64.70	-9.54	--	Peak																																																																																																														



Mode	42	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	44																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.61</td><td>88.20</td><td>-34.59</td><td>32.97</td><td>40.88</td><td>18.85</td><td>41.00</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>38.46</td><td>74.00</td><td>-35.54</td><td>52.42</td><td>38.30</td><td>23.49</td><td>66.21</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.61	88.20	-34.59	32.97	40.88	18.85	41.00	0.43	--	Peak	2	19605.00	38.46	74.00	-35.54	52.42	38.30	23.49	66.21	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>52.97</td><td>88.20</td><td>-35.23</td><td>32.33</td><td>40.88</td><td>18.85</td><td>41.00</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>38.02</td><td>74.00</td><td>-35.98</td><td>51.98</td><td>38.30</td><td>23.49</td><td>66.21</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	52.97	88.20	-35.23	32.33	40.88	18.85	41.00	0.43	--	Peak	2	19605.00	38.02	74.00	-35.98	51.98	38.30	23.49	66.21	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	53.61	88.20	-34.59	32.97	40.88	18.85	41.00	0.43	--	Peak																																																																																																															
2	19605.00	38.46	74.00	-35.54	52.42	38.30	23.49	66.21	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	52.97	88.20	-35.23	32.33	40.88	18.85	41.00	0.43	--	Peak																																																																																																															
2	19605.00	38.02	74.00	-35.98	51.98	38.30	23.49	66.21	-9.54	--	Peak																																																																																																															



Mode	44	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	45																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																																																																							
ANT	8+9																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>52.97</td><td>74.00</td><td>-21.03</td><td>32.36</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>43.86</td><td>54.00</td><td>-10.14</td><td>23.25</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20805.00</td><td>38.19</td><td>74.00</td><td>-35.81</td><td>50.94</td><td>38.40</td><td>23.77</td><td>65.38</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	52.97	74.00	-21.03	32.36	41.24	19.10	41.62	0.41	--	Peak	2	13390.00	43.86	54.00	-10.14	23.25	41.24	19.10	41.62	0.41	--	Average	3	20805.00	38.19	74.00	-35.81	50.94	38.40	23.77	65.38	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>32.82</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>43.85</td><td>54.00</td><td>-10.15</td><td>23.24</td><td>41.24</td><td>19.10</td><td>41.62</td><td>0.41</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20805.00</td><td>38.18</td><td>74.00</td><td>-35.82</td><td>50.93</td><td>38.40</td><td>23.77</td><td>65.38</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	53.43	74.00	-20.57	32.82	41.24	19.10	41.62	0.41	--	Peak	2	13390.00	43.85	54.00	-10.15	23.24	41.24	19.10	41.62	0.41	--	Average	3	20805.00	38.18	74.00	-35.82	50.93	38.40	23.77	65.38	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	13390.00	52.97	74.00	-21.03	32.36	41.24	19.10	41.62	0.41	--	Peak																																																																																																																													
2	13390.00	43.86	54.00	-10.14	23.25	41.24	19.10	41.62	0.41	--	Average																																																																																																																													
3	20805.00	38.19	74.00	-35.81	50.94	38.40	23.77	65.38	-9.54	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	13390.00	53.43	74.00	-20.57	32.82	41.24	19.10	41.62	0.41	--	Peak																																																																																																																													
2	13390.00	43.85	54.00	-10.15	23.24	41.24	19.10	41.62	0.41	--	Average																																																																																																																													
3	20805.00	38.18	74.00	-35.82	50.93	38.40	23.77	65.38	-9.54	--	Peak																																																																																																																													



Mode	45	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	46																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																																																																																								
ANT	8+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-07-23 PEAK(UNII)_6E AVG(UNII)_6E 80001440020800272003360040000 Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>55.36</td><td>88.20</td><td>-32.84</td><td>34.47</td><td>41.74</td><td>19.35</td><td>42.08</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>37.52</td><td>74.00</td><td>-36.48</td><td>49.21</td><td>38.50</td><td>24.05</td><td>64.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	55.36	88.20	-32.84	34.47	41.74	19.35	42.08	0.39	--	Peak	2	20565.00	37.52	74.00	-36.48	49.21	38.50	24.05	64.70	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-23 PEAK(UNII)_6E AVG(UNII)_6E 80001440020800272003360040000 Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>54.98</td><td>88.20</td><td>-33.22</td><td>34.09</td><td>41.74</td><td>19.35</td><td>42.08</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>37.36</td><td>74.00</td><td>-36.64</td><td>49.05</td><td>38.50</td><td>24.05</td><td>64.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	54.98	88.20	-33.22	34.09	41.74	19.35	42.08	0.39	--	Peak	2	20565.00	37.36	74.00	-36.64	49.05	38.50	24.05	64.70	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13710.00	55.36	88.20	-32.84	34.47	41.74	19.35	42.08	0.39	--	Peak																																																																																																														
2	20565.00	37.52	74.00	-36.48	49.21	38.50	24.05	64.70	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13710.00	54.98	88.20	-33.22	34.09	41.74	19.35	42.08	0.39	--	Peak																																																																																																														
2	20565.00	37.36	74.00	-36.64	49.05	38.50	24.05	64.70	-9.54	--	Peak																																																																																																														



Mode	46	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	48																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																																																																																													
ANT	8+9																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>53.81</td><td>88.20</td><td>-34.39</td><td>32.94</td><td>41.18</td><td>18.90</td><td>41.11</td><td>0.42</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>38.10</td><td>74.00</td><td>-35.90</td><td>51.75</td><td>38.39</td><td>23.55</td><td>66.05</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	53.81	88.20	-34.39	32.94	41.18	18.90	41.11	0.42	--	--	Peak	2	19695.00	38.10	74.00	-35.90	51.75	38.39	23.55	66.05	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>53.95</td><td>88.20</td><td>-34.25</td><td>33.08</td><td>41.18</td><td>18.90</td><td>41.11</td><td>0.42</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>38.27</td><td>74.00</td><td>-35.73</td><td>51.92</td><td>38.39</td><td>23.55</td><td>66.05</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	53.95	88.20	-34.25	33.08	41.18	18.90	41.11	0.42	--	--	Peak	2	19695.00	38.27	74.00	-35.73	51.92	38.39	23.55	66.05	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13130.00	53.81	88.20	-34.39	32.94	41.18	18.90	41.11	0.42	--	--	Peak																																																																																																																		
2	19695.00	38.10	74.00	-35.90	51.75	38.39	23.55	66.05	-9.54	--	--	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13130.00	53.95	88.20	-34.25	33.08	41.18	18.90	41.11	0.42	--	--	Peak																																																																																																																		
2	19695.00	38.27	74.00	-35.73	51.92	38.39	23.55	66.05	-9.54	--	--	Peak																																																																																																																		