





Mode	48	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-23 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	49																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																																																																																													
ANT	8+9																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>53.62</td><td>74.00</td><td>-20.38</td><td>32.92</td><td>41.32</td><td>19.08</td><td>41.59</td><td>0.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13370.00</td><td>44.24</td><td>54.00</td><td>-9.76</td><td>23.54</td><td>41.32</td><td>19.08</td><td>41.59</td><td>0.41</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20055.00</td><td>37.54</td><td>74.00</td><td>-36.46</td><td>50.35</td><td>38.40</td><td>23.75</td><td>65.42</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	53.62	74.00	-20.38	32.92	41.32	19.08	41.59	0.41	--	--	Peak	2	13370.00	44.24	54.00	-9.76	23.54	41.32	19.08	41.59	0.41	--	--	Average	3	20055.00	37.54	74.00	-36.46	50.35	38.40	23.75	65.42	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>54.10</td><td>74.00</td><td>-19.90</td><td>33.40</td><td>41.32</td><td>19.08</td><td>41.59</td><td>0.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13370.00</td><td>44.37</td><td>54.00</td><td>-9.63</td><td>23.67</td><td>41.32</td><td>19.08</td><td>41.59</td><td>0.41</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20055.00</td><td>37.00</td><td>74.00</td><td>-37.00</td><td>49.81</td><td>38.40</td><td>23.75</td><td>65.42</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	54.10	74.00	-19.90	33.40	41.32	19.08	41.59	0.41	--	--	Peak	2	13370.00	44.37	54.00	-9.63	23.67	41.32	19.08	41.59	0.41	--	--	Average	3	20055.00	37.00	74.00	-37.00	49.81	38.40	23.75	65.42	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13370.00	53.62	74.00	-20.38	32.92	41.32	19.08	41.59	0.41	--	--	Peak																																																																																																																																		
2	13370.00	44.24	54.00	-9.76	23.54	41.32	19.08	41.59	0.41	--	--	Average																																																																																																																																		
3	20055.00	37.54	74.00	-36.46	50.35	38.40	23.75	65.42	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13370.00	54.10	74.00	-19.90	33.40	41.32	19.08	41.59	0.41	--	--	Peak																																																																																																																																		
2	13370.00	44.37	54.00	-9.63	23.67	41.32	19.08	41.59	0.41	--	--	Average																																																																																																																																		
3	20055.00	37.00	74.00	-37.00	49.81	38.40	23.75	65.42	-9.54	--	--	Peak																																																																																																																																		



Mode	49	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	50																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																																																																															
ANT	8+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>55.96</td><td>88.20</td><td>-32.24</td><td>35.15</td><td>41.66</td><td>19.33</td><td>42.06</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20535.00</td><td>36.90</td><td>74.00</td><td>-37.10</td><td>48.67</td><td>38.47</td><td>24.04</td><td>64.74</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	55.96	88.20	-32.24	35.15	41.66	19.33	42.06	0.39	--	Peak	2	20535.00	36.90	74.00	-37.10	48.67	38.47	24.04	64.74	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>56.29</td><td>88.20</td><td>-31.91</td><td>35.48</td><td>41.66</td><td>19.33</td><td>42.06</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20535.00</td><td>37.61</td><td>74.00</td><td>-36.39</td><td>49.38</td><td>38.47</td><td>24.04</td><td>64.74</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	56.29	88.20	-31.91	35.48	41.66	19.33	42.06	0.39	--	Peak	2	20535.00	37.61	74.00	-36.39	49.38	38.47	24.04	64.74	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13690.00	55.96	88.20	-32.24	35.15	41.66	19.33	42.06	0.39	--	Peak																																																																																																					
2	20535.00	36.90	74.00	-37.10	48.67	38.47	24.04	64.74	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13690.00	56.29	88.20	-31.91	35.48	41.66	19.33	42.06	0.39	--	Peak																																																																																																					
2	20535.00	37.61	74.00	-36.39	49.38	38.47	24.04	64.74	-9.54	--	Peak																																																																																																					



Mode	50	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	51	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL





Mode	52																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																																																																																																													
ANT	8+9																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>54.73</td><td>74.00</td><td>-19.27</td><td>34.09</td><td>41.10</td><td>18.99</td><td>41.35</td><td>0.42</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13250.00</td><td>44.25</td><td>54.00</td><td>-9.75</td><td>23.61</td><td>41.10</td><td>18.99</td><td>41.35</td><td>0.42</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19875.00</td><td>36.81</td><td>74.00</td><td>-37.19</td><td>50.17</td><td>38.25</td><td>23.65</td><td>65.72</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	54.73	74.00	-19.27	34.09	41.10	18.99	41.35	0.42	--	--	Peak	2	13250.00	44.25	54.00	-9.75	23.61	41.10	18.99	41.35	0.42	--	--	Average	3	19875.00	36.81	74.00	-37.19	50.17	38.25	23.65	65.72	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>54.66</td><td>74.00</td><td>-19.34</td><td>34.02</td><td>41.10</td><td>18.99</td><td>41.35</td><td>0.42</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13250.00</td><td>44.17</td><td>54.00</td><td>-9.83</td><td>23.53</td><td>41.10</td><td>18.99</td><td>41.35</td><td>0.42</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19875.00</td><td>37.00</td><td>74.00</td><td>-37.00</td><td>50.36</td><td>38.25</td><td>23.65</td><td>65.72</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	54.66	74.00	-19.34	34.02	41.10	18.99	41.35	0.42	--	--	Peak	2	13250.00	44.17	54.00	-9.83	23.53	41.10	18.99	41.35	0.42	--	--	Average	3	19875.00	37.00	74.00	-37.00	50.36	38.25	23.65	65.72	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13250.00	54.73	74.00	-19.27	34.09	41.10	18.99	41.35	0.42	--	--	Peak																																																																																																																																		
2	13250.00	44.25	54.00	-9.75	23.61	41.10	18.99	41.35	0.42	--	--	Average																																																																																																																																		
3	19875.00	36.81	74.00	-37.19	50.17	38.25	23.65	65.72	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13250.00	54.66	74.00	-19.34	34.02	41.10	18.99	41.35	0.42	--	--	Peak																																																																																																																																		
2	13250.00	44.17	54.00	-9.83	23.53	41.10	18.99	41.35	0.42	--	--	Average																																																																																																																																		
3	19875.00	37.00	74.00	-37.00	50.36	38.25	23.65	65.72	-9.54	--	--	Peak																																																																																																																																		



Mode	52	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	53																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																																																																																									
ANT	8+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	 Level (dBuV/m) Date: 2026-07-24 PEAK(UNII)_6E AVG(UNII)_6E 1 2 8000 14400 20800 27200 33600 40000 Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>54.15</td><td>88.20</td><td>-34.05</td><td>33.58</td><td>41.22</td><td>19.12</td><td>41.66</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>38.84</td><td>74.00</td><td>-35.16</td><td>51.53</td><td>38.40</td><td>23.79</td><td>65.34</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	54.15	88.20	-34.05	33.58	41.22	19.12	41.66	0.41	--	Peak	2	20115.00	38.84	74.00	-35.16	51.53	38.40	23.79	65.34	-9.54	--	Peak	 Level (dBuV/m) Date: 2026-07-24 PEAK(UNII)_6E AVG(UNII)_6E 1 2 8000 14400 20800 27200 33600 40000 Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>54.58</td><td>88.20</td><td>-33.62</td><td>34.01</td><td>41.22</td><td>19.12</td><td>41.66</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>38.27</td><td>74.00</td><td>-35.73</td><td>50.96</td><td>38.40</td><td>23.79</td><td>65.34</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	54.58	88.20	-33.62	34.01	41.22	19.12	41.66	0.41	--	Peak	2	20115.00	38.27	74.00	-35.73	50.96	38.40	23.79	65.34	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13410.00	54.15	88.20	-34.05	33.58	41.22	19.12	41.66	0.41	--	Peak																																																																																																															
2	20115.00	38.84	74.00	-35.16	51.53	38.40	23.79	65.34	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13410.00	54.58	88.20	-33.62	34.01	41.22	19.12	41.66	0.41	--	Peak																																																																																																															
2	20115.00	38.27	74.00	-35.73	50.96	38.40	23.79	65.34	-9.54	--	Peak																																																																																																															



Mode	53	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	54																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																																																																															
ANT	8+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>56.04</td><td>88.20</td><td>-32.16</td><td>35.41</td><td>41.42</td><td>19.24</td><td>41.92</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20355.00</td><td>38.70</td><td>74.00</td><td>-35.30</td><td>50.91</td><td>38.40</td><td>23.93</td><td>65.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	56.04	88.20	-32.16	35.41	41.42	19.24	41.92	0.40	--	Peak	2	20355.00	38.70	74.00	-35.30	50.91	38.40	23.93	65.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>55.43</td><td>88.20</td><td>-32.77</td><td>34.80</td><td>41.42</td><td>19.24</td><td>41.92</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20355.00</td><td>38.46</td><td>74.00</td><td>-35.54</td><td>50.67</td><td>38.40</td><td>23.93</td><td>65.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	55.43	88.20	-32.77	34.80	41.42	19.24	41.92	0.40	--	Peak	2	20355.00	38.46	74.00	-35.54	50.67	38.40	23.93	65.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13570.00	56.04	88.20	-32.16	35.41	41.42	19.24	41.92	0.40	--	Peak																																																																																																					
2	20355.00	38.70	74.00	-35.30	50.91	38.40	23.93	65.00	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13570.00	55.43	88.20	-32.77	34.80	41.42	19.24	41.92	0.40	--	Peak																																																																																																					
2	20355.00	38.46	74.00	-35.54	50.67	38.40	23.93	65.00	-9.54	--	Peak																																																																																																					





Mode	54	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Mode	56																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																																																																													
ANT	8+9																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>54.99</td><td>74.00</td><td>-19.01</td><td>34.24</td><td>41.32</td><td>19.05</td><td>41.51</td><td>0.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13330.00</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>22.81</td><td>41.32</td><td>19.05</td><td>41.51</td><td>0.41</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19995.00</td><td>37.97</td><td>74.00</td><td>-36.03</td><td>50.91</td><td>38.39</td><td>23.72</td><td>65.51</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	54.99	74.00	-19.01	34.24	41.32	19.05	41.51	0.41	--	--	Peak	2	13330.00	43.56	54.00	-10.44	22.81	41.32	19.05	41.51	0.41	--	--	Average	3	19995.00	37.97	74.00	-36.03	50.91	38.39	23.72	65.51	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>54.52</td><td>74.00</td><td>-19.48</td><td>33.77</td><td>41.32</td><td>19.05</td><td>41.51</td><td>0.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13330.00</td><td>43.53</td><td>54.00</td><td>-10.47</td><td>22.78</td><td>41.32</td><td>19.05</td><td>41.51</td><td>0.41</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19995.00</td><td>38.46</td><td>74.00</td><td>-35.54</td><td>51.40</td><td>38.39</td><td>23.72</td><td>65.51</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	54.52	74.00	-19.48	33.77	41.32	19.05	41.51	0.41	--	--	Peak	2	13330.00	43.53	54.00	-10.47	22.78	41.32	19.05	41.51	0.41	--	--	Average	3	19995.00	38.46	74.00	-35.54	51.40	38.39	23.72	65.51	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13330.00	54.99	74.00	-19.01	34.24	41.32	19.05	41.51	0.41	--	--	Peak																																																																																																																																		
2	13330.00	43.56	54.00	-10.44	22.81	41.32	19.05	41.51	0.41	--	--	Average																																																																																																																																		
3	19995.00	37.97	74.00	-36.03	50.91	38.39	23.72	65.51	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13330.00	54.52	74.00	-19.48	33.77	41.32	19.05	41.51	0.41	--	--	Peak																																																																																																																																		
2	13330.00	43.53	54.00	-10.47	22.78	41.32	19.05	41.51	0.41	--	--	Average																																																																																																																																		
3	19995.00	38.46	74.00	-35.54	51.40	38.39	23.72	65.51	-9.54	--	--	Peak																																																																																																																																		



Mode	56	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-07-24  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_260520 VERTICAL



Appendix D. Duty Cycle Plots

Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
6G 802.11a	99.24	-	-	10Hz
6GHz 802.11be EHT20 Full RU	100.00	-	-	10Hz
6GHz 802.11be EHT20 26 RU	99.42	-	-	10Hz
6GHz 802.11be EHT20 52 RU	98.14	-	-	10Hz
6GHz 802.11be EHT20 106 RU	97.91	33.750	0.03	33Hz
6GHz 802.11be EHT40 Full RU	100.00	-	-	10Hz
6GHz 802.11be EHT80 Full RU	99.52	-	-	10Hz
6GHz 802.11be EHT160 Full RU	100.00	-	-	10Hz
6GHz 802.11be EHT320 Full RU	100.00	-	-	10Hz



MIMO <Ant.8+9>

