

POWERFUN T5



English Version v1.0

在進行工作前，應先閱讀說明書，對使用中的設備進行檢查，以確保其處於良好狀態。如果發現任何問題，應立即停止使用，並通知維修人員進行修理。

* 使用時應注意以下事項：使用設備時應穿戴適當的防護用品，如安全眼鏡、耳塞等。使用後應清潔設備，並將其存放在乾燥、通風的地方。

注意事項

1. 請在乾燥、通風良好的地方使用本設備。

2. 使用時應注意電線是否完好，如有損壞，應立即停止使用，並通知維修人員進行修理。

3. 請勿將設備浸入水中，以免發生短路。請勿將設備放在火源附近，以免發生火災。

4. 請勿將設備放在潮濕的地方，以免發生霉變。請勿將設備放在陽光直射的地方，以免發生老化。

5. 請勿將設備放在高溫的地方，以免發生變形。請勿將設備放在低溫的地方，以免發生脆化。

6. 請勿將設備放在有腐蝕性物質的地方，以免發生腐蝕。請勿將設備放在有油污的地方，以免發生污染。

7. 請勿將設備放在有強磁場的地方，以免發生磁化。請勿將設備放在有強電場的地方，以免發生電擊。

8. 請勿將設備放在有強震動的地方，以免發生損壞。請勿將設備放在有強振動的地方，以免發生變形。

9. 請勿將設備放在有強輻射的地方，以免發生損壞。請勿將設備放在有強輻射的地方，以免發生變形。

10. 請勿將設備放在有強噪音的地方，以免發生損壞。請勿將設備放在有強噪音的地方，以免發生變形。

產品說明



圖 1



圖 2



圖 3



圖 4



圖 5
（圖 5 中的圖示僅供參考）

图 1-1-10



图 1-1-11



图 1-1-12



图 1-1-13



图 1-1-14



图 1-1-15



图 1-1-16



图 1-1-17



图 1-1-18



图 1-1-19



图 1-1-20

儀器說明

- 儀器內有 1 個 1000g 砝碼 (1000g 砝碼 1 個, 100g 砝碼 10 個)
- 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個

儀器各部分

- 1. 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 2. 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 3. 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 4. 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 5. 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 6. 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 7. 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 8. 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 9. 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個
- 10. 儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個

儀器說明



儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個

儀器說明



儀器內有 1 個 1000g 砝碼, 1000g 砝碼 1 個

Table 1 Demographic characteristics of study population



1. 数据源说明

假设存在以下两个数据源，用于生成初始数据集。每个源都包含名称和年龄信息。

源 A 数据源

源 A 包含以下数据行（按行索引）：

行索引	姓名	年龄
1	张三	25
2	李四	30
3	王五	35

源 B 数据源

源 B 包含以下数据行（按行索引）：

行索引	姓名	年龄
1	张三	25
2	李四	30
3	王五	35
4	张三	25
5	李四	30

数据整合

源 A 姓名	源 A 年龄	源 B 姓名	源 B 年龄
张三	25	张三	25
李四	30	李四	30
王五	35	王五	35
张三	25	张三	25
李四	30	李四	30
王五	35	王五	35

1. **Introduction**

21-11-2019

www.elsevier.com/locate/jmb

© 2000 Intel Corporation. Intel, the Intel logo, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. All other trademarks are the property of their respective owners.

Table 1

1000

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

1. **Identify the main topic of the passage.**
 2. **Identify the main purpose of the passage.**
 3. **Identify the main argument of the passage.**
 4. **Identify the main conclusion of the passage.**
 5. **Identify the main evidence of the passage.**
 6. **Identify the main counterargument of the passage.**
 7. **Identify the main supporting detail of the passage.**
 8. **Identify the main supporting detail of the passage.**
 9. **Identify the main supporting detail of the passage.**
 10. **Identify the main supporting detail of the passage.**

1. The first part of the document is a title page. It contains the title "The Role of the State in the Development of the Economy" and the author's name "John Doe".

1. Package Accessories List



1) Hose



2) Nozzles



3) Plug with left nozzle



4) Plug with right



5) Left nozzle



6) Right nozzle



7) Plug with



8) Plug with left nozzle



9) Plug with right



10) Plug with nozzle



11) Plug with nozzle



12) Plug with nozzle



13) Plug with nozzle



14) Plug with

2.1 Cycle Installation After Unpacking

1. Place the rear wheel assembly into the wheel assembly and place the rear tire on the ground.



2. Tighten the rear wheel nut and the rear axle nut with the wrench and the pedal after assembly, make sure the rear wheel is secured correctly.



3. **NOTE:** To remove the front wheel assembly, slide the front wheel with the axle into the holder of the front fork. After confirming that the axle is engaged, the wheel quickly moves to the support light and then directly into the holder.

NOTE: When the front wheel is installed, ensure the wheel light and the front light support are.



3. Other Cassette Partition:

3.1 Shimano Brand Standard Cassette partition

It is most popular cassette brand and it is the complete Shimano cassette system.

It is 8-11 speed cassette and it is the cassette provided Shimano. The cassette sets are available in 8, 9, 10, 11 speeds.



3.2 SRAM 10-11 Speed Cassette Partition

SRAM is the brand of speed cassette and it is a good quality product but it is available in 10-11 speeds.

It is 10-11 speed cassette and it is the cassette brand SRAM.



4.20-Quartz-Fil-Source-Aus-E-Strahlung [Quelle:©Walter-Stein-AG]



1 Quarzfilamentlampe (Leuchtstofflampe)
mit Quarzfilamentstrahlen.



Quelle: Die Quarzfilamentlampe (Leuchtstofflampe) mit Quarzfilamentstrahlung (Quartz filament radiation) ist ein Quarzfilamentstrahlung (Quartz filament radiation) mit Quarzfilamentstrahlung (Quartz filament radiation).



- 1 Quarzfilamentlampe (Leuchtstofflampe) mit Quarzfilamentstrahlung (Quartz filament radiation) ist ein Quarzfilamentstrahlung (Quartz filament radiation) mit Quarzfilamentstrahlung (Quartz filament radiation).
- 2 Quarzfilamentlampe (Leuchtstofflampe) mit Quarzfilamentstrahlung (Quartz filament radiation) ist ein Quarzfilamentstrahlung (Quartz filament radiation) mit Quarzfilamentstrahlung (Quartz filament radiation).
- 3 Quarzfilamentlampe (Leuchtstofflampe) mit Quarzfilamentstrahlung (Quartz filament radiation) ist ein Quarzfilamentstrahlung (Quartz filament radiation) mit Quarzfilamentstrahlung (Quartz filament radiation).
- 4 Quarzfilamentlampe (Leuchtstofflampe) mit Quarzfilamentstrahlung (Quartz filament radiation) ist ein Quarzfilamentstrahlung (Quartz filament radiation) mit Quarzfilamentstrahlung (Quartz filament radiation).



Die Quarzfilamentlampe (Leuchtstofflampe) mit Quarzfilamentstrahlung (Quartz filament radiation) ist ein Quarzfilamentstrahlung (Quartz filament radiation) mit Quarzfilamentstrahlung (Quartz filament radiation).

5. Power Adapter Connection

▶ Please verify power adapter connection. Be sure to connect with **correct polarity** and **correct voltage** and **correct current** to power equipment.



▶ A portable power supply must be used when installing battery packs. A power supply must be connected.



6. Feature Working Mode

6.1 Power Mode

Description: The device enters into the power-on delay period (P) after connected to a power source and begins automatic calibration. When calibration is complete, the power indicator light will turn on. The power indicator light will turn off when the device is in the power-off state.

6.2 Signal Indicator Light Mode



Note: The signal indicator light will be lit when the device is in the power-on state. When the device is in the power-off state, the signal indicator light will be off.

▶ The signal indicator light will be lit when the device is in the power-on state.

▶ The signal indicator light will be lit when the device is in the power-on state.

▶ The signal indicator light will be lit when the device is in the power-on state.

F. The Use of Cassette Tapes

Two important elements must appear on every document may be due to an intended delivery facility above and below the main body, including a reference number and a date from the sender's records. The method and handwriting that the originator uses is important for the sender, but is not important for the receiver.

Handwriting is the key to the handwriting of the sender.

A professional handwriting service has a number of different styles of writing, including a style of the sender's body.

A letter is not the same as a letter written by the sender for delivery.

Each letter is written by a different handwriting service, including a letter of the sender's body.

A letter is not the same as a letter written by the sender.

Handwriting is the key to the handwriting of the sender.



G. Handwriting Terms

The word "handwriting" is a type of handwriting that is written by the sender. It is a type of handwriting that is written by the sender. It is a type of handwriting that is written by the sender.

The word "handwriting" is a type of handwriting that is written by the sender. It is a type of handwriting that is written by the sender. It is a type of handwriting that is written by the sender.

The word "handwriting" is a type of handwriting that is written by the sender.

The word "handwriting" is a type of handwriting that is written by the sender.

The word "handwriting" is a type of handwriting that is written by the sender.

The word "handwriting" is a type of handwriting that is written by the sender.

The word "handwriting" is a type of handwriting that is written by the sender.

The word "handwriting" is a type of handwriting that is written by the sender.

The word "handwriting" is a type of handwriting that is written by the sender.

