

Appendix F

RF Test Data for 5.5GWIFI(Conducted Measurement)

Product Name: Tablet

Test Model: PAD_ T13

Environmental Conditions


Temperature:	24.2°C
Relative Humidity:	53.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Zhang hai
Supervised by:	Fengliu Tang


F.1 Emission Bandwidth


Test Result


TestMode	Antenna	Freq(MHz)	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5500	31.320	5483.920	5515.240	---	---
		5580	32.960	5564.000	5596.960	---	---
		5700	25.960	5686.800	5712.760	---	---
11N20SISO	Ant1	5500	32.680	5483.000	5515.680	---	---
		5580	32.320	5563.920	5596.240	---	---
		5700	26.600	5688.080	5714.680	---	---
11N40SISO	Ant1	5510	71.120	5474.880	5546.000	---	---
		5550	73.760	5512.640	5586.400	---	---
		5670	71.040	5634.960	5706.000	---	---
11AC20SISO	Ant1	5500	28.600	5485.480	5514.080	---	---
		5580	34.720	5562.040	5596.760	---	---
		5700	32.600	5681.680	5714.280	---	---
11AC40SISO	Ant1	5510	69.040	5476.160	5545.200	---	---
		5550	74.640	5512.960	5587.600	---	---
		5670	71.120	5636.160	5707.280	---	---
11AC80SISO	Ant1	5530	136.640	5456.560	5593.200	---	---
		5610	134.080	5547.920	5682.000	---	---


Test Graphs























F.2 Maximum conducted output power

Test Result Channel Power


Test Mode	Antenna	Freq(MHz)	TPC Mode	Measured Power [dBm]	DC Factor [dB]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5500	NA	15.78	2.14	17.92	≤23.98	PASS
		5580	NA	15.85	2.60	18.45	≤23.98	PASS
		5700	NA	14.82	2.60	17.42	≤23.98	PASS
11N20SISO	Ant1	5500	NA	15.74	2.00	17.74	≤23.98	PASS
		5580	NA	15.64	2.60	18.24	≤23.98	PASS
		5700	NA	14.70	2.14	16.84	≤23.98	PASS
11N40SISO	Ant1	5510	NA	14.86	2.73	17.59	≤23.98	PASS
		5550	NA	15.10	3.59	18.69	≤23.98	PASS
		5670	NA	14.43	4.19	18.62	≤23.98	PASS
11AC20SISO	Ant1	5500	NA	15.77	2.43	18.20	≤23.98	PASS
		5580	NA	15.96	2.63	18.59	≤23.98	PASS
		5700	NA	14.86	2.22	17.08	≤23.98	PASS
11AC40SISO	Ant1	5510	NA	15.02	3.01	18.03	≤23.98	PASS
		5550	NA	15.13	3.52	18.65	≤23.98	PASS
		5670	NA	14.42	3.27	17.69	≤23.98	PASS
11AC80SISO	Ant1	5530	NA	14.37	4.47	18.84	≤23.98	PASS
		5610	NA	14.45	4.15	18.60	≤23.98	PASS


F.3 Maximum power spectral density

Test Result


TestMode	Antenna	Freq (MHz)	Raw Data [dBm/MHz]	DC Factor	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5500	4.42	2.14	6.56	≤11.00	PASS
		5580	4.52	2.60	7.12	≤11.00	PASS
		5700	2.57	2.60	5.17	≤11.00	PASS
11N20SISO	Ant1	5500	4.28	2.00	6.28	≤11.00	PASS
		5580	4.05	2.60	6.65	≤11.00	PASS
		5700	2.14	2.14	4.28	≤11.00	PASS
11N40SISO	Ant1	5510	0.76	2.73	3.49	≤11.00	PASS
		5550	1.02	3.59	4.61	≤11.00	PASS
		5670	-0.62	4.19	3.57	≤11.00	PASS
11AC20SISO	Ant1	5500	4.1	2.43	6.53	≤11.00	PASS
		5580	4.09	2.63	6.72	≤11.00	PASS
		5700	2.76	2.22	4.98	≤11.00	PASS
11AC40SISO	Ant1	5510	0.53	3.01	3.54	≤11.00	PASS
		5550	0.8	3.52	4.32	≤11.00	PASS
		5670	-0.75	3.27	2.52	≤11.00	PASS
11AC80SISO	Ant1	5530	-2.41	4.47	2.06	≤11.00	PASS
		5610	-2.85	4.15	1.30	≤11.00	PASS

Test Graphs







11N20SISO_Ant1_5500




11N20SISO_Ant1_5580




11N20SISO_Ant1_5700




11N40SISO_Ant1_5510




11N40SISO_Ant1_5550




11N40SISO_Ant1_5670




11AC20SISO_Ant1_5500




11AC20SISO_Ant1_5580




11AC20SISO_Ant1_5700




11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550



11AC40SISO_Ant1_5670





F.5 Frequency Stability

Test Result

Voltage								
TestMode	Antenna	Freq(M Hz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5500	NV	NT	-20000.00	-3.636364	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5580	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5700	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
11N20SI SO	Ant1	5500	NV	NT	-20000.00	-3.636364	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5580	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.584229	20	PASS
		5700	NV	NT	-20000.00	-3.508772	20	PASS
			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11N40SI SO	Ant1	5510	NV	NT	-40000.00	-7.259528	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5550	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.207207	20	PASS
		5670	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.054674	20	PASS
			HV	NT	-40000.00	-7.054674	20	PASS
11AC20S ISO	Ant1	5500	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5580	NV	NT	-20000.00	-3.584229	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.584229	20	PASS
		5700	NV	NT	0.00	0.000000	20	PASS

			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	-20000.00	-3.508772	20	PASS
11AC40S ISO	Ant1	5510	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
		5550	NV	NT	-40000.00	-7.207207	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5670	NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	-40000.00	-7.054674	20	PASS
			HV	NT	-40000.00	-7.054674	20	PASS
11AC80S ISO	Ant1	5530	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5610	NV	NT	-80000.00	-14.260250	20	PASS
			LV	NT	-80000.00	-14.260250	20	PASS
			HV	NT	-80000.00	-14.260250	20	PASS

Temperature								
TestMode	Antenna	Freq(M Hz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5500	NV	-30	-20000.00	-3.636364	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.636364	20	PASS
			NV	30	-20000.00	-3.636364	20	PASS
			NV	40	-20000.00	-3.636364	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5580	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.584229	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.584229	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5700	NV	-30	-20000.00	-3.508772	20	PASS
			NV	-20	0.00	0.000000	20	PASS

			NV	-10	-20000.00	-3.508772	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.508772	20	PASS
			NV	20	-20000.00	-3.508772	20	PASS
			NV	30	-60000.00	-10.526316	20	PASS
			NV	40	-20000.00	-3.508772	20	PASS
			NV	50	0.00	0.000000	20	PASS
11N20SI SO	Ant1	5500	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	20000.00	3.636364	20	PASS
			NV	10	-20000.00	-3.636364	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.636364	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5580	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.584229	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.584229	20	PASS
			NV	40	-20000.00	-3.584229	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5700	NV	-30	0.00	0.000000	20	PASS
			NV	-20	20000.00	3.508772	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.508772	20	PASS
			NV	10	20000.00	3.508772	20	PASS
			NV	20	-20000.00	-3.508772	20	PASS
			NV	30	-20000.00	-3.508772	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
11N40SI SO	Ant1	5510	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.259528	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS

			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5550	NV	-30	-40000.00	-7.207207	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.207207	20	PASS
			NV	30	-40000.00	-7.207207	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	40000.00	7.207207	20	PASS
		5670	NV	-30	-40000.00	-7.054674	20	PASS
			NV	-20	-80000.00	-14.109347	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.054674	20	PASS
			NV	10	-40000.00	-7.054674	20	PASS
			NV	20	-40000.00	-7.054674	20	PASS
			NV	30	-40000.00	-7.054674	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.054674	20	PASS
11AC20S ISO	Ant1	5500	NV	-30	20000.00	3.636364	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	20000.00	3.636364	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.636364	20	PASS
			NV	50	-20000.00	-3.636364	20	PASS
		5580	NV	-30	-20000.00	-3.584229	20	PASS
			NV	-20	-20000.00	-3.584229	20	PASS
			NV	-10	-20000.00	-3.584229	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	20000.00	3.584229	20	PASS
		5700	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.508772	20	PASS
			NV	-10	0.00	0.000000	20	PASS

			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.508772	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.508772	20	PASS
			NV	40	-20000.00	-3.508772	20	PASS
			NV	50	-20000.00	-3.508772	20	PASS
11AC40S ISO	Ant1	5510	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5550	NV	-30	40000.00	7.207207	20	PASS
			NV	-20	-40000.00	-7.207207	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.207207	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.207207	20	PASS
		5670	NV	-30	-40000.00	-7.054674	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-7.054674	20	PASS
			NV	40	-40000.00	-7.054674	20	PASS
			NV	50	-40000.00	-7.054674	20	PASS
11AC80S ISO	Ant1	5530	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	80000.00	14.466546	20	PASS
			NV	20	-80000.00	-14.466546	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-80000.00	-14.466546	20	PASS

			NV	50	0.00	0.000000	20	PASS
		5610	NV	-30	-80000.00	-14.260250	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-80000.00	-14.260250	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS

F.4 Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq (MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Gain [dBi]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant1	Low	5500	AV	5350.000	-56.62	≤-45.34	2.00	2.14	42.72	≤54	PASS
				AV	5459.390	-47.73	≤-45.34	2.00	2.14	51.61	≤54	PASS
				AV	5460.000	-48.07	≤-45.34	2.00	2.14	51.27	≤54	PASS
				Peak	5350.000	-46.65	≤-29.00	2.00	0.00	50.55	≤68.2	PASS
				Peak	5459.180	-34.39	≤-29.00	2.00	0.00	62.81	≤68.2	PASS
				Peak	5460.000	-36.88	≤-29.00	2.00	0.00	60.32	≤68.2	PASS
		High	5700	AV	5725.000	-52.33	≤-45.80	2.00	2.60	47.47	≤54	PASS
				AV	5728.380	-52.2	≤-45.80	2.00	2.60	47.60	≤54	PASS
				AV	5735.000	-57.9	≤-45.80	2.00	2.60	41.90	≤54	PASS
				Peak	5725.000	-39.66	≤-29.00	2.00	0.00	57.54	≤68.2	PASS
				Peak	5725.150	-35.58	≤-29.00	2.00	0.00	61.62	≤68.2	PASS
				Peak	5735.000	-47.08	≤-29.00	2.00	0.00	50.12	≤68.2	PASS
11N20SISO	Ant1	Low	5500	AV	5350.000	-56.04	≤-45.20	2.00	2.00	43.16	≤54	PASS
				AV	5459.390	-47.14	≤-45.20	2.00	2.00	52.06	≤54	PASS
				AV	5460.000	-47.29	≤-45.20	2.00	2.00	51.91	≤54	PASS
				Peak	5350.000	-47.88	≤-29.00	2.00	0.00	49.32	≤68.2	PASS
				Peak	5459.810	-35.97	≤-29.00	2.00	0.00	61.23	≤68.2	PASS
				Peak	5460.000	-36.51	≤-29.00	2.00	0.00	60.69	≤68.2	PASS
		High	5700	AV	5725.000	-58.59	≤-45.34	2.00	2.14	40.75	≤54	PASS
				AV	5727.430	-57.33	≤-45.34	2.00	2.14	42.01	≤54	PASS
				AV	5735.000	-63.58	≤-45.34	2.00	2.14	35.76	≤54	PASS
				Peak	5725.000	-40.58	≤-29.00	2.00	0.00	56.62	≤68.2	PASS
				Peak	5726.290	-39.71	≤-29.00	2.00	0.00	57.49	≤68.2	PASS
				Peak	5735.000	-48.21	≤-29.00	2.00	0.00	48.99	≤68.2	PASS
11N40SISO	Ant1	Low	5510	AV	5350.000	-60.39	≤-45.93	2.00	2.73	39.54	≤54	PASS
				AV	5458.180	-54.66	≤-45.93	2.00	2.73	45.27	≤54	PASS
				AV	5460.000	-56.69	≤-45.93	2.00	2.73	43.24	≤54	PASS
				Peak	5350.000	-52.64	≤-29.00	2.00	0.00	44.56	≤68.2	PASS
				Peak	5430.460	-40.03	≤-29.00	2.00	0.00	57.17	≤68.2	PASS
				Peak	5460.000	-47.21	≤-29.00	2.00	0.00	49.99	≤68.2	PASS
		High	5670	AV	5725.000	-58.75	≤-47.39	2.00	4.19	42.64	≤54	PASS
				AV	5727.740	-57.85	≤-47.39	2.00	4.19	43.54	≤54	PASS
				AV	5735.000	-59.35	≤-47.39	2.00	4.19	42.04	≤54	PASS
				Peak	5725.000	-49.86	≤-29.00	2.00	0.00	47.34	≤68.2	PASS

				Peak	5726.130	-46.83	≤-29.00	2.00	0.00	50.37	≤68.2	PASS
				Peak	5735.000	-50.18	≤-29.00	2.00	0.00	47.02	≤68.2	PASS
11AC20SISO	Ant1	Low	5500	AV	5350.000	-60.11	≤-45.63	2.00	2.43	39.52	≤54	PASS
				AV	5459.600	-56.99	≤-45.63	2.00	2.43	42.64	≤54	PASS
				AV	5460.000	-57.53	≤-45.63	2.00	2.43	42.10	≤54	PASS
				Peak	5350.000	-53.04	≤-29.00	2.00	0.00	44.16	≤68.2	PASS
				Peak	5420.330	-40.96	≤-29.00	2.00	0.00	56.24	≤68.2	PASS
				Peak	5460.000	-45.97	≤-29.00	2.00	0.00	51.23	≤68.2	PASS
		High	5700	AV	5725.000	-54.29	≤-45.42	2.00	2.22	45.13	≤54	PASS
				AV	5728.190	-51.6	≤-45.42	2.00	2.22	47.82	≤54	PASS
				AV	5735.000	-57.67	≤-45.42	2.00	2.22	41.75	≤54	PASS
				Peak	5725.000	-37.82	≤-29.00	2.00	0.00	59.38	≤68.2	PASS
				Peak	5726.670	-33.91	≤-29.00	2.00	0.00	63.29	≤68.2	PASS
				Peak	5735.000	-49.62	≤-29.00	2.00	0.00	47.58	≤68.2	PASS
11AC40SISO	Ant1	Low	5510	AV	5350.000	-60.23	≤-46.21	2.00	3.01	39.98	≤54	PASS
				AV	5458.400	-54.82	≤-46.21	2.00	3.01	45.39	≤54	PASS
				AV	5460.000	-56.26	≤-46.21	2.00	3.01	43.95	≤54	PASS
				Peak	5350.000	-51.87	≤-29.00	2.00	0.00	45.33	≤68.2	PASS
				Peak	5429.580	-40.36	≤-29.00	2.00	0.00	56.84	≤68.2	PASS
				Peak	5460.000	-45.5	≤-29.00	2.00	0.00	51.70	≤68.2	PASS
		High	5670	AV	5725.000	-59.12	≤-46.47	2.00	3.27	41.35	≤54	PASS
				AV	5727.400	-57.83	≤-46.47	2.00	3.27	42.64	≤54	PASS
				AV	5735.000	-60.63	≤-46.47	2.00	3.27	39.84	≤54	PASS
				Peak	5725.000	-49.42	≤-29.00	2.00	0.00	47.78	≤68.2	PASS
				Peak	5726.600	-48.5	≤-29.00	2.00	0.00	48.70	≤68.2	PASS
				Peak	5735.000	-52.15	≤-29.00	2.00	0.00	45.05	≤68.2	PASS
11AC80SISO	Ant1	Low	5530	AV	5350.000	-60.11	≤-47.67	2.00	4.47	41.56	≤54	PASS
				AV	5457.360	-50.17	≤-47.67	2.00	4.47	51.50	≤54	PASS
				AV	5460.000	-51.12	≤-47.67	2.00	4.47	50.55	≤54	PASS
				Peak	5350.000	-51.63	≤-29.00	2.00	0.00	45.57	≤68.2	PASS
				Peak	5450.640	-35.29	≤-29.00	2.00	0.00	61.91	≤68.2	PASS
				Peak	5460.000	-38.12	≤-29.00	2.00	0.00	59.08	≤68.2	PASS
		High	5610	AV	5725.000	-51.6	≤-47.35	2.00	4.15	49.75	≤54	PASS
				AV	5727.800	-50.02	≤-47.35	2.00	4.15	51.33	≤54	PASS
				AV	5735.000	-53.8	≤-47.35	2.00	4.15	47.55	≤54	PASS
				Peak	5725.000	-40.02	≤-29.00	2.00	0.00	57.18	≤68.2	PASS
				Peak	5728.000	-38.09	≤-29.00	2.00	0.00	59.11	≤68.2	PASS
				Peak	5735.000	-43.41	≤-29.00	2.00	0.00	53.79	≤68.2	PASS

Note:

1. The Antenna Gain is compensated in the graph.

Guangzhou LCS Compliance Testing Laboratory Ltd.

Add: No.44-1, Qianfeng North Road, Shiqi, Panyu District, Guangzhou, Guangdong, China

Tel: +(86) 020-39166689 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Test Graphs

