

ANNEX 1 TEST DATA


FCC ID: 2BVCW-CLASS2

Applicant:	Youchuangyi Health Technology (Shenzhen) Co., Ltd.
Address:	Room 503, Building A, Xichenglong Qiukou Industrial Park, beside National Highway 107, Longteng Community, Xixiang Street, Bao'an District, Shenzhen City, China
Manufacturer:	Youchuangyi Health Technology (Shenzhen) Co., Ltd.
Address:	Room 503, Building A, Xichenglong Qiukou Industrial Park, beside National Highway 107, Longteng Community, Xixiang Street, Bao'an District, Shenzhen City, China
Product Name:	Smart Glasses
Trade Mark:	N/A
Model Number:	Glory Glass2
Date of Receipt:	Jul. 20, 2026
Test Date:	Jul. 20, 2026 – Jul. 31, 2026
Date of Report:	Jul. 31, 2026
Prepared By:	Shenzhen DL Testing Technology Co., Ltd.
Address:	101-201, Comprehensive Building, Tongzhou Electronics Longgang Factory Area, No.1 Baolong Fifth Road, Baolong Community, Baolong Street, Longgang District, Shenzhen, China
Applicable Standards:	FCC PART 15 E 15.407 ANSI C63.10-2020+Cor. 1-2023+C63.10a-2024+Errata to C63.10a-2024 KDB 789033 D02 General U-NII Test Procedures New Rules v02r01
Test Result:	Pass
Report Number:	DLE-260720017R


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	77.27	1.12	5.88
NVNT	a	5785	Ant1	81.82	0.87	5.56
NVNT	a	5825	Ant1	77.27	1.12	5.88
NVNT	n20	5745	Ant1	97.01	0.13	0.77
NVNT	n20	5785	Ant1	97.01	0.13	0.77
NVNT	n20	5825	Ant1	97.01	0.13	0.77
NVNT	n40	5755	Ant1	94.2	0.26	1.54
NVNT	n40	5795	Ant1	94.2	0.26	1.54


Report



Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1




Duty Cycle NVNT a 5825MHz Ant1


Report



Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1

Report



Duty Cycle NVNT n40 5755MHz Ant1



Duty Cycle NVNT n40 5795MHz Ant1


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Conducted Power (dBm)	Limit Conducted(dBm)	Verdict
NVNT	a	5745	Ant1	5.91	1.12	7.03	30	Pass
NVNT	a	5785	Ant1	5.72	0.87	6.59	30	Pass
NVNT	a	5825	Ant1	6.19	1.12	7.31	30	Pass
NVNT	n20	5745	Ant1	6.37	0.13	6.5	30	Pass
NVNT	n20	5785	Ant1	6.13	0.13	6.26	30	Pass
NVNT	n20	5825	Ant1	6.52	0.13	6.65	30	Pass
NVNT	n40	5755	Ant1	4.07	0.26	4.33	30	Pass
NVNT	n40	5795	Ant1	4.71	0.26	4.98	30	Pass


-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	15.72	0.5	Pass
NVNT	a	5785	Ant1	15.69	0.5	Pass
NVNT	a	5825	Ant1	15.98	0.5	Pass
NVNT	n20	5745	Ant1	16.02	0.5	Pass
NVNT	n20	5785	Ant1	16.05	0.5	Pass
NVNT	n20	5825	Ant1	15.06	0.5	Pass
NVNT	n40	5755	Ant1	28.8	0.5	Pass
NVNT	n40	5795	Ant1	30.03	0.5	Pass


Report



-6dB Bandwidth NVNT a 5745MHz Ant1



-6dB Bandwidth NVNT a 5785MHz Ant1



-6dB Bandwidth NVNT a 5825MHz Ant1

Report



-6dB Bandwidth NVNT n20 5745MHz Ant1




-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1

Report



-6dB Bandwidth NVNT n40 5755MHz Ant1



-6dB Bandwidth NVNT n40 5795MHz Ant1


Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.382
NVNT	a	5785	Ant1	16.385
NVNT	a	5825	Ant1	16.402
NVNT	n20	5745	Ant1	17.547
NVNT	n20	5785	Ant1	17.636
NVNT	n20	5825	Ant1	17.625
NVNT	n40	5755	Ant1	35.643
NVNT	n40	5795	Ant1	35.677


Report



OBW NVNT a 5745MHz Ant1




OBW NVNT a 5785MHz Ant1




OBW NVNT a 5825MHz Ant1


Report



OBW NVNT n20 5745MHz Ant1




OBW NVNT n20 5785MHz Ant1




OBW NVNT n20 5825MHz Ant1

Report



OBW NVNT n40 5755MHz Ant1




OBW NVNT n40 5795MHz Ant1


Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total Conducted PSD (dBm)	Limit Conducted(dBm)	Verdict
NVNT	a	5745	Ant1	-6.43	1.12	-5.31	30	Pass
NVNT	a	5785	Ant1	-6.45	0.87	-5.58	30	Pass
NVNT	a	5825	Ant1	-6	1.12	-4.88	30	Pass
NVNT	n20	5745	Ant1	-6.03	0.13	-5.9	30	Pass
NVNT	n20	5785	Ant1	-6.69	0.13	-6.56	30	Pass
NVNT	n20	5825	Ant1	-5.75	0.13	-5.62	30	Pass
NVNT	n40	5755	Ant1	-10.46	0.26	-10.2	30	Pass
NVNT	n40	5795	Ant1	-10.16	0.26	-9.9	30	Pass


Report



PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1




PSD NVNT a 5825MHz Ant1


Report



PSD NVNT n20 5745MHz Ant1




PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1

Report




PSD NVNT n40 5755MHz Ant1




PSD NVNT n40 5795MHz Ant1

Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Verdict
NVNT	a	5745	Ant1	-39.86	Pass
NVNT	a	5825	Ant1	-39.85	Pass
NVNT	n20	5745	Ant1	-41.14	Pass
NVNT	n20	5825	Ant1	-39.59	Pass
NVNT	n40	5755	Ant1	-41.02	Pass
NVNT	n40	5795	Ant1	-40.54	Pass




Band Edge NVNT a 5745MHz Low Ant1




Band Edge NVNT a 5825MHz High Ant1




Band Edge NVNT n20 5745MHz Low Ant1



Band Edge NVNT n20 5825MHz High Ant1



Band Edge NVNT n40 5755MHz Low Ant1



Band Edge NVNT n40 5795MHz High Ant1