


Report No.: NCT260051181E1-4
FCC ID:2BVCX-M8800US9
FCC_5.8G_WIFI (Part15.407) Test Data

Table of Contents

1. -6dB Emission Bandwidth	2
2. 99% Emission Bandwidth	13
3. Duty Cycle	24
4. Maximum Conducted Output Power	35
5. Power Spectral Density	36
6. Bandedge	47
7. Spurious Emission	57
8. Frequency Stability	68

1. -6dB Emission Bandwidth

Condition	Antenna	Mode	Frequency(MHz)	-6dB Emission Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	16.403	0.500	Pass
NVNT	ANT1	802.11a	5785.00	16.377	0.500	Pass
NVNT	ANT1	802.11a	5825.00	16.378	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	17.651	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	17.383	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	17.609	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	17.617	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	17.674	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	17.598	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	19.017	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	18.935	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	18.954	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	36.541	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	36.370	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	36.393	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	35.771	0.500	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	37.937	0.500	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	37.943	0.500	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	73.004	0.500	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	76.702	0.500	Pass




-6dB Emission Bandwidth NVNT ANT1 802.11a 5785 20M



-6dB Emission Bandwidth NVNT ANT1 802 11a 5825 20M



-6dB Emission Bandwidth NVNT ANT1 802 11n(HT20) 5745 20M



-6dB Emission Bandwidth NVNT ANT1 802_11n(HT20) 5785 20M



-6dB Emission Bandwidth NVNT ANT1 802_11n(HT20) 5825 20M



-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT20)_5745_20M



-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT20)_5785_20M



-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT20)_5825_20M



-6dB Emission Bandwidth NVNT_ANT1_802_11ax(HE20)_5745_20M



-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE20)_5785_20M



-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE20)_5825_20M



-6dB Emission Bandwidth NVNT ANT1 802_11n(HT40) 5755 40M



-6dB Emission Bandwidth NVNT ANT1 802_11n(HT40) 5795 40M



-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT40)_5755_40M



-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT40)_5795_40M



-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE40)_5755_40M



-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE40)_5795_40M



-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT80)_5775_80M



-6dB Emission Bandwidth NVNT_ANT1_802_11ax(HE80)_5775_80M



2. 99% Emission Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.755
NVNT	a	5785	Ant1	16.723
NVNT	a	5825	Ant1	16.701
NVNT	n20	5745	Ant1	17.914
NVNT	n20	5785	Ant1	17.912
NVNT	n20	5825	Ant1	17.905
NVNT	n40	5755	Ant1	36.485
NVNT	n40	5795	Ant1	36.455
NVNT	ac20	5745	Ant1	17.955
NVNT	ac20	5785	Ant1	17.919
NVNT	ac20	5825	Ant1	17.947
NVNT	ac40	5755	Ant1	36.57
NVNT	ac40	5795	Ant1	36.588
NVNT	ac80	5775	Ant1	76.077
NVNT	ax20	5745	Ant1	19.093
NVNT	ax20	5785	Ant1	19.141
NVNT	ax20	5825	Ant1	19.124
NVNT	ax40	5755	Ant1	38.009
NVNT	ax40	5795	Ant1	37.973
NVNT	ax80	5775	Ant1	77.638



OBW NVNT a 5745MHz Ant1



OBW NVNT a 5785MHz Ant1



OBW NVNT a 5825MHz Ant1



OBW NVNT n20 5745MHz Ant1



OBW NVNT n20 5785MHz Ant1



OBW NVNT n20 5825MHz Ant1



OBW NVNT n40 5755MHz Ant1



OBW NVNT n40 5795MHz Ant1



OBW NVNT ac20 5745MHz Ant1



OBW NVNT ac20 5785MHz Ant1



OBW NVNT ac20 5825MHz Ant1



OBW NVNT ac40 5755MHz Ant1



OBW NVNT ac40 5795MHz Ant1



OBW NVNT ac80 5775MHz Ant1



OBW NVNT ax20 5745MHz Ant1



OBW NVNT ax20 5785MHz Ant1



OBW NVNT ax20 5825MHz Ant1



OBW NVNT ax40 5755MHz Ant1




OBW NVNT ax40 5795MHz Ant1




OBW NVNT ax80 5775MHz Ant1

3. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	72.92	1.37
NVNT	ANT1	802.11a	5785.00	72.92	1.37
NVNT	ANT1	802.11a	5825.00	72.92	1.37
NVNT	ANT1	802.11n(HT20)	5745.00	71.43	1.46
NVNT	ANT1	802.11n(HT20)	5785.00	71.43	1.46
NVNT	ANT1	802.11n(HT20)	5825.00	71.43	1.46
NVNT	ANT1	802.11ac(VHT20)	5745.00	83.23	0.80
NVNT	ANT1	802.11ac(VHT20)	5785.00	82.58	0.83
NVNT	ANT1	802.11ac(VHT20)	5825.00	83.23	0.80
NVNT	ANT1	802.11ax(HE20)	5745.00	88.18	0.55
NVNT	ANT1	802.11ax(HE20)	5785.00	88.18	0.55
NVNT	ANT1	802.11ax(HE20)	5825.00	88.13	0.55
NVNT	ANT1	802.11n(HT40)	5755.00	88.58	0.53
NVNT	ANT1	802.11n(HT40)	5795.00	88.13	0.55
NVNT	ANT1	802.11ac(VHT40)	5755.00	82.67	0.83
NVNT	ANT1	802.11ac(VHT40)	5795.00	82.67	0.83
NVNT	ANT1	802.11ax(HE40)	5755.00	88.18	0.55
NVNT	ANT1	802.11ax(HE40)	5795.00	88.13	0.55
NVNT	ANT1	802.11ac(VHT80)	5775.00	89.68	0.47
NVNT	ANT1	802.11ax(HE80)	5775.00	78.33	1.06




Duty Cycle NVNT ANT1 802 11a 5785




Duty_Cycle_NVNT_ANT1_802_11a_5825




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5745




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5785




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5825



Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5745




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5785



Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5825



Duty_Cycle_NVNT_ANT1_802_11ax(HE20)_5745




Duty Cycle_NVNT_ANT1_802_11ax(HE20)_5785




Duty Cycle_NVNT_ANT1_802_11ax(HE20)_5825




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5755




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5795




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5755




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5795




Duty Cycle_NVNT_ANT1_802_11ax(HE40)_5755




Duty Cycle_NVNT_ANT1_802_11ax(HE40)_5795



Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5775



Duty_Cycle_NVNT_ANT1_802_11ax(HE80)_5775




4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	8.26	1.37	9.63	30	Pass
NVNT	ANT1	802.11a	5785.00	7.64	1.37	9.01	30	Pass
NVNT	ANT1	802.11a	5825.00	6.19	1.37	7.56	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	8.14	1.46	9.60	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	5.75	1.46	7.21	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	6.44	1.46	7.90	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	8.69	0.80	9.49	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	6.09	0.83	6.92	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	6.59	0.80	7.39	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	8.74	0.55	9.29	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	6.20	0.55	6.75	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	6.72	0.55	7.27	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	6.79	0.53	7.32	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	4.41	0.55	4.96	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	8.26	0.83	9.09	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	5.43	0.83	6.26	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	8.45	0.55	9.00	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	5.40	0.55	5.95	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	7.16	0.47	7.63	30	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	6.21	1.06	7.27	30	Pass

5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA(dBm/RBW)	limit(dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-20.05	30	Pass
NVNT	ANT1	802.11a	5785.00	-21.52	30	Pass
NVNT	ANT1	802.11a	5825.00	-20.87	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-21.18	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-23.50	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-22.41	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-16.50	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-17.52	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-17.10	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	-13.49	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	-14.23	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	-14.41	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-18.67	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-21.33	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-19.86	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-20.06	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	-16.51	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	-16.81	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	-19.67	30	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	-25.01	30	Pass



Power_Spectral_Density_NVNT_ANT1_802_11a_5785



Power_Spectral_Density_NVNT_ANT1_802_11a_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5745



Power Spectral Density_NVNT_ANT1_802_11ax(HE20)_5785



Power Spectral Density_NVNT_ANT1_802_11ax(HE20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5795




Power Spectral Density_NVNT_ANT1_802_11ax(HE40)_5755



Power Spectral Density_NVNT_ANT1_802_11ax(HE40)_5795



Power Spectral Density NVNT_ANT1_802_11ax(HE80)_5775




6. Bandedge


Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5600.280	-46.45	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5675.835	-47.41	-9.87	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5715.320	-40.50	14.29	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5721.375	-37.45	18.73	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5851.380	-32.74	23.85	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5855.780	-36.19	15.38	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5883.910	-43.93	2.67	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5997.860	-42.44	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5589.390	-47.06	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5656.485	-47.40	-25.78	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5719.520	-38.71	15.47	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5722.680	-35.96	21.71	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5852.200	-34.30	21.98	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5855.940	-36.86	15.34	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5900.695	-45.54	-11.13	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5931.475	-43.18	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5580.750	-46.65	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5656.305	-46.86	-25.93	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5716.500	-39.49	14.62	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5720.640	-35.19	17.06	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5852.550	-32.72	21.19	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5858.200	-35.74	14.70	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5881.480	-42.54	4.67	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	6003.130	-42.77	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5565-5655	5590.470	-46.59	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5655-5700	5690.280	-46.74	2.01	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5700-5720	5718.800	-37.38	15.26	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5720-5725	5723.285	-34.68	23.09	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5850-5855	5852.640	-32.42	20.98	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5855-5875	5863.940	-35.73	13.10	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5875-5920	5883.505	-42.38	3.01	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5920-6005	5948.645	-42.09	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5650.560	-44.35	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5679.390	-37.58	-6.95	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5715.040	-27.29	14.21	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5721.970	-24.17	20.09	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5854.505	-36.41	16.73	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5859.460	-35.47	14.35	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5877.790	-41.03	7.71	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5937.395	-42.49	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5612.520	-47.08	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5696.490	-45.06	7.11	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5713.280	-38.23	13.72	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5722.765	-34.47	21.90	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5852.805	-43.75	20.60	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5865.180	-45.38	12.75	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5917.390	-47.23	-24.85	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5949.225	-43.26	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5595-5655	5618.160	-46.93	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5655-5700	5697.030	-42.16	7.56	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5700-5720	5715.140	-32.95	14.24	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5720-5725	5721.575	-31.85	19.19	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5850-5855	5852.705	-41.37	20.83	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5855-5875	5858.960	-42.34	14.49	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5875-5920	5918.650	-47.34	-25.89	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5920-5955	5937.150	-42.73	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5650-5655	5654.585	-45.30	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5655-5700	5681.100	-38.15	-5.54	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5700-5720	5704.040	-37.23	11.13	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5720-5725	5721.250	-35.37	18.45	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5850-5855	5853.345	-38.91	19.37	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5855-5875	5869.660	-39.89	11.50	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5875-5920	5880.940	-44.74	5.12	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5920-5925	5924.135	-41.44	-27.00	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5650-5655	5652.235	-46.50	-27.00	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5655-5700	5682.000	-37.84	-4.80	Pass

NVNT	ANT1	802.11ax(HE80)	MCH	5700-5720	5701.780	-37.19	10.50	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5720-5725	5720.350	-37.51	16.40	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5850-5855	5854.690	-40.56	16.31	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5855-5875	5865.240	-40.85	12.73	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5875-5920	5880.040	-44.77	5.86	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5920-5925	5921.985	-44.07	-27.00	Pass


Bandedge_NVNT_ANT1_802_11a_5745



Bandedge_NVNT_ANT1_802_11a_5825




Bandedge_NVNT_ANT1_802_11n(HT20)_5745



Bandedge_NVNT_ANT1_802_11n(HT20)_5825




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5825




Bandedge_NVNT_ANT1_802_11ax(HE20)_5745



Bandedge_NVNT_ANT1_802_11ax(HE20)_5825




Bandedge_NVNT_ANT1_802_11n(HT40)_5755



Bandedge_NVNT_ANT1_802_11n(HT40)_5795



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5795



Bandedge_NVNT_ANT1_802_11ax(HE40)_5755



Bandedge_NVNT_ANT1_802_11ax(HE40)_5795



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_low



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_up



Bandedge_NVNT_ANT1_802_11ax(HE80)_5775_low




Bandedge_NVNT_ANT1_802_11ax(HE80)_5775_up



7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	25022.97	-38.67	-27	Pass
NVNT	ANT1	802.11a	5785.00	24988.56	-39.66	-27	Pass
NVNT	ANT1	802.11a	5825.00	25030.92	-39.16	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	4596.07	-39.16	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	25541.79	-38.87	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	25046.80	-39.59	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	24977.97	-39.52	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	24938.27	-39.59	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	25070.62	-39.32	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	24988.56	-39.61	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	25613.26	-39.32	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	25491.49	-39.62	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	25030.92	-39.62	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	25091.80	-39.89	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	24975.33	-38.82	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	25020.33	-38.07	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	25750.90	-39.16	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	25022.97	-39.04	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	24874.74	-39.85	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	25708.55	-40.41	-27	Pass

Spurious_Emission_NVNT_ANT1_802_11a_5745




Spurious_Emission_NVNT_ANT1_802_11a_5785



Spurious_Emission_NVNT_ANT1_802_11a_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5825




Spurious Emission_NVNT_ANT1_802_11ac(VHT20)_5745




Spurious Emission_NVNT_ANT1_802_11ac(VHT20)_5785




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5825



Spurious Emission NVNT_ANT1_802_11ax(HE20)_5745




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5785




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5755




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5795




Spurious Emission NVNT_ANT1_802_11ac(VHT40)_5755




Spurious Emission NVNT_ANT1_802_11ac(VHT40)_5795




Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5755




Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5795



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5775



Spurious_Emission_NVNT_ANT1_802_11ax(HE80)_5775



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5745.00	5744.936	5735.612	5754.260	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11a	5745.00	5744.910	5736.352	5753.468	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11a	5745.00	5744.952	5736.596	5753.308	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5745.00	5744.968	5736.744	5753.192	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11a	5745.00	5744.976	5736.820	5753.132	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11a	5745.00	5744.978	5736.884	5753.072	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11a	5745.00	5744.976	5736.940	5753.012	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11a	5745.00	5744.978	5736.992	5752.964	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5745.00	5744.968	5737.036	5752.900	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5745.00	5744.968	5737.072	5752.864	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5745.00	5744.970	5737.112	5752.828	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11a	5785.00	5784.580	5774.320	5794.840	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11a	5785.00	5784.654	5775.780	5793.528	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11a	5785.00	5784.866	5776.428	5793.304	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5785.00	5784.876	5776.572	5793.180	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11a	5785.00	5784.898	5776.692	5793.104	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11a	5785.00	5784.902	5776.768	5793.036	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11a	5785.00	5784.888	5776.824	5792.952	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11a	5785.00	5784.884	5776.868	5792.900	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5785.00	5784.890	5776.924	5792.856	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5785.00	5784.866	5776.964	5792.768	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5785.00	5784.880	5777.008	5792.752	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11a	5825.00	5824.584	5812.648	5836.520	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11a	5825.00	5824.690	5815.264	5834.116	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11a	5825.00	5824.846	5816.212	5833.480	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5825.00	5824.926	5816.536	5833.316	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11a	5825.00	5824.932	5816.688	5833.176	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11a	5825.00	5824.936	5816.788	5833.084	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11a	5825.00	5824.952	5816.864	5833.040	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11a	5825.00	5824.950	5816.916	5832.984	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5825.00	5824.940	5816.972	5832.908	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5825.00	5824.952	5817.016	5832.888	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5825.00	5824.948	5817.060	5832.836	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.950	5735.156	5754.744	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.968	5735.824	5754.112	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.968	5736.016	5753.920	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.960	5736.132	5753.788	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.966	5736.208	5753.724	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.962	5736.268	5753.656	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.970	5736.328	5753.612	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.966	5736.388	5753.544	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5745.00	5744.966	5736.436	5753.496	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.966	5736.480	5753.452	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5745.00	5744.944	5736.528	5753.360	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.822	5774.980	5794.664	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.846	5775.672	5794.020	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.904	5775.956	5793.852	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.904	5776.072	5793.736	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.910	5776.164	5793.656	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.908	5776.216	5793.600	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.900	5776.272	5793.528	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.888	5776.308	5793.468	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5785.00	5784.872	5776.356	5793.388	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.872	5776.396	5793.348	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5785.00	5784.864	5776.440	5793.288	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.930	5815.216	5834.644	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.924	5815.800	5834.048	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.956	5816.036	5833.876	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.960	5816.148	5833.772	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.962	5816.220	5833.704	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.944	5816.272	5833.616	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.940	5816.320	5833.560	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.934	5816.368	5833.500	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5825.00	5824.942	5816.424	5833.460	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.946	5816.464	5833.428	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5825.00	5824.940	5816.520	5833.360	5725~5850	Pass

55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.994	5735.152	5754.836	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.982	5735.816	5754.148	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.986	5736.032	5753.940	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.000	5736.156	5753.844	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.980	5736.236	5753.724	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.976	5736.296	5753.656	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.982	5736.356	5753.608	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.986	5736.400	5753.572	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5745.00	5744.982	5736.452	5753.512	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.966	5736.492	5753.440	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5745.00	5744.974	5736.536	5753.412	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.924	5774.868	5794.980	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.852	5775.620	5794.084	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.904	5775.932	5793.876	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.888	5776.032	5793.744	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.918	5776.148	5793.688	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.910	5776.204	5793.616	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.920	5776.264	5793.576	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.910	5776.312	5793.508	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5785.00	5784.906	5776.352	5793.460	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.878	5776.392	5793.364	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5785.00	5784.880	5776.432	5793.328	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.584	5813.164	5836.004	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.812	5815.264	5834.360	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.922	5815.836	5834.008	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.950	5816.020	5833.880	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.958	5816.140	5833.776	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.954	5816.220	5833.688	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.950	5816.284	5833.616	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.946	5816.340	5833.552	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5825.00	5824.952	5816.400	5833.504	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.944	5816.444	5833.444	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5825.00	5824.954	5816.492	5833.416	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.974	5735.000	5754.948	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.976	5735.316	5754.636	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.966	5735.440	5754.492	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.968	5735.512	5754.424	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.942	5735.572	5754.312	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.960	5735.616	5754.304	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.976	5735.660	5754.292	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.966	5735.704	5754.228	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5745.00	5744.966	5735.752	5754.180	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.972	5735.800	5754.144	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5745.00	5744.946	5735.848	5754.044	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.938	5774.904	5794.972	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.912	5775.276	5794.548	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.946	5775.412	5794.480	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.930	5775.476	5794.384	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.934	5775.544	5794.324	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.914	5775.580	5794.248	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.930	5775.620	5794.240	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.866	5775.652	5794.080	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5785.00	5784.900	5775.696	5794.104	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.846	5775.732	5793.960	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5785.00	5784.852	5775.780	5793.924	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.562	5813.744	5835.380	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.956	5815.236	5834.676	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.960	5815.388	5834.532	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.954	5815.456	5834.452	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.976	5815.540	5834.412	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.972	5815.588	5834.356	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.968	5815.656	5834.280	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.976	5815.712	5834.240	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5825.00	5824.976	5815.772	5834.180	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.964	5815.816	5834.112	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5825.00	5824.958	5815.864	5834.052	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.008	5734.696	5775.320	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.980	5736.608	5773.352	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.016	5736.856	5773.176	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.032	5736.992	5773.072	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.016	5737.112	5772.920	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.972	5737.184	5772.760	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.988	5737.256	5772.720	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.924	5737.312	5772.536	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5755.00	5754.976	5737.416	5772.536	5725~5850	Pass

25degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.904	5737.488	5772.320	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5755.00	5754.924	5737.552	5772.296	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5793.368	5767.656	5819.080	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5793.180	5773.048	5813.312	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.828	5776.408	5812.248	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.864	5776.696	5813.032	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.840	5776.848	5812.832	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.884	5776.936	5812.832	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.832	5777.024	5812.640	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.788	5777.088	5812.488	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5795.00	5794.800	5777.168	5812.432	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.784	5777.224	5812.344	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5795.00	5794.728	5777.304	5812.152	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.944	5736.280	5773.608	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.964	5736.688	5773.240	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.976	5736.872	5773.080	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.980	5737.000	5772.960	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.968	5737.112	5772.824	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.952	5737.200	5772.704	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.968	5737.296	5772.640	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.964	5737.384	5772.544	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5755.00	5754.944	5737.480	5772.408	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.952	5737.560	5772.344	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5755.00	5754.920	5737.640	5772.200	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.864	5776.112	5813.616	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.856	5776.592	5813.120	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.924	5776.816	5813.032	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.860	5776.896	5812.824	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.844	5776.992	5812.696	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.820	5777.056	5812.584	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.816	5777.160	5812.472	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.812	5777.224	5812.400	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5795.00	5794.780	5777.320	5812.240	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.708	5777.376	5812.040	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5795.00	5794.688	5777.448	5811.928	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.036	5735.864	5774.208	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.012	5736.032	5773.992	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.008	5736.144	5773.872	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5754.980	5736.232	5773.728	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5754.940	5736.344	5773.536	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.020	5736.448	5773.592	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5754.984	5736.568	5773.400	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.016	5736.640	5773.392	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5755.00	5754.956	5736.744	5773.168	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.000	5736.832	5773.168	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5755.00	5755.004	5736.944	5773.064	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.980	5775.688	5814.272	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.928	5775.904	5813.952	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.932	5776.024	5813.840	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.904	5776.080	5813.728	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.852	5776.184	5813.520	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.844	5776.256	5813.432	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.792	5776.328	5813.256	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.764	5776.360	5813.168	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5795.00	5794.712	5776.424	5813.000	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.680	5776.464	5812.896	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5795.00	5794.608	5776.528	5812.688	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.048	5736.840	5813.256	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.856	5736.972	5812.740	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.838	5737.212	5812.464	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.634	5737.332	5811.936	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.658	5737.536	5811.780	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.496	5737.644	5811.348	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.430	5737.812	5811.048	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.190	5737.896	5810.484	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5775.00	5774.166	5738.100	5810.232	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5773.986	5738.220	5809.752	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5775.00	5773.980	5738.400	5809.560	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5774.982	5735.976	5813.988	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5774.850	5736.180	5813.520	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5774.784	5736.348	5813.220	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5774.664	5736.456	5812.872	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5774.598	5736.660	5812.536	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5774.436	5736.792	5812.080	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5774.460	5736.948	5811.972	5725~5850	Pass

-15degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5774.250	5737.056	5811.444	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE80)	5775.00	5774.208	5737.272	5811.144	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE80)	5775.00	5773.998	5737.392	5810.604	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE80)	5775.00	5773.974	5737.620	5810.328	5725~5850	Pass