


TEST REPORT

Report No.: MTI260320019-0102E4

11AC20SISO_Ant1_5745




11AC20SISO_Ant2_5745




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4



TEST REPORT

Report No.: MTI260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4

Appendix B: Duty Cycle

Test Result

Test Mode	Antenna	Frequency [MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A	Ant1	5180	2.09	2.11	99.05
	Ant2	5180	2.10	2.12	99.06
	Ant1	5200	2.09	2.11	99.05
	Ant2	5200	2.10	2.11	99.53
	Ant1	5240	2.09	2.11	99.05
	Ant2	5240	2.10	2.11	99.53
	Ant1	5745	2.10	2.12	99.06
	Ant2	5745	2.10	2.11	99.53
	Ant1	5785	2.10	2.12	99.06
	Ant2	5785	2.10	2.12	99.06
	Ant1	5825	2.10	2.12	99.06
	Ant2	5825	2.09	2.11	99.05
11N20SISO	Ant1	5180	2.09	2.11	99.05
	Ant2	5180	5.40	5.42	99.63
	Ant1	5200	2.09	2.11	99.05
	Ant2	5200	5.40	5.41	99.82
	Ant1	5240	2.10	2.12	99.06
	Ant2	5240	5.40	5.41	99.82
	Ant1	5745	5.39	5.41	99.63
	Ant2	5745	5.39	5.41	99.63
	Ant1	5785	5.39	5.41	99.63
	Ant2	5785	5.40	5.42	99.63
	Ant1	5825	5.39	5.41	99.63
	Ant2	5825	5.40	5.42	99.63
11N40SISO	Ant1	5190	5.20	5.22	99.62
	Ant2	5190	5.20	5.22	99.62
	Ant1	5230	5.20	5.21	99.81
	Ant2	5230	5.20	5.22	99.62
	Ant1	5755	5.19	5.21	99.62
	Ant2	5755	5.19	5.21	99.62
	Ant1	5795	5.20	5.22	99.62
	Ant2	5795	5.20	5.21	99.81
11AC20SISO	Ant1	5180	5.40	5.41	99.82
	Ant2	5180	5.39	5.41	99.63
	Ant1	5200	5.40	5.41	99.82
	Ant2	5200	5.40	5.42	99.63
	Ant1	5240	5.40	5.42	99.63
	Ant2	5240	5.39	5.41	99.63
	Ant1	5745	5.39	5.41	99.63
	Ant2	5745	5.40	5.42	99.63
	Ant1	5785	5.40	5.42	99.63
	Ant2	5785	5.40	5.41	99.82
	Ant1	5825	5.40	5.42	99.63
	Ant2	5825	5.39	5.41	99.63
11AC40SISO	Ant1	5190	5.20	5.22	99.62
	Ant2	5190	5.20	5.22	99.62
	Ant1	5230	5.20	5.22	99.62
	Ant2	5230	5.20	5.22	99.62
	Ant1	5755	5.20	5.21	99.81
	Ant2	5755	5.20	5.22	99.62
	Ant1	5795	5.20	5.21	99.81
	Ant2	5795	5.20	5.22	99.62
11AC80SISO	Ant1	5210	2.70	2.72	99.26
	Ant2	5210	2.70	2.72	99.26

TEST REPORT


Report No.: MTi260320019-0102E4

	Ant1	5775	2.70	2.72	99.26
	Ant2	5775	2.70	2.71	99.63
11AX20SISO	Ant1	5180	5.41	5.43	99.63
	Ant2	5180	5.42	5.44	99.63
	Ant1	5200	5.42	5.44	99.63
	Ant2	5200	5.42	5.44	99.63
	Ant1	5240	5.42	5.44	99.63
	Ant2	5240	5.42	5.44	99.63
	Ant1	5745	5.41	5.43	99.63
	Ant2	5745	5.42	5.44	99.63
	Ant1	5785	5.42	5.44	99.63
	Ant2	5785	5.42	5.44	99.63
	Ant1	5825	5.42	5.44	99.63
	Ant2	5825	5.42	5.44	99.63
11AX40SISO	Ant1	5190	4.10	4.12	99.51
	Ant2	5190	4.11	4.12	99.76
	Ant1	5230	4.11	4.12	99.76
	Ant2	5230	4.11	4.12	99.76
	Ant1	5755	4.10	4.12	99.51
	Ant2	5755	4.10	4.12	99.51
	Ant1	5795	4.10	4.12	99.51
	Ant2	5795	4.10	4.12	99.51
11AX80SISO	Ant1	5210	2.21	2.23	99.10
	Ant2	5210	2.22	2.24	99.11
	Ant1	5775	2.21	2.23	99.10
	Ant2	5775	2.22	2.23	99.55

TEST REPORT


Report No.: MTi260320019-0102E4

Test Graphs




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4



TEST REPORT

Report No.: MTI260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4

Appendix C: Maximum conducted output power

Test Result Channel Power

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	EIRP [dBm]	Verdict
11A	Ant1	5180	10.61	99.05	0.04	10.65	≤23.98	15.21	PASS
	Ant2	5180	10.61	99.06	0.04	10.65	≤23.98	14.11	PASS
	Ant1	5200	10.83	99.05	0.04	10.87	≤23.98	15.43	PASS
	Ant2	5200	11.47	99.53	0.02	11.49	≤23.98	14.95	PASS
	Ant1	5240	10.97	99.05	0.04	11.01	≤23.98	15.57	PASS
	Ant2	5240	11.25	99.53	0.02	11.27	≤23.98	14.73	PASS
	Ant1	5745	9.14	99.06	0.04	9.18	≤30.00	13.74	PASS
	Ant2	5745	10.44	99.53	0.02	10.46	≤30.00	13.92	PASS
	Ant1	5785	8.98	99.06	0.04	9.02	≤30.00	13.58	PASS
	Ant2	5785	8.95	99.06	0.04	8.99	≤30.00	12.45	PASS
	Ant1	5825	8.92	99.06	0.04	8.96	≤30.00	13.52	PASS
	Ant2	5825	9.67	99.05	0.04	9.71	≤30.00	13.17	PASS
11N20SISO	Ant1	5180	10.68	99.05	0.04	10.72	≤23.98	15.28	PASS
	Ant2	5180	10.32	99.63	0.02	10.34	≤23.98	13.80	PASS
	Ant1	5200	10.86	99.05	0.04	10.90	≤23.98	15.46	PASS
	Ant2	5200	11.17	99.82	0.01	11.18	≤23.98	14.64	PASS
	Ant1	5240	11.01	99.06	0.04	11.05	≤23.98	15.61	PASS
	Ant2	5240	10.93	99.82	0.01	10.94	≤23.98	14.40	PASS
	Ant1	5745	8.84	99.63	0.02	8.86	≤30.00	13.42	PASS
	Ant2	5745	10.11	99.63	0.02	10.13	≤30.00	13.59	PASS
	Ant1	5785	8.66	99.63	0.02	8.68	≤30.00	13.24	PASS
	Ant2	5785	8.63	99.63	0.02	8.65	≤30.00	12.11	PASS
	Ant1	5825	8.60	99.63	0.02	8.62	≤30.00	13.18	PASS
	Ant2	5825	9.35	99.63	0.02	9.37	≤30.00	12.83	PASS
11N40SISO	Ant1	5190	11.35	99.62	0.02	11.37	≤23.98	15.93	PASS
	Ant2	5190	12.10	99.62	0.02	12.12	≤23.98	15.58	PASS
	Ant1	5230	12.10	99.81	0.01	12.11	≤23.98	16.67	PASS
	Ant2	5230	12.40	99.62	0.02	12.42	≤23.98	15.88	PASS
	Ant1	5755	9.83	99.62	0.02	9.85	≤30.00	14.41	PASS
	Ant2	5755	11.30	99.62	0.02	11.32	≤30.00	14.78	PASS
	Ant1	5795	10.27	99.62	0.02	10.29	≤30.00	14.85	PASS
	Ant2	5795	10.29	99.81	0.01	10.30	≤30.00	13.76	PASS
11AC20SISO	Ant1	5180	10.39	99.82	0.01	10.40	≤23.98	14.96	PASS
	Ant2	5180	10.26	99.63	0.02	10.28	≤23.98	13.74	PASS
	Ant1	5200	10.54	99.82	0.01	10.55	≤23.98	15.11	PASS
	Ant2	5200	11.13	99.63	0.02	11.15	≤23.98	14.61	PASS
	Ant1	5240	10.70	99.63	0.02	10.72	≤23.98	15.28	PASS
	Ant2	5240	10.94	99.63	0.02	10.96	≤23.98	14.42	PASS
	Ant1	5745	8.84	99.63	0.02	8.86	≤30.00	13.42	PASS
	Ant2	5745	10.13	99.63	0.02	10.15	≤30.00	13.61	PASS
	Ant1	5785	8.66	99.63	0.02	8.68	≤30.00	13.24	PASS
	Ant2	5785	8.61	99.82	0.01	8.62	≤30.00	12.08	PASS
	Ant1	5825	8.58	99.63	0.02	8.60	≤30.00	13.16	PASS
	Ant2	5825	9.30	99.63	0.02	9.32	≤30.00	12.78	PASS
11AC40SISO	Ant1	5190	11.35	99.62	0.02	11.37	≤23.98	15.93	PASS
	Ant2	5190	12.09	99.62	0.02	12.11	≤23.98	15.57	PASS
	Ant1	5230	12.10	99.62	0.02	12.12	≤23.98	16.68	PASS
	Ant2	5230	12.40	99.62	0.02	12.42	≤23.98	15.88	PASS
	Ant1	5755	9.84	99.81	0.01	9.85	≤30.00	14.41	PASS
	Ant2	5755	11.32	99.62	0.02	11.34	≤30.00	14.80	PASS
	Ant1	5795	10.27	99.81	0.01	10.28	≤30.00	14.84	PASS
	Ant2	5795	10.26	99.62	0.02	10.28	≤30.00	13.74	PASS
11AC80SISO	Ant1	5210	11.84	99.26	0.03	11.87	≤23.98	16.43	PASS
	Ant2	5210	12.14	99.26	0.03	12.17	≤23.98	15.63	PASS

TEST REPORT

Report No.: MTi260320019-0102E4

	Ant1	5775	8.90	99.26	0.03	8.93	≤30.00	13.49	PASS
	Ant2	5775	8.98	99.63	0.02	9.00	≤30.00	12.46	PASS
11AX20SI SO	Ant1	5180	10.58	99.63	0.02	10.60	≤23.98	15.16	PASS
	Ant2	5180	10.51	99.63	0.02	10.53	≤23.98	13.99	PASS
	Ant1	5200	10.73	99.63	0.02	10.75	≤23.98	15.31	PASS
	Ant2	5200	11.34	99.63	0.02	11.36	≤23.98	14.82	PASS
	Ant1	5240	10.88	99.63	0.02	10.90	≤23.98	15.46	PASS
	Ant2	5240	11.10	99.63	0.02	11.12	≤23.98	14.58	PASS
	Ant1	5745	9.09	99.63	0.02	9.11	≤30.00	13.67	PASS
	Ant2	5745	10.32	99.63	0.02	10.34	≤30.00	13.80	PASS
	Ant1	5785	8.86	99.63	0.02	8.88	≤30.00	13.44	PASS
	Ant2	5785	8.80	99.63	0.02	8.82	≤30.00	12.28	PASS
	Ant1	5825	8.81	99.63	0.02	8.83	≤30.00	13.39	PASS
	Ant2	5825	9.51	99.63	0.02	9.53	≤30.00	12.99	PASS
11AX40SI SO	Ant1	5190	10.99	99.51	0.02	11.01	≤23.98	15.57	PASS
	Ant2	5190	11.70	99.76	0.01	11.71	≤23.98	15.17	PASS
	Ant1	5230	11.74	99.76	0.01	11.75	≤23.98	16.31	PASS
	Ant2	5230	12.02	99.76	0.01	12.03	≤23.98	15.49	PASS
	Ant1	5755	9.69	99.51	0.02	9.71	≤30.00	14.27	PASS
	Ant2	5755	10.92	99.51	0.02	10.94	≤30.00	14.40	PASS
	Ant1	5795	9.91	99.51	0.02	9.93	≤30.00	14.49	PASS
	Ant2	5795	9.89	99.51	0.02	9.91	≤30.00	13.37	PASS
11AX80SI SO	Ant1	5210	9.38	99.10	0.04	9.42	≤23.98	13.98	PASS
	Ant2	5210	12.29	99.11	0.04	12.33	≤23.98	15.79	PASS
	Ant1	5775	7.66	99.10	0.04	7.70	≤30.00	12.26	PASS
	Ant2	5775	9.39	99.55	0.02	9.41	≤30.00	12.87	PASS
11N20MI MO	Ant1	5180	7.37	99.63	0.02	7.39	≤23.98	11.95	PASS
	Ant2	5180	10.48	99.63	0.02	10.50	≤23.98	13.96	PASS
	total	5180	---	---	---	12.23	≤23.98	16.08	PASS
	Ant1	5200	7.72	99.63	0.02	7.74	≤23.98	12.30	PASS
	Ant2	5200	11.35	99.82	0.01	11.36	≤23.98	14.82	PASS
	total	5200	---	---	---	12.93	≤23.98	16.75	PASS
	Ant1	5240	8.24	99.63	0.02	8.26	≤23.98	12.82	PASS
	Ant2	5240	11.00	99.82	0.01	11.01	≤23.98	14.47	PASS
	total	5240	---	---	---	12.86	≤23.98	16.73	PASS
	Ant1	5745	7.71	99.82	0.01	7.72	≤30.00	12.28	PASS
	Ant2	5745	10.55	99.63	0.02	10.57	≤30.00	14.03	PASS
	total	5745	---	---	---	12.39	≤30.00	16.25	PASS
	Ant1	5785	7.65	99.63	0.02	7.67	≤30.00	12.23	PASS
	Ant2	5785	9.12	99.82	0.01	9.13	≤30.00	12.59	PASS
	total	5785	---	---	---	11.47	≤30.00	15.42	PASS
	Ant1	5825	7.73	99.82	0.01	7.74	≤30.00	12.30	PASS
	Ant2	5825	9.81	99.82	0.01	9.82	≤30.00	13.28	PASS
	total	5825	---	---	---	11.91	≤30.00	15.83	PASS
11N40MI MO	Ant1	5190	8.42	99.62	0.02	8.44	≤23.98	13.00	PASS
	Ant2	5190	12.09	99.62	0.02	12.11	≤23.98	15.57	PASS
	total	5190	---	---	---	13.66	≤23.98	17.48	PASS
	Ant1	5230	9.57	99.81	0.01	9.58	≤23.98	14.14	PASS
	Ant2	5230	12.38	99.81	0.01	12.39	≤23.98	15.85	PASS
	total	5230	---	---	---	14.22	≤23.98	18.09	PASS
	Ant1	5755	8.76	99.62	0.02	8.78	≤30.00	13.34	PASS
	Ant2	5755	11.63	99.81	0.01	11.64	≤30.00	15.10	PASS
	total	5755	---	---	---	13.45	≤30.00	17.32	PASS
	Ant1	5795	9.29	99.81	0.01	9.30	≤30.00	13.86	PASS
	Ant2	5795	10.56	99.81	0.01	10.57	≤30.00	14.03	PASS
	total	5795	---	---	---	12.99	≤30.00	16.96	PASS
11AC20MI MO	Ant1	5180	7.53	99.63	0.02	7.55	≤23.98	12.11	PASS
	Ant2	5180	10.56	99.63	0.02	10.58	≤23.98	14.04	PASS
	total	5180	---	---	---	12.33	≤23.98	16.19	PASS
	Ant1	5200	7.86	99.82	0.01	7.87	≤23.98	12.43	PASS
	Ant2	5200	11.35	99.63	0.02	11.37	≤23.98	14.83	PASS
	total	5200	---	---	---	12.97	≤23.98	16.80	PASS

TEST REPORT

Report No.: MTi260320019-0102E4

	Ant1	5240	8.34	99.63	0.02	8.36	≤23.98	12.92	PASS
	Ant2	5240	11.08	99.63	0.02	11.10	≤23.98	14.56	PASS
	total	5240	---	---	---	12.95	≤23.98	16.83	PASS
	Ant1	5745	7.75	99.63	0.02	7.77	≤30.00	12.33	PASS
	Ant2	5745	10.45	99.82	0.01	10.46	≤30.00	13.92	PASS
	total	5745	---	---	---	12.33	≤30.00	16.21	PASS
	Ant1	5785	7.59	99.63	0.02	7.61	≤30.00	12.17	PASS
	Ant2	5785	8.91	99.63	0.02	8.93	≤30.00	12.39	PASS
	total	5785	---	---	---	11.33	≤30.00	15.29	PASS
	Ant1	5825	7.63	99.63	0.02	7.65	≤30.00	12.21	PASS
	Ant2	5825	9.60	99.63	0.02	9.62	≤30.00	13.08	PASS
	total	5825	---	---	---	11.76	≤30.00	15.68	PASS
11AC40MI MO	Ant1	5190	8.54	99.51	0.02	8.56	≤23.98	13.12	PASS
	Ant2	5190	11.94	99.52	0.02	11.96	≤23.98	15.42	PASS
	total	5190	---	---	---	13.59	≤23.98	17.43	PASS
	Ant1	5230	9.68	99.76	0.01	9.69	≤23.98	14.25	PASS
	Ant2	5230	12.23	99.76	0.01	12.24	≤23.98	15.70	PASS
	total	5230	---	---	---	14.16	≤23.98	18.05	PASS
	Ant1	5755	8.63	99.51	0.02	8.65	≤30.00	13.21	PASS
	Ant2	5755	11.16	99.51	0.02	11.18	≤30.00	14.64	PASS
	total	5755	---	---	---	13.11	≤30.00	16.99	PASS
	Ant1	5795	8.89	99.52	0.02	8.91	≤30.00	13.47	PASS
	Ant2	5795	10.18	99.76	0.01	10.19	≤30.00	13.65	PASS
	total	5795	---	---	---	12.61	≤30.00	16.57	PASS
11AC80MI MO	Ant1	5210	9.52	99.63	0.02	9.54	≤23.98	14.10	PASS
	Ant2	5210	12.54	99.63	0.02	12.56	≤23.98	16.02	PASS
	total	5210	---	---	---	14.32	≤23.98	18.18	PASS
	Ant1	5775	7.75	99.63	0.02	7.77	≤30.00	12.33	PASS
	Ant2	5775	9.53	99.26	0.03	9.56	≤30.00	13.02	PASS
	total	5775	---	---	---	11.77	≤30.00	15.70	PASS
11AX20MI MO	Ant1	5180	7.95	99.63	0.02	7.97	≤23.98	12.53	PASS
	Ant2	5180	10.94	99.63	0.02	10.96	≤23.98	14.42	PASS
	total	5180	---	---	---	12.73	≤23.98	16.59	PASS
	Ant1	5200	8.37	99.63	0.02	8.39	≤23.98	12.95	PASS
	Ant2	5200	11.74	99.82	0.01	11.75	≤23.98	15.21	PASS
	total	5200	---	---	---	13.40	≤23.98	17.24	PASS
	Ant1	5240	8.86	99.63	0.02	8.88	≤23.98	13.44	PASS
	Ant2	5240	11.43	99.63	0.02	11.45	≤23.98	14.91	PASS
	total	5240	---	---	---	13.36	≤23.98	17.25	PASS
	Ant1	5745	7.96	99.82	0.01	7.97	≤30.00	12.53	PASS
	Ant2	5745	10.54	99.63	0.02	10.56	≤30.00	14.02	PASS
	total	5745	---	---	---	12.47	≤30.00	16.35	PASS
	Ant1	5785	7.78	99.63	0.02	7.80	≤30.00	12.36	PASS
	Ant2	5785	9.11	99.63	0.02	9.13	≤30.00	12.59	PASS
	total	5785	---	---	---	11.53	≤30.00	15.49	PASS
	Ant1	5825	7.90	99.82	0.01	7.91	≤30.00	12.47	PASS
	Ant2	5825	9.84	99.63	0.02	9.86	≤30.00	13.32	PASS
	total	5825	---	---	---	12.00	≤30.00	15.93	PASS
11AX40MI MO	Ant1	5190	8.61	99.76	0.01	8.62	≤23.98	13.18	PASS
	Ant2	5190	11.96	99.76	0.01	11.97	≤23.98	15.43	PASS
	total	5190	---	---	---	13.62	≤23.98	17.46	PASS
	Ant1	5230	9.71	99.51	0.02	9.73	≤23.98	14.29	PASS
	Ant2	5230	12.26	99.76	0.01	12.27	≤23.98	15.73	PASS
	total	5230	---	---	---	14.19	≤23.98	18.08	PASS
	Ant1	5755	8.59	99.76	0.01	8.60	≤30.00	13.16	PASS
	Ant2	5755	11.22	99.51	0.02	11.24	≤30.00	14.70	PASS
	total	5755	---	---	---	13.13	≤30.00	17.01	PASS
	Ant1	5795	8.87	99.76	0.01	8.88	≤30.00	13.44	PASS
	Ant2	5795	10.19	99.76	0.01	10.20	≤30.00	13.66	PASS
	total	5795	---	---	---	12.60	≤30.00	16.56	PASS
11AX80MI MO	Ant1	5210	9.29	99.55	0.02	9.31	≤23.98	13.87	PASS
	Ant2	5210	12.29	99.55	0.02	12.31	≤23.98	15.77	PASS

TEST REPORT

Report No.: MTi260320019-0102E4


	total	5210	---	---	---	14.07	≤23.98	17.93	PASS
	Ant1	5775	7.58	99.11	0.04	7.62	≤30.00	12.18	PASS
	Ant2	5775	9.08	99.11	0.04	9.12	≤30.00	12.58	PASS
	total	5775	---	---	---	11.44	≤30.00	15.39	PASS

Note: The Duty Cycle Factor is compensated in the graph.

TEST REPORT


Report No.: MTi260320019-0102E4

Test Graphs




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4

