



TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTI260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4

Appendix D: Maximum power spectral density

Test Result

Test Mode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5180	-0.29	≤11.00	PASS
	Ant2	5180	-0.20	≤11.00	PASS
	Ant1	5200	-0.11	≤11.00	PASS
	Ant2	5200	0.52	≤11.00	PASS
	Ant1	5240	-0.06	≤11.00	PASS
	Ant2	5240	0.53	≤11.00	PASS
	Ant1	5745	-2.49	≤30.00	PASS
	Ant2	5745	-1.39	≤30.00	PASS
	Ant1	5785	-2.57	≤30.00	PASS
	Ant2	5785	-2.73	≤30.00	PASS
	Ant1	5825	-2.74	≤30.00	PASS
	Ant2	5825	-1.88	≤30.00	PASS
11N20SISO	Ant1	5180	-0.26	≤11.00	PASS
	Ant2	5180	-0.76	≤11.00	PASS
	Ant1	5200	0.11	≤11.00	PASS
	Ant2	5200	-0.02	≤11.00	PASS
	Ant1	5240	0.26	≤11.00	PASS
	Ant2	5240	-0.25	≤11.00	PASS
	Ant1	5745	-3.24	≤30.00	PASS
	Ant2	5745	-1.65	≤30.00	PASS
	Ant1	5785	-3.25	≤30.00	PASS
	Ant2	5785	-3.39	≤30.00	PASS
	Ant1	5825	-5.48	≤30.00	PASS
	Ant2	5825	-2.29	≤30.00	PASS
11N40SISO	Ant1	5190	-2.83	≤11.00	PASS
	Ant2	5190	-1.97	≤11.00	PASS
	Ant1	5230	-2.03	≤11.00	PASS
	Ant2	5230	-1.84	≤11.00	PASS
	Ant1	5755	-5.07	≤30.00	PASS
	Ant2	5755	-3.56	≤30.00	PASS
	Ant1	5795	-4.70	≤30.00	PASS
	Ant2	5795	-4.79	≤30.00	PASS
11AC20SISO	Ant1	5180	-0.87	≤11.00	PASS
	Ant2	5180	-0.57	≤11.00	PASS
	Ant1	5200	-0.71	≤11.00	PASS
	Ant2	5200	-0.15	≤11.00	PASS
	Ant1	5240	-0.50	≤11.00	PASS
	Ant2	5240	0.08	≤11.00	PASS
	Ant1	5745	-3.21	≤30.00	PASS
	Ant2	5745	-1.80	≤30.00	PASS
	Ant1	5785	-3.30	≤30.00	PASS
	Ant2	5785	-3.36	≤30.00	PASS
	Ant1	5825	-3.07	≤30.00	PASS
	Ant2	5825	-2.61	≤30.00	PASS
11AC40SISO	Ant1	5190	-2.87	≤11.00	PASS
	Ant2	5190	-2.07	≤11.00	PASS
	Ant1	5230	-2.19	≤11.00	PASS
	Ant2	5230	-1.88	≤11.00	PASS
	Ant1	5755	-5.04	≤30.00	PASS
	Ant2	5755	-3.23	≤30.00	PASS
	Ant1	5795	-6.59	≤30.00	PASS
	Ant2	5795	-4.68	≤30.00	PASS
11AC80SISO	Ant1	5210	-5.50	≤11.00	PASS
	Ant2	5210	-5.15	≤11.00	PASS
	Ant1	5775	-9.21	≤30.00	PASS

TEST REPORT

Report No.: MTi260320019-0102E4

	Ant2	5775	-9.08	≤30.00	PASS
11AX20SISO	Ant1	5180	-0.80	≤11.00	PASS
	Ant2	5180	-0.58	≤11.00	PASS
	Ant1	5200	-0.40	≤11.00	PASS
	Ant2	5200	0.08	≤11.00	PASS
	Ant1	5240	-0.12	≤11.00	PASS
	Ant2	5240	-0.36	≤11.00	PASS
	Ant1	5745	-2.99	≤30.00	PASS
	Ant2	5745	-1.54	≤30.00	PASS
	Ant1	5785	-2.99	≤30.00	PASS
	Ant2	5785	-3.26	≤30.00	PASS
	Ant1	5825	-3.15	≤30.00	PASS
	Ant2	5825	-2.62	≤30.00	PASS
11AX40SISO	Ant1	5190	-3.26	≤11.00	PASS
	Ant2	5190	-2.51	≤11.00	PASS
	Ant1	5230	-2.54	≤11.00	PASS
	Ant2	5230	-2.19	≤11.00	PASS
	Ant1	5755	-5.51	≤30.00	PASS
	Ant2	5755	-3.92	≤30.00	PASS
	Ant1	5795	-5.09	≤30.00	PASS
	Ant2	5795	-5.22	≤30.00	PASS
11AX80SISO	Ant1	5210	-8.09	≤11.00	PASS
	Ant2	5210	-4.64	≤11.00	PASS
	Ant1	5775	-10.04	≤30.00	PASS
	Ant2	5775	-6.39	≤30.00	PASS
11N20MIMO	Ant1	5180	-3.52	≤11.00	PASS
	Ant2	5180	-0.75	≤11.00	PASS
	total	5180	1.09	≤11.00	PASS
	Ant1	5200	-3.48	≤11.00	PASS
	Ant2	5200	0.14	≤11.00	PASS
	total	5200	1.71	≤11.00	PASS
	Ant1	5240	-2.91	≤11.00	PASS
	Ant2	5240	-0.01	≤11.00	PASS
	total	5240	1.79	≤11.00	PASS
	Ant1	5745	-3.83	≤30.00	PASS
	Ant2	5745	-1.36	≤30.00	PASS
	total	5745	0.59	≤30.00	PASS
	Ant1	5785	-4.25	≤30.00	PASS
	Ant2	5785	-2.73	≤30.00	PASS
	total	5785	-0.41	≤30.00	PASS
	Ant1	5825	-6.28	≤30.00	PASS
	Ant2	5825	-1.72	≤30.00	PASS
	total	5825	-0.42	≤30.00	PASS
11N40MIMO	Ant1	5190	-5.33	≤11.00	PASS
	Ant2	5190	-2.05	≤11.00	PASS
	total	5190	-0.38	≤11.00	PASS
	Ant1	5230	-4.52	≤11.00	PASS
	Ant2	5230	-1.33	≤11.00	PASS
	total	5230	0.37	≤11.00	PASS
	Ant1	5755	-5.75	≤30.00	PASS
	Ant2	5755	-3.15	≤30.00	PASS
	total	5755	-1.25	≤30.00	PASS
	Ant1	5795	-5.43	≤30.00	PASS
	Ant2	5795	-4.37	≤30.00	PASS
	total	5795	-1.86	≤30.00	PASS
11AC20MIMO	Ant1	5180	-3.59	≤11.00	PASS
	Ant2	5180	-0.51	≤11.00	PASS
	total	5180	1.23	≤11.00	PASS
	Ant1	5200	-3.32	≤11.00	PASS
	Ant2	5200	0.24	≤11.00	PASS
	total	5200	1.83	≤11.00	PASS
	Ant1	5240	-2.64	≤11.00	PASS

TEST REPORT

Report No.: MTi260320019-0102E4

	Ant2	5240	0.06	≤11.00	PASS
	total	5240	1.93	≤11.00	PASS
	Ant1	5745	-3.55	≤30.00	PASS
	Ant2	5745	-1.49	≤30.00	PASS
	total	5745	0.61	≤30.00	PASS
	Ant1	5785	-4.20	≤30.00	PASS
	Ant2	5785	-2.35	≤30.00	PASS
	total	5785	-0.17	≤30.00	PASS
	Ant1	5825	-4.01	≤30.00	PASS
	Ant2	5825	-2.00	≤30.00	PASS
11AC40MIMO	total	5825	0.12	≤30.00	PASS
	Ant1	5190	-5.38	≤11.00	PASS
	Ant2	5190	-2.14	≤11.00	PASS
	total	5190	-0.45	≤11.00	PASS
	Ant1	5230	-3.27	≤11.00	PASS
	Ant2	5230	-1.59	≤11.00	PASS
	total	5230	0.66	≤11.00	PASS
	Ant1	5755	-5.96	≤30.00	PASS
	Ant2	5755	-3.61	≤30.00	PASS
	total	5755	-1.62	≤30.00	PASS
11AC80MIMO	Ant1	5795	-6.05	≤30.00	PASS
	Ant2	5795	-3.84	≤30.00	PASS
	total	5795	-1.80	≤30.00	PASS
	Ant1	5210	-7.77	≤11.00	PASS
	Ant2	5210	-3.50	≤11.00	PASS
	total	5210	-2.12	≤11.00	PASS
	Ant1	5775	-10.15	≤30.00	PASS
	Ant2	5775	-6.13	≤30.00	PASS
	total	5775	-4.68	≤30.00	PASS
	Ant1	5180	-3.25	≤11.00	PASS
11AX20MIMO	Ant2	5180	-0.57	≤11.00	PASS
	total	5180	1.30	≤11.00	PASS
	Ant1	5200	-2.94	≤11.00	PASS
	Ant2	5200	0.40	≤11.00	PASS
	total	5200	2.05	≤11.00	PASS
	Ant1	5240	-2.45	≤11.00	PASS
	Ant2	5240	0.10	≤11.00	PASS
	total	5240	2.02	≤11.00	PASS
	Ant1	5745	-3.67	≤30.00	PASS
	Ant2	5745	-1.59	≤30.00	PASS
11AX40MIMO	total	5745	0.50	≤30.00	PASS
	Ant1	5785	-4.21	≤30.00	PASS
	Ant2	5785	-2.94	≤30.00	PASS
	total	5785	-0.52	≤30.00	PASS
	Ant1	5825	-3.90	≤30.00	PASS
	Ant2	5825	-2.21	≤30.00	PASS
	total	5825	0.04	≤30.00	PASS
	Ant1	5190	-5.36	≤11.00	PASS
	Ant2	5190	-2.00	≤11.00	PASS
	total	5190	-0.35	≤11.00	PASS
11AX80MIMO	Ant1	5230	-4.42	≤11.00	PASS
	Ant2	5230	-1.55	≤11.00	PASS
	total	5230	0.26	≤11.00	PASS
	Ant1	5755	-5.97	≤30.00	PASS
	Ant2	5755	-3.68	≤30.00	PASS
	total	5755	-1.67	≤30.00	PASS
	Ant1	5795	-6.11	≤30.00	PASS
	Ant2	5795	-3.58	≤30.00	PASS
	total	5795	-1.65	≤30.00	PASS
	Ant1	5210	-7.61	≤11.00	PASS
	Ant2	5210	-5.06	≤11.00	PASS
	total	5210	-3.14	≤11.00	PASS

TEST REPORT

Report No.: MTi260320019-0102E4

	Ant1	5775	-9.92	≤30.00	PASS
	Ant2	5775	-8.94	≤30.00	PASS
	total	5775	-6.39	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

TEST REPORT


Report No.: MTi260320019-0102E4

Test Graphs




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4

11AX20MIMO_Ant2_5240




11AX20MIMO_Ant1_5745



TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4




TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4



TEST REPORT

Report No.: MTi260320019-0102E4

Photographs of the Test Setup

See the Appendix – Test Setup Photos.

TEST REPORT

Report No.: MTi260320019-0102E4

Photographs of the EUT

See the Appendix - EUT Photos.

----End of Report----

TEST REPORT

Report No.: MTi260320019-0102E4

Statement

1. This report is invalid without the seal and signature of the laboratory.
2. The test results of this report are only responsible for the samples submitted. Client shall be responsible for representativeness of the sample and authenticity of the material.
3. The report shall not be partially reproduced without the written consent of the Laboratory.
4. This report is invalid if transferred, altered or tampered with in any form without authorization.
5. The observations or tests with special mark fall outside the scope of accreditation, and are only used for purpose of commission, research, training, internal quality control etc.
6. Any objection to this report shall be submitted to the laboratory within 15 days from the date of receipt of the report.

***** END OF REPORT *****