



Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	Y;Power setting 15		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4824.50	56.58	-6.96	49.62	54.00	4.38	RMS	Vertical	PASS
2	11460.50	33.71	6.70	40.41	54.00	13.59	RMS	Vertical	PASS
3	17995.50	29.62	17.21	46.83	54.00	7.17	RMS	Vertical	PASS
4	2411.13	100.19	1.91	102.10	-	-	PK	Vertical	NA
5	4824.00	58.33	-6.96	51.37	74.00	22.63	PK	Vertical	PASS
6	11449.50	41.76	6.68	48.44	74.00	25.56	PK	Vertical	PASS
7	17988.00	37.26	17.11	54.37	74.00	19.63	PK	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	Y;Power setting 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	9259.00	36.52	2.52	39.04	54.00	14.96	RMS	Horizontal	PASS
2	17992.00	29.70	17.17	46.87	54.00	7.13	RMS	Horizontal	PASS
3	2412.87	97.34	1.93	99.27	-	-	PK	Horizontal	NA
4	4824.00	59.28	-6.96	52.32	74.00	21.68	PK	Horizontal	PASS
5	9116.50	44.25	2.21	46.46	74.00	27.54	PK	Horizontal	PASS
6	17968.50	37.58	16.83	54.41	74.00	19.59	PK	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	Y;Power setting 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4824.50	57.10	-6.96	50.14	54.00	3.86	RMS	Vertical	PASS
2	7453.00	38.91	0.27	39.18	54.00	14.82	RMS	Vertical	PASS
3	17991.50	29.52	17.16	46.68	54.00	7.32	RMS	Vertical	PASS
4	2411.07	99.91	1.91	101.82	-	-	PK	Vertical	NA
5	4824.00	58.84	-6.96	51.88	74.00	22.12	PK	Vertical	PASS
6	7977.00	46.33	0.19	46.52	74.00	27.48	PK	Vertical	PASS
7	17960.50	37.47	16.72	54.19	74.00	19.81	PK	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	Y;Power setting 15		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4924.50	54.62	-6.06	48.56	54.00	5.44	RMS	Horizontal	PASS
2	8142.50	38.21	0.72	38.93	54.00	15.07	RMS	Horizontal	PASS
3	17994.00	29.46	17.20	46.66	54.00	7.34	RMS	Horizontal	PASS
4	2461.13	97.97	2.44	100.41	-	-	PK	Horizontal	NA
5	4924.00	56.45	-6.06	50.39	74.00	23.61	PK	Horizontal	PASS
6	8139.00	45.97	0.71	46.68	74.00	27.32	PK	Horizontal	PASS
7	17970.00	37.94	16.86	54.80	74.00	19.20	PK	Horizontal	PASS


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	Y;Power setting 15		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4924.50	57.77	-6.06	51.71	54.00	2.29	RMS	Vertical	PASS
2	7501.50	39.14	0.27	39.41	54.00	14.59	RMS	Vertical	PASS
3	17925.50	32.06	16.23	48.29	54.00	5.71	RMS	Vertical	PASS
4	2461.07	96.98	2.44	99.42	-	-	PK	Vertical	NA
5	4924.00	59.61	-6.06	53.55	74.00	20.45	PK	Vertical	PASS
6	8372.00	45.68	1.23	46.91	74.00	27.09	PK	Vertical	PASS
7	17985.50	37.61	17.07	54.68	74.00	19.32	PK	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	6
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	Y;Power setting 17.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4875.50	49.14	-6.38	42.76	54.00	11.24	RMS	Horizontal	PASS
2	15307.50	31.07	12.10	43.17	54.00	10.83	RMS	Horizontal	PASS
3	17758.50	29.94	15.97	45.91	54.00	8.09	RMS	Horizontal	PASS
4	2440.40	99.75	2.23	101.98	-	-	PK	Horizontal	NA
5	4877.50	55.44	-6.36	49.08	74.00	24.92	PK	Horizontal	PASS
6	15474.00	39.70	11.50	51.20	74.00	22.80	PK	Horizontal	PASS
7	17799.00	37.81	16.29	54.10	74.00	19.90	PK	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	6
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	Y;Power setting 17.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4875.50	49.01	-6.38	42.63	54.00	11.37	RMS	Vertical	PASS
2	15329.00	32.47	11.92	44.39	54.00	9.61	RMS	Vertical	PASS
3	17974.00	29.45	16.92	46.37	54.00	7.63	RMS	Vertical	PASS
4	2435.13	100.59	2.17	102.76	-	-	PK	Vertical	NA
5	4875.00	55.99	-6.39	49.60	74.00	24.40	PK	Vertical	PASS
6	15330.00	39.79	11.91	51.70	74.00	22.30	PK	Vertical	PASS
7	17970.00	37.26	16.86	54.12	74.00	19.88	PK	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	6
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	Y;Power setting 17.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4876.00	47.74	-6.38	41.36	54.00	12.64	RMS	Horizontal	PASS
2	15835.50	32.15	11.62	43.77	54.00	10.23	RMS	Horizontal	PASS
3	17989.50	29.17	17.13	46.30	54.00	7.70	RMS	Horizontal	PASS
4	2440.20	99.16	2.23	101.39	-	-	PK	Horizontal	NA
5	4876.50	55.34	-6.38	48.96	74.00	25.04	PK	Horizontal	PASS
6	15840.00	40.04	11.65	51.69	74.00	22.31	PK	Horizontal	PASS
7	17973.00	37.36	16.90	54.26	74.00	19.74	PK	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	6
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	Y;Power setting 17.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4873.00	47.04	-6.40	40.64	54.00	13.36	RMS	Vertical	PASS
2	15346.00	31.56	11.78	43.34	54.00	10.66	RMS	Vertical	PASS
3	17916.50	29.66	16.11	45.77	54.00	8.23	RMS	Vertical	PASS
4	2434.93	100.71	2.17	102.88	-	-	PK	Vertical	NA
5	4872.00	56.39	-6.42	49.97	74.00	24.03	PK	Vertical	PASS
6	15241.00	39.33	11.39	50.72	74.00	23.28	PK	Vertical	PASS
7	17963.50	37.75	16.76	54.51	74.00	19.49	PK	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	6
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	Y;Power setting 14		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4875.50	45.17	-6.38	38.79	54.00	15.21	RMS	Horizontal	PASS
2	15340.50	31.19	11.83	43.02	54.00	10.98	RMS	Horizontal	PASS
3	17998.50	29.10	17.25	46.35	54.00	7.65	RMS	Horizontal	PASS
4	2438.40	96.77	2.20	98.97	-	-	PK	Horizontal	NA
5	4872.00	51.68	-6.42	45.26	74.00	28.74	PK	Horizontal	PASS
6	15381.50	39.68	11.50	51.18	74.00	22.82	PK	Horizontal	PASS
7	17965.50	38.26	16.79	55.05	74.00	18.95	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	6
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	Y;Power setting 14		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4874.00	44.93	-6.40	38.53	54.00	15.47	RMS	Vertical	PASS
2	15327.00	31.58	11.93	43.51	54.00	10.49	RMS	Vertical	PASS
3	17755.50	30.30	15.94	46.24	54.00	7.76	RMS	Vertical	PASS
4	2440.73	97.84	2.23	100.07	-	-	PK	Vertical	NA
5	4875.00	52.60	-6.39	46.21	74.00	27.79	PK	Vertical	PASS
6	15338.50	39.30	11.85	51.15	74.00	22.85	PK	Vertical	PASS
7	17986.00	37.34	17.08	54.42	74.00	19.58	PK	Vertical	PASS

Test Result Above 18GHz (worst)


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	MTK0002605091500420	Engineer:	Tianshuo
Remark:	Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	18729.79	50.38	-7.73	42.65	74.00	31.35	Horizontal	PASS
2	22038.15	49.47	-7.30	42.17	74.00	31.83	Horizontal	PASS
3	24432.27	48.35	-4.66	43.69	74.00	30.31	Horizontal	PASS
4	18692.33	41.33	-7.76	33.57	54.00	20.43	Horizontal	PASS
5	22061.25	40.34	-7.28	33.06	54.00	20.94	Horizontal	PASS
6	24242.21	39.44	-4.90	34.54	54.00	19.46	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	MTK0002605091500420	Engineer:	Tianshuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	18635.98	50.80	-7.88	42.92	74.00	31.08	Vertical	PASS
2	21867.69	49.17	-7.08	42.09	74.00	31.91	Vertical	PASS
3	24446.27	48.50	-4.71	43.79	74.00	30.21	Vertical	PASS
4	18755.69	41.75	-7.73	34.02	54.00	19.98	Vertical	PASS
5	21970.25	40.67	-7.27	33.40	54.00	20.60	Vertical	PASS
6	24596.78	39.27	-4.51	34.76	54.00	19.24	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2364.26	38.07	1.63	39.70	54.00	14.30	RMS	Horizontal	PASS
2	2375.28	39.52	1.68	41.20	54.00	12.80	RMS	Horizontal	PASS
3	2383.87	40.52	1.73	42.25	54.00	11.75	RMS	Horizontal	PASS
4	2363.59	49.12	1.62	50.74	74.00	23.26	PK	Horizontal	PASS
5	2374.61	50.18	1.68	51.86	74.00	22.14	PK	Horizontal	PASS
6	2385.63	49.91	1.73	51.64	74.00	22.36	PK	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2362.81	38.26	1.62	39.88	54.00	14.12	RMS	Vertical	PASS
2	2374.16	39.59	1.68	41.27	54.00	12.73	RMS	Vertical	PASS
3	2385.25	40.65	1.73	42.38	54.00	11.62	RMS	Vertical	PASS
4	2363.33	49.32	1.62	50.94	74.00	23.06	PK	Vertical	PASS
5	2377.11	50.54	1.69	52.23	74.00	21.77	PK	Vertical	PASS
6	2385.74	51.04	1.73	52.77	74.00	21.23	PK	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2486.79	41.86	2.72	44.58	54.00	9.42	RMS	Horizontal	PASS
2	2490.20	40.29	2.76	43.05	54.00	10.95	RMS	Horizontal	PASS
3	2491.72	38.67	2.78	41.45	54.00	12.55	RMS	Horizontal	PASS
4	2486.55	51.64	2.72	54.36	74.00	19.64	PK	Horizontal	PASS
5	2489.34	51.13	2.75	53.88	74.00	20.12	PK	Horizontal	PASS
6	2491.91	49.96	2.78	52.74	74.00	21.26	PK	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2486.63	44.76	2.72	47.48	54.00	6.52	RMS	Vertical	PASS
2	2490.35	42.19	2.76	44.95	54.00	9.05	RMS	Vertical	PASS
3	2493.90	38.24	2.80	41.04	54.00	12.96	RMS	Vertical	PASS
4	2486.99	53.14	2.72	55.86	74.00	18.14	PK	Vertical	PASS
5	2491.43	52.08	2.77	54.85	74.00	19.15	PK	Vertical	PASS
6	2494.14	49.93	2.80	52.73	74.00	21.27	PK	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2379.95	40.30	1.70	42.00	54.00	12.00	RMS	Horizontal	PASS
2	2385.96	42.92	1.73	44.65	54.00	9.35	RMS	Horizontal	PASS
3	2389.55	45.67	1.75	47.42	54.00	6.58	RMS	Horizontal	PASS
4	2380.84	55.65	1.70	57.35	74.00	16.65	PK	Horizontal	PASS
5	2387.19	59.36	1.74	61.10	74.00	12.90	PK	Horizontal	PASS
6	2389.21	60.45	1.75	62.20	74.00	11.80	PK	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2378.16	40.06	1.69	41.75	54.00	12.25	RMS	Vertical	PASS
2	2385.29	43.03	1.73	44.76	54.00	9.24	RMS	Vertical	PASS
3	2389.43	47.59	1.75	49.34	54.00	4.66	RMS	Vertical	PASS
4	2378.34	54.92	1.69	56.61	74.00	17.39	PK	Vertical	PASS
5	2385.21	58.89	1.73	60.62	74.00	13.38	PK	Vertical	PASS
6	2389.29	63.86	1.75	65.61	74.00	8.39	PK	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.67	40.99	2.68	43.67	54.00	10.33	RMS	Horizontal	PASS
2	2485.16	39.78	2.70	42.48	54.00	11.52	RMS	Horizontal	PASS
3	2487.01	39.04	2.72	41.76	54.00	12.24	RMS	Horizontal	PASS
4	2483.72	59.98	2.68	62.66	74.00	11.34	PK	Horizontal	PASS
5	2484.94	55.19	2.70	57.89	74.00	16.11	PK	Horizontal	PASS
6	2487.44	54.41	2.73	57.14	74.00	16.86	PK	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.65	45.64	2.68	48.32	54.00	5.68	RMS	Vertical	PASS
2	2485.74	42.65	2.71	45.36	54.00	8.64	RMS	Vertical	PASS
3	2487.73	41.65	2.73	44.38	54.00	9.62	RMS	Vertical	PASS
4	2483.70	64.25	2.68	66.93	74.00	7.07	PK	Vertical	PASS
5	2485.83	60.49	2.71	63.20	74.00	10.80	PK	Vertical	PASS
6	2487.59	59.86	2.73	62.59	74.00	11.41	PK	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2379.58	39.56	1.70	41.26	54.00	12.74	RMS	Horizontal	PASS
2	2387.31	43.73	1.74	45.47	54.00	8.53	RMS	Horizontal	PASS
3	2389.92	47.75	1.75	49.50	54.00	4.50	RMS	Horizontal	PASS
4	2379.35	55.44	1.70	57.14	74.00	16.86	PK	Horizontal	PASS
5	2388.13	62.82	1.74	64.56	74.00	9.44	PK	Horizontal	PASS
6	2389.62	63.62	1.75	65.37	74.00	8.63	PK	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2374.98	39.33	1.68	41.01	54.00	12.99	RMS	Vertical	PASS
2	2388.69	48.51	1.74	50.25	54.00	3.75	RMS	Vertical	PASS
3	2389.58	49.85	1.75	51.60	54.00	2.40	RMS	Vertical	PASS
4	2373.71	53.64	1.67	55.31	74.00	18.69	PK	Vertical	PASS
5	2388.09	64.75	1.74	66.49	74.00	7.51	PK	Vertical	PASS
6	2389.81	69.32	1.75	71.07	74.00	2.93	PK	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.77	45.94	2.69	48.63	54.00	5.37	RMS	Horizontal	PASS
2	2484.85	44.19	2.70	46.89	54.00	7.11	RMS	Horizontal	PASS
3	2487.23	41.47	2.73	44.20	54.00	9.80	RMS	Horizontal	PASS
4	2483.74	63.89	2.68	66.57	74.00	7.43	PK	Horizontal	PASS
5	2484.75	63.93	2.70	66.63	74.00	7.37	PK	Horizontal	PASS
6	2487.80	59.55	2.73	62.28	74.00	11.72	PK	Horizontal	PASS


Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.89	46.72	2.69	49.41	54.00	4.59	RMS	Vertical	PASS
2	2485.54	44.08	2.70	46.78	54.00	7.22	RMS	Vertical	PASS
3	2487.68	42.03	2.73	44.76	54.00	9.24	RMS	Vertical	PASS
4	2484.39	65.96	2.70	68.66	74.00	5.34	PK	Vertical	PASS
5	2485.62	62.10	2.71	64.81	74.00	9.19	PK	Vertical	PASS
6	2487.63	60.84	2.73	63.57	74.00	10.43	PK	Vertical	PASS


Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2383.33	42.92	1.71	44.63	54.00	9.37	RMS	Horizontal	PASS
2	2384.87	44.76	1.73	46.49	54.00	7.51	RMS	Horizontal	PASS
3	2389.53	47.41	1.75	49.16	54.00	4.84	RMS	Horizontal	PASS
4	2383.50	58.18	1.72	59.90	74.00	14.10	PK	Horizontal	PASS
5	2385.49	60.72	1.73	62.45	74.00	11.55	PK	Horizontal	PASS
6	2389.45	63.04	1.75	64.79	74.00	9.21	PK	Horizontal	PASS


Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2385.57	48.20	1.73	49.93	54.00	4.07	RMS	Vertical	PASS
2	2389.27	49.97	1.75	51.72	54.00	2.28	RMS	Vertical	PASS
3	2389.93	51.02	1.75	52.77	54.00	1.23	RMS	Vertical	PASS
4	2381.44	58.91	1.71	60.62	74.00	13.38	PK	Vertical	PASS
5	2388.65	65.83	1.74	67.57	74.00	6.43	PK	Vertical	PASS
6	2389.67	66.19	1.75	67.94	74.00	6.06	PK	Vertical	PASS


Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	9
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.66	44.94	2.70	47.64	54.00	6.36	RMS	Horizontal	PASS
2	2488.20	43.81	2.73	46.54	54.00	7.46	RMS	Horizontal	PASS
3	2491.16	41.61	2.76	44.37	54.00	9.63	RMS	Horizontal	PASS
4	2483.77	64.85	2.69	67.54	74.00	6.46	PK	Horizontal	PASS
5	2486.02	63.98	2.71	66.69	74.00	7.31	PK	Horizontal	PASS
6	2492.07	61.13	2.78	63.91	74.00	10.09	PK	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	9
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:			

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.42	43.93	2.70	46.63	54.00	7.37	RMS	Vertical	PASS
2	2488.26	43.30	2.73	46.03	54.00	7.97	RMS	Vertical	PASS
3	2494.52	41.36	2.80	44.16	54.00	9.84	RMS	Vertical	PASS
4	2484.45	64.07	2.70	66.77	74.00	7.23	PK	Vertical	PASS
5	2487.72	61.29	2.73	64.02	74.00	9.98	PK	Vertical	PASS
6	2494.25	58.09	2.80	60.89	74.00	13.11	PK	Vertical	PASS

~The End~