



Project Information			
Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	20MHz	Channel	38
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 11		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5140.99	32.30	10.96	43.26	54.00	10.24	RMS	Horizontal	PASS
2	5146.26	32.98	10.97	43.95	54.00	9.05	RMS	Horizontal	PASS
3	5148.56	33.31	10.97	44.28	54.00	8.72	RMS	Horizontal	PASS
4	5141.41	46.87	10.96	57.83	74.00	15.17	PK	Horizontal	PASS
5	5146.64	49.93	10.97	60.90	74.00	11.60	PK	Horizontal	PASS
6	5148.51	49.59	10.97	60.56	74.00	11.94	PK	Horizontal	PASS


Project Information			
Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	20MHz	Channel	38
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 11		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5138.61	31.13	10.96	42.09	54.00	11.91	RMS	Vertical	PASS
2	5145.58	32.49	10.97	43.46	54.00	10.54	RMS	Vertical	PASS
3	5148.77	32.74	10.97	43.71	54.00	10.29	RMS	Vertical	PASS
4	5137.12	45.14	10.96	56.10	74.00	17.40	PK	Vertical	PASS
5	5146.39	47.08	10.97	58.05	74.00	14.95	PK	Vertical	PASS
6	5149.19	46.77	10.97	57.74	74.00	15.26	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 11		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5352.80	42.55	11.86	54.41	74.00	19.59	PK	Horizontal	PASS
2	5362.37	41.57	11.91	53.48	74.00	20.52	PK	Horizontal	PASS
3	5374.09	41.48	11.97	53.45	74.00	20.55	PK	Horizontal	PASS


Project Information			
Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 11		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5352.71	30.27	11.86	42.13	54.00	11.87	RMS	Vertical	PASS
2	5364.35	30.35	11.92	42.27	54.00	11.73	RMS	Vertical	PASS
3	5372.94	30.36	11.96	42.32	54.00	11.68	RMS	Vertical	PASS
4	5351.56	41.98	11.86	53.84	74.00	20.16	PK	Vertical	PASS
5	5365.26	42.25	11.92	54.17	74.00	19.83	PK	Vertical	PASS
6	5374.01	42.63	11.97	54.60	74.00	19.40	PK	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5095.42	29.40	10.91	40.31	54.00	13.69	RMS	Horizontal	PASS
2	5137.44	31.14	10.96	42.10	54.00	11.90	RMS	Horizontal	PASS
3	5149.65	32.75	10.97	43.72	54.00	10.28	RMS	Horizontal	PASS
4	5369.76	30.81	11.94	42.75	54.00	11.25	RMS	Horizontal	PASS
5	5410.78	30.52	12.17	42.69	54.00	11.31	RMS	Horizontal	PASS
6	5445.20	30.46	12.45	42.91	54.00	11.09	RMS	Horizontal	PASS
7	5100.23	41.17	10.91	52.08	74.00	21.92	PK	Horizontal	PASS
8	5137.04	43.28	10.96	54.24	74.00	19.76	PK	Horizontal	PASS
9	5150.65	44.70	10.98	55.68	-	-	PK	Horizontal	NA
10	5373.56	41.75	11.96	53.71	74.00	20.29	PK	Horizontal	PASS
11	5413.78	42.12	12.20	54.32	74.00	19.68	PK	Horizontal	PASS
12	5443.80	42.76	12.44	55.20	74.00	18.80	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 11		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5076.21	29.06	10.90	39.96	54.00	14.04	RMS	Vertical	PASS
2	5120.84	29.56	10.94	40.50	54.00	13.50	RMS	Vertical	PASS
3	5144.65	30.12	10.97	41.09	54.00	12.91	RMS	Vertical	PASS
4	5365.96	30.57	11.92	42.49	54.00	11.51	RMS	Vertical	PASS
5	5396.17	30.46	12.07	42.53	54.00	11.47	RMS	Vertical	PASS
6	5445.40	30.48	12.45	42.93	54.00	11.07	RMS	Vertical	PASS
7	5074.21	40.66	10.90	51.56	74.00	22.44	PK	Vertical	PASS
8	5117.63	41.37	10.93	52.30	74.00	21.70	PK	Vertical	PASS
9	5138.44	41.51	10.96	52.47	74.00	21.53	PK	Vertical	PASS
10	5364.16	41.99	11.92	53.91	74.00	20.09	PK	Vertical	PASS
11	5394.17	43.27	12.06	55.33	74.00	18.67	PK	Vertical	PASS
12	5449.80	42.42	12.49	54.91	74.00	19.09	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5632.32	42.17	12.91	55.08	68.20	13.12	PK	Horizontal	PASS
2	5641.75	42.17	12.96	55.13	68.20	13.07	PK	Horizontal	PASS
3	5935.86	41.47	13.98	55.45	68.20	12.75	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5633.62	41.86	12.92	54.78	68.20	13.42	PK	Vertical	PASS
2	5645.97	41.32	12.98	54.30	68.20	13.90	PK	Vertical	PASS
3	5933.09	41.08	13.98	55.06	68.20	13.14	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5640.45	41.67	12.95	54.62	68.20	13.58	PK	Horizontal	PASS
2	5931.63	41.18	14.00	55.18	68.20	13.02	PK	Horizontal	PASS
3	5941.38	42.05	13.96	56.01	68.20	12.19	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5637.19	41.83	12.93	54.76	68.20	13.44	PK	Vertical	PASS
2	5930.17	42.01	14.00	56.01	68.20	12.19	PK	Vertical	PASS
3	5938.46	41.42	13.97	55.39	68.20	12.81	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5631.34	41.77	12.90	54.67	68.20	13.53	PK	Horizontal	PASS
2	5642.56	41.73	12.97	54.70	68.20	13.50	PK	Horizontal	PASS
3	5938.46	42.01	13.97	55.98	68.20	12.22	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5630.85	42.02	12.90	54.92	68.20	13.28	PK	Vertical	PASS
2	5643.53	42.07	12.97	55.04	68.20	13.16	PK	Vertical	PASS
3	5937.32	41.81	13.98	55.79	68.20	12.41	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5635.73	41.48	12.93	54.41	68.20	13.79	PK	Horizontal	PASS
2	5932.60	42.51	13.98	56.49	68.20	11.71	PK	Horizontal	PASS
3	5939.59	41.64	13.96	55.60	68.20	12.60	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5634.43	41.76	12.92	54.68	68.20	13.52	PK	Vertical	PASS
2	5930.98	41.33	14.00	55.33	68.20	12.87	PK	Vertical	PASS
3	5939.59	41.36	13.96	55.32	68.20	12.88	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5631.50	42.17	12.90	55.07	68.20	13.13	PK	Horizontal	PASS
2	5642.56	42.38	12.97	55.35	68.20	12.85	PK	Horizontal	PASS
3	5935.86	41.40	13.98	55.38	68.20	12.82	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5629.23	42.81	12.90	55.71	68.20	12.49	PK	Vertical	PASS
2	5642.88	41.37	12.97	54.34	68.20	13.86	PK	Vertical	PASS
3	5936.67	42.51	13.98	56.49	68.20	11.71	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5638.33	42.34	12.95	55.29	68.20	12.91	PK	Horizontal	PASS
2	5927.73	41.87	14.00	55.87	68.20	12.33	PK	Horizontal	PASS
3	5942.03	41.52	13.96	55.48	68.20	12.72	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 14		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5640.28	41.49	12.95	54.44	68.20	13.76	PK	Vertical	PASS
2	5930.49	41.90	14.00	55.90	68.20	12.30	PK	Vertical	PASS
3	5938.13	41.75	13.97	55.72	68.20	12.48	PK	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 14		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5630.37	42.88	12.90	55.78	68.20	12.42	PK	Horizontal	PASS
2	5644.51	42.24	12.98	55.22	68.20	12.98	PK	Horizontal	PASS
3	5933.25	41.35	13.98	55.33	68.20	12.87	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	MTK0002605091500420	Engineer:	Tian shuo
Remark:	X;Power 14		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5637.36	41.87	12.93	54.80	68.20	13.40	PK	Vertical	PASS
2	5644.83	41.85	12.98	54.83	68.20	13.37	PK	Vertical	PASS
3	5935.69	41.81	13.98	55.79	68.20	12.41	PK	Vertical	PASS

~The End~