



Test Graphs


-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1




-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1





-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1









-6dB Bandwidth NVNT ac20 5825MHz Ant1



-6dB Bandwidth NVNT ac40 5755MHz Ant1






Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.687
NVNT	a	5785	Ant1	16.75
NVNT	a	5825	Ant1	16.465
NVNT	n20	5745	Ant1	17.596
NVNT	n20	5785	Ant1	17.677
NVNT	n20	5825	Ant1	17.674
NVNT	n40	5755	Ant1	36.398
NVNT	n40	5795	Ant1	36.5
NVNT	ac20	5745	Ant1	17.575
NVNT	ac20	5785	Ant1	17.626
NVNT	ac20	5825	Ant1	17.704
NVNT	ac40	5755	Ant1	36.386
NVNT	ac40	5795	Ant1	36.494
NVNT	ac80	5775	Ant1	75.436


Test Graphs


OBW NVNT a 5745MHz Ant1





OBW NVNT a 5785MHz Ant1


















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-6.87	0.63	-6.24	30	Pass
NVNT	a	5785	Ant1	-7.83	0.52	-7.31	30	Pass
NVNT	a	5825	Ant1	-7.17	0.07	-7.1	30	Pass
NVNT	n20	5745	Ant1	-7.96	0.61	-7.35	30	Pass
NVNT	n20	5785	Ant1	-8.06	0.62	-7.44	30	Pass
NVNT	n20	5825	Ant1	-7.19	0.61	-6.58	30	Pass
NVNT	n40	5755	Ant1	-13.31	1.14	-12.17	30	Pass
NVNT	n40	5795	Ant1	-15.54	0.15	-15.39	30	Pass
NVNT	ac20	5745	Ant1	-8.27	0.61	-7.66	30	Pass
NVNT	ac20	5785	Ant1	-8.87	0.63	-8.24	30	Pass
NVNT	ac20	5825	Ant1	-11.23	0.61	-10.62	30	Pass
NVNT	ac40	5755	Ant1	-14.98	1.16	-13.82	30	Pass
NVNT	ac40	5795	Ant1	-14.61	1.16	-13.45	30	Pass
NVNT	ac80	5775	Ant1	-24.94	1.99	-22.95	30	Pass

Test Graphs

PSD NVNT a 5745MHz Ant1



PSD NVNT a 5785MHz Ant1

