



Henan Simar Electronic Technology Co.,Ltd
Add: No 78 Yaochang Street,High-tech district,Zhengzhou,China
Email:info@simarcn.com
Wechat / whatsapp:+86 15238007191
<https://linkedin.com/in/simarcn/>
 YouTube simarcn
 TikTok simarcn
Facebook:<https://www.facebook.com/maria.gong.39>
www.simarcn.com



INSTRUCTION MANUAL

20 / 22 / 24 INCH

TELEPROMPTER



1 Take out the monitor base and lock the wheels brake



2 The telescopic stand is placed on the side of the monitor ,use M8 screw clock hand rotation to tighten and fix



3 Adjust the height of the stand to the appropriate position



4 Take out the adapter for glass and stand the connect the stand using M8 screw



5 Use 2 M6 screws connect the beamsplitter glass mirror.please note that red color mark side is prompter side.



6 adjust the glass in the right place.



7 Take out the foldable barndoors open it and place it as picture



8 Finish installation check installation video Please open or visit




First : Insert the software USB flash drive in your PC desktop or laptop and copy the filefolder :Simar teleprompter software for windows to your computer. Then unzip the file folder .




Simar Teleprompter software for windows.rar

Second: open the folder, you will get 23 files . If you can not get 23 files . This prove that your windows defender delet or forbid the following files ,please set up : windows defender allow or accept it .



Finally : If you get the following picture . prove that your software are running . For more details and questions ,pls contact us !



Remote controller



- Regards the manual, Please check the back instruction
- The remote control can be used for multiple type of documents such us PPT page turn and other function except text control.

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 0cm between the radiator and your body.