
































8.5 MAXIMUM POWER SPECTRAL DENSITY LEVEL



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	-4.83	0.05	-4.78	8	Pass
NVNT	b	2437	Ant1	-7.24	0.03	-7.21	8	Pass
NVNT	b	2462	Ant1	-5.61	0.05	-5.56	8	Pass
NVNT	g	2412	Ant1	-9.31	0.34	-8.97	8	Pass
NVNT	g	2437	Ant1	-9.34	0.22	-9.12	8	Pass
NVNT	g	2462	Ant1	-9.7	0.39	-9.31	8	Pass
NVNT	n20	2412	Ant1	-10.56	0.36	-10.2	8	Pass
NVNT	n20	2437	Ant1	-10.92	0.35	-10.57	8	Pass
NVNT	n20	2462	Ant1	-11.6	0.28	-11.32	8	Pass
NVNT	n40	2422	Ant1	-14.4	0.65	-13.75	8	Pass
NVNT	n40	2437	Ant1	-14.2	0.7	-13.5	8	Pass
NVNT	n40	2452	Ant1	-14.63	0.67	-13.96	8	Pass
NVNT	ax20	2412	Ant1	-13.27	0.31	-12.96	8	Pass
NVNT	ax20	2437	Ant1	-14.19	0.46	-13.73	8	Pass
NVNT	ax20	2462	Ant1	-13.5	0.42	-13.08	8	Pass
NVNT	ax40	2422	Ant1	-17.15	0.84	-16.31	8	Pass
NVNT	ax40	2437	Ant1	-16.08	0.85	-15.23	8	Pass
NVNT	ax40	2452	Ant1	-16.41	0.6	-15.81	8	Pass



































8.6 BAND EDGE



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-49.51	-30	Pass
NVNT	b	2462	Ant1	-58.26	-30	Pass
NVNT	g	2412	Ant1	-31.92	-30	Pass
NVNT	g	2462	Ant1	-50.98	-30	Pass
NVNT	n20	2412	Ant1	-30.32	-30	Pass
NVNT	n20	2472	Ant1	-49.39	-30	Pass
NVNT	n40	2422	Ant1	-32.01	-30	Pass
NVNT	n40	2452	Ant1	-44.11	-30	Pass
NVNT	ax20	2412	Ant1	-33.81	-30	Pass
NVNT	ax20	2462	Ant1	-52.48	-30	Pass
NVNT	ax40	2422	Ant1	-32.13	-30	Pass
NVNT	ax40	2452	Ant1	-49.15	-30	Pass







































8.7 CONDUCTED RF SPURIOUS EMISSION

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-44.67	-30	Pass
NVNT	b	2437	Ant1	-42.65	-30	Pass
NVNT	b	2462	Ant1	-42.98	-30	Pass
NVNT	g	2412	Ant1	-43.44	-30	Pass
NVNT	g	2437	Ant1	-42.19	-30	Pass
NVNT	g	2462	Ant1	-41.03	-30	Pass
NVNT	n20	2412	Ant1	-42.89	-30	Pass
NVNT	n20	2437	Ant1	-39.33	-30	Pass
NVNT	n20	2462	Ant1	-42.63	-30	Pass
NVNT	n40	2422	Ant1	-38.03	-30	Pass
NVNT	n40	2437	Ant1	-39.84	-30	Pass
NVNT	n40	2452	Ant1	-38.65	-30	Pass
NVNT	ax20	2412	Ant1	-43.63	-30	Pass
NVNT	ax20	2437	Ant1	-42.75	-30	Pass
NVNT	ax20	2462	Ant1	-41.69	-30	Pass
NVNT	ax40	2422	Ant1	-39.39	-30	Pass
NVNT	ax40	2437	Ant1	-40.56	-30	Pass
NVNT	ax40	2452	Ant1	-39.05	-30	Pass

