

































8.5 MAXIMUM POWER SPECTRAL DENSITY LEVEL



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	-3.8	0.04	-3.76	8	Pass
NVNT	b	2437	Ant1	-3.8	0.06	-3.74	8	Pass
NVNT	b	2462	Ant1	-3.89	0.04	-3.85	8	Pass
NVNT	g	2412	Ant1	-8.32	0.22	-8.1	8	Pass
NVNT	g	2437	Ant1	-7.39	0.22	-7.17	8	Pass
NVNT	g	2462	Ant1	-7.88	0.33	-7.55	8	Pass
NVNT	n20	2412	Ant1	-10.4	0.43	-9.97	8	Pass
NVNT	n20	2437	Ant1	-9.88	0.29	-9.59	8	Pass
NVNT	n20	2462	Ant1	-9.92	0.35	-9.57	8	Pass
NVNT	n40	2422	Ant1	-13.64	0.49	-13.15	8	Pass
NVNT	n40	2437	Ant1	-12.38	0.68	-11.7	8	Pass
NVNT	n40	2452	Ant1	-13.4	0.66	-12.74	8	Pass
NVNT	ax20	2412	Ant1	-11.53	0.41	-11.12	8	Pass
NVNT	ax20	2437	Ant1	-10.57	0.47	-10.1	8	Pass
NVNT	ax20	2462	Ant1	-11.42	0.43	-10.99	8	Pass
NVNT	ax40	2422	Ant1	-15.03	0.8	-14.23	8	Pass
NVNT	ax40	2437	Ant1	-13.98	1.12	-12.86	8	Pass
NVNT	ax40	2452	Ant1	-14.97	0.87	-14.1	8	Pass


































8.6 BAND EDGE



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-51.37	-30	Pass
NVNT	b	2462	Ant1	-59.46	-30	Pass
NVNT	g	2412	Ant1	-30.25	-30	Pass
NVNT	g	2462	Ant1	-49.03	-30	Pass
NVNT	n20	2412	Ant1	-30.7	-30	Pass
NVNT	n20	2462	Ant1	-47.83	-30	Pass
NVNT	n40	2422	Ant1	-31.36	-30	Pass
NVNT	n40	2452	Ant1	-50.13	-30	Pass
NVNT	ax20	2412	Ant1	-33.19	-30	Pass
NVNT	ax20	2462	Ant1	-48.32	-30	Pass
NVNT	ax40	2422	Ant1	-36	-30	Pass
NVNT	ax40	2452	Ant1	-46.79	-30	Pass







































8.7 CONDUCTED RF SPURIOUS EMISSION

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-42.07	-30	Pass
NVNT	b	2437	Ant1	-43.74	-30	Pass
NVNT	b	2462	Ant1	-44.51	-30	Pass
NVNT	g	2412	Ant1	-40.46	-30	Pass
NVNT	g	2437	Ant1	-42.21	-30	Pass
NVNT	g	2462	Ant1	-43.01	-30	Pass
NVNT	n20	2412	Ant1	-39.87	-30	Pass
NVNT	n20	2437	Ant1	-39.57	-30	Pass
NVNT	n20	2462	Ant1	-41.92	-30	Pass
NVNT	n40	2422	Ant1	-38.54	-30	Pass
NVNT	n40	2437	Ant1	-36.87	-30	Pass
NVNT	n40	2452	Ant1	-38.75	-30	Pass
NVNT	ax20	2412	Ant1	-39.88	-30	Pass
NVNT	ax20	2437	Ant1	-41.66	-30	Pass
NVNT	ax20	2462	Ant1	-39.62	-30	Pass
NVNT	ax40	2422	Ant1	-38.59	-30	Pass
NVNT	ax40	2437	Ant1	-39.39	-30	Pass
NVNT	ax40	2452	Ant1	-36.03	-30	Pass

