


























Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-3.5	0.3	-3.2	30	Pass
NVNT	a	5785	Ant1	-4.15	0.35	-3.8	30	Pass
NVNT	a	5825	Ant1	-4.96	0.35	-4.61	30	Pass
NVNT	n20	5745	Ant1	-4.11	0.35	-3.76	30	Pass
NVNT	n20	5785	Ant1	-4.51	0.38	-4.13	30	Pass
NVNT	n20	5825	Ant1	-5.32	0.38	-4.94	30	Pass
NVNT	n40	5755	Ant1	-7.35	0.69	-6.66	30	Pass
NVNT	n40	5795	Ant1	-7.9	0.47	-7.43	30	Pass
NVNT	ac20	5745	Ant1	-4.25	0.33	-3.92	30	Pass
NVNT	ac20	5785	Ant1	-4.65	0.36	-4.29	30	Pass
NVNT	ac20	5825	Ant1	-5.23	0.39	-4.84	30	Pass
NVNT	ac40	5755	Ant1	-7.34	0.48	-6.86	30	Pass
NVNT	ac40	5795	Ant1	-8.31	0.7	-7.61	30	Pass
NVNT	ax20	5745	Ant1	-4.13	0.4	-3.73	30	Pass
NVNT	ax20	5785	Ant1	-4.47	0.47	-4	30	Pass
NVNT	ax20	5825	Ant1	-5.45	0.45	-5	30	Pass
NVNT	ax40	5755	Ant1	-7.12	0.84	-6.28	30	Pass
NVNT	ax40	5795	Ant1	-7.77	0.59	-7.18	30	Pass


Test Graphs


PSD NVNT a 5745MHz Ant1





PSD NVNT a 5785MHz Ant1
























Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-31.8	-27	Pass
NVNT	a	5825	Ant1	-30.38	-27	Pass
NVNT	n20	5745	Ant1	-32.2	-27	Pass
NVNT	n20	5825	Ant1	-31.27	-27	Pass
NVNT	n40	5755	Ant1	-32.52	-27	Pass
NVNT	n40	5795	Ant1	-29.1	-27	Pass
NVNT	ac20	5745	Ant1	-32.44	-27	Pass
NVNT	ac20	5825	Ant1	-30.8	-27	Pass
NVNT	ac40	5755	Ant1	-32.08	-27	Pass
NVNT	ac40	5795	Ant1	-30.03	-27	Pass
NVNT	ax20	5745	Ant1	-32.36	-27	Pass
NVNT	ax20	5825	Ant1	-30.39	-27	Pass
NVNT	ax40	5755	Ant1	-31.82	-27	Pass
NVNT	ax40	5795	Ant1	-30.62	-27	Pass


Test Graphs


Band Edge NVNT a 5745MHz Low Ant1





Band Edge NVNT a 5825MHz High Ant1

















Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5745	Ant1	-31.73	-27	Pass
NVNT	a	5785	Ant1	-31.7	-27	Pass
NVNT	a	5825	Ant1	-31.79	-27	Pass
NVNT	n20	5745	Ant1	-31.55	-27	Pass
NVNT	n20	5785	Ant1	-31.58	-27	Pass
NVNT	n20	5825	Ant1	-32.06	-27	Pass
NVNT	n40	5755	Ant1	-32.46	-27	Pass
NVNT	n40	5795	Ant1	-32.13	-27	Pass
NVNT	ac20	5745	Ant1	-31.42	-27	Pass
NVNT	ac20	5785	Ant1	-32.42	-27	Pass
NVNT	ac20	5825	Ant1	-32.73	-27	Pass
NVNT	ac40	5755	Ant1	-31.49	-27	Pass
NVNT	ac40	5795	Ant1	-31.47	-27	Pass
NVNT	ax20	5745	Ant1	-32	-27	Pass
NVNT	ax20	5785	Ant1	-32.55	-27	Pass
NVNT	ax20	5825	Ant1	-31.5	-27	Pass
NVNT	ax40	5755	Ant1	-31.55	-27	Pass
NVNT	ax40	5795	Ant1	-31.15	-27	Pass

