



Left Band edge_Vertical_Average_802.11ac-VHT40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B2_AC40_5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	4895.038	-7.61	52.30	44.69	54.00	-9.31 Average
2	5150.000	-7.45	51.74	44.29	54.00	-9.71 Average


Right Band edge_Horizontal_Peak_802.11ac-VHT40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC40_5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	72.89	66.13	74.00	-7.87 Peak
2	5350.415	-6.76	75.27	68.51	74.00	-5.49 Peak


Right Band edge_Horizontal_Average_802.11ac-VHT40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B2_AC40_5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	55.73	48.97	54.00	-5.03 Average
2	5351.268	-6.76	56.02	49.26	54.00	-4.74 Average


Right Band edge_Vertical_Peak_802.11ac-VHT40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC40_5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	65.36	58.60	74.00	-15.40 Peak
2	5351.112	-6.76	68.18	61.42	74.00	-12.58 Peak


Right Band edge_Vertical_Average_802.11ac-VHT40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B2_AC40_5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	53.49	46.73	54.00	-7.27	Average
2 5350.105	-6.76	53.51	46.75	54.00	-7.25	Average


Left Band edge_Horizontal_Peak_802.11ac-VHT80



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC80_5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4604.125	-8.30	65.46	57.16	74.00	-16.84 Peak
2	5150.000	-7.45	62.94	55.49	74.00	-18.51 Peak


Left Band edge_Horizontal_Average_802.11ac-VHT80



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B2_AC80_5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5039.538	-7.29	52.79	45.50	54.00	-8.50 Average
2	5150.000	-7.45	52.55	45.10	54.00	-8.90 Average


Left Band edge_Vertical_Peak_802.11ac-VHT80



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC80_5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4882.288	-7.66	65.37	57.71	74.00	-16.29	Peak
2 5150.000	-7.45	61.88	54.43	74.00	-19.57	Peak


Left Band edge_Vertical_Average_802.11ac-VHT80



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B2_AC80_5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5048.250	-7.29	52.74	45.45	54.00	-8.55 Average
2	5150.000	-7.45	52.43	44.98	54.00	-9.02 Average


Right Band edge_Horizontal_Peak_802.11ac-VHT80



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC80_5290

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	66.85	60.09	74.00	-13.91 Peak
2	5385.019	-6.65	75.64	68.99	74.00	-5.01 Peak


Right Band edge_Horizontal_Average_802.11ac-VHT80



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B2_AC80_5290

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	54.38	47.62	54.00	-6.38 Average
2	5355.607	-6.74	55.34	48.60	54.00	-5.40 Average


Right Band edge_Vertical_Peak_802.11ac-VHT80



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC80_5290

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	64.94	58.18	74.00	-15.82 Peak
2	5384.709	-6.65	70.06	63.41	74.00	-10.59 Peak


Right Band edge_Vertical_Average_802.11ac-VHT80



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B2_AC80_5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	52.70	45.94	54.00	-8.06	Average
2	5452.172	-6.29	53.59	47.30	54.00	-6.70	Average


Left Band edge_Horizontal_Peak_802.11ax-HE20



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX20_5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4721.212	-7.80	64.91	57.11	74.00	-16.89 Peak
2	5150.000	-7.45	62.36	54.91	74.00	-19.09 Peak


Left Band edge_Horizontal_Average_802.11ax-HE20



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B2_A_5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5033.375	-7.29	51.23	43.94	54.00	-10.06	Average
2	5150.000	-7.45	51.36	43.91	54.00	-10.09	Average


Left Band edge_Vertical_Peak_802.11ax-HE20



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX20_5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4913.313	-7.61	65.42	57.81	74.00	-16.19	Peak
2 5150.000	-7.45	62.90	55.45	74.00	-18.55	Peak


Left Band edge_Vertical_Average_802.11ax-HE20



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B2_A_5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5143.556	-7.46	51.46	44.00	54.00	-10.00	Average
2	5150.000	-7.45	51.28	43.83	54.00	-10.17	Average


Right Band edge_Horizontal_Peak_802.11ax-HE20



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX20_5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	71.68	64.92	74.00	-9.08 Peak
2	5351.190	-6.76	75.90	69.14	74.00	-4.86 Peak


Right Band edge_Horizontal_Average_802.11ax-HE20



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B2_AX20_5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	56.60	49.84	54.00	-4.16	Average
2 5350.454	-6.76	57.01	50.25	54.00	-3.75	Average


Right Band edge_Vertical_Peak_802.11ax-HE20



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX20_5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	67.10	60.34	74.00	-13.66	Peak
2 5351.694	-6.76	69.95	63.19	74.00	-10.81	Peak


Right Band edge_Vertical_Average_802.11ax-HE20



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B2_AX20_5320

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	53.33	46.57	54.00	-7.43	Average
2 5350.996	-6.76	53.66	46.90	54.00	-7.10	Average


Left Band edge_Horizontal_Peak_802.11ax-HE40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX40_5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5028.275	-7.28	64.45	57.17	74.00	-16.83 Peak
2	5150.000	-7.45	62.51	55.06	74.00	-18.94 Peak


Left Band edge_Horizontal_Average_802.11ax-HE40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B2_AX40_5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5131.550	-7.46	52.15	44.69	54.00	-9.31 Average
2	5150.000	-7.45	51.98	44.53	54.00	-9.47 Average


Left Band edge_Vertical_Peak_802.11ax-HE40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX40_5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5095.956	-7.46	64.75	57.29	74.00	-16.71 Peak
2	5150.000	-7.45	62.50	55.05	74.00	-18.95 Peak


Left Band edge_Vertical_Average_802.11ax-HE40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B2_AX40_5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5057.069	-7.31	52.10	44.79	54.00	-9.21 Average
2	5150.000	-7.45	51.63	44.18	54.00	-9.82 Average


Right Band edge_Horizontal_Peak_802.11ax-HE40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX40_5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	68.53	61.77	74.00	-12.23 Peak
2	5362.040	-6.72	76.30	69.58	74.00	-4.42 Peak


Right Band edge_Horizontal_Average_802.11ax-HE40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B2_AX40_5310

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	55.14	48.38	54.00	-5.62	Average
2 5350.144	-6.76	55.57	48.81	54.00	-5.19	Average


Right Band edge_Vertical_Peak_802.11ax-HE40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX40_5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	66.81	60.05	74.00	-13.95 Peak
2	5352.004	-6.76	70.70	63.94	74.00	-10.06 Peak


Right Band edge_Vertical_Average_802.11ax-HE40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B2_AX40_5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	52.35	45.59	54.00	-8.41 Average
2	5453.529	-6.29	52.51	46.22	54.00	-7.78 Average


Left Band edge_Horizontal_Peak_802.11ax-HE80



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX80_5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	4892.275	-7.63	65.21	57.58	74.00	-16.42 Peak
2	5150.000	-7.45	62.28	54.83	74.00	-19.17 Peak

Left Band edge_Horizontal_Average_802.11ax-HE80



Condition : Horizontal

Project No. : 2601S14996E-RF


Tester : Leon Guo

Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak

Note : 5GWiFi_B2_AX80_5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4918.519	-7.62	53.24	45.62	54.00	-8.38 Average
2	5150.000	-7.45	52.50	45.05	54.00	-8.95 Average


Left Band edge_Vertical_Peak_802.11ax-HE80



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX80_5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5069.500	-7.36	64.75	57.39	74.00	-16.61	Peak
2 5150.000	-7.45	62.40	54.95	74.00	-19.05	Peak


Left Band edge_Vertical_Average_802.11ax-HE80



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B2_AX80_5290

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5018.181	-7.29	52.86	45.57	54.00	-8.43 Average
2	5150.000	-7.45	52.54	45.09	54.00	-8.91 Average


Right Band edge_Horizontal_Peak_802.11ax-HE80



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX80_5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	65.22	58.46	74.00	-15.54 Peak
2	5355.569	-6.74	69.69	62.95	74.00	-11.05 Peak


Right Band edge_Horizontal_Average_802.11ax-HE80



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B2_AX80_5290

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	54.89	48.13	54.00	-5.87	Average
2 5351.190	-6.76	56.01	49.25	54.00	-4.75	Average


Right Band edge_Vertical_Peak_802.11ax-HE80



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX80_5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.26	56.50	74.00	-17.50 Peak
2	5350.415	-6.76	66.03	59.27	74.00	-14.73 Peak

Right Band edge_Vertical_Average_802.11ax-HE80




Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B2_AX80_5290

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	53.04	46.28	54.00	-7.72 Average
2	5445.507	-6.33	53.29	46.96	54.00	-7.04 Average

5470-5725MHz:


Left Band edge_Horizontal_Peak_802.11a



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_A_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.52	57.26	74.00	-16.74 Peak
2 5469.991	-6.22	66.94	60.72	68.20	-7.48 Peak
3 5470.000	-6.22	66.92	60.70	68.20	-7.50 Peak


Left Band edge_Horizontal_Average_802.11a



Condition : Horizontal
 Project No. : 2601S14996E-RF
 Tester : Leon Guo
 Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi_B3_A_5500

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	51.64	45.38	54.00	-8.62	Average


Left Band edge_Vertical_Peak_802.11a



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_A_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.36	57.10	74.00	-16.90 Peak
2 5466.710	-6.23	65.45	59.22	68.20	-8.98 Peak
3 5470.000	-6.22	63.15	56.93	68.20	-11.27 Peak


Left Band edge_Vertical_Average_802.11a



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B3_A_5500

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	51.52	45.26	54.00	-8.74	Average


Right Band edge_Horizontal_Peak_802.11a



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_A_5700

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	68.25	62.71	68.20	-5.49 Peak
2	5725.092	-5.53	70.41	64.88	68.20	-3.32 Peak


Right Band edge_Vertical_Peak_802.11a



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_A_5700

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	66.93	61.39	68.20	-6.81 Peak
2	5726.781	-5.51	67.00	61.49	68.20	-6.71 Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT20



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AC20_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.74	57.48	74.00	-16.52 Peak
2 5461.842	-6.26	65.80	59.54	68.20	-8.66 Peak
3 5470.000	-6.22	66.09	59.87	68.20	-8.33 Peak


Left Band edge_Horizontal_Average_802.11ac-VHT20



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B3_AC20_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	52.11	45.85	54.00	-8.15 Average


Left Band edge_Vertical_Peak_802.11ac-VHT20



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AC20_5500

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	64.25	57.99	74.00	-16.01	Peak
2	5465.378	-6.25	65.32	59.07	68.20	-9.13	Peak
3	5470.000	-6.22	63.53	57.31	68.20	-10.89	Peak


Left Band edge_Vertical_Average_802.11ac-VHT20



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B3_AC20_5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	51.73	45.47	54.00	-8.53	Average


Right Band edge_Horizontal_Peak_802.11ac-VHT20



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AC20_5700

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	69.04	63.50	68.20	-4.70	Peak
2	5729.597	-5.48	70.66	65.18	68.20	-3.02	Peak


Right Band edge_Vertical_Peak_802.11ac-VHT20



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AC20_5700

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.35	57.81	68.20	-10.39	Peak
2	5726.053	-5.53	67.65	62.12	68.20	-6.08	Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AC40_5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.00	57.74	74.00	-16.26 Peak
2 5468.658	-6.23	68.06	61.83	68.20	-6.37 Peak
3 5470.000	-6.22	66.58	60.36	68.20	-7.84 Peak


Left Band edge_Horizontal_Average_802.11ac-VHT40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B3_AC40_5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	53.15	46.89	54.00	-7.11 Average


Left Band edge_Vertical_Peak_802.11ac-VHT40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AC40_5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	63.16	56.90	74.00	-17.10	Peak
2	5466.377	-6.24	65.27	59.03	68.20	-9.17	Peak
3	5470.000	-6.22	63.00	56.78	68.20	-11.42	Peak


Left Band edge_Vertical_Average_802.11ac-VHT40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B3_AC40_5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	52.38	46.12	54.00	-7.88 Average


Right Band edge_Horizontal_Peak_802.11ac-VHT40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AC40_5670

	Freq Factor		Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	64.84	59.30	68.20	-8.90	Peak
2	5726.682	-5.51	67.70	62.19	68.20	-6.01	Peak


Right Band edge_Vertical_Peak_802.11ac-VHT40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AC40_5670

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	62.77	57.23	68.20	-10.97	Peak
2	5733.804	-5.45	66.07	60.62	68.20	-7.58	Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT80



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AC80_5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	67.01	60.75	74.00	-13.25 Peak
2 5461.227	-6.26	69.72	63.46	68.20	-4.74 Peak
3 5470.000	-6.22	67.46	61.24	68.20	-6.96 Peak


Left Band edge_Horizontal_Average_802.11ac-VHT80



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B3_AC80_5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	55.48	49.22	54.00	-4.78 Average


Left Band edge_Vertical_Peak_802.11ac-VHT80



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AC80_5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	63.34	57.08	74.00	-16.92	Peak
2	5462.867	-6.25	65.68	59.43	68.20	-8.77	Peak
3	5470.000	-6.22	64.04	57.82	68.20	-10.38	Peak


Left Band edge_Vertical_Average_802.11ac-VHT80



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B3_AC80_5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	53.09	46.83	54.00	-7.17 Average


Right Band edge_Horizontal_Peak_802.11ac-VHT80



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AC80_5610

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	64.00	58.46	68.20	-9.74	Peak
2	5734.367	-5.43	65.98	60.55	68.20	-7.65	Peak


Right Band edge_Vertical_Peak_802.11ac-VHT80



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AC80_5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.26	57.72	68.20	-10.48	Peak
2	5740.230	-5.38	64.84	59.46	68.20	-8.74	Peak


Left Band edge_Horizontal_Peak_802.11ax-HE20



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AX20_5500

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	62.69	56.43	74.00	-17.57	Peak
2	5468.530	-6.23	70.31	64.08	68.20	-4.12	Peak
3	5470.000	-6.22	64.47	58.25	68.20	-9.95	Peak


Left Band edge_Horizontal_Average_802.11ax-HE20



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B3_AX20_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	52.76	46.50	54.00	-7.50 Average


Left Band edge_Vertical_Peak_802.11ax-HE20



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AX20_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.07	56.81	74.00	-17.19 Peak
2 5466.583	-6.23	65.44	59.21	68.20	-8.99 Peak
3 5470.000	-6.22	62.53	56.31	68.20	-11.89 Peak


Left Band edge_Vertical_Average_802.11ax-HE20



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B3_AX20_5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	52.85	46.59	54.00	-7.41	Average


Right Band edge_Horizontal_Peak_802.11ax-HE20



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AX20_5700

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	67.63	62.09	68.20	-6.11 Peak
2	5725.158	-5.53	70.32	64.79	68.20	-3.41 Peak


Right Band edge_Vertical_Peak_802.11ax-HE20



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AX20_5700

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	65.95	60.41	68.20	-7.79 Peak
2	5725.390	-5.53	67.81	62.28	68.20	-5.92 Peak


Left Band edge_Horizontal_Peak_802.11ax-HE40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AX40_5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	63.26	57.00	74.00	-17.00	Peak
2	5467.249	-6.23	70.28	64.05	68.20	-4.15	Peak
3	5470.000	-6.22	66.00	59.78	68.20	-8.42	Peak


Left Band edge_Horizontal_Average_802.11ax-HE40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B3_AX40_5510

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	53.37	47.11	54.00	-6.89	Average


Left Band edge_Vertical_Peak_802.11ax-HE40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AX40_5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	62.95	56.69	74.00	-17.31	Peak
2	5466.941	-6.23	66.32	60.09	68.20	-8.11	Peak
3	5470.000	-6.22	62.85	56.63	68.20	-11.57	Peak


Left Band edge_Vertical_Average_802.11ax-HE40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B3_AX40_5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	52.24	45.98	54.00	-8.02 Average


Right Band edge_Horizontal_Peak_802.11ax-HE40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AX40_5670

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.16	57.62	68.20	-10.58	Peak
2	5726.848	-5.51	70.32	64.81	68.20	-3.39	Peak


Right Band edge_Vertical_Peak_802.11ax-HE40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AX40_5670

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5725.000	-5.54	63.59	58.05	68.20	-10.15	Peak
2 5727.576	-5.50	65.48	59.98	68.20	-8.22	Peak


Left Band edge_Horizontal_Peak_802.11ax-HE80



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AX80_5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	63.87	57.61	74.00	-16.39	Peak
2	5465.096	-6.25	66.45	60.20	68.20	-8.00	Peak
3	5470.000	-6.22	62.76	56.54	68.20	-11.66	Peak


Left Band edge_Horizontal_Average_802.11ax-HE80



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B3_AX80_5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	54.26	48.00	54.00	-6.00 Average


Left Band edge_Vertical_Peak_802.11ax-HE80



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AX80_5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	63.05	56.79	74.00	-17.21	Peak
2	5468.479	-6.23	65.56	59.33	68.20	-8.87	Peak
3	5470.000	-6.22	63.73	57.51	68.20	-10.69	Peak


Left Band edge_Vertical_Average_802.11ax-HE80



Condition : Vertical
 Project No. : 2601S14996E-RF
 Tester : Leon Guo
 Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
 Note : 5GWiFi_B3_AX80_5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	53.01	46.75	54.00	-7.25	Average


Right Band edge_Horizontal_Peak_802.11ax-HE80



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AX80_5610

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	62.40	56.86	68.20	-11.34	Peak
2	5738.176	-5.40	65.01	59.61	68.20	-8.59	Peak

Right Band edge_Vertical_Peak_802.11ax-HE80




Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B3_AX80_5610

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level			
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	62.69	57.15	68.20	-11.05	Peak
2	5731.121	-5.47	65.41	59.94	68.20	-8.26	Peak

5725-5850MHz:


Left Band edge_Horizontal_802.11a



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_5745

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	
	MHz	dB/m			
1	5630.388	-6.02	65.70	59.68	68.20 -8.52 Peak
2	5686.268	-5.81	65.66	59.85	95.07 -35.22 Peak
3	5718.553	-5.59	67.29	61.70	110.40 -48.70 Peak
4	5722.925	-5.55	68.51	62.96	117.47 -54.51 Peak


Left Band edge_Vertical_Peak_802.11a



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5614.272	-6.12	64.86	58.74	68.20	-9.46	Peak
2	5660.087	-5.87	66.00	60.13	75.69	-15.56	Peak
3	5704.500	-5.73	65.56	59.83	106.46	-46.63	Peak
4	5724.217	-5.54	65.01	59.47	120.42	-60.95	Peak


Right Band edge_Horizontal_802.11a



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.203	-4.70	67.32	62.62	121.74	-59.12	Peak
2	5864.200	-4.64	65.97	61.33	108.22	-46.89	Peak
3	5889.280	-4.54	66.10	61.56	94.60	-33.04	Peak
4	5942.300	-4.48	65.41	60.93	68.20	-7.27	Peak


Right Band edge_Vertical_802.11a



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.430	-4.69	65.36	60.67	116.66	-55.99	Peak
2	5870.800	-4.62	66.34	61.72	106.37	-44.65	Peak
3	5895.522	-4.52	66.03	61.51	89.98	-28.47	Peak
4	5925.360	-4.49	66.08	61.59	68.20	-6.61	Peak


Left Band edge_Horizontal_802.11ac-VHT20



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC20_5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5635.970	-5.98	64.89	58.91	68.20	-9.29	Peak
2	5681.400	-5.81	65.96	60.15	91.47	-31.32	Peak
3	5719.680	-5.58	68.83	63.25	110.71	-47.46	Peak
4	5724.190	-5.54	71.50	65.96	120.35	-54.39	Peak


Left Band edge_Vertical_802.11ac-VHT20



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC20_5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5640.150	-5.95	65.02	59.07	68.20	-9.13	Peak
2	5664.212	-5.85	65.44	59.59	78.75	-19.16	Peak
3	5718.058	-5.60	66.32	60.72	110.26	-49.54	Peak
4	5722.210	-5.56	67.24	61.68	115.84	-54.16	Peak


Right Band edge_Horizontal_802.11ac-VHT20



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC20_5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.203	-4.70	74.61	69.91	121.74	-51.83	Peak
2	5854.987	-4.68	69.73	65.05	110.83	-45.78	Peak
3	5875.283	-4.61	66.03	61.42	104.99	-43.57	Peak
4	5935.893	-4.49	65.77	61.28	68.20	-6.92	Peak


Right Band edge_Vertical_802.11ac-VHT20



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC20_5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.670	-4.70	70.00	65.30	120.67	-55.37	Peak
2	5855.098	-4.68	66.45	61.77	110.77	-49.00	Peak
3	5919.915	-4.50	66.10	61.60	71.95	-10.35	Peak
4	5926.515	-4.49	65.58	61.09	68.20	-7.11	Peak


Left Band edge_Horizontal_802.11ac-VHT40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC40_5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5630.525	-6.02	64.78	58.76	68.20	-9.44 Peak
2 5668.640	-5.86	65.57	59.71	82.03	-22.32 Peak
3 5718.058	-5.60	68.46	62.86	110.26	-47.40 Peak
4 5724.217	-5.54	70.88	65.34	120.42	-55.08 Peak


Left Band edge_Vertical_802.11ac-VHT40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC40_5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5602.915	-6.19	65.13	58.94	68.20	-9.26 Peak
2 5699.440	-5.78	66.05	60.27	104.79	-44.52 Peak
3 5715.143	-5.63	65.57	59.94	109.44	-49.50 Peak
4 5724.382	-5.54	65.82	60.28	120.79	-60.51 Peak


Right Band edge_Horizontal_802.11ac-VHT40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC40_5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.623	-4.69	65.75	61.06	116.22	-55.16	Peak
2	5858.728	-4.67	65.74	61.07	109.75	-48.68	Peak
3	5908.090	-4.51	65.54	61.03	80.68	-19.65	Peak
4	5943.538	-4.49	65.15	60.66	68.20	-7.54	Peak


Right Band edge_Vertical_802.11ac-VHT40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC40_5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.522	-4.69	65.35	60.66	118.73	-58.07	Peak
2	5871.982	-4.61	65.17	60.56	106.04	-45.48	Peak
3	5915.185	-4.50	65.42	60.92	75.44	-14.52	Peak
4	5928.192	-4.50	65.76	61.26	68.20	-6.94	Peak


Left Band edge_ Horizontal_ 802.11ac-VHT80



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5629.067	-6.03	65.16	59.13	68.20	-9.07	Peak
2	5684.755	-5.81	69.74	63.93	93.95	-30.02	Peak
3	5719.982	-5.58	71.03	65.45	110.80	-45.35	Peak
4	5720.560	-5.57	70.22	64.65	112.08	-47.43	Peak


Left Band edge_Vertical_802.11ac-VHT80



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5642.405	-5.94	65.24	59.30	68.20	-8.90	Peak
2	5684.260	-5.81	68.15	62.34	93.59	-31.25	Peak
3	5719.240	-5.58	66.15	60.57	110.59	-50.02	Peak
4	5721.660	-5.57	65.51	59.94	114.59	-54.65	Peak


Right Band edge_Horizontal_802.11ac-VHT80



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5853.393	-4.68	71.13	66.45	114.46	-48.01	Peak
2	5865.877	-4.64	72.25	67.61	107.75	-40.14	Peak
3	5875.502	-4.61	69.70	65.09	104.83	-39.74	Peak
4	5940.402	-4.49	65.67	61.18	68.20	-7.02	Peak


Right Band edge_Vertical_802.11ac-VHT80



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5850.725	-4.70	67.73	63.03	120.55 -57.52 Peak
2	5864.365	-4.64	69.30	64.66	108.18 -43.52 Peak
3	5880.123	-4.58	66.18	61.60	101.39 -39.79 Peak
4	5943.070	-4.49	65.62	61.13	68.20 -7.07 Peak


Left Band edge_Horizontal_802.11ax-HE20



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX20_5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5623.402	-6.05	65.68	59.63	68.20	-8.57	Peak
2	5673.397	-5.84	65.62	59.78	85.55	-25.77	Peak
3	5719.982	-5.58	69.93	64.35	110.80	-46.45	Peak
4	5724.575	-5.54	72.74	67.20	121.23	-54.03	Peak


Left Band edge_Vertical_802.11ax-HE20



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX20_5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5606.215	-6.17	65.90	59.73	68.20	-8.47	Peak
2	5698.065	-5.78	65.75	59.97	103.77	-43.80	Peak
3	5719.845	-5.58	65.22	59.64	110.76	-51.12	Peak
4	5723.310	-5.55	67.90	62.35	118.35	-56.00	Peak


Right Band edge_Horizontal_802.11ax-HE20



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX20_5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.395	-4.70	77.72	73.02	121.30	-48.28	Peak
2	5855.675	-4.68	69.30	64.62	110.61	-45.99	Peak
3	5923.930	-4.50	65.64	61.14	68.99	-7.85	Peak
4	5949.973	-4.48	65.72	61.24	68.20	-6.96	Peak


Right Band edge_Vertical_802.11ax-HE20



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX20_5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.018	-4.69	72.22	67.53	117.60	-50.07	Peak
2	5870.607	-4.62	66.41	61.79	106.43	-44.64	Peak
3	5881.938	-4.57	65.91	61.34	100.05	-38.71	Peak
4	5928.660	-4.50	65.38	60.88	68.20	-7.32	Peak


Left Band edge_Horizontal_802.11ax-HE40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX40_5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5602.118	-6.19	65.20	59.01	68.20	-9.19 Peak
2 5698.368	-5.79	66.37	60.58	104.00	-43.42 Peak
3 5717.590	-5.60	74.10	68.50	110.13	-41.63 Peak
4 5723.172	-5.55	74.78	69.23	118.03	-48.80 Peak


Left Band edge_Vertical_802.11ax-HE40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX40_5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5604.813	-6.17	64.99	58.82	68.20	-9.38 Peak
2 5680.245	-5.82	65.42	59.60	90.62	-31.02 Peak
3 5717.837	-5.60	68.88	63.28	110.20	-46.92 Peak
4 5722.292	-5.56	70.79	65.23	116.03	-50.80 Peak


Right Band edge_Horizontal_802.11ax-HE40



Condition : Horizontal
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX40_5795

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5851.990	-4.69	69.04	64.35	117.66	-53.31 Peak
2 5865.025	-4.64	65.90	61.26	107.99	-46.73 Peak
3 5909.025	-4.50	65.69	61.19	79.99	-18.80 Peak
4 5938.587	-4.49	65.93	61.44	68.20	-6.76 Peak


Right Band edge_Vertical_802.11ax-HE40



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX40_5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.292	-4.69	66.33	61.64	116.97	-55.33	Peak
2	5866.703	-4.63	66.14	61.51	107.52	-46.01	Peak
3	5915.845	-4.50	66.41	61.91	74.95	-13.04	Peak
4	5941.393	-4.48	65.66	61.18	68.20	-7.02	Peak

Left Band edge_Horizontal_802.11ax-HE80



Condition : Horizontal

Project No. : 2601S14996E-RF


Tester : Leon Guo

Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak

Note : 5GWiFi_B4_AX80_5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5636.245	-5.98	65.54	59.56	68.20	-8.64	Peak
2	5690.833	-5.80	65.86	60.06	98.44	-38.38	Peak
3	5716.243	-5.62	68.20	62.58	109.75	-47.17	Peak
4	5720.752	-5.57	67.71	62.14	112.52	-50.38	Peak


Left Band edge_Vertical_802.11ax-HE80



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX80_5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5603.768	-6.18	65.40	59.22	68.20	-8.98 Peak
2 5654.147	-5.88	65.51	59.63	71.28	-11.65 Peak
3 5706.728	-5.72	65.95	60.23	107.09	-46.86 Peak
4 5723.998	-5.54	65.69	60.15	119.92	-59.77 Peak

Right Band edge_Horizontal_802.11ax-HE80



Condition : Horizontal

Project No. : 2601S14996E-RF


Tester : Leon Guo

Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak

Note : 5GWiFi_B4_AX80_5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.650	-4.69	67.67	62.98	116.16	-53.18	Peak
2	5861.725	-4.65	65.89	61.24	108.91	-47.67	Peak
3	5878.197	-4.59	66.61	62.02	102.82	-40.80	Peak
4	5936.030	-4.49	65.50	61.01	68.20	-7.19	Peak

Right Band edge_Vertical_802.11ax-HE80



Condition : Vertical
Project No. : 2601S14996E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX80_5775

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5850.780	-4.70	65.14	60.44	120.42	-59.98	Peak
2 5874.705	-4.60	65.51	60.91	105.28	-44.37	Peak
3 5908.447	-4.51	66.55	62.04	80.41	-18.37	Peak
4 5936.828	-4.49	65.90	61.41	68.20	-6.79	Peak

RF Conducted data**26dB attenuated below the channel power****Test Information:**

Sample No.:	3JK9-2	Test Date:	2026/05/04
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:


Temperature: (°C)	25.2	Relative Humidity: (%)	51	ATM Pressure: (kPa)	100.8
----------------------	------	------------------------------	----	------------------------	-------

Test Data:**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Result (dBm)	Limit (dBm)	Verdict
802.11a	Chain 0	5180	-33.18	-16.02	Pass
		5200	-32.68	-16.03	Pass
		5240	-33.00	-15.83	Pass
	Chain 1	5180	-29.54	-15.04	Pass
		5200	-31.18	-15.24	Pass
		5240	-31.65	-15.66	Pass
802.11ac20	Chain 0	5180	-30.32	-16.35	Pass
		5200	-31.01	-16.07	Pass
		5240	-31.80	-15.82	Pass
	Chain 1	5180	-30.42	-15.22	Pass
		5200	-29.37	-15.23	Pass
		5240	-30.95	-15.50	Pass
802.11ac40	Chain 0	5190	-36.33	-15.94	Pass
		5230	-35.76	-15.80	Pass
	Chain 1	5190	-35.58	-15.13	Pass
		5230	-35.70	-15.40	Pass
802.11ac80	Chain 0	5210	-36.72	-15.96	Pass
	Chain 1	5210	-35.87	-15.47	Pass
802.11ax20_RU_Full	Chain 0	5180	-36.56	-15.70	Pass
		5200	-34.92	-16.16	Pass
		5240	-37.65	-15.72	Pass
	Chain 1	5180	-31.88	-15.02	Pass
		5200	-33.85	-15.05	Pass
		5240	-34.18	-15.43	Pass
802.11ax40_RU_Full	Chain 0	5190	-20.92	-15.96	Pass
		5230	-27.68	-15.67	Pass
	Chain 1	5190	-27.09	-14.81	Pass
		5230	-21.40	-15.10	Pass
802.11ax80_RU_Full	Chain 0	5210	-18.89	-15.55	Pass
	Chain 1	5210	-18.06	-15.24	Pass


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 14:47:21

802.11a_5200MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 14:49:09

802.11a_5240MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 14:51:10

802.11a_5180MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:03:56

802.11a_5200MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:05:34

802.11a_5240MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:07:31

802.11ac20_5180MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:15:20

802.11ac20_5200MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:17:40

802.11ac20_5240MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:28:10

802.11ac20_5180MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:22:17

802.11ac20_5200MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:25:24

802.11ac20_5240MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:27:34

802.11ac40_5190MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:43:14

802.11ac40_5230MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:45:05

802.11ac40_5190MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:42:34

802.11ac40_5230MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:43:48

802.11ac80_5210MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:56:20

802.11ac80_5210MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:02:58

802.11ax20_5180MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:07:47

802.11ax20_5200MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:12:31

802.11ax20_5240MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:15:52

802.11ax20_5180MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:10:25

802.11ax20_5200MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:12:41

802.11ax20_5240MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:14:13

802.11ax40_5190MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:40:49

802.11ax40_5230MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:42:10

802.11ax40_5190MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:25:50

802.11ax40_5230MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:26:56

802.11ax80_5210MHz_RU_Full_Chain 0



ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:50:05

802.11ax80_5210MHz_RU_Full_Chain 1



ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:35:39

Emission Bandwidth**Test Information:**

Sample No.:	3JK9-2	Test Date:	2026/05/04
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.2	Relative Humidity: (%)	51	ATM Pressure: (kPa)	100.8
----------------------	------	------------------------------	----	------------------------	-------

Test Data:**26dB Emission Bandwidth
5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5180	18.569
		5200	18.368
		5240	18.619
	Chain 1	5180	18.268
		5200	18.268
		5240	18.418
802.11ac20	Chain 0	5180	19.319
		5200	19.319
		5240	19.470
	Chain 1	5180	19.419
		5200	19.319
		5240	19.470
802.11ac40	Chain 0	5190	39.239
		5230	39.139
	Chain 1	5190	39.239
		5230	39.239
802.11ac80	Chain 0	5210	88.489
	Chain 1	5210	88.689
802.11ax20_RU_Full	Chain 0	5180	20.592
		5200	20.284
		5240	20.542
	Chain 1	5180	20.644
		5200	20.392
		5240	20.437
802.11ax40_RU_Full	Chain 0	5190	39.840
		5230	40.240
	Chain 1	5190	40.140
		5230	39.940
802.11ax80_RU_Full	Chain 0	5210	81.081
	Chain 1	5210	81.081

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5260	18.569
		5300	18.368
		5320	18.368
	Chain 1	5260	18.418
		5300	18.368
		5320	18.318
802.11ac20	Chain 0	5260	19.319
		5300	19.169
		5320	19.419
	Chain 1	5260	19.369
		5300	19.470
		5320	19.319
802.11ac40	Chain 0	5270	39.339
		5310	39.540
	Chain 1	5270	39.139
		5310	39.239
802.11ac80	Chain 0	5290	87.688
	Chain 1	5290	88.288
802.11ax20_RU_Full	Chain 0	5260	20.594
		5300	20.493
		5320	20.695
	Chain 1	5260	20.442
		5300	20.748
		5320	20.748
802.11ax40_RU_Full	Chain 0	5270	40.240
		5310	40.040
	Chain 1	5270	40.040
		5310	40.140
802.11ax80_RU_Full	Chain 0	5290	81.081
	Chain 1	5290	82.483

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5500	18.569
		5600	18.919
		5700	18.318
		5720	18.318
	Chain 1	5500	18.469
		5600	18.318
		5700	18.318
		5720	18.268
802.11ac20	Chain 0	5500	19.419
		5600	19.369
		5700	19.319
		5720	19.470
	Chain 1	5500	19.369
		5600	19.319
		5700	19.470
		5720	19.369
802.11ac40	Chain 0	5510	39.439
		5590	39.239
		5670	39.239
		5710	39.239
	Chain 1	5510	39.139
		5590	39.139
		5670	39.339
		5710	39.239
802.11ac80	Chain 0	5530	88.288
		5610	87.888
		5690	88.088
	Chain 1	5530	88.689
		5610	87.087
		5690	87.688


Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11ax20_RU_Full	Chain 0	5500	20.490
		5600	20.493
		5700	20.288
		5720	20.442
	Chain 1	5500	20.595
		5600	20.392
		5700	20.646
		5720	20.383
802.11ax40_RU_Full	Chain 0	5510	39.940
		5590	40.240
		5670	40.040
		5710	40.040
	Chain 1	5510	39.940
		5590	40.140
		5670	40.140
		5710	39.840
802.11ax80_RU_Full	Chain 0	5530	81.482
		5610	80.881
		5690	81.482
	Chain 1	5530	81.081
		5610	81.482
		5690	80.881

6dB Emission Bandwidth**5725-5850MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	Chain 0	5745	16.416	0.5	Pass
		5785	16.116	0.5	Pass
		5825	16.366	0.5	Pass
	Chain 1	5745	16.416	0.5	Pass
		5785	16.416	0.5	Pass
		5825	16.366	0.5	Pass
802.11ac20	Chain 0	5745	17.067	0.5	Pass
		5785	17.668	0.5	Pass
		5825	17.417	0.5	Pass
	Chain 1	5745	17.468	0.5	Pass
		5785	17.217	0.5	Pass
		5825	17.317	0.5	Pass
802.11ac40	Chain 0	5755	36.537	0.5	Pass
		5795	35.936	0.5	Pass
	Chain 1	5755	35.435	0.5	Pass
		5795	36.336	0.5	Pass
802.11ac80	Chain 0	5775	76.677	0.5	Pass
	Chain 1	5775	76.076	0.5	Pass
802.11ax20_RU_Full	Chain 0	5745	18.769	0.5	Pass
		5785	18.769	0.5	Pass
		5825	18.418	0.5	Pass
	Chain 1	5745	18.569	0.5	Pass
		5785	18.368	0.5	Pass
		5825	18.719	0.5	Pass
802.11ax40_RU_Full	Chain 0	5755	37.738	0.5	Pass
		5795	37.838	0.5	Pass
	Chain 1	5755	37.838	0.5	Pass
		5795	37.838	0.5	Pass
802.11ax80_RU_Full	Chain 0	5775	78.078	0.5	Pass
	Chain 1	5775	77.878	0.5	Pass


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 14:45:43

802.11a_5200MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 14:47:49

802.11a_5240MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 14:49:40

802.11a_5180MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:02:48

802.11a_5200MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:04:22

802.11a_5240MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:05:56

802.11ac20_5180MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:14:05

802.11ac20_5200MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:15:48

802.11ac20_5240MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:18:08

802.11ac20_5180MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:20:12

802.11ac20_5200MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:22:44

802.11ac20_5240MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:26:13

802.11ac40_5190MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:42:15

802.11ac40_5230MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:44:12

802.11ac40_5190MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:41:38

802.11ac40_5230MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:42:57

802.11ac80_5210MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:55:33

802.11ac80_5210MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:02:12

802.11ax20_5180MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:06:18

802.11ax20_5200MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:08:17

802.11ax20_5240MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:13:26

802.11ax20_5180MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:08:56

802.11ax20_5200MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:10:50

802.11ax20_5240MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:13:02

802.11ax40_5190MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:40:00

802.11ax40_5230MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:41:19

802.11ax40_5190MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:25:02

802.11ax40_5230MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:26:09

802.11ax80_5210MHz_RU_Full_Chain 0



ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:49:20


802.11ax80_5210MHz_RU_Full_Chain 1



ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:34:51


5250-5350MHz

802.11a_5260MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 14:52:01

802.11a_5300MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 14:52:58

802.11a_5320MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 14:53:52

802.11a_5260MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:08:19

802.11a_5300MHz_Chain 1



ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:09:15

802.11a_5320MHz_Chain 1



ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:10:32