



802.11ax20_5700MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:19:51

802.11ax20_5720MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:20:54

802.11ax40_5510MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:32:28

802.11ax40_5590MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:33:55

802.11ax40_5670MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:34:48

802.11ax40_5710MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:35:50

802.11ax40_5510MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:29:38

802.11ax40_5590MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:30:29

802.11ax40_5670MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:31:13

802.11ax40_5710MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:31:55

802.11ax80_5530MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:53:49

802.11ax80_5610MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:54:39

802.11ax80_5690MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:55:29

802.11ax80_5530MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:37:34

802.11ax80_5610MHz_RU_Full_Chain 1



ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:38:25


802.11ax80_5690MHz_RU_Full_Chain 1



ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:39:11


5725-5850MHz

802.11a_5745MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:06:35

802.11a_5785MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:07:32

802.11a_5825MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:08:28

802.11a_5745MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:15:15

802.11a_5785MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:16:09

802.11a_5825MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:17:03

802.11ac20_5745MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:37:03

802.11ac20_5785MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:37:55

802.11ac20_5825MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:39:21

802.11ac20_5745MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:35:46

802.11ac20_5785MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:37:38

802.11ac20_5825MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:38:52

802.11ac40_5755MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:52:12

802.11ac40_5795MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:53:50

802.11ac40_5755MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:59:36

802.11ac40_5795MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:00:23

802.11ac80_5775MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:04:26

802.11ac80_5775MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:07:23

802.11ax20_5745MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:25:34

802.11ax20_5785MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:26:26

802.11ax20_5825MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:27:20

802.11ax20_5745MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:21:57

802.11ax20_5785MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:22:44

802.11ax20_5825MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:23:30

802.11ax40_5755MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:37:09

802.11ax40_5795MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:37:54

802.11ax40_5755MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:32:50

802.11ax40_5795MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:33:36

802.11ax80_5775MHz_RU_Full_Chain 0



ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:58:02

802.11ax80_5775MHz_RU_Full_Chain 1



ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:40:12

Maximum Conducted Output Power

Test Information:

Sample No.:	3JK9-2	Test Date:	2026/05/04
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.2	Relative Humidity: (%)	51	ATM Pressure: (kPa)	100.8
----------------------	------	------------------------------	----	------------------------	-------

Test Data:**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)		EIRP(dBm)		Verdict
			Result	FCC Limit	Result	IC Limit	
802.11a	Chain 0	5180	9.98	23.98	13.18	22.14	Pass
		5200	9.97	23.98	13.17	22.15	Pass
		5240	10.17	23.98	13.37	22.14	Pass
	Chain 1	5180	10.96	23.98	12.40	22.14	Pass
		5200	10.76	23.98	12.20	22.14	Pass
		5240	10.34	23.98	11.78	22.14	Pass
	Total	5180	13.51	23.98	16.71	22.14	Pass
		5200	13.39	23.98	16.59	22.14	Pass
		5240	13.27	23.98	16.47	22.14	Pass
802.11ac20	Chain 0	5180	9.65	23.98	12.85	22.44	Pass
		5200	9.93	23.98	13.13	22.44	Pass
		5240	10.18	23.98	13.38	22.44	Pass
	Chain 1	5180	10.78	23.98	12.22	22.44	Pass
		5200	10.77	23.98	12.21	22.44	Pass
		5240	10.50	23.98	11.94	22.44	Pass
	Total	5180	13.26	23.98	16.46	22.44	Pass
		5200	13.38	23.98	16.58	22.44	Pass
		5240	13.35	23.98	16.55	22.44	Pass
802.11ac40	Chain 0	5190	10.06	23.98	13.26	23.01	Pass
		5230	10.20	23.98	13.40	23.01	Pass
	Chain 1	5190	10.87	23.98	12.31	23.01	Pass
		5230	10.60	23.98	12.04	23.01	Pass
	Total	5190	13.49	23.98	16.69	23.01	Pass
		5230	13.41	23.98	16.61	23.01	Pass
802.11ac80	Chain 0	5210	10.04	23.98	13.24	23.01	Pass
	Chain 1	5210	10.53	23.98	11.97	23.01	Pass
	Total	5210	13.30	23.98	16.50	23.01	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)		EIRP(dBm)		Verdict
			Result	FCC Limit	Result	IC Limit	
802.11ax20 _RU_Full	Chain 0	5180	10.30	23.98	13.50	22.78	Pass
		5200	9.84	23.98	13.04	22.75	Pass
		5240	10.28	23.98	13.48	22.78	Pass
	Chain 1	5180	10.98	23.98	12.42	22.75	Pass
		5200	10.95	23.98	12.39	22.76	Pass
		5240	10.57	23.98	12.01	22.75	Pass
	Total	5180	13.66	23.98	16.86	22.75	Pass
		5200	13.44	23.98	16.64	22.75	Pass
		5240	13.44	23.98	16.64	22.75	Pass
802.11ax40 _RU_Full	Chain 0	5190	10.04	23.98	13.24	23.01	Pass
		5230	10.33	23.98	13.53	23.01	Pass
	Chain 1	5190	11.19	23.98	12.63	23.01	Pass
		5230	10.90	23.98	12.34	23.01	Pass
	Total	5190	13.66	23.98	16.86	23.01	Pass
		5230	13.63	23.98	16.83	23.01	Pass
802.11ax80 _RU_Full	Chain 0	5210	10.45	23.98	13.65	23.01	Pass
	Chain 1	5210	10.76	23.98	12.20	23.01	Pass
	Total	5210	13.62	23.98	16.82	23.01	Pass

Note: The device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power measurements on IEEE 802.11 devices:

Array Gain = 0 dB (i.e., no array gain) for $N_{ANT} \leq 4$

Directional gain = $G_{ANT\ MAX} + \text{Array Gain} = 3.20\text{dBi}$

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)			EIRP (dBm)		Verdict
			Result	FCC Limit	IC Limit	Result	IC Limit	
802.11a	Chain 0	5260	10.64	23.98	23.15	12.40	29.15	Pass
		5300	10.70	23.98	23.15	12.46	29.15	Pass
		5320	10.71	23.98	23.14	12.47	29.14	Pass
	Chain 1	5260	10.61	23.98	23.14	12.28	29.14	Pass
		5300	11.03	23.98	23.15	12.70	29.15	Pass
		5320	10.91	23.98	23.16	12.58	29.16	Pass
	Total	5260	13.64	23.98	23.15	15.40	29.14	Pass
		5300	13.88	23.98	23.15	15.64	29.15	Pass
		5320	13.82	23.98	23.14	15.58	29.14	Pass
802.11ac20	Chain 0	5260	10.35	23.98	23.44	12.11	29.44	Pass
		5300	10.76	23.98	23.44	12.52	29.44	Pass
		5320	10.65	23.98	23.44	12.41	29.44	Pass
	Chain 1	5260	10.80	23.98	23.46	12.47	29.46	Pass
		5300	11.09	23.98	23.44	12.76	29.44	Pass
		5320	10.95	23.98	23.44	12.62	29.44	Pass
	Total	5260	13.59	23.98	23.44	15.35	29.44	Pass
		5300	13.94	23.98	23.44	15.70	29.44	Pass
		5320	13.81	23.98	23.44	15.57	29.44	Pass
802.11ac40	Chain 0	5270	10.37	23.98	23.98	12.13	29.98	Pass
		5310	10.81	23.98	23.98	12.57	29.98	Pass
	Chain 1	5270	10.72	23.98	23.98	12.39	29.98	Pass
		5310	10.97	23.98	23.98	12.64	29.98	Pass
	Total	5270	13.56	23.98	23.98	15.32	29.98	Pass
		5310	13.90	23.98	23.98	15.66	29.98	Pass
802.11ac80	Chain 0	5290	10.59	23.98	23.98	12.35	29.98	Pass
	Chain 1	5290	10.87	23.98	23.98	12.54	29.98	Pass
	Total	5290	13.74	23.98	23.98	15.50	29.98	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)			EIRP (dBm)		Verdict
			Result	FCC Limit	IC Limit	Result	IC Limit	
802.11ax20 _RU_Full	Chain 0	5260	10.61	23.98	23.78	12.37	29.78	Pass
		5300	10.82	23.98	23.76	12.58	29.76	Pass
		5320	10.68	23.98	23.76	12.44	29.76	Pass
	Chain 1	5260	11.03	23.98	23.76	12.70	29.76	Pass
		5300	10.86	23.98	23.75	12.53	29.75	Pass
		5320	11.07	23.98	23.75	12.74	29.75	Pass
	Total	5260	13.84	23.98	23.76	15.60	29.76	Pass
		5300	13.85	23.98	23.75	15.61	29.75	Pass
		5320	13.89	23.98	23.75	15.65	29.75	Pass
802.11ax40 _RU_Full	Chain 0	5270	10.65	23.98	23.98	12.41	29.98	Pass
		5310	10.75	23.98	23.98	12.51	29.98	Pass
	Chain 1	5270	10.95	23.98	23.98	12.62	29.98	Pass
		5310	10.98	23.98	23.98	12.65	29.98	Pass
	Total	5270	13.81	23.98	23.98	15.57	29.98	Pass
		5310	13.88	23.98	23.98	15.64	29.98	Pass
802.11ax80 _RU_Full	Chain 0	5290	10.81	23.98	23.98	12.57	29.98	Pass
	Chain 1	5290	10.79	23.98	23.98	12.46	29.98	Pass
	Total	5290	13.81	23.98	23.98	15.57	29.98	Pass

Note: The device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power measurements on IEEE 802.11 devices:

Array Gain = 0 dB (i.e., no array gain) for $N_{ANT} \leq 4$

Directional gain = $G_{ANT\ MAX} + \text{Array Gain} = 1.76\text{dBi}$

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)			EIRP (dBm)		Verdict
			Result	FCC Limit	IC Limit	Result	IC Limit	
802.11a	Chain 0	5500	11.06	23.98	23.14	11.63	29.14	Pass
		5600	10.91	23.98	23.15	11.48	29.15	Pass
		5700	11.22	23.98	23.14	11.79	29.14	Pass
		5720	10.56	23.98	23.15	11.13	29.15	Pass
	Chain 1	5500	11.55	23.98	23.14	13.82	29.14	Pass
		5600	11.55	23.98	23.15	13.82	29.15	Pass
		5700	10.83	23.98	23.14	13.10	29.14	Pass
		5720	10.22	23.98	23.14	12.49	29.14	Pass
	Total	5500	14.32	23.98	23.14	16.59	29.14	Pass
		5600	14.25	23.98	23.15	16.52	29.15	Pass
		5700	14.04	23.98	23.14	16.31	29.14	Pass
		5720	13.40	23.98	23.14	15.67	29.14	Pass
802.11ac20	Chain 0	5500	11.08	23.98	23.44	11.65	29.44	Pass
		5600	11.14	23.98	23.44	11.71	29.44	Pass
		5700	11.31	23.98	23.44	11.88	29.44	Pass
		5720	10.30	23.98	23.44	10.87	29.44	Pass
	Chain 1	5500	11.88	23.98	23.44	14.15	29.44	Pass
		5600	11.35	23.98	23.44	13.62	29.44	Pass
		5700	10.95	23.98	23.44	13.22	29.44	Pass
		5720	10.17	23.98	23.44	12.44	29.44	Pass
	Total	5500	14.51	23.98	23.44	16.78	29.44	Pass
		5600	14.26	23.98	23.44	16.53	29.44	Pass
		5700	14.14	23.98	23.44	16.41	29.44	Pass
		5720	13.25	23.98	23.44	15.52	29.44	Pass
802.11ac40	Chain 0	5510	11.20	23.98	23.98	11.77	29.98	Pass
		5590	11.31	23.98	23.98	11.88	29.98	Pass
		5670	11.07	23.98	23.98	11.64	29.98	Pass
		5710	11.03	23.98	23.98	11.60	29.98	Pass
	Chain 1	5510	11.73	23.98	23.98	14.00	29.98	Pass
		5590	11.23	23.98	23.98	13.50	29.98	Pass
		5670	10.72	23.98	23.98	12.99	29.98	Pass
		5710	10.70	23.98	23.98	12.97	29.98	Pass
	Total	5510	14.48	23.98	23.98	16.75	29.98	Pass
		5590	14.28	23.98	23.98	16.55	29.98	Pass
		5670	13.91	23.98	23.98	16.18	29.98	Pass
		5710	13.88	23.98	23.98	16.15	29.98	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)			EIRP (dBm)		Verdict
			Result	FCC Limit	IC Limit	Result	IC Limit	
802.11ac80	Chain 0	5530	11.04	23.98	23.98	11.61	29.98	Pass
		5610	11.31	23.98	23.98	11.88	29.98	Pass
		5690	10.87	23.98	23.98	11.44	29.98	Pass
	Chain 1	5530	11.58	23.98	23.98	13.85	29.98	Pass
		5610	11.19	23.98	23.98	13.46	29.98	Pass
		5690	10.79	23.98	23.98	13.06	29.98	Pass
	Total	5530	14.33	23.98	23.98	16.60	29.98	Pass
		5610	14.26	23.98	23.98	16.53	29.98	Pass
		5690	13.84	23.98	23.98	16.11	29.98	Pass
802.11ax20 _RU_Full	Chain 0	5500	10.94	23.98	23.76	11.51	29.76	Pass
		5600	11.16	23.98	23.76	11.73	29.76	Pass
		5700	11.48	23.98	23.78	12.05	29.78	Pass
		5720	10.51	23.98	23.78	11.08	29.78	Pass
	Chain 1	5500	11.76	23.98	23.76	14.03	29.76	Pass
		5600	11.03	23.98	23.76	13.30	29.76	Pass
		5700	11.34	23.98	23.75	13.61	29.75	Pass
		5720	10.06	23.98	23.76	12.33	29.76	Pass
	Total	5500	14.38	23.98	23.76	16.65	29.76	Pass
		5600	14.11	23.98	23.76	16.38	29.76	Pass
		5700	14.42	23.98	23.75	16.69	29.75	Pass
		5720	13.30	23.98	23.76	15.57	29.76	Pass
802.11ax40 _RU_Full	Chain 0	5510	11.28	23.98	23.98	11.85	29.98	Pass
		5590	11.42	23.98	23.98	11.99	29.98	Pass
		5670	11.05	23.98	23.98	11.62	29.98	Pass
		5710	10.90	23.98	23.98	11.47	29.98	Pass
	Chain 1	5510	12.08	23.98	23.98	14.35	29.98	Pass
		5590	11.40	23.98	23.98	13.67	29.98	Pass
		5670	10.79	23.98	23.98	13.06	29.98	Pass
		5710	10.73	23.98	23.98	13.00	29.98	Pass
	Total	5510	14.71	23.98	23.98	16.98	29.98	Pass
		5590	14.42	23.98	23.98	16.69	29.98	Pass
		5670	13.93	23.98	23.98	16.20	29.98	Pass
		5710	13.83	23.98	23.98	16.10	29.98	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)			EIRP (dBm)		Verdict
			Result	FCC Limit	IC Limit	Result	IC Limit	
802.11ax80 _RU_Full	Chain 0	5530	11.22	23.98	23.98	11.79	29.98	Pass
		5610	11.25	23.98	23.98	11.82	29.98	Pass
		5690	10.76	23.98	23.98	11.33	29.98	Pass
	Chain 1	5530	11.59	23.98	23.98	13.86	29.98	Pass
		5610	10.90	23.98	23.98	13.17	29.98	Pass
		5690	11.01	23.98	23.98	13.28	29.98	Pass
	Total	5530	14.42	23.98	23.98	16.69	29.98	Pass
		5610	14.09	23.98	23.98	16.36	29.98	Pass
		5690	13.90	23.98	23.98	16.17	29.98	Pass

Note: The device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power measurements on IEEE 802.11 devices:

Array Gain = 0 dB (i.e., no array gain) for $N_{ANT} \leq 4$

Directional gain = $G_{ANT\ MAX} + \text{Array Gain} = 2.27\text{dBi}$

5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	Chain 0	5745	11.41	30	Pass
		5785	11.51	30	Pass
		5825	11.12	30	Pass
	Chain 1	5745	10.90	30	Pass
		5785	11.04	30	Pass
		5825	10.50	30	Pass
	Total	5745	14.17	30	Pass
		5785	14.29	30	Pass
		5825	13.83	30	Pass
802.11ac20	Chain 0	5745	11.84	30	Pass
		5785	11.40	30	Pass
		5825	11.46	30	Pass
	Chain 1	5745	10.81	30	Pass
		5785	10.68	30	Pass
		5825	10.62	30	Pass
	Total	5745	14.37	30	Pass
		5785	14.07	30	Pass
		5825	14.07	30	Pass
802.11ac40	Chain 0	5755	11.79	30	Pass
		5795	11.39	30	Pass
	Chain 1	5755	10.84	30	Pass
		5795	11.03	30	Pass
	Total	5755	14.35	30	Pass
		5795	14.22	30	Pass
802.11ac80	Chain 0	5775	11.33	30	Pass
	Chain 1	5775	10.97	30	Pass
	Total	5775	14.16	30	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11ax20_RU_Full	Chain 0	5745	12.09	30	Pass
		5785	11.50	30	Pass
		5825	11.35	30	Pass
	Chain 1	5745	11.06	30	Pass
		5785	11.02	30	Pass
		5825	10.82	30	Pass
	Total	5745	14.62	30	Pass
		5785	14.28	30	Pass
		5825	14.10	30	Pass
802.11ax40_RU_Full	Chain 0	5755	12.08	30	Pass
		5795	11.35	30	Pass
	Chain 1	5755	10.90	30	Pass
		5795	10.94	30	Pass
	Total	5755	14.54	30	Pass
		5795	14.16	30	Pass
802.11ax80_RU_Full	Chain 0	5775	11.77	30	Pass
	Chain 1	5775	11.36	30	Pass
	Total	5775	14.58	30	Pass

Note: The device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01

Multiple Transmitter Output v02r01, for power measurements on IEEE 802.11 devices:

Array Gain = 0 dB (i.e., no array gain) for $N_{ANT} \leq 4$

Directional gain = $G_{ANT\ MAX} + \text{Array Gain} = 2.10\text{dBi}$

Power Spectral Density

Test Information:

Sample No.:	3JK9-2	Test Date:	2026/05/04
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.2	Relative Humidity: (%)	51	ATM Pressure: (kPa)	100.8
----------------------	------	------------------------------	----	------------------------	-------

Test Data:**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	FCC Limit (dBm/MHz)	EIRP PSD (dBm/MHz)		Verdict
							Result	IC Limit	
802.11a	Chain 0	5180	-0.91	0.09	-0.82	11	2.38	10	Pass
		5200	-0.99	0.09	-0.90	11	2.30	10	Pass
		5240	-0.76	0.09	-0.67	11	2.53	10	Pass
	Chain 1	5180	0.12	0.09	0.21	11	1.65	10	Pass
		5200	-0.17	0.09	-0.08	11	1.36	10	Pass
		5240	-0.47	0.09	-0.38	11	1.06	10	Pass
	Total	5180	2.65	0.09	2.74	10.79	5.94	10	Pass
		5200	2.45	0.09	2.54	10.79	5.74	10	Pass
		5240	2.40	0.09	2.49	10.79	5.69	10	Pass
802.11ac20	Chain 0	5180	-0.92	0.09	-0.83	11	2.37	10	Pass
		5200	-1.33	0.09	-1.24	11	1.96	10	Pass
		5240	-0.93	0.09	-0.84	11	2.36	10	Pass
	Chain 1	5180	-0.13	0.09	-0.04	11	1.40	10	Pass
		5200	-0.27	0.09	-0.18	11	1.26	10	Pass
		5240	-0.56	0.09	-0.47	11	0.97	10	Pass
	Total	5180	2.5	0.09	2.59	10.79	5.79	10	Pass
		5200	2.24	0.09	2.33	10.79	5.53	10	Pass
		5240	2.27	0.09	2.36	10.79	5.56	10	Pass
802.11ac40	Chain 0	5190	-4.41	0.18	-4.23	11	-1.03	10	Pass
		5230	-3.82	0.18	-3.64	11	-0.44	10	Pass
	Chain 1	5190	-3.41	0.18	-3.23	11	-1.79	10	Pass
		5230	-3.68	0.18	-3.50	11	-2.06	10	Pass
	Total	5190	-0.87	0.18	-0.69	10.79	2.51	10	Pass
		5230	-0.74	0.18	-0.56	10.79	2.64	10	Pass
802.11ac80	Chain 0	5210	-7.35	0.36	-6.99	11	-3.79	10	Pass
	Chain 1	5210	-6.40	0.36	-6.04	11	-4.60	10	Pass
	Total	5210	-3.84	0.36	-3.48	10.79	-0.28	10	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	FCC Limit (dBm/MHz)	EIRP PSD (dBm/MHz)		Verdict
							Result	IC Limit	
802.11ax20 _RU_Full	Chain 0	5180	-1.31	0.10	-1.21	11	1.99	10	Pass
		5200	-1.15	0.10	-1.05	11	2.15	10	Pass
		5240	-0.76	0.10	-0.66	11	2.54	10	Pass
	Chain 1	5180	0.18	0.10	0.28	11	1.72	10	Pass
		5200	-0.15	0.10	-0.05	11	1.39	10	Pass
		5240	-0.53	0.10	-0.43	11	1.01	10	Pass
	Total	5180	2.51	0.10	2.61	10.79	5.81	10	Pass
		5200	2.39	0.10	2.49	10.79	5.69	10	Pass
		5240	2.37	0.10	2.47	10.79	5.67	10	Pass
802.11ax40 _RU_Full	Chain 0	5190	-4.45	0.19	-4.26	11	-1.06	10	Pass
		5230	-4.26	0.19	-4.07	11	-0.87	10	Pass
	Chain 1	5190	-3.39	0.19	-3.20	11	-1.76	10	Pass
		5230	-3.39	0.19	-3.20	11	-1.76	10	Pass
	Total	5190	-0.88	0.19	-0.69	10.79	2.51	10	Pass
		5230	-0.79	0.19	-0.6	10.79	2.60	10	Pass
802.11ax80 _RU_Full	Chain 0	5210	-6.64	0.34	-6.30	11	-3.10	10	Pass
	Chain 1	5210	-6.02	0.34	-5.68	11	-4.24	10	Pass
	Total	5210	-3.31	0.34	-2.97	10.79	0.23	10	Pass

Note:

1. Result = Reading + Duty Cycle Factor

2. The device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power spectral density (PSD) measurements on the devices:

Array Gain = $10 \log(N_{ANT}/N_{SS})$ dB = $10 \cdot \log(2/1)$ = 3.01dB

Directional gain = $G_{ANT MAX}$ + Array Gain = 3.20dBi + 3.01dB=6.21dBi

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	Chain 0	5260	-0.34	0.09	-0.25	11	Pass
		5300	-0.19	0.09	-0.10	11	Pass
		5320	-0.46	0.09	-0.37	11	Pass
	Chain 1	5260	-0.12	0.09	-0.03	11	Pass
		5300	-0.04	0.09	0.05	11	Pass
		5320	0.02	0.09	0.11	11	Pass
	Total	5260	2.78	0.09	2.87	11	Pass
		5300	2.90	0.09	2.99	11	Pass
		5320	2.80	0.09	2.89	11	Pass
802.11ac20	Chain 0	5260	-0.24	0.09	-0.15	11	Pass
		5300	-0.54	0.09	-0.45	11	Pass
		5320	-0.11	0.09	-0.02	11	Pass
	Chain 1	5260	-0.38	0.09	-0.29	11	Pass
		5300	0.04	0.09	0.13	11	Pass
		5320	-0.31	0.09	-0.22	11	Pass
	Total	5260	2.70	0.09	2.79	11	Pass
		5300	2.77	0.09	2.86	11	Pass
		5320	2.80	0.09	2.89	11	Pass
802.11ac40	Chain 0	5270	-3.83	0.18	-3.65	11	Pass
		5310	-3.46	0.18	-3.28	11	Pass
	Chain 1	5270	-3.44	0.18	-3.26	11	Pass
		5310	-3.11	0.18	-2.93	11	Pass
	Total	5270	-0.62	0.18	-0.44	11	Pass
		5310	-0.27	0.18	-0.09	11	Pass
802.11ac80	Chain 0	5290	-7.07	0.36	-6.71	11	Pass
	Chain 1	5290	-6.19	0.36	-5.83	11	Pass
	Total	5290	-3.60	0.36	-3.24	11	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax20 _RU_Full	Chain 0	5260	-0.49	0.10	-0.39	11	Pass
		5300	-0.05	0.10	0.05	11	Pass
		5320	-0.37	0.10	-0.27	11	Pass
	Chain 1	5260	-0.70	0.10	-0.60	11	Pass
		5300	-0.40	0.10	-0.30	11	Pass
		5320	-0.35	0.10	-0.25	11	Pass
	Total	5260	2.42	0.10	2.52	11	Pass
		5300	2.79	0.10	2.89	11	Pass
		5320	2.65	0.10	2.75	11	Pass
802.11ax40 _RU_Full	Chain 0	5270	-3.98	0.19	-3.79	11	Pass
		5310	-3.54	0.19	-3.35	11	Pass
	Chain 1	5270	-3.57	0.19	-3.38	11	Pass
		5310	-3.46	0.19	-3.27	11	Pass
	Total	5270	-0.76	0.19	-0.57	11	Pass
		5310	-0.49	0.19	-0.3	11	Pass
802.11ax80 _RU_Full	Chain 0	5290	-6.96	0.34	-6.62	11	Pass
	Chain 1	5290	-6.03	0.34	-5.69	11	Pass
	Total	5290	-3.46	0.34	-3.12	11	Pass

Note:

1. Result = Reading + Duty Cycle Factor

2. The device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power spectral density (PSD) measurements on the devices:

Array Gain = $10 \log(N_{ANT}/N_{SS})$ dB = $10 \cdot \log(2/1) = 3.01$ dB

Directional gain = $G_{ANT MAX}$ + Array Gain = 1.76dBi + 3.01dB=4.77dBi

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	Chain 0	5500	0.32	0.09	0.41	11	Pass
		5600	0.24	0.09	0.33	11	Pass
		5700	0.53	0.09	0.62	11	Pass
		5720	0.48	0.09	0.57	11	Pass
	Chain 1	5500	0.95	0.09	1.04	11	Pass
		5600	0.16	0.09	0.25	11	Pass
		5700	0.15	0.09	0.24	11	Pass
		5720	0.20	0.09	0.29	11	Pass
	Total	5500	3.66	0.09	3.75	11	Pass
		5600	3.21	0.09	3.30	11	Pass
		5700	3.35	0.09	3.44	11	Pass
		5720	3.35	0.09	3.44	11	Pass
802.11ac20	Chain 0	5500	0.21	0.09	0.30	11	Pass
		5600	-0.15	0.09	-0.06	11	Pass
		5700	0.06	0.09	0.15	11	Pass
		5720	0.24	0.09	0.33	11	Pass
	Chain 1	5500	0.44	0.09	0.53	11	Pass
		5600	0.03	0.09	0.12	11	Pass
		5700	-0.22	0.09	-0.13	11	Pass
		5720	-0.18	0.09	-0.09	11	Pass
	Total	5500	3.34	0.09	3.43	11	Pass
		5600	2.95	0.09	3.04	11	Pass
		5700	2.93	0.09	3.02	11	Pass
		5720	3.05	0.09	3.14	11	Pass
802.11ac40	Chain 0	5510	-3.18	0.18	-3.00	11	Pass
		5590	-2.83	0.18	-2.65	11	Pass
		5670	-3.34	0.18	-3.16	11	Pass
		5710	-2.98	0.18	-2.80	11	Pass
	Chain 1	5510	-2.32	0.18	-2.14	11	Pass
		5590	-3.00	0.18	-2.82	11	Pass
		5670	-3.72	0.18	-3.54	11	Pass
		5710	-2.75	0.18	-2.57	11	Pass
	Total	5510	0.28	0.18	0.46	11	Pass
		5590	0.10	0.18	0.28	11	Pass
		5670	-0.52	0.18	-0.34	11	Pass
		5710	0.15	0.18	0.33	11	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ac80	Chain 0	5530	-6.60	0.36	-6.24	11	Pass
		5610	-6.50	0.36	-6.14	11	Pass
		5690	-6.18	0.36	-5.82	11	Pass
	Chain 1	5530	-5.78	0.36	-5.42	11	Pass
		5610	-6.40	0.36	-6.04	11	Pass
		5690	-6.72	0.36	-6.36	11	Pass
	Total	5530	-3.16	0.36	-2.80	11	Pass
		5610	-3.44	0.36	-3.08	11	Pass
		5690	-3.43	0.36	-3.07	11	Pass
802.11ax20 _RU_Full	Chain 0	5500	-0.31	0.10	-0.21	11	Pass
		5600	0.20	0.10	0.30	11	Pass
		5700	0.09	0.10	0.19	11	Pass
		5720	0.24	0.10	0.34	11	Pass
	Chain 1	5500	0.37	0.10	0.47	11	Pass
		5600	0.37	0.10	0.47	11	Pass
		5700	-0.14	0.10	-0.04	11	Pass
		5720	-0.05	0.10	0.05	11	Pass
	Total	5500	3.05	0.10	3.15	11	Pass
		5600	3.30	0.10	3.40	11	Pass
		5700	2.99	0.10	3.09	11	Pass
		5720	3.11	0.10	3.21	11	Pass
802.11ax40 _RU_Full	Chain 0	5510	-3.23	0.19	-3.04	11	Pass
		5590	-3.06	0.19	-2.87	11	Pass
		5670	-3.30	0.19	-3.11	11	Pass
		5710	-2.57	0.19	-2.38	11	Pass
	Chain 1	5510	-2.60	0.19	-2.41	11	Pass
		5590	-2.89	0.19	-2.70	11	Pass
		5670	-3.79	0.19	-3.60	11	Pass
		5710	-2.99	0.19	-2.80	11	Pass
	Total	5510	0.11	0.19	0.30	11	Pass
		5590	0.04	0.19	0.23	11	Pass
		5670	-0.53	0.19	-0.34	11	Pass
		5710	0.24	0.19	0.43	11	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax80 _RU_Full	Chain 0	5530	-6.32	0.34	-5.98	11	Pass
		5610	-5.91	0.34	-5.57	11	Pass
		5690	-6.02	0.34	-5.68	11	Pass
	Chain 1	5530	-5.20	0.34	-4.86	11	Pass
		5610	-5.43	0.34	-5.09	11	Pass
		5690	-6.42	0.34	-6.08	11	Pass
	Total	5530	-2.71	0.34	-2.37	11	Pass
		5610	-2.65	0.34	-2.31	11	Pass
		5690	-3.21	0.34	-2.87	11	Pass

Note:

1. Result = Reading + Duty Cycle Factor

2. The device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01

Multiple Transmitter Output v02r01, for power spectral density (PSD) measurements on the devices:

Array Gain = $10 \log(N_{ANT}/N_{SS})$ dB = $10 \cdot \log(2/1) = 3.01$ dB

Directional gain = $G_{ANT MAX}$ + Array Gain = 2.27dBi + 3.01dB=5.28dBi

5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	Chain 0	5745	-2.56	0.09	-2.47	30	Pass
		5785	-2.29	0.09	-2.20	30	Pass
		5825	-2.64	0.09	-2.55	30	Pass
	Chain 1	5745	-3.15	0.09	-3.06	30	Pass
		5785	-2.57	0.09	-2.48	30	Pass
		5825	-2.72	0.09	-2.63	30	Pass
	Total	5745	0.17	0.09	0.26	30	Pass
		5785	0.58	0.09	0.67	30	Pass
		5825	0.33	0.09	0.42	30	Pass
802.11ac20	Chain 0	5745	-2.40	0.09	-2.31	30	Pass
		5785	-2.70	0.09	-2.61	30	Pass
		5825	-2.90	0.09	-2.81	30	Pass
	Chain 1	5745	-2.82	0.09	-2.73	30	Pass
		5785	-3.17	0.09	-3.08	30	Pass
		5825	-3.19	0.09	-3.10	30	Pass
	Total	5745	0.41	0.09	0.50	30	Pass
		5785	0.08	0.09	0.17	30	Pass
		5825	-0.03	0.09	0.06	30	Pass
802.11ac40	Chain 0	5755	-5.25	0.18	-5.07	30	Pass
		5795	-5.74	0.18	-5.56	30	Pass
	Chain 1	5755	-6.02	0.18	-5.84	30	Pass
		5795	-6.12	0.18	-5.94	30	Pass
	Total	5755	-2.61	0.18	-2.43	30	Pass
		5795	-2.92	0.18	-2.74	30	Pass
802.11ac80	Chain 0	5775	-8.98	0.36	-8.62	30	Pass
	Chain 1	5775	-8.61	0.36	-8.25	30	Pass
	Total	5775	-5.78	0.36	-5.42	30	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11ax20 _RU_Full	Chain 0	5745	-2.56	0.10	-2.46	30	Pass
		5785	-2.94	0.10	-2.84	30	Pass
		5825	-2.80	0.10	-2.70	30	Pass
	Chain 1	5745	-3.04	0.10	-2.94	30	Pass
		5785	-3.55	0.10	-3.45	30	Pass
		5825	-3.60	0.10	-3.50	30	Pass
	Total	5745	0.22	0.10	0.32	30	Pass
		5785	-0.22	0.10	-0.12	30	Pass
		5825	-0.17	0.10	-0.07	30	Pass
802.11ax40 _RU_Full	Chain 0	5755	-5.44	0.19	-5.25	30	Pass
		5795	-5.77	0.19	-5.58	30	Pass
	Chain 1	5755	-6.18	0.19	-5.99	30	Pass
		5795	-6.13	0.19	-5.94	30	Pass
	Total	5755	-2.78	0.19	-2.59	30	Pass
		5795	-2.94	0.19	-2.75	30	Pass
802.11ax80 _RU_Full	Chain 0	5775	-8.48	0.34	-8.14	30	Pass
	Chain 1	5775	-8.16	0.34	-7.82	30	Pass
	Total	5775	-5.31	0.34	-4.97	30	Pass

Note:

1. Result = Reading + Duty Cycle Factor


2. The device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power spectral density (PSD) measurements on the devices:

Array Gain = $10 \log(N_{ANT}/N_{SS})$ dB = $10 * \log(2/1) = 3.01$ dB

Directional gain = $G_{ANT MAX}$ + Array Gain = 2.10dBi + 3.01dB=5.11dBi


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 14:46:08

802.11a_5200MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 14:48:13

802.11a_5240MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 14:50:07

802.11a_5180MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:03:16

802.11a_5200MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:04:47

802.11a_5240MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:06:22

802.11ac20_5180MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:14:32

802.11ac20_5200MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:16:14

802.11ac20_5240MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:18:33

802.11ac20_5180MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:20:58

802.11ac20_5200MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:23:09

802.11ac20_5240MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:26:38

802.11ac40_5190MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:42:42

802.11ac40_5230MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:44:38

802.11ac40_5190MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:42:05

802.11ac40_5230MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:43:23

802.11ac80_5210MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:56:00

802.11ac80_5210MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:02:39

802.11ax20_5180MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:06:46

802.11ax20_5200MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:08:46

802.11ax20_5240MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:13:51

802.11ax20_5180MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:09:22

802.11ax20_5200MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:11:14

802.11ax20_5240MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:13:28

802.11ax40_5190MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:40:27

802.11ax40_5230MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:41:45

802.11ax40_5190MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:25:28

802.11ax40_5230MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:26:35

802.11ax80_5210MHz_RU_Full_Chain 0



ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:49:45


802.11ax80_5210MHz_RU_Full_Chain 1



ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:35:18


5250-5350MHz

802.11a_5260MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 14:52:30

802.11a_5300MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 14:53:25

802.11a_5320MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 14:54:19

802.11a_5260MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:08:44

802.11a_5300MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:09:40

802.11a_5320MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:10:57

802.11ac20_5260MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:30:44

802.11ac20_5300MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:31:39

802.11ac20_5320MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:32:29

802.11ac20_5260MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:28:50

802.11ac20_5300MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:29:48

802.11ac20_5320MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:30:53

802.11ac40_5270MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:46:08

802.11ac40_5310MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 15:46:56

802.11ac40_5270MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:48:28

802.11ac40_5310MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 17:49:16

802.11ac80_5290MHz_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:00:21

802.11ac80_5290MHz_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:04:10

802.11ax20_5260MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:18:16

802.11ax20_5300MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:19:11

802.11ax20_5320MHz_RU_Full_Chain 0




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 16:20:38

802.11ax20_5260MHz_RU_Full_Chain 1




ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:16:09

802.11ax20_5300MHz_RU_Full_Chain 1



ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:16:54

802.11ax20_5320MHz_RU_Full_Chain 1



ProjectNo.:2601S14996E-RF Tester:Cheeb Huang
Date: 4.MAY.2026 18:17:42