







11AC40SISO_Ant1_5755_5925~40000




11AC40SISO_Ant1_5755_27000~40000




11AC40SISO_Ant1_5795_30~5650



11AC40SISO_Ant1_5795_5925~40000




11AC40SISO_Ant1_5795_27000~40000



Date: 14.MAR.2026 13:12:54


11AC80SISO_Ant1_5210_30~5140



11AC80SISO_Ant1_5210_5360~40000




11AC80SISO_Ant1_5210_27000~40000




Date: 14.MAR.2026 13:17:22


11AC80SISO_Ant1_5775_30~5650



11AC80SISO_Ant1_5775_5925~40000



11AC80SISO_Ant1_5775_27000~40000



Appendix G: Emissions in Restricted Bands

Test Result

TestMode	ChName	Freq (MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Low	5180	AV	4500.000	-62.15	2.00	1.33	-58.82	≤-41.20	PASS
			AV	5148.900	-56.1	2.00	1.33	-52.77	≤-41.20	PASS
			AV	5150.000	-55.93	2.00	1.33	-52.6	≤-41.20	PASS
			Peak	4500.000	-53.5	2.00	0.00	-51.5	≤-27.00	PASS
			Peak	5141.900	-46.38	2.00	0.00	-44.38	≤-27.00	PASS
			Peak	5150.000	-47.89	2.00	0.00	-45.89	≤-27.00	PASS
	High	5240	AV	5350.000	-58.51	2.00	1.25	-55.26	≤-41.20	PASS
			AV	5364.960	-57.64	2.00	1.25	-54.39	≤-41.20	PASS
			AV	5460.000	-59.46	2.00	1.25	-56.21	≤-41.20	PASS
			Peak	5350.000	-50.34	2.00	0.00	-48.34	≤-27.00	PASS
			Peak	5379.120	-47.47	2.00	0.00	-45.47	≤-27.00	PASS
			Peak	5460.000	-50.59	2.00	0.00	-48.59	≤-27.00	PASS
	Low	5745	Peak	5650.000	-49.637	2.00	0.00	-47.637	≤-27.00	PASS
			Peak	5700.000	-50.82	2.00	0.00	-48.82	≤10.00	PASS
			Peak	5720.000	-47.1	2.00	0.00	-45.1	≤15.60	PASS
			Peak	5725.000	-40.69	2.00	0.00	-38.69	≤27.00	PASS
	High	5825	Peak	5850.000	-43.846	2.00	0.00	-41.846	≤27.00	PASS
			Peak	5855.000	-46.58	2.00	0.00	-44.58	≤15.60	PASS
			Peak	5875.000	-48.87	2.00	0.00	-46.87	≤10.00	PASS
			Peak	5925.000	-50.45	2.00	0.00	-48.45	≤-27.00	PASS
11N20SISO	Low	5180	AV	4500.000	-62.16	2.00	1.06	-59.1	≤-41.20	PASS
			AV	5148.900	-55.97	2.00	1.06	-52.91	≤-41.20	PASS
			AV	5150.000	-56.23	2.00	1.06	-53.17	≤-41.20	PASS
			Peak	4500.000	-55.21	2.00	0.00	-53.21	≤-27.00	PASS
			Peak	5148.900	-45.55	2.00	0.00	-43.55	≤-27.00	PASS
			Peak	5150.000	-46.95	2.00	0.00	-44.95	≤-27.00	PASS
	High	5240	AV	5350.000	-58.17	2.00	1.12	-55.05	≤-41.20	PASS
			AV	5365.440	-57.77	2.00	1.12	-54.65	≤-41.20	PASS
			AV	5460.000	-59.44	2.00	1.12	-56.32	≤-41.20	PASS
			Peak	5350.000	-47.06	2.00	0.00	-45.06	≤-27.00	PASS
			Peak	5356.800	-46.33	2.00	0.00	-44.33	≤-27.00	PASS
			Peak	5460.000	-52.17	2.00	0.00	-50.17	≤-27.00	PASS
	Low	5745	Peak	5650.000	-51.38	2.00	0.00	-49.38	≤-27.00	PASS
			Peak	5700.000	-49.58	2.00	0.00	-47.58	≤10.00	PASS
			Peak	5720.000	-45.59	2.00	0.00	-43.59	≤15.60	PASS


	High	5825	Peak	5725.000	-39.57	2.00	0.00	-37.57	≤27.00	PASS
			Peak	5850.000	-44.109	2.00	0.00	-42.109	≤27.00	PASS
			Peak	5855.000	-48.16	2.00	0.00	-46.16	≤15.60	PASS
			Peak	5875.000	-49.82	2.00	0.00	-47.82	≤10.00	PASS
			Peak	5925.000	-50.25	2.00	0.00	-48.25	≤-27.00	PASS
11N40SISO	Low	5190	AV	4500.000	-62.47	2.00	1.06	-59.41	≤-41.20	PASS
			AV	5149.600	-52.86	2.00	1.06	-49.8	≤-41.20	PASS
			AV	5150.000	-52.92	2.00	1.06	-49.86	≤-41.20	PASS
			Peak	4500.000	-54.23	2.00	0.00	-52.23	≤-27.00	PASS
			Peak	5143.300	-41.87	2.00	0.00	-39.87	≤-27.00	PASS
			Peak	5150.000	-42.45	2.00	0.00	-40.45	≤-27.00	PASS
	High	5230	AV	5350.000	-58.25	2.00	0.87	-55.38	≤-41.20	PASS
			AV	5355.220	-57.59	2.00	0.87	-54.72	≤-41.20	PASS
			AV	5460.000	-59.24	2.00	0.87	-56.37	≤-41.20	PASS
			Peak	5350.000	-49.06	2.00	0.00	-47.06	≤-27.00	PASS
			Peak	5361.720	-46.79	2.00	0.00	-44.79	≤-27.00	PASS
			Peak	5460.000	-51.87	2.00	0.00	-49.87	≤-27.00	PASS
	Low	5755	Peak	5650.000	-51.362	2.00	0.00	-49.362	≤-27.00	PASS
			Peak	5700.000	-48.62	2.00	0.00	-46.62	≤10.00	PASS
			Peak	5720.000	-40.02	2.00	0.00	-38.02	≤15.60	PASS
			Peak	5725.000	-40.73	2.00	0.00	-38.73	≤27.00	PASS
	High	5795	Peak	5850.000	-47.742	2.00	0.00	-45.742	≤27.00	PASS
			Peak	5855.000	-47.25	2.00	0.00	-45.25	≤15.60	PASS
			Peak	5875.000	-49.48	2.00	0.00	-47.48	≤10.00	PASS
			Peak	5925.000	-50.16	2.00	0.00	-48.16	≤-27.00	PASS
11AC20SISO	Low	5180	AV	4500.000	-62.44	2.00	0.79	-59.65	≤-41.20	PASS
			AV	5149.600	-56.03	2.00	0.79	-53.24	≤-41.20	PASS
			AV	5150.000	-55.94	2.00	0.79	-53.15	≤-41.20	PASS
			Peak	4500.000	-51.61	2.00	0.00	-49.61	≤-27.00	PASS
			Peak	5142.600	-46	2.00	0.00	-44	≤-27.00	PASS
			Peak	5150.000	-46.76	2.00	0.00	-44.76	≤-27.00	PASS
	High	5240	AV	5350.000	-58.49	2.00	0.79	-55.7	≤-41.20	PASS
			AV	5364.000	-57.13	2.00	0.79	-54.34	≤-41.20	PASS
			AV	5460.000	-58.9	2.00	0.79	-56.11	≤-41.20	PASS
			Peak	5350.000	-48.31	2.00	0.00	-46.31	≤-27.00	PASS
			Peak	5351.280	-46.64	2.00	0.00	-44.64	≤-27.00	PASS
			Peak	5460.000	-50.69	2.00	0.00	-48.69	≤-27.00	PASS
	Low	5745	Peak	5650.000	-51.003	2.00	0.00	-49.003	≤-27.00	PASS
			Peak	5700.000	-49.21	2.00	0.00	-47.21	≤10.00	PASS
			Peak	5720.000	-43.74	2.00	0.00	-41.74	≤15.60	PASS
			Peak	5725.000	-39.69	2.00	0.00	-37.69	≤27.00	PASS
	High	5825	Peak	5850.000	-29.459	2.00	0.00	-27.459	≤27.00	PASS
			Peak	5855.000	-42.78	2.00	0.00	-40.78	≤15.60	PASS


			Peak	5875.000	-50.28	2.00	0.00	-48.28	≤10.00	PASS
			Peak	5925.000	-51.38	2.00	0.00	-49.38	≤-27.00	PASS
11AC40SIS O	Low	5190	AV	4500.000	-62.66	2.00	1.12	-59.54	≤-41.20	PASS
			AV	5148.200	-52.56	2.00	1.12	-49.44	≤-41.20	PASS
			AV	5150.000	-51.92	2.00	1.12	-48.8	≤-41.20	PASS
			Peak	4500.000	-54.5	2.00	0.00	-52.5	≤-27.00	PASS
			Peak	5149.600	-41.99	2.00	0.00	-39.99	≤-27.00	PASS
			Peak	5150.000	-41.58	2.00	0.00	-39.58	≤-27.00	PASS
	High	5230	AV	5350.000	-58.03	2.00	1.06	-54.97	≤-41.20	PASS
			AV	5353.920	-57.79	2.00	1.06	-54.73	≤-41.20	PASS
			AV	5460.000	-59.07	2.00	1.06	-56.01	≤-41.20	PASS
			Peak	5350.000	-50.5	2.00	0.00	-48.5	≤-27.00	PASS
			Peak	5427.760	-47.02	2.00	0.00	-45.02	≤-27.00	PASS
			Peak	5460.000	-49.4	2.00	0.00	-47.4	≤-27.00	PASS
	Low	5755	Peak	5650.000	-50.699	2.00	0.00	-48.699	≤-27.00	PASS
			Peak	5700.000	-48.43	2.00	0.00	-46.43	≤10.00	PASS
			Peak	5720.000	-44.1	2.00	0.00	-42.1	≤15.60	PASS
			Peak	5725.000	-43.84	2.00	0.00	-41.84	≤27.00	PASS
	High	5795	Peak	5850.000	-46.656	2.00	0.00	-44.656	≤27.00	PASS
			Peak	5855.000	-46.1	2.00	0.00	-44.1	≤15.60	PASS
			Peak	5875.000	-49.52	2.00	0.00	-47.52	≤10.00	PASS
			Peak	5925.000	-49.16	2.00	0.00	-47.16	≤-27.00	PASS
11AC80SIS O	Low	5210	AV	4500.000	-62.05	2.00	1.18	-58.87	≤-41.20	PASS
			AV	5144.250	-48.49	2.00	1.18	-45.31	≤-41.20	PASS
			AV	5150.000	-49.42	2.00	1.18	-46.24	≤-41.20	PASS
			Peak	4500.000	-54.57	2.00	0.00	-52.57	≤-27.00	PASS
			Peak	5140.500	-37.0	2.00	0.00	-35	≤-27.00	PASS
			Peak	5150.000	-38.89	2.00	0.00	-36.89	≤-27.00	PASS
	High	5210	AV	5350.000	-58.0	2.00	1.18	-54.82	≤-41.20	PASS
			AV	5370.400	-56.76	2.00	1.18	-53.58	≤-41.20	PASS
			AV	5460.000	-58.92	2.00	1.18	-55.74	≤-41.20	PASS
			Peak	5350.000	-48.46	2.00	0.00	-46.46	≤-27.00	PASS
			Peak	5365.920	-46.54	2.00	0.00	-44.54	≤-27.00	PASS
			Peak	5460.000	-49.87	2.00	0.00	-47.87	≤-27.00	PASS
	Low	5775	Peak	5650.000	-49.423	2.00	0.00	-47.423	≤-27.00	PASS
			Peak	5700.000	-47.62	2.00	0.00	-45.62	≤10.00	PASS
			Peak	5720.000	-43.15	2.00	0.00	-41.15	≤15.60	PASS
			Peak	5725.000	-34.03	2.00	0.00	-32.03	≤27.00	PASS
	High	5775	Peak	5850.000	-45.774	2.00	0.00	-43.774	≤27.00	PASS
			Peak	5855.000	-45.84	2.00	0.00	-43.84	≤15.60	PASS
			Peak	5875.000	-44.07	2.00	0.00	-42.07	≤10.00	PASS
			Peak	5925.000	-50.1	2.00	0.00	-48.1	≤-27.00	PASS

Note:


1. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







11A_Ant1_High_5240_Peak



11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




11N20SISO_Ant1_Low_5180_AV




11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5240_AV




11N20SISO_Ant1_High_5240_Peak



11N20SISO_Ant1_Low_5745_Peak




11N20SISO_Ant1_High_5825_Peak




11N40SISO_Ant1_Low_5190_AV



11N40SISO_Ant1_Low_5190_Peak




11N40SISO_Ant1_High_5230_AV



11N40SISO_Ant1_High_5230_Peak




11N40SISO_Ant1_Low_5755_Peak




11N40SISO_Ant1_High_5795_Peak




11AC20SISO_Ant1_Low_5180_AV




11AC20SISO_Ant1_Low_5180_Peak



11AC20SISO_Ant1_High_5240_AV




11AC20SISO_Ant1_High_5240_Peak




11AC20SISO_Ant1_Low_5745_Peak




11AC20SISO_Ant1_High_5825_Peak




11AC40SISO_Ant1_Low_5190_AV




11AC40SISO_Ant1_Low_5190_Peak




11AC40SISO_Ant1_High_5230_AV



11AC40SISO_Ant1_High_5230_Peak



11AC40SISO_Ant1_Low_5755_Peak




11AC40SISO_Ant1_High_5795_Peak



11AC80SISO_Ant1_Low_5210_AV



11AC80SISO_Ant1_Low_5210_Peak




11AC80SISO_Ant1_High_5210_AV



11AC80SISO_Ant1_High_5210_Peak



11AC80SISO_Ant1_Low_5775_Peak



11AC80SISO_Ant1_High_5775_Peak

