



Shenzhen CTL Testing Technology Co., Ltd.

Fl. A1, Bldg. A3, No. 2533 GuanGuang Road, Fenghuang Community

Fenghuang Street, Guangming District Shenzhen, Guangdong, People's Republic of China

Tel: +86-755-89486194 E-mail: ctl@ctl-lab.com

Annex for Bluetooth

Test Report No.: CTL2604072011-WF

TABLE OF CONTENTS

1. Bandwidth	2
2. Maximum Conducted Output Power	13
3. Carrier Frequency Separation	19
4. Number of Hopping Frequencies	22
5. Time of Occupancy (Dwell Time)	25
6. Unwanted Emissions In Non-restricted Frequency Bands	35
7. Form731	52

FCC ID: 2BVNY-SM26PRO

1. Bandwidth

1.1 Test Result

1.1.1 OBW

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	99% Occupied Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	0.851	/	Pass
		2441	DH5	1	0.861	/	Pass
		2480	DH5	1	0.853	/	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.173	/	Pass
		2441	2DH5	1	1.177	/	Pass
		2480	2DH5	1	1.172	/	Pass
8DPSK	SISO	2402	3DH5	1	1.187	/	Pass
		2441	3DH5	1	1.189	/	Pass
		2480	3DH5	1	1.191	/	Pass


1.1.2 20dB BW

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	20dB Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	0.884	/	Pass
		2441	DH5	1	0.882	/	Pass
		2480	DH5	1	0.883	/	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.281	/	Pass
		2441	2DH5	1	1.261	/	Pass
		2480	2DH5	1	1.256	/	Pass
8DPSK	SISO	2402	3DH5	1	1.264	/	Pass
		2441	3DH5	1	1.263	/	Pass
		2480	3DH5	1	1.263	/	Pass

FCC ID: 2BVNY-SM26PRO


1.2 Test Graph

1.2.1 OBW




FCC ID: 2BVNY-SM26PRO

GFSK_DH5_HCH_2480MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO


Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



FCC ID: 2BVNY-SM26PRO




FCC ID: 2BVNY-SM26PRO




FCC ID: 2BVNY-SM26PRO

1.2.2 20dB BW




FCC ID: 2BVNY-SM26PRO

GFSK_DH5_HCH_2480MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO

Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO


8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



FCC ID: 2BVNY-SM26PRO



FCC ID: 2BVNY-SM26PRO

2. Maximum Conducted Output Power

2.1 Test Result


2.1.1 Power

Mode	TX Type	Frequency (MHz)	Packet Type	Maximum Peak Conducted Output Power (dBm)		Verdict
				ANT1	Limit	
GFSK	SISO	2402	DH5	-1.12	<=30	Pass
		2441	DH5	-1.23	<=30	Pass
		2480	DH5	-3.06	<=30	Pass
Pi/4DQPSK	SISO	2402	2DH5	-0.21	<=20.97	Pass
		2441	2DH5	-0.48	<=20.97	Pass
		2480	2DH5	-2.18	<=20.97	Pass
8DPSK	SISO	2402	3DH5	0.12	<=20.97	Pass
		2441	3DH5	-0.11	<=20.97	Pass
		2480	3DH5	-1.99	<=20.97	Pass
Note1: Antenna Gain: Ant1: -0.88dBi; Note2: RF Cable loss=0.5dB Note3: The test results include RF Cable loss.						

FCC ID: 2BVNY-SM26PRO


2.2 Test Graph

2.2.1 Power




FCC ID: 2BVNY-SM26PRO

GFSK_DH5_HCH_2480MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO

Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO


8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



FCC ID: 2BVNY-SM26PRO



FCC ID: 2BVNY-SM26PRO

3. Carrier Frequency Separation

3.1 Test Result


3.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
GFSK	SISO	HOPP	DH5	1.008	0.884	≥ 0.884	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	1.001	1.281	≥ 0.854	Pass
8DPSK	SISO	HOPP	3DH5	1.001	1.264	≥ 0.843	Pass


FCC ID: 2BVNY-SM26PRO

3.2 Test Graph

3.2.1 Ant1



FCC ID: 2BVNY-SM26PRO



FCC ID: 2BVNY-SM26PRO

4. Number of Hopping Frequencies

4.1 Test Result


4.1.1 HoppNum

Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies		Verdict
				ANT1	Limit	
GFSK	SISO	HOPP	DH5	79	≥ 15	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	79	≥ 15	Pass
8DPSK	SISO	HOPP	3DH5	79	≥ 15	Pass


FCC ID: 2BVNY-SM26PRO

4.2 Test Graph

4.2.1 HoppNum



FCC ID: 2BVNY-SM26PRO



FCC ID: 2BVNY-SM26PRO

5. Time of Occupancy (Dwell Time)

5.1 Test Result


5.1.1 Ant1

Ant1									
Mode	Tx Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict
GFSK	SISO	HOPP	DH1	0.382	31.600	305	116.510	<=400	Pass
			DH3	1.636	31.600	168	274.848	<=400	Pass
			DH5	2.888	31.600	111	320.568	<=400	Pass
Pi/4DQPSK	SISO	HOPP	2DH1	0.390	31.600	316	123.240	<=400	Pass
			2DH3	1.642	31.600	151	247.942	<=400	Pass
			2DH5	2.894	31.600	106	306.764	<=400	Pass
8DPSK	SISO	HOPP	3DH1	0.392	31.600	315	123.480	<=400	Pass
			3DH3	1.640	31.600	160	262.400	<=400	Pass
			3DH5	2.892	31.600	109	315.228	<=400	Pass

FCC ID: 2BVNY-SM26PRO


5.2 Test Graph

5.2.1 Ant1




FCC ID: 2BVNY-SM26PRO


GFSK_DH3_HOPP_Ant1_NTNV




GFSK_DH3_HOPP_Ant1_NTNV



FCC ID: 2BVNY-SM26PRO




FCC ID: 2BVNY-SM26PRO




FCC ID: 2BVNY-SM26PRO


Pi/4DQPSK_2DH3_HOPP_Ant1_NTNV



Pi/4DQPSK_2DH3_HOPP_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO




FCC ID: 2BVNY-SM26PRO

8DPSK_3DH1_HOPP_Ant1_NTNV




8DPSK_3DH1_HOPP_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO

8DPSK_3DH3_HOPP_Ant1_NTNV




8DPSK_3DH3_HOPP_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO

8DPSK_3DH5_HOPP_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV



FCC ID: 2BVNY-SM26PRO

6. Unwanted Emissions In Non-restricted Frequency Bands

6.1 Test Result

6.1.1 Ref

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)
GFSK	SISO	2402	DH5	1	-1.25
		2441	DH5	1	-1.50
		2480	DH5	1	-3.18
Pi/4DQPSK	SISO	2402	2DH5	1	-1.21
		2441	2DH5	1	-1.52
		2480	2DH5	1	-3.27
8DPSK	SISO	2402	3DH5	1	-1.21
		2441	3DH5	1	-1.47
		2480	3DH5	1	-3.43


6.1.2 CSE

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	-1.25	-21.25	Pass
		2441	DH5	1	-1.25	-21.25	Pass
		2480	DH5	1	-1.25	-21.25	Pass
		HOPP	DH5	1	-1.25	-21.25	Pass
					-1.25	-21.25	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	-1.21	-21.21	Pass
		2441	2DH5	1	-1.21	-21.21	Pass
		2480	2DH5	1	-1.21	-21.21	Pass
		HOPP	2DH5	1	-1.21	-21.21	Pass
					-1.21	-21.21	Pass
8DPSK	SISO	2402	3DH5	1	-1.21	-21.21	Pass
		2441	3DH5	1	-1.21	-21.21	Pass
		2480	3DH5	1	-1.21	-21.21	Pass
		HOPP	3DH5	1	-1.21	-21.21	Pass
					-1.21	-21.21	Pass

FCC ID: 2BVNY-SM26PRO


6.2 Test Graph

6.2.1 Ref




FCC ID: 2BVNY-SM26PRO

GFSK_DH5_HCH_2480MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO

Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO


8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO




FCC ID: 2BVNY-SM26PRO

6.2.2 CSE




FCC ID: 2BVNY-SM26PRO

GFSK_DH5_MCH_2441MHz_Ant1_NTNV




GFSK_DH5_HCH_2480MHz_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO

GFSK_DH5_HCH_2480MHz_Ant1_NTNV




GFSK_DH5_HOPP_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO


GFSK_DH5_HOPP_Ant1_NTNV



Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO




FCC ID: 2BVNY-SM26PRO


Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO




FCC ID: 2BVNY-SM26PRO


8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




FCC ID: 2BVNY-SM26PRO



FCC ID: 2BVNY-SM26PRO



FCC ID: 2BVNY-SM26PRO



FCC ID: 2BVNY-SM26PRO

7. Form731

7.1 Test Result

7.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
2402	2480	0.0010	0.12