



10M
Chain 0

Mode	Channel	Frequency (MHz)	Result (dBc)	Limit (dBc)
SRD	Low	2411	43.84	20
	High	2466	44.75	





ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 10:47:49

ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 10:19:03

10M
Chain 1

Mode	Channel	Frequency (MHz)	Result (dBc)	Limit (dBc)
SRD	Low	2411	44.80	20
	High	2466	43.21	




ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 10:35:30


ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 10:31:13

**20M
Chain 0**

Mode	Channel	Frequency (MHz)	Result (dBc)	Limit (dBc)
SRD	Low	2411	38.33	20
	High	2466	40.29	




ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 13:54:06




ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 14:04:50

**20M
Chain 1**

Mode	Channel	Frequency (MHz)	Result (dBc)	Limit (dBc)
SRD	Low	2411	37.05	20
	High	2466	36.30	



ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 13:43:06



ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 14:09:03

POWER SPECTRAL DENSITY**Environmental Conditions & Test Information**

Test Date:	2026-05-26	2026-05-27
Temperature:	21.6℃	21.8 ℃
Relative Humidity:	50 %	53 %
ATM Pressure:	99.9 kPa	100.5kPa
Test Result:	Pass	Pass
Test Engineer:	Neil Zhou	Neil Zhou

Test Result: Compliant.

EUT operation mode: Transmitting

10M

Channel	Frequency (MHz)	PSD (dBm/3kHz)			Limit (dBm/3kHz)
		Chain 0	Chain 1	Total	
Low	2411	-14.79	-15.12	-11.94	7.39
Middle	2444	-14.21	-15.64	-11.86	7.39
High	2466	-15.29	-15.29	-12.28	7.39


20M

Channel	Frequency (MHz)	PSD (dBm/3kHz)			Limit (dBm/3kHz)
		Chain 0	Chain 1	Total	
Low	2411	-23.91	-22.61	-20.20	7.39
Middle	2444	-23.94	-23.52	-20.71	7.39
High	2466	-24.71	-24.75	-21.72	7.39


Note:

1. According to KDB 662911. All transmit signals are correlated with each other, Directional gain = $G_{ANT} + 10 \log(N_{ANT})$ dBi=6.61dBi >6dBi, so the limit was reduced 0.61dB


10M
Chain 0



ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 26.MAY.2026 19:31:56




ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 26.MAY.2026 19:46:12




ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 26.MAY.2026 19:50:19


10M
Chain 1



ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 26.MAY.2026 19:37:21




ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 26.MAY.2026 19:42:19




ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 26.MAY.2026 19:50:19


20M
Chain 0



ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 11:13:53




ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 11:20:43




ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 11:41:11


20M
Chain 1



ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 11:06:04



ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 11:12:11



ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 11:34:20

CONDUCTED SPURIOUS EMISSION


Environmental Conditions & Test Information

Test Date:	2026-05-27
Temperature:	21.8 °C
Relative Humidity:	53 %
ATM Pressure:	100.5kPa
Test Result:	Pass
Test Engineer:	Neil Zhou

10M
Chain 0


Mode	Channel	Frequency (MHz)	Result (dBc)	Limit (dBc)	Verdict
SRD	Low	2411	47.09	20	Pass
	Middle	2444	49.20	20	Pass
	High	2466	47.62	20	Pass

Low Channel




ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 09:39:52

Middle Channel



ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 09:53:36

High Channel




ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 10:04:49

10M
Chain 1


Mode	Channel	Frequency (MHz)	Result (dBc)	Limit (dBc)	Verdict
SRD	Low	2411	46.78	20	Pass
	Middle	2444	41.26	20	Pass
	High	2466	47.56	20	Pass

Low Channel




ProjectNo.:RBJ260414001 Tester:Nell Zhou
Date: 27.MAY.2026 09:45:49

Middle Channel



ProjectNo.:RBJ260414001 Tester:Nell Zhou
Date: 27.MAY.2026 09:59:01

High Channel




ProjectNo.:RBJ260414001 Tester:Nell Zhou
Date: 27.MAY.2026 10:11:02

20M
Chain 0


Mode	Channel	Frequency (MHz)	Result (dBc)	Limit (dBc)	Verdict
SRD	Low	2411	42.08	20	Pass
	Middle	2444	41.03	20	Pass
	High	2466	39.80	20	Pass

Low Channel




ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 11:58:34

Middle Channel



ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 12:25:23

High Channel



ProjectNo.:RBJ260414001 Tester:Neil Zhou
Date: 27.MAY.2026 11:47:19

Declarations

1. The laboratory is not responsible for the authenticity of any information provided by the applicant. Information from the applicant that may affect test results is marked with “★”.
2. The test data was only valid for the test sample(s). This report must not be duplicated or used in part without prior written consent from the laboratory.
3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
5. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor $k=2$ with the 95.45% confidence interval.

******* END OF REPORT *******