





5. Bandedge



Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	5079.80	-39.95	-27	Pass
NVNT	ANT1	802.11a	5240.00	5357.80	-41.43	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	5149.60	-46.52	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5406.20	-40.85	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	5039.20	-40.86	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5377.40	-41.32	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5030.24	-40.87	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5363.51	-40.89	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	5087.57	-41.30	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	5376.95	-41.06	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	5075.60	-41.10	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	5364.56	-41.20	-27	Pass

Bandedge_NVNT_ANT1_802_11a_5180





Bandedge NVNT ANT1 802 11a 5240









Bandedge_NVNT_ANT1_802_11ac(VHT20)_5240



Bandedge_NVNT_ANT1_802_11n(HT40)_5230




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5230





6. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	25070.62	-37.15	-27	Pass
NVNT	ANT1	802.11a	5200.00	24991.21	-36.74	-27	Pass
NVNT	ANT1	802.11a	5240.00	24991.21	-37.03	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	25017.68	-27.28	-27	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	25044.15	-36.69	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	25044.15	-37.34	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	25070.62	-37.34	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	25070.62	-36.63	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	24991.21	-36.18	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	25097.09	-37.80	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	24514.75	-37.85	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	24991.21	-37.06	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	24964.74	-37.69	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	24991.21	-36.99	-27	Pass



Spurious_Emission_NVNT_ANT1_802_11a_5180_20M





Spurious_Emission_NVNT_ANT1_802_11a_5200_20M





Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5180_20M





Spurious Emission_NVNT_ANT1_802_11n(HT20)_5240_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5190_40M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5190_40M



Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5230_40M



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5210_80M



7. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	FI(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&3.80V	ANT1	802.11a	5180.00	5179.950	5171.620	5188.280	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11a	5180.00	5179.938	5171.728	5188.148	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11a	5180.00	5179.932	5171.796	5188.068	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11a	5180.00	5179.928	5171.852	5188.004	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11a	5180.00	5179.940	5171.912	5187.968	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11a	5180.00	5179.938	5171.972	5187.904	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11a	5180.00	5179.930	5172.008	5187.852	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11a	5180.00	5179.914	5172.052	5187.776	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11a	5180.00	5179.904	5172.100	5187.708	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5180.00	5179.906	5172.136	5187.676	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5179.902	5172.180	5187.624	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5180.00	5179.874	5172.228	5187.520	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11a	5200.00	5199.976	5191.632	5208.320	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11a	5200.00	5199.962	5191.736	5208.188	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11a	5200.00	5199.948	5191.800	5208.096	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11a	5200.00	5199.958	5191.876	5208.040	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11a	5200.00	5199.956	5191.936	5207.976	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11a	5200.00	5199.958	5191.992	5207.924	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11a	5200.00	5199.968	5192.044	5207.892	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11a	5200.00	5199.934	5192.096	5207.772	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11a	5200.00	5199.956	5192.140	5207.772	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5200.00	5199.948	5192.200	5207.696	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5199.962	5192.236	5207.688	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5200.00	5199.956	5192.272	5207.640	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11a	5240.00	5239.946	5231.628	5248.264	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11a	5240.00	5239.970	5231.752	5248.188	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11a	5240.00	5239.954	5231.836	5248.072	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11a	5240.00	5239.966	5231.908	5248.024	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11a	5240.00	5239.964	5231.972	5247.956	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11a	5240.00	5239.976	5232.032	5247.920	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11a	5240.00	5239.966	5232.088	5247.844	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11a	5240.00	5239.960	5232.128	5247.792	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11a	5240.00	5239.972	5232.188	5247.756	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5240.00	5239.970	5232.248	5247.692	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5239.960	5232.304	5247.616	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5240.00	5239.952	5232.368	5247.536	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.952	5171.060	5188.844	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.948	5171.188	5188.708	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.950	5171.276	5188.624	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.936	5171.348	5188.524	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.950	5171.412	5188.488	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.936	5171.476	5188.396	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.952	5171.552	5188.352	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.942	5171.616	5188.268	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.942	5171.680	5188.204	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5180.00	5179.948	5171.744	5188.152	5150~5250	Pass

25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.956	5171.792	5188.120	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5180.00	5179.942	5171.840	5188.044	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.956	5191.060	5208.852	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.960	5191.196	5208.724	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.966	5191.288	5208.644	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.974	5191.376	5208.572	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.984	5191.452	5208.516	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.984	5191.516	5208.452	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.988	5191.580	5208.396	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.982	5191.640	5208.324	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.994	5191.696	5208.292	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5200.00	5199.976	5191.752	5208.200	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.994	5191.812	5208.176	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5200.00	5199.992	5191.856	5208.128	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.950	5231.096	5248.804	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.956	5231.216	5248.696	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.960	5231.308	5248.612	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.958	5231.384	5248.532	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.966	5231.448	5248.484	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.964	5231.512	5248.416	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.962	5231.564	5248.360	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.958	5231.616	5248.300	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.952	5231.672	5248.232	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5240.00	5239.948	5231.724	5248.172	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.966	5231.784	5248.148	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5240.00	5239.968	5231.844	5248.092	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.940	5171.040	5188.840	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.936	5171.172	5188.700	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.946	5171.260	5188.632	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.936	5171.328	5188.544	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.940	5171.416	5188.464	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.940	5171.488	5188.392	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.950	5171.556	5188.344	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.944	5171.612	5188.276	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.946	5171.660	5188.232	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5180.00	5179.922	5171.708	5188.136	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.908	5171.752	5188.064	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5180.00	5179.932	5171.800	5188.064	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.952	5191.052	5208.852	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.958	5191.184	5208.732	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.956	5191.268	5208.644	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.958	5191.348	5208.568	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.962	5191.420	5208.504	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.964	5191.492	5208.436	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.962	5191.548	5208.376	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.968	5191.604	5208.332	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.968	5191.660	5208.276	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5200.00	5199.970	5191.712	5208.228	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.972	5191.772	5208.172	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5200.00	5199.964	5191.828	5208.100	5150~5250	Pass

50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.950	5231.100	5248.800	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.950	5231.212	5248.688	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.954	5231.292	5248.616	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.958	5231.368	5248.548	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.946	5231.428	5248.464	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.946	5231.492	5248.400	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.948	5231.552	5248.344	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.958	5231.608	5248.308	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.944	5231.660	5248.228	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5240.00	5239.940	5231.712	5248.168	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.940	5231.760	5248.120	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5240.00	5239.934	5231.816	5248.052	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.960	5171.832	5208.088	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.964	5172.032	5207.896	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.952	5172.216	5207.688	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.960	5172.352	5207.568	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.968	5172.496	5207.440	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.944	5172.624	5207.264	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.944	5172.776	5207.112	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.964	5172.944	5206.984	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.956	5173.072	5206.840	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5190.00	5190.020	5173.232	5206.808	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.020	5173.384	5206.656	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5190.00	5189.988	5173.488	5206.488	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.956	5211.872	5248.040	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.984	5212.112	5247.856	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.012	5212.320	5247.704	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.032	5212.504	5247.560	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.016	5212.656	5247.376	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.020	5212.816	5247.224	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.028	5212.968	5247.088	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.040	5213.128	5246.952	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.044	5213.288	5246.800	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5230.00	5230.084	5213.440	5246.728	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.032	5213.584	5246.480	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5230.00	5230.044	5213.728	5246.360	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.960	5171.824	5208.096	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.956	5172.008	5207.904	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.944	5172.176	5207.712	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.932	5172.304	5207.560	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.948	5172.456	5207.440	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.948	5172.576	5207.320	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.944	5172.752	5207.136	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.928	5172.856	5207.000	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.944	5173.008	5206.880	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5190.00	5189.952	5173.128	5206.776	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.956	5173.280	5206.632	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5190.00	5189.948	5173.440	5206.456	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.964	5211.888	5248.040	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.976	5212.112	5247.840	5150~5250	Pass


30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.992	5212.288	5247.696	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.996	5212.448	5247.544	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.012	5212.600	5247.424	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.008	5212.784	5247.232	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.028	5212.936	5247.120	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.036	5213.088	5246.984	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.024	5213.224	5246.824	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5230.00	5230.028	5213.384	5246.672	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.984	5213.528	5246.440	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5230.00	5230.080	5213.672	5246.488	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.982	5172.020	5247.944	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.042	5172.440	5247.644	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.054	5172.680	5247.428	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.120	5173.028	5247.212	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.078	5173.340	5246.816	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.120	5173.640	5246.600	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.108	5173.892	5246.324	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.144	5174.204	5246.084	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.132	5174.504	5245.760	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5210.00	5210.186	5174.840	5245.532	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.114	5175.080	5245.148	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5210.00	5210.186	5175.392	5244.980	5150~5250	Pass

FCC_5.8G_WIFI (Part15.407) Test Data



1. -6dB Emission Bandwidth



Condition	Antenna	Mode	Frequency(MHz)	-6dB_Emission_Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	16.373	0.500	Pass
NVNT	ANT1	802.11a	5785.00	16.459	0.500	Pass
NVNT	ANT1	802.11a	5825.00	16.378	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	17.066	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	16.782	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	16.891	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	16.751	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	16.771	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	16.786	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	35.142	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	35.163	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	35.164	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	35.157	0.500	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	75.179	0.500	Pass



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5745_20M







-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5785_20M





















2. -26dB and 99% Emission Bandwidth



Condition	Antenna	Modulation	Frequency(MHz)	26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5745.00	18.01	16.50
NVNT	ANT1	802.11a	5785.00	17.96	16.43
NVNT	ANT1	802.11a	5825.00	18.12	16.41
NVNT	ANT1	802.11n(HT20)	5745.00	19.25	17.56
NVNT	ANT1	802.11n(HT20)	5785.00	20.67	17.60
NVNT	ANT1	802.11n(HT20)	5825.00	20.55	17.57
NVNT	ANT1	802.11ac(VHT20)	5745.00	19.14	17.54
NVNT	ANT1	802.11ac(VHT20)	5785.00	19.06	17.58
NVNT	ANT1	802.11ac(VHT20)	5825.00	19.93	17.59
NVNT	ANT1	802.11n(HT40)	5755.00	38.49	35.94
NVNT	ANT1	802.11n(HT40)	5795.00	38.74	35.95
NVNT	ANT1	802.11ac(VHT40)	5755.00	38.64	35.94
NVNT	ANT1	802.11ac(VHT40)	5795.00	39.73	35.97
NVNT	ANT1	802.11ac(VHT80)	5775.00	84.87	75.36



99%_OCB_NVNT_ANT1_802_11a_5745





-26BW_NVNT_ANT1_802_11a_5745















-26BW_NVNT_ANT1_802_11n(HT20)_5745





















-26BW_NVNT_ANT1_802_11ac(VHT20)_5825













-26BW_NVNT_ANT1_802_11ac(VHT80)_5775




3. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	75.00	1.25
NVNT	ANT1	802.11a	5785.00	69.23	1.60
NVNT	ANT1	802.11a	5825.00	76.92	1.14
NVNT	ANT1	802.11n(HT20)	5745.00	95.59	0.20
NVNT	ANT1	802.11n(HT20)	5785.00	95.59	0.20
NVNT	ANT1	802.11n(HT20)	5825.00	97.06	0.13
NVNT	ANT1	802.11ac(VHT20)	5745.00	91.89	0.37
NVNT	ANT1	802.11ac(VHT20)	5785.00	89.47	0.48
NVNT	ANT1	802.11ac(VHT20)	5825.00	91.89	0.37
NVNT	ANT1	802.11n(HT40)	5755.00	91.43	0.39
NVNT	ANT1	802.11n(HT40)	5795.00	91.43	0.39
NVNT	ANT1	802.11ac(VHT40)	5755.00	85.00	0.71
NVNT	ANT1	802.11ac(VHT40)	5795.00	85.00	0.71
NVNT	ANT1	802.11ac(VHT80)	5775.00	75.00	1.25


Duty_Cycle_NVNT_ANT1_802_11a_5745





Duty_Cycle_NVNT_ANT1_802_11a_5785






Duty_Cycle_NVNT_ANT1_802_11a_5825





Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5745





Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5825








Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5755



Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5755




Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5775





4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	9.69	1.25	10.94	30	Pass
NVNT	ANT1	802.11a	5785.00	9.58	1.60	11.18	30	Pass
NVNT	ANT1	802.11a	5825.00	9.70	1.14	10.84	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	8.36	0.20	8.56	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	8.19	0.20	8.39	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	8.27	0.13	8.40	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	7.74	0.37	8.11	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	7.55	0.48	8.03	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	7.76	0.37	8.13	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	6.20	0.39	6.59	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	6.18	0.39	6.57	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	5.89	0.71	6.60	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	5.93	0.71	6.64	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	4.08	1.25	5.33	30	Pass


Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5785





Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5785




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5825





Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5785




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5825




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5755




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5755



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5795




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT80)_5775





5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA(dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD(dBm/500kHz)	limit(dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-12.90	1.25	-0.09	-11.74	30	Pass
NVNT	ANT1	802.11a	5785.00	-15.25	1.60	-0.09	-13.74	30	Pass
NVNT	ANT1	802.11a	5825.00	-14.72	1.14	-0.09	-13.66	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-9.52	0.20	-0.09	-9.40	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-9.35	0.20	-0.09	-9.24	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-9.19	0.13	-0.09	-9.14	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-9.52	0.37	-0.09	-9.23	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-10.79	0.48	-0.09	-10.39	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-9.67	0.37	-0.09	-9.39	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-15.12	0.39	-0.09	-14.82	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-15.41	0.39	-0.09	-15.11	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-17.47	0.71	-0.09	-16.84	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-17.45	0.71	-0.09	-16.83	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	-26.51	1.25	-0.09	-25.35	30	Pass



Power_Spectral_Density_NVNT_ANT1_802_11a_5745





Power_Spectral_Density_NVNT_ANT1_802_11a_5785





Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5745







Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5785




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT80)_5775




6. Bandedge


Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5618.370	-47.60	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5663.505	-48.25	-20.01	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5701.680	-47.55	10.47	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5721.140	-47.62	18.20	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5853.935	-47.02	18.03	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5874.380	-47.08	10.17	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5907.850	-47.65	-17.01	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5949.410	-44.05	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5614.590	-47.49	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5665.935	-47.84	-18.01	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5702.380	-47.45	10.67	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5720.135	-47.54	15.91	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5854.850	-47.40	15.94	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5867.720	-47.29	12.04	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5916.355	-47.64	-24.00	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5935.810	-42.98	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5631.060	-48.24	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5673.990	-48.18	-11.39	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5701.260	-47.57	10.35	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5720.605	-47.59	16.98	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5854.630	-47.39	16.44	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5873.580	-47.49	10.40	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5914.915	-47.39	-22.82	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5950.940	-42.49	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5632.620	-48.20	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5661.165	-48.19	-21.93	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5704.920	-47.58	11.38	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5720.535	-47.59	16.82	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5854.015	-47.55	17.85	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5871.040	-47.76	11.11	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5914.825	-47.99	-22.74	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5932.390	-43.54	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5633.040	-47.87	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5662.290	-48.26	-21.01	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5701.340	-47.74	10.38	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5720.195	-47.84	16.04	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5854.930	-47.34	15.76	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5869.300	-46.75	11.60	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5915.950	-47.84	-23.67	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5920.280	-44.27	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5650-5655	5651.795	-48.08	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5655-5700	5664.225	-47.85	-19.41	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5700-5720	5703.340	-47.86	10.94	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5720-5725	5720.810	-48.11	17.45	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5850-5855	5853.245	-44.87	19.60	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5855-5875	5862.100	-46.46	13.61	Pass

NVNT	ANT1	802.11ac(VHT80)	MCH	5875-5920	5904.025	-47.66	-13.86	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5920-5925	5924.170	-43.17	-27.00	Pass



Bandedge_NVNT_ANT1_802_11a_5745





Bandedge_NVNT_ANT1_802_11a_5825





Bandedge_NVNT_ANT1_802_11n(HT20)_5745





Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745




Bandedge_NVNT_ANT1_802_11n(HT40)_5755




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_low




Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_up





7. Spurious Emission


Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	25038.86	-37.40	-27	Pass
NVNT	ANT1	802.11a	5785.00	25094.44	-36.11	-27	Pass
NVNT	ANT1	802.11a	5825.00	25075.91	-37.41	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	25060.03	-36.79	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	24991.21	-37.33	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	25004.44	-37.38	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	24467.10	-37.60	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	25044.15	-36.29	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	25001.80	-36.68	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	25017.68	-36.79	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	25044.15	-36.67	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	25020.33	-36.52	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	24996.50	-36.13	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	25044.15	-37.24	-27	Pass




Spurious_Emission_NVNT_ANT1_802_11a_5785





Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5755




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5795



Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5755



Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5795



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5775



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	FI(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&3.80V	ANT1	802.11a	5745.00	5744.964	5736.624	5753.304	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5745.00	5744.952	5736.752	5753.152	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5745.00	5744.962	5736.832	5753.092	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5745.00	5744.960	5736.900	5753.020	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5745.00	5744.962	5736.956	5752.968	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5745.00	5744.960	5737.012	5752.908	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5745.00	5744.960	5737.064	5752.856	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5745.00	5744.962	5737.120	5752.804	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5745.00	5744.966	5737.184	5752.748	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5745.00	5744.982	5737.244	5752.720	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5745.00	5744.974	5737.300	5752.648	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5745.00	5744.986	5737.348	5752.624	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11a	5785.00	5784.952	5776.624	5793.280	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5785.00	5784.942	5776.740	5793.144	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5785.00	5784.952	5776.824	5793.080	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5785.00	5784.950	5776.888	5793.012	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5785.00	5784.954	5776.948	5792.960	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5785.00	5784.966	5777.008	5792.924	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5785.00	5784.978	5777.076	5792.880	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5785.00	5784.958	5777.140	5792.776	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5785.00	5784.988	5777.192	5792.784	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5785.00	5784.978	5777.236	5792.720	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5785.00	5784.986	5777.292	5792.680	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5785.00	5784.960	5777.344	5792.576	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11a	5825.00	5824.948	5816.620	5833.276	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5825.00	5824.942	5816.728	5833.156	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5825.00	5824.938	5816.804	5833.072	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5825.00	5824.936	5816.876	5832.996	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5825.00	5824.952	5816.932	5832.972	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5825.00	5824.940	5816.984	5832.896	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5825.00	5824.952	5817.036	5832.868	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5825.00	5824.938	5817.092	5832.784	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5825.00	5824.958	5817.148	5832.768	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5825.00	5824.954	5817.196	5832.712	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5825.00	5824.934	5817.256	5832.612	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5825.00	5824.978	5817.324	5832.632	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.956	5736.068	5753.844	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.952	5736.196	5753.708	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.956	5736.280	5753.632	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.948	5736.348	5753.548	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.954	5736.416	5753.492	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.946	5736.484	5753.408	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.942	5736.552	5753.332	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.960	5736.620	5753.300	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.960	5736.680	5753.240	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5745.00	5744.970	5736.740	5753.200	5725~5850	Pass

25degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.966	5736.792	5753.140	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5745.00	5744.960	5736.844	5753.076	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.954	5776.056	5793.852	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.942	5776.180	5793.704	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.944	5776.264	5793.624	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.950	5776.336	5793.564	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.948	5776.412	5793.484	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.944	5776.476	5793.412	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.946	5776.536	5793.356	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.938	5776.592	5793.284	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.946	5776.652	5793.240	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5785.00	5784.946	5776.708	5793.184	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.954	5776.772	5793.136	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5785.00	5784.952	5776.828	5793.076	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.936	5816.036	5833.836	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.934	5816.164	5833.704	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.934	5816.244	5833.624	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.942	5816.324	5833.560	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.940	5816.404	5833.476	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.944	5816.472	5833.416	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.948	5816.540	5833.356	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.952	5816.604	5833.300	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.948	5816.656	5833.240	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5825.00	5824.948	5816.708	5833.188	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.940	5816.760	5833.120	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5825.00	5824.952	5816.816	5833.088	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.964	5736.084	5753.844	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.950	5736.196	5753.704	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.950	5736.276	5753.624	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.956	5736.360	5753.552	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.958	5736.428	5753.488	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.950	5736.496	5753.404	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.964	5736.560	5753.368	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.948	5736.612	5753.284	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.944	5736.660	5753.228	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5745.00	5744.936	5736.704	5753.168	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.938	5736.756	5753.120	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5745.00	5744.934	5736.808	5753.060	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.948	5776.048	5793.848	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.944	5776.180	5793.708	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.946	5776.260	5793.632	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.948	5776.336	5793.560	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.942	5776.404	5793.480	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.956	5776.480	5793.432	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.938	5776.540	5793.336	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.944	5776.600	5793.288	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.950	5776.652	5793.248	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5785.00	5784.946	5776.704	5793.188	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.926	5776.748	5793.104	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5785.00	5784.938	5776.796	5793.080	5725~5850	Pass

50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.942	5816.056	5833.828	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.948	5816.184	5833.712	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.946	5816.264	5833.628	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.942	5816.340	5833.544	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.946	5816.424	5833.468	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.948	5816.488	5833.408	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.954	5816.548	5833.360	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.952	5816.604	5833.300	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.958	5816.660	5833.256	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5825.00	5824.936	5816.704	5833.168	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.944	5816.764	5833.124	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5825.00	5824.954	5816.816	5833.092	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.980	5736.880	5773.080	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.964	5737.064	5772.864	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.956	5737.224	5772.688	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.960	5737.376	5772.544	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.952	5737.528	5772.376	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.964	5737.704	5772.224	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.976	5737.840	5772.112	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.008	5737.992	5772.024	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.992	5738.120	5771.864	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5755.00	5754.996	5738.272	5771.720	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.992	5738.416	5771.568	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5755.00	5754.976	5738.528	5771.424	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.956	5776.840	5813.072	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.948	5777.032	5812.864	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.964	5777.216	5812.712	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.976	5777.384	5812.568	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.948	5777.512	5812.384	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.956	5777.664	5812.248	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.948	5777.808	5812.088	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.952	5777.960	5811.944	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.976	5778.128	5811.824	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5795.00	5795.024	5778.280	5811.768	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.988	5778.432	5811.544	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5795.00	5795.012	5778.584	5811.440	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.964	5736.856	5773.072	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.968	5737.056	5772.880	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.968	5737.232	5772.704	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.972	5737.384	5772.560	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.964	5737.520	5772.408	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.952	5737.664	5772.240	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.960	5737.808	5772.112	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.996	5737.944	5772.048	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.956	5738.080	5771.832	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5755.00	5754.932	5738.200	5771.664	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.976	5738.360	5771.592	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5755.00	5754.972	5738.488	5771.456	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.948	5776.808	5813.088	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.956	5777.048	5812.864	5725~5850	Pass

30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.972	5777.224	5812.720	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.952	5777.360	5812.544	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.948	5777.496	5812.400	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.972	5777.640	5812.304	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.968	5777.808	5812.128	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.004	5777.968	5812.040	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.976	5778.120	5811.832	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5795.00	5794.964	5778.272	5811.656	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.956	5778.416	5811.496	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5795.00	5794.960	5778.568	5811.352	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.000	5737.068	5812.932	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.018	5737.428	5812.608	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.054	5737.704	5812.404	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.994	5737.980	5812.008	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.970	5738.292	5811.648	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.952	5738.616	5811.288	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.922	5738.868	5810.976	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.042	5739.192	5810.892	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.922	5739.492	5810.352	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5775.00	5774.970	5739.792	5810.148	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.880	5740.044	5809.716	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5775.00	5774.874	5740.308	5809.440	5725~5850	Pass

***** End of Report *****