


Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1716.8478	14.18	35.33	49.51	74.00	24.49	PASS	Horizontal	PK
2	2880.1253	17.41	35.37	52.78	74.00	21.22	PASS	Horizontal	PK
3	4838.1225	-8.50	55.03	46.53	74.00	27.47	PASS	Horizontal	PK
4	7564.3043	-2.23	50.95	48.72	74.00	25.28	PASS	Horizontal	PK
5	11969.598	3.11	51.88	54.99	74.00	19.01	PASS	Horizontal	PK
6	16263.8843	10.58	49.67	60.25	74.00	13.75	PASS	Horizontal	PK
7	11967.5978	3.11	41.13	44.24	54.00	9.76	PASS	Horizontal	AV
8	16266.8845	10.61	37.22	47.83	54.00	6.17	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1720.5814	14.22	35.00	49.22	74.00	24.78	PASS	Vertical	PK
2	2983.8656	17.88	36.10	53.98	74.00	20.02	PASS	Vertical	PK
3	4819.1213	-8.56	54.49	45.93	74.00	28.07	PASS	Vertical	PK
4	7730.3154	-1.53	51.10	49.57	74.00	24.43	PASS	Vertical	PK
5	12069.6046	2.95	52.96	55.91	74.00	18.09	PASS	Vertical	PK
6	16341.8895	11.48	48.83	60.31	74.00	13.69	PASS	Vertical	PK
7	12072.6048	2.97	41.64	44.61	54.00	9.39	PASS	Vertical	AV
8	16504.9003	11.93	36.59	48.52	54.00	5.48	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19355.2142	-25.72	62.11	36.39	74.00	37.61	PASS	Horizontal	PK
2	20869.5948	-25.77	60.59	34.82	74.00	39.18	PASS	Horizontal	PK
3	23873.5149	-22.19	58.59	36.40	74.00	37.60	PASS	Horizontal	PK
4	26226.9691	-21.34	58.41	37.07	74.00	36.93	PASS	Horizontal	PK
5	30455.4582	-20.41	57.24	36.83	74.00	37.17	PASS	Horizontal	PK
6	34576.3031	-16.22	50.07	33.85	74.00	40.15	PASS	Horizontal	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19056.2022	-26.21	62.85	36.64	74.00	37.36	PASS	Vertical	PK
2	20754.5902	-25.75	61.51	35.76	74.00	38.24	PASS	Vertical	PK
3	21836.5535	-25.58	61.58	36.00	74.00	38.00	PASS	Vertical	PK
4	26798.3119	-21.55	57.37	35.82	74.00	38.18	PASS	Vertical	PK
5	31180.4472	-19.96	55.99	36.03	74.00	37.97	PASS	Vertical	PK
6	36512.0605	-16.17	50.50	34.33	74.00	39.67	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1908.5939	14.78	35.65	50.43	74.00	23.57	PASS	Horizontal	PK
2	2950.2634	17.61	36.23	53.84	74.00	20.16	PASS	Horizontal	PK
3	4968.1312	-8.07	53.23	45.16	74.00	28.84	PASS	Horizontal	PK
4	7157.2772	-3.19	51.14	47.95	74.00	26.05	PASS	Horizontal	PK
5	10253.4836	1.98	50.11	52.09	74.00	21.91	PASS	Horizontal	PK
6	15930.8621	10.35	49.47	59.82	74.00	14.18	PASS	Horizontal	PK
7	15959.864	10.54	36.66	47.20	54.00	6.80	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1435.3624	13.06	36.92	49.98	74.00	24.02	PASS	Vertical	PK
2	2915.9944	17.65	36.08	53.73	74.00	20.27	PASS	Vertical	PK
3	4916.1277	-8.20	53.40	45.20	74.00	28.80	PASS	Vertical	PK
4	7748.3166	-1.44	50.53	49.09	74.00	24.91	PASS	Vertical	PK
5	11389.5593	2.38	51.09	53.47	74.00	20.53	PASS	Vertical	PK
6	16466.8978	11.31	48.67	59.98	74.00	14.02	PASS	Vertical	PK
7	16429.8953	10.57	37.57	48.14	54.00	5.86	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18847.3539	-26.29	62.19	35.90	74.00	38.10	PASS	Horizontal	PK
2	20168.5267	-25.37	61.01	35.64	74.00	38.36	PASS	Horizontal	PK
3	23580.0232	-23.11	57.79	34.68	74.00	39.32	PASS	Horizontal	PK
4	26496.5399	-21.15	57.31	36.16	74.00	37.84	PASS	Horizontal	PK
5	30832.6733	-19.58	55.99	36.41	74.00	37.59	PASS	Horizontal	PK
6	34403.3361	-17.19	51.47	34.28	74.00	39.72	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19698.3879	-25.41	60.64	35.23	74.00	38.77	PASS	Vertical	PK
2	21323.1729	-25.83	61.18	35.35	74.00	38.65	PASS	Vertical	PK
3	23577.2631	-23.12	58.72	35.60	74.00	38.40	PASS	Vertical	PK
4	25728.3091	-20.78	57.24	36.46	74.00	37.54	PASS	Vertical	PK
5	31806.9923	-19.92	53.93	34.01	74.00	39.99	PASS	Vertical	PK
6	38084.4034	-14.64	47.91	33.27	74.00	40.73	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1711.9141	14.14	36.28	50.42	74.00	23.58	PASS	Horizontal	PK
2	2971.8648	17.92	35.64	53.56	74.00	20.44	PASS	Horizontal	PK
3	4973.1315	-8.08	53.11	45.03	74.00	28.97	PASS	Horizontal	PK
4	7452.2968	-2.31	51.40	49.09	74.00	24.91	PASS	Horizontal	PK
5	11266.5511	2.41	50.92	53.33	74.00	20.67	PASS	Horizontal	PK
6	16496.8998	11.88	49.03	60.91	74.00	13.09	PASS	Horizontal	PK
7	16334.889	11.40	36.66	48.06	54.00	5.94	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1609.9073	13.72	35.22	48.94	74.00	25.06	PASS	Vertical	PK
2	2991.1994	17.91	35.93	53.84	74.00	20.16	PASS	Vertical	PK
3	5019.1346	-8.11	53.49	45.38	74.00	28.62	PASS	Vertical	PK
4	7756.3171	-1.51	51.08	49.57	74.00	24.43	PASS	Vertical	PK
5	12097.6065	3.04	52.04	55.08	74.00	18.92	PASS	Vertical	PK
6	16508.9006	11.92	47.77	59.69	74.00	14.31	PASS	Vertical	PK
7	12038.6026	2.95	41.48	44.43	54.00	9.57	PASS	Vertical	AV
8	16420.8947	10.39	37.62	48.01	54.00	5.99	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18761.7905	-26.37	62.08	35.71	74.00	38.29	PASS	Horizontal	PK
2	20392.0957	-25.48	60.92	35.44	74.00	38.56	PASS	Horizontal	PK
3	24509.2604	-21.78	57.09	35.31	74.00	38.69	PASS	Horizontal	PK
4	29646.7459	-20.69	56.40	35.71	74.00	38.29	PASS	Horizontal	PK
5	34246.9299	-17.35	51.67	34.32	74.00	39.68	PASS	Horizontal	PK
6	39258.3703	-13.19	45.96	32.77	74.00	41.23	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19056.2022	-26.21	62.42	36.21	74.00	37.79	PASS	Vertical	PK
2	21681.9873	-25.65	61.65	36.00	74.00	38.00	PASS	Vertical	PK
3	24739.2696	-21.93	57.30	35.37	74.00	38.63	PASS	Vertical	PK
4	29185.8074	-21.46	57.34	35.88	74.00	38.12	PASS	Vertical	PK
5	32501.6201	-18.49	53.65	35.16	74.00	38.84	PASS	Vertical	PK
6	36687.7875	-16.25	50.44	34.19	74.00	39.81	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1744.0496	14.10	36.03	50.13	74.00	23.87	PASS	Horizontal	PK
2	2973.0649	17.92	36.42	54.34	74.00	19.66	PASS	Horizontal	PK
3	5004.1336	-8.10	52.77	44.67	74.00	29.33	PASS	Horizontal	PK
4	7858.3239	-1.57	51.00	49.43	74.00	24.57	PASS	Horizontal	PK
5	12078.6052	2.98	52.38	55.36	74.00	18.64	PASS	Horizontal	PK
6	16425.8951	10.49	49.46	59.95	74.00	14.05	PASS	Horizontal	PK
7	2968.6646	17.92	18.34	36.26	54.00	17.74	PASS	Horizontal	AV
8	12018.6012	3.04	41.13	44.17	54.00	9.83	PASS	Horizontal	AV
9	16499.9	11.94	36.67	48.61	54.00	5.39	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1793.5196	14.19	35.29	49.48	74.00	24.52	PASS	Vertical	PK
2	2880.5254	17.42	35.55	52.97	74.00	21.03	PASS	Vertical	PK
3	4681.1121	-8.98	55.18	46.20	74.00	27.80	PASS	Vertical	PK
4	7623.3082	-2.18	50.63	48.45	74.00	25.55	PASS	Vertical	PK
5	12020.6014	3.03	52.04	55.07	74.00	18.93	PASS	Vertical	PK
6	16269.8847	10.64	50.22	60.86	74.00	13.14	PASS	Vertical	PK
7	12099.6066	3.05	41.14	44.19	54.00	9.81	PASS	Vertical	AV
8	16262.8842	10.57	37.29	47.86	54.00	6.14	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19265.0506	-25.92	61.34	35.42	74.00	38.58	PASS	Horizontal	PK
2	20868.6747	-25.77	60.99	35.22	74.00	38.78	PASS	Horizontal	PK
3	22846.7539	-25.20	60.05	34.85	74.00	39.15	PASS	Horizontal	PK
4	27736.7495	-21.22	57.37	36.15	74.00	37.85	PASS	Horizontal	PK
5	31641.3857	-19.68	55.10	35.42	74.00	38.58	PASS	Horizontal	PK
6	36240.6496	-16.74	51.13	34.39	74.00	39.61	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19363.4945	-25.70	61.37	35.67	74.00	38.33	PASS	Vertical	PK
2	21215.5286	-25.76	60.68	34.92	74.00	39.08	PASS	Vertical	PK
3	23154.0462	-24.60	59.24	34.64	74.00	39.36	PASS	Vertical	PK
4	25248.97	-21.14	57.21	36.07	74.00	37.93	PASS	Vertical	PK
5	29173.847	-21.46	57.56	36.10	74.00	37.90	PASS	Vertical	PK
6	32508.9804	-18.53	53.58	35.05	74.00	38.95	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1909.9273	14.81	35.69	50.50	74.00	23.50	PASS	Horizontal	PK
2	2983.5989	17.88	36.90	54.78	74.00	19.22	PASS	Horizontal	PK
3	4990.1327	-8.12	53.40	45.28	74.00	28.72	PASS	Horizontal	PK
4	7765.3177	-1.63	51.70	50.07	74.00	23.93	PASS	Horizontal	PK
5	12011.6008	3.08	52.13	55.21	74.00	18.79	PASS	Horizontal	PK
6	16572.9049	11.22	48.51	59.73	74.00	14.27	PASS	Horizontal	PK
7	2974.9317	17.91	18.07	35.98	54.00	18.02	PASS	Horizontal	AV
8	11954.597	3.10	41.45	44.55	54.00	9.45	PASS	Horizontal	AV
9	16499.9	11.94	36.12	48.06	54.00	5.94	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1698.7132	14.07	35.96	50.03	74.00	23.97	PASS	Vertical	PK
2	2969.7313	17.94	36.21	54.15	74.00	19.85	PASS	Vertical	PK
3	4878.1252	-8.37	53.31	44.94	74.00	29.06	PASS	Vertical	PK
4	7747.3165	-1.44	50.39	48.95	74.00	25.05	PASS	Vertical	PK
5	11964.5976	3.11	51.73	54.84	74.00	19.16	PASS	Vertical	PK
6	16421.8948	10.41	49.15	59.56	74.00	14.44	PASS	Vertical	PK
7	2971.5981	17.93	18.47	36.40	54.00	17.60	PASS	Vertical	AV
8	12026.6018	3.00	41.49	44.49	54.00	9.51	PASS	Vertical	AV
9	16403.8936	10.04	37.86	47.90	54.00	6.10	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19065.4026	-26.20	62.42	36.22	74.00	37.78	PASS	Horizontal	PK
2	20437.1775	-25.59	60.89	35.30	74.00	38.70	PASS	Horizontal	PK
3	22875.275	-25.28	59.08	33.80	74.00	40.20	PASS	Horizontal	PK
4	26625.345	-21.17	57.46	36.29	74.00	37.71	PASS	Horizontal	PK
5	30906.2763	-19.47	54.94	35.47	74.00	38.53	PASS	Horizontal	PK
6	35110.8444	-15.99	50.41	34.42	74.00	39.58	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19737.9495	-25.34	61.42	36.08	74.00	37.92	PASS	Vertical	PK
2	21140.0856	-25.82	61.90	36.08	74.00	37.92	PASS	Vertical	PK
3	25055.7622	-21.83	56.62	34.79	74.00	39.21	PASS	Vertical	PK
4	28250.13	-21.35	58.08	36.73	74.00	37.27	PASS	Vertical	PK
5	31639.5456	-19.68	54.43	34.75	74.00	39.25	PASS	Vertical	PK
6	34895.5558	-16.31	50.62	34.31	74.00	39.69	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1673.1115	14.03	35.55	49.58	74.00	24.42	PASS	Horizontal	PK
2	2955.597	17.69	36.06	53.75	74.00	20.25	PASS	Horizontal	PK
3	5000.1333	-8.15	54.17	46.02	74.00	27.98	PASS	Horizontal	PK
4	7747.3165	-1.44	51.12	49.68	74.00	24.32	PASS	Horizontal	PK
5	11936.5958	3.00	51.89	54.89	74.00	19.11	PASS	Horizontal	PK
6	16506.9005	11.92	48.01	59.93	74.00	14.07	PASS	Horizontal	PK
7	11998.5999	3.13	41.09	44.22	54.00	9.78	PASS	Horizontal	AV
8	16496.8998	11.88	36.28	48.16	54.00	5.84	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1732.3155	14.16	36.08	50.24	74.00	23.76	PASS	Vertical	PK
2	2954.1303	17.67	36.55	54.22	74.00	19.78	PASS	Vertical	PK
3	5017.1345	-8.10	53.30	45.20	74.00	28.80	PASS	Vertical	PK
4	7699.3133	-1.70	50.93	49.23	74.00	24.77	PASS	Vertical	PK
5	11829.5886	2.47	51.99	54.46	74.00	19.54	PASS	Vertical	PK
6	16348.8899	11.57	49.29	60.86	74.00	13.14	PASS	Vertical	PK
7	2978.5319	17.88	18.32	36.20	54.00	17.80	PASS	Vertical	AV
8	11959.5973	3.11	41.19	44.30	54.00	9.70	PASS	Vertical	AV
9	16422.8949	10.43	37.98	48.41	54.00	5.59	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19399.376	-25.62	61.82	36.20	74.00	37.80	PASS	Horizontal	PK
2	21742.7097	-25.59	60.54	34.95	74.00	39.05	PASS	Horizontal	PK
3	25074.163	-21.74	57.25	35.51	74.00	38.49	PASS	Horizontal	PK
4	29248.3699	-21.44	57.74	36.30	74.00	37.70	PASS	Horizontal	PK
5	30898.916	-19.48	55.64	36.16	74.00	37.84	PASS	Horizontal	PK
6	34354.5742	-17.25	51.70	34.45	74.00	39.55	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19574.183	-25.60	61.08	35.48	74.00	38.52	PASS	Vertical	PK
2	21797.9119	-25.53	61.21	35.68	74.00	38.32	PASS	Vertical	PK
3	23833.0333	-22.27	58.06	35.79	74.00	38.21	PASS	Vertical	PK
4	27019.1208	-21.84	57.80	35.96	74.00	38.04	PASS	Vertical	PK
5	30936.6375	-19.42	55.53	36.11	74.00	37.89	PASS	Vertical	PK
6	36340.0136	-16.73	51.79	35.06	74.00	38.94	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1818.7212	14.38	36.44	50.82	74.00	23.18	PASS	Horizontal	PK
2	2980.7987	17.87	36.03	53.90	74.00	20.10	PASS	Horizontal	PK
3	4873.1249	-8.39	53.99	45.60	74.00	28.40	PASS	Horizontal	PK
4	7755.317	-1.50	51.85	50.35	74.00	23.65	PASS	Horizontal	PK
5	12037.6025	2.95	52.11	55.06	74.00	18.94	PASS	Horizontal	PK
6	16266.8845	10.61	49.65	60.26	74.00	13.74	PASS	Horizontal	PK
7	11980.5987	3.12	41.28	44.40	54.00	9.60	PASS	Horizontal	AV
8	16345.8897	11.53	36.81	48.34	54.00	5.66	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1780.052	14.29	36.10	50.39	74.00	23.61	PASS	Vertical	PK
2	2835.7224	17.41	35.88	53.29	74.00	20.71	PASS	Vertical	PK
3	4859.1239	-8.44	54.05	45.61	74.00	28.39	PASS	Vertical	PK
4	7785.319	-1.89	51.16	49.27	74.00	24.73	PASS	Vertical	PK
5	12104.607	3.03	52.53	55.56	74.00	18.44	PASS	Vertical	PK
6	16250.8834	10.45	49.42	59.87	74.00	14.13	PASS	Vertical	PK
7	12040.6027	2.94	41.62	44.56	54.00	9.44	PASS	Vertical	AV
8	16496.8998	11.88	36.86	48.74	54.00	5.26	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19044.2418	-26.22	61.91	35.69	74.00	38.31	PASS	Horizontal	PK
2	20885.2354	-25.80	60.48	34.68	74.00	39.32	PASS	Horizontal	PK
3	23385.8954	-23.61	59.21	35.60	74.00	38.40	PASS	Horizontal	PK
4	26435.8174	-21.15	57.64	36.49	74.00	37.51	PASS	Horizontal	PK
5	29677.1071	-20.75	56.47	35.72	74.00	38.28	PASS	Horizontal	PK
6	35167.8867	-15.92	50.83	34.91	74.00	39.09	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	\	Test_Date	2026/6/30

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19787.6315	-25.25	61.57	36.32	74.00	37.68	PASS	Vertical	PK
2	21392.1757	-25.87	61.18	35.31	74.00	38.69	PASS	Vertical	PK
3	23450.298	-23.43	57.81	34.38	74.00	39.62	PASS	Vertical	PK
4	26568.3027	-21.11	57.65	36.54	74.00	37.46	PASS	Vertical	PK
5	28798.4719	-21.48	57.62	36.14	74.00	37.86	PASS	Vertical	PK
6	34496.2598	-16.67	50.88	34.21	74.00	39.79	PASS	Vertical	PK