


Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1774.1849	14.36	35.91	50.27	74.00	23.73	PASS	Horizontal	PK
2	2939.0626	17.66	35.89	53.55	74.00	20.45	PASS	Horizontal	PK
3	4819.1213	-8.56	53.93	45.37	74.00	28.63	PASS	Horizontal	PK
4	7731.3154	-1.53	50.94	49.41	74.00	24.59	PASS	Horizontal	PK
5	12159.6106	2.91	52.40	55.31	74.00	18.69	PASS	Horizontal	PK
6	16735.9157	12.04	48.71	60.75	74.00	13.25	PASS	Horizontal	PK
7	12105.607	3.02	41.30	44.32	54.00	9.68	PASS	Horizontal	AV
8	16824.9217	12.24	36.02	48.26	54.00	5.74	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1789.786	14.18	36.31	50.49	74.00	23.51	PASS	Vertical	PK
2	2847.4565	17.35	35.72	53.07	74.00	20.93	PASS	Vertical	PK
3	4951.1301	-8.02	53.41	45.39	74.00	28.61	PASS	Vertical	PK
4	7433.2956	-2.63	51.99	49.36	74.00	24.64	PASS	Vertical	PK
5	11956.5971	3.10	51.21	54.31	74.00	19.69	PASS	Vertical	PK
6	16345.8897	11.53	49.16	60.69	74.00	13.31	PASS	Vertical	PK
7	12102.6068	3.04	41.23	44.27	54.00	9.73	PASS	Vertical	AV
8	16347.8899	11.56	36.86	48.42	54.00	5.58	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19345.0938	-25.74	61.39	35.65	74.00	38.35	PASS	Horizontal	PK
2	20986.4395	-25.98	60.95	34.97	74.00	39.03	PASS	Horizontal	PK
3	23894.6758	-22.14	58.13	35.99	74.00	38.01	PASS	Horizontal	PK
4	27374.255	-21.67	56.95	35.28	74.00	38.72	PASS	Horizontal	PK
5	30503.3001	-20.46	56.68	36.22	74.00	37.78	PASS	Horizontal	PK
6	34450.258	-16.93	51.58	34.65	74.00	39.35	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20013.0405	-24.68	60.66	35.98	74.00	38.02	PASS	Vertical	PK
2	22939.6776	-25.49	59.34	33.85	74.00	40.15	PASS	Vertical	PK
3	26259.1704	-21.30	57.58	36.28	74.00	37.72	PASS	Vertical	PK
4	30439.8176	-20.38	56.57	36.19	74.00	37.81	PASS	Vertical	PK
5	34169.6468	-17.46	51.76	34.30	74.00	39.70	PASS	Vertical	PK
6	37172.6469	-16.38	49.58	33.20	74.00	40.80	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1564.0376	13.49	35.70	49.19	74.00	24.81	PASS	Horizontal	PK
2	2937.1958	17.68	35.52	53.20	74.00	20.80	PASS	Horizontal	PK
3	4879.1253	-8.36	53.39	45.03	74.00	28.97	PASS	Horizontal	PK
4	7854.3236	-1.60	51.32	49.72	74.00	24.28	PASS	Horizontal	PK
5	12098.6066	3.05	52.10	55.15	74.00	18.85	PASS	Horizontal	PK
6	16829.922	12.44	48.11	60.55	74.00	13.45	PASS	Horizontal	PK
7	12009.6006	3.08	41.17	44.25	54.00	9.75	PASS	Horizontal	AV
8	16826.9218	12.32	35.83	48.15	54.00	5.85	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1691.3794	14.03	35.68	49.71	74.00	24.29	PASS	Vertical	PK
2	2859.4573	17.36	36.74	54.10	74.00	19.90	PASS	Vertical	PK
3	4914.1276	-8.22	53.21	44.99	74.00	29.01	PASS	Vertical	PK
4	7639.3093	-2.23	52.65	50.42	74.00	23.58	PASS	Vertical	PK
5	12096.6064	3.04	52.91	55.95	74.00	18.05	PASS	Vertical	PK
6	16348.8899	11.57	48.61	60.18	74.00	13.82	PASS	Vertical	PK
7	2888.1259	17.57	18.17	35.74	54.00	18.26	PASS	Vertical	AV
8	12029.602	2.99	41.19	44.18	54.00	9.82	PASS	Vertical	AV
9	16493.8996	11.83	36.10	47.93	54.00	6.07	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19714.9486	-25.39	61.02	35.63	74.00	38.37	PASS	Horizontal	PK
2	22662.7465	-25.01	59.61	34.60	74.00	39.40	PASS	Horizontal	PK
3	25399.856	-21.44	57.12	35.68	74.00	38.32	PASS	Horizontal	PK
4	27808.5123	-21.07	58.03	36.96	74.00	37.04	PASS	Horizontal	PK
5	30828.9932	-19.58	54.96	35.38	74.00	38.62	PASS	Horizontal	PK
6	34585.5034	-16.18	50.59	34.41	74.00	39.59	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19094.8438	-26.17	61.72	35.55	74.00	38.45	PASS	Vertical	PK
2	21076.6031	-25.90	61.60	35.70	74.00	38.30	PASS	Vertical	PK
3	24397.0159	-21.69	57.18	35.49	74.00	38.51	PASS	Vertical	PK
4	27979.6392	-21.18	57.85	36.67	74.00	37.33	PASS	Vertical	PK
5	31858.5143	-20.10	54.79	34.69	74.00	39.31	PASS	Vertical	PK
6	34907.5163	-16.28	50.33	34.05	74.00	39.95	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1768.8513	14.37	36.13	50.50	74.00	23.50	PASS	Horizontal	PK
2	2931.9955	17.73	35.47	53.20	74.00	20.80	PASS	Horizontal	PK
3	4971.1314	-8.08	53.77	45.69	74.00	28.31	PASS	Horizontal	PK
4	8041.3361	-1.06	50.59	49.53	74.00	24.47	PASS	Horizontal	PK
5	12564.6376	4.41	51.34	55.75	74.00	18.25	PASS	Horizontal	PK
6	16507.9005	11.92	47.95	59.87	74.00	14.13	PASS	Horizontal	PK
7	12546.6364	4.26	41.09	45.35	54.00	8.65	PASS	Horizontal	AV
8	16419.8947	10.37	37.97	48.34	54.00	5.66	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1742.4495	14.12	35.77	49.89	74.00	24.11	PASS	Vertical	PK
2	2992.2662	17.90	37.06	54.96	74.00	19.04	PASS	Vertical	PK
3	4868.1245	-8.40	54.56	46.16	74.00	27.84	PASS	Vertical	PK
4	7831.3221	-1.80	50.93	49.13	74.00	24.87	PASS	Vertical	PK
5	12565.6377	4.42	51.81	56.23	74.00	17.77	PASS	Vertical	PK
6	16490.8994	11.77	48.25	60.02	74.00	13.98	PASS	Vertical	PK
7	2969.598	17.93	18.43	36.36	54.00	17.64	PASS	Vertical	AV
8	12577.6385	4.52	40.72	45.24	54.00	8.76	PASS	Vertical	AV
9	16500.9001	11.94	36.24	48.18	54.00	5.82	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19545.6618	-25.60	61.57	35.97	74.00	38.03	PASS	Horizontal	PK
2	21571.5829	-25.76	61.79	36.03	74.00	37.97	PASS	Horizontal	PK
3	25529.5812	-20.96	57.05	36.09	74.00	37.91	PASS	Horizontal	PK
4	28246.4499	-21.35	57.84	36.49	74.00	37.51	PASS	Horizontal	PK
5	31799.632	-19.90	54.17	34.27	74.00	39.73	PASS	Horizontal	PK
6	36558.9824	-15.95	49.94	33.99	74.00	40.01	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19829.9532	-25.13	61.08	35.95	74.00	38.05	PASS	Vertical	PK
2	21196.2078	-25.75	60.87	35.12	74.00	38.88	PASS	Vertical	PK
3	24755.8302	-21.94	56.45	34.51	74.00	39.49	PASS	Vertical	PK
4	29961.3985	-21.05	57.25	36.20	74.00	37.80	PASS	Vertical	PK
5	32431.6973	-18.17	54.04	35.87	74.00	38.13	PASS	Vertical	PK
6	35109.0044	-15.99	51.08	35.09	74.00	38.91	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1793.6529	14.19	35.36	49.55	74.00	24.45	PASS	Horizontal	PK
2	2910.1273	17.78	36.57	54.35	74.00	19.65	PASS	Horizontal	PK
3	4844.1229	-8.49	54.21	45.72	74.00	28.28	PASS	Horizontal	PK
4	7756.3171	-1.51	51.56	50.05	74.00	23.95	PASS	Horizontal	PK
5	12039.6026	2.94	52.17	55.11	74.00	18.89	PASS	Horizontal	PK
6	16326.8885	11.30	48.71	60.01	74.00	13.99	PASS	Horizontal	PK
7	2951.8635	17.63	18.13	35.76	54.00	18.24	PASS	Horizontal	AV
8	12057.6038	2.92	41.16	44.08	54.00	9.92	PASS	Horizontal	AV
9	16426.8951	10.51	37.46	47.97	54.00	6.03	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1815.9211	14.34	36.24	50.58	74.00	23.42	PASS	Vertical	PK
2	2998.5332	17.84	36.09	53.93	74.00	20.07	PASS	Vertical	PK
3	4883.1255	-8.35	53.69	45.34	74.00	28.66	PASS	Vertical	PK
4	9278.4186	0.73	51.54	52.27	74.00	21.73	PASS	Vertical	PK
5	12744.6496	4.77	51.00	55.77	74.00	18.23	PASS	Vertical	PK
6	16353.8903	11.46	48.59	60.05	74.00	13.95	PASS	Vertical	PK
7	12567.6378	4.43	40.98	45.41	54.00	8.59	PASS	Vertical	AV
8	16329.8887	11.33	36.91	48.24	54.00	5.76	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19477.5791	-25.60	61.25	35.65	74.00	38.35	PASS	Horizontal	PK
2	21658.0663	-25.68	60.77	35.09	74.00	38.91	PASS	Horizontal	PK
3	24436.5775	-21.72	57.08	35.36	74.00	38.64	PASS	Horizontal	PK
4	27344.8138	-21.72	57.54	35.82	74.00	38.18	PASS	Horizontal	PK
5	30947.6779	-19.40	55.58	36.18	74.00	37.82	PASS	Horizontal	PK
6	35331.6533	-16.02	50.41	34.39	74.00	39.61	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19756.3503	-25.31	60.43	35.12	74.00	38.88	PASS	Vertical	PK
2	21572.5029	-25.76	61.17	35.41	74.00	38.59	PASS	Vertical	PK
3	25649.186	-20.74	56.47	35.73	74.00	38.27	PASS	Vertical	PK
4	29473.779	-21.05	57.60	36.55	74.00	37.45	PASS	Vertical	PK
5	34047.2819	-17.77	51.97	34.20	74.00	39.80	PASS	Vertical	PK
6	37559.0624	-15.04	48.59	33.55	74.00	40.45	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1747.9165	14.08	35.88	49.96	74.00	24.04	PASS	Horizontal	PK
2	2925.4617	17.66	35.95	53.61	74.00	20.39	PASS	Horizontal	PK
3	4912.1275	-8.23	53.00	44.77	74.00	29.23	PASS	Horizontal	PK
4	7731.3154	-1.53	51.25	49.72	74.00	24.28	PASS	Horizontal	PK
5	11934.5956	2.99	51.92	54.91	74.00	19.09	PASS	Horizontal	PK
6	16333.8889	11.39	48.52	59.91	74.00	14.09	PASS	Horizontal	PK
7	12018.6012	3.04	41.43	44.47	54.00	9.53	PASS	Horizontal	AV
8	16424.895	10.47	37.47	47.94	54.00	6.06	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1647.2432	14.03	36.78	50.81	74.00	23.19	PASS	Vertical	PK
2	2924.795	17.65	36.80	54.45	74.00	19.55	PASS	Vertical	PK
3	5049.1366	-8.10	53.49	45.39	74.00	28.61	PASS	Vertical	PK
4	7751.3168	-1.45	51.14	49.69	74.00	24.31	PASS	Vertical	PK
5	12038.6026	2.95	52.30	55.25	74.00	18.75	PASS	Vertical	PK
6	16512.9009	11.92	47.67	59.59	74.00	14.41	PASS	Vertical	PK
7	2965.331	17.85	18.12	35.97	54.00	18.03	PASS	Vertical	AV
8	12014.601	3.06	41.37	44.43	54.00	9.57	PASS	Vertical	AV
9	16501.9001	11.94	36.05	47.99	54.00	6.01	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19182.2473	-26.08	62.02	35.94	74.00	38.06	PASS	Horizontal	PK
2	21118.9248	-25.86	61.31	35.45	74.00	38.55	PASS	Horizontal	PK
3	23336.2134	-23.79	59.10	35.31	74.00	38.69	PASS	Horizontal	PK
4	26468.9388	-21.15	57.48	36.33	74.00	37.67	PASS	Horizontal	PK
5	31344.2138	-19.80	55.65	35.85	74.00	38.15	PASS	Horizontal	PK
6	35528.5411	-16.13	51.07	34.94	74.00	39.06	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2437MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19976.239	-24.69	61.65	36.96	74.00	37.04	PASS	Vertical	PK
2	22104.2842	-25.60	59.97	34.37	74.00	39.63	PASS	Vertical	PK
3	25771.5509	-20.81	57.65	36.84	74.00	37.16	PASS	Vertical	PK
4	28267.6107	-21.36	58.25	36.89	74.00	37.11	PASS	Vertical	PK
5	32356.2542	-18.31	54.38	36.07	74.00	37.93	PASS	Vertical	PK
6	36248.93	-16.74	51.17	34.43	74.00	39.57	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2452MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1743.6496	14.11	35.22	49.33	74.00	24.67	PASS	Horizontal	PK
2	2895.7264	17.67	36.22	53.89	74.00	20.11	PASS	Horizontal	PK
3	4809.1206	-8.58	53.96	45.38	74.00	28.62	PASS	Horizontal	PK
4	7701.3134	-1.68	51.64	49.96	74.00	24.04	PASS	Horizontal	PK
5	12548.6366	4.27	52.43	56.70	74.00	17.30	PASS	Horizontal	PK
6	16372.8915	10.84	49.97	60.81	74.00	13.19	PASS	Horizontal	PK
7	12600.64	4.71	40.72	45.43	54.00	8.57	PASS	Horizontal	AV
8	16497.8999	11.90	36.36	48.26	54.00	5.74	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2452MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1673.3782	14.03	35.98	50.01	74.00	23.99	PASS	Vertical	PK
2	2894.793	17.66	36.91	54.57	74.00	19.43	PASS	Vertical	PK
3	4859.1239	-8.44	54.80	46.36	74.00	27.64	PASS	Vertical	PK
4	7709.314	-1.64	52.34	50.70	74.00	23.30	PASS	Vertical	PK
5	12052.6035	2.91	52.16	55.07	74.00	18.93	PASS	Vertical	PK
6	16193.8796	10.42	49.53	59.95	74.00	14.05	PASS	Vertical	PK
7	2897.1931	17.69	17.96	35.65	54.00	18.35	PASS	Vertical	AV
8	11976.5984	3.12	41.19	44.31	54.00	9.69	PASS	Vertical	AV
9	16339.8893	11.46	36.86	48.32	54.00	5.68	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2452MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20042.4817	-24.81	60.73	35.92	74.00	38.08	PASS	Horizontal	PK
2	21513.6205	-25.80	60.73	34.93	74.00	39.07	PASS	Horizontal	PK
3	24328.9332	-22.03	57.33	35.30	74.00	38.70	PASS	Horizontal	PK
4	26156.1262	-21.26	57.81	36.55	74.00	37.45	PASS	Horizontal	PK
5	30891.5557	-19.49	55.22	35.73	74.00	38.27	PASS	Horizontal	PK
6	35024.361	-16.09	50.87	34.78	74.00	39.22	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2452MHz
Remark:	\	Test_Date	2026/6/30

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19528.1811	-25.60	61.48	35.88	74.00	38.12	PASS	Vertical	PK
2	22233.0893	-25.35	60.56	35.21	74.00	38.79	PASS	Vertical	PK
3	25191.9277	-21.08	56.36	35.28	74.00	38.72	PASS	Vertical	PK
4	27954.7982	-21.17	57.94	36.77	74.00	37.23	PASS	Vertical	PK
5	30963.3185	-19.39	56.01	36.62	74.00	37.38	PASS	Vertical	PK
6	34657.2663	-16.20	50.96	34.76	74.00	39.24	PASS	Vertical	PK

Remark:


- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- 2) Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.The report records the lowest Peak value. If the Peak value is greater than 54dBμV/m, then the Average value at that time is recorded.

Restricted bands:

Test plot as follows:

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.24	52.20	74.00	21.80	PASS	Horizont	PK
2	2390	15.96	24.40	40.36	54.00	13.64	PASS	Horizont	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.40	51.36	74.00	22.64	PASS	Vertical	PK
2	2390	15.96	22.32	38.28	54.00	15.72	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	36.40	52.69	74.00	21.31	PASS	Horizont	PK
2	2483.5	16.29	23.46	39.75	54.00	14.25	PASS	Horizont	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Remark:	\	Test_Date	2026/6/24

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	33.74	50.03	74.00	23.97	PASS	Vertical	PK
2	2483.5	16.29	19.85	36.14	54.00	17.86	PASS	Vertical	AV