




4. Maximum Power Spectral Density

4.1 Test Result


4.1.1 PSD


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit(dBm/3kHz)	
1M	SISO	2402	-9.61	<=8	Pass
		2440	-9.67	<=8	Pass
		2480	-8.99	<=8	Pass
2M	SISO	2402	-12.07	<=8	Pass
		2440	-12.28	<=8	Pass
		2480	-11.64	<=8	Pass


Note1: Antenna Gain: Ant1: 1.79dBi;

4.2 Test Graph

4.2.1 PSD







5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
1M	SISO	2402	1	6.19
		2440	1	5.98
		2480	1	6.63
2M	SISO	2402	1	5.44
		2440	1	5.24
		2480	1	5.92


5.1.2 CSE


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
1M	SISO	2402	1	5.98	-14.02	Pass
		2440	1	5.98	-14.02	Pass
		2480	1	5.98	-14.02	Pass
2M	SISO	2402	1	5.24	-14.76	Pass
		2440	1	5.24	-14.76	Pass
		2480	1	5.24	-14.76	Pass

5.2 Test Graph


5.2.1 Ref











5.2.2 CSE











*** End of Report ***