



















3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	15.02	<=23.98	Pass
		5200	/	/	15.91	<=23.98	Pass
		5240	/	/	15.83	<=23.98	Pass
		5260	/	/	15.59	<=23.98	Pass
		5300	/	/	15.10	<=23.98	Pass
		5320	/	/	15.07	<=23.98	Pass
		5500	/	/	15.69	<=23.98	Pass
		5580	/	/	15.16	<=23.98	Pass
		5700	/	/	15.97	<=23.98	Pass
		5745	/	/	15.03	<=30	Pass
		5785	/	/	15.64	<=30	Pass
802.11n (HT20)	SISO	5825	/	/	15.46	<=30	Pass
		5180	/	/	14.84	<=23.98	Pass
		5200	/	/	14.74	<=23.98	Pass
		5240	/	/	14.92	<=23.98	Pass
		5260	/	/	14.60	<=23.98	Pass
		5300	/	/	14.94	<=23.98	Pass
		5320	/	/	14.98	<=23.98	Pass
		5500	/	/	14.17	<=23.98	Pass
		5580	/	/	14.66	<=23.98	Pass
		5700	/	/	14.27	<=23.98	Pass
		5745	/	/	14.72	<=30	Pass
802.11n (HT40)	SISO	5785	/	/	14.06	<=30	Pass
		5825	/	/	14.72	<=30	Pass
		5190	/	/	14.27	<=23.98	Pass
		5230	/	/	14.16	<=23.98	Pass
		5270	/	/	14.81	<=23.98	Pass
		5310	/	/	14.03	<=23.98	Pass
		5510	/	/	14.59	<=23.98	Pass
		5550	/	/	14.19	<=23.98	Pass
		5670	/	/	14.46	<=23.98	Pass
		5755	/	/	14.06	<=30	Pass
		5795	/	/	14.22	<=30	Pass
802.11ac (VHT20)	SISO	5180	/	/	14.63	<=23.98	Pass
		5200	/	/	14.44	<=23.98	Pass
		5240	/	/	14.61	<=23.98	Pass
		5260	/	/	14.52	<=23.98	Pass
		5300	/	/	14.67	<=23.98	Pass
		5320	/	/	14.55	<=23.98	Pass
		5500	/	/	14.63	<=23.98	Pass
		5580	/	/	14.33	<=23.98	Pass
		5700	/	/	14.01	<=23.98	Pass
		5745	/	/	14.31	<=30	Pass
		5785	/	/	14.78	<=30	Pass

802.11ac (VHT40)	SISO	5825	/	/	14.27	<=30	Pass
		5190	/	/	14.58	<=23.98	Pass
		5230	/	/	14.10	<=23.98	Pass
		5270	/	/	14.27	<=23.98	Pass
		5310	/	/	14.68	<=23.98	Pass
		5510	/	/	14.71	<=23.98	Pass
		5550	/	/	14.64	<=23.98	Pass
		5670	/	/	14.51	<=23.98	Pass
		5755	/	/	14.95	<=30	Pass
		5795	/	/	14.02	<=30	Pass
802.11ax (HEW20)	SISO	5180	SU	/	14.18	<=23.98	Pass
		5200	SU	/	14.43	<=23.98	Pass
		5240	SU	/	14.55	<=23.98	Pass
		5260	SU	/	14.18	<=23.98	Pass
		5300	SU	/	14.08	<=23.98	Pass
		5320	SU	/	14.02	<=23.98	Pass
		5500	SU	/	14.82	<=23.98	Pass
		5580	SU	/	14.12	<=23.98	Pass
		5700	SU	/	14.08	<=23.98	Pass
		5745	SU	/	14.16	<=30	Pass
		5785	SU	/	14.60	<=30	Pass
		5825	SU	/	14.47	<=30	Pass
802.11ax (HEW40)	SISO	5190	SU	/	14.43	<=23.98	Pass
		5230	SU	/	14.05	<=23.98	Pass
		5270	SU	/	14.11	<=23.98	Pass
		5310	SU	/	14.83	<=23.98	Pass
		5510	SU	/	14.25	<=23.98	Pass
		5550	SU	/	14.70	<=23.98	Pass
		5670	SU	/	14.77	<=23.98	Pass
		5755	SU	/	14.52	<=30	Pass
		5795	SU	/	14.82	<=30	Pass

Note1: Antenna Gain:

- Band: 1 Ant1: 1.64dBi;
- Band: 3 Ant1: 1.64dBi;
- Band: 2A Ant1: 1.64dBi;
- Band: 2C Ant1: 1.64dBi;

3.2 Test Graph

3.2.1 Power

