


Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19535.6614	-25.60	61.34	35.74	74.00	38.26	PASS	Horizontal	PK
2	21271.9709	-25.80	61.60	35.80	74.00	38.20	PASS	Horizontal	PK
3	23883.9154	-22.17	57.99	35.82	74.00	38.18	PASS	Horizontal	PK
4	25853.4341	-20.84	58.27	37.43	68.20	30.77	PASS	Horizontal	PK
5	28384.4154	-21.48	58.65	37.17	68.20	31.03	PASS	Horizontal	PK
6	31160.9264	-19.90	55.50	35.60	68.20	32.60	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Remark:	\	Test_Date	2026/6/25

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19532.1413	-25.60	61.02	35.42	74.00	38.58	PASS	Vertical	PK
2	22454.7382	-25.08	60.55	35.47	74.00	38.53	PASS	Vertical	PK
3	26753.7101	-21.45	57.99	36.54	68.20	31.66	PASS	Vertical	PK
4	30451.6181	-20.40	56.01	35.61	68.20	32.59	PASS	Vertical	PK
5	33151.5661	-18.36	54.21	35.85	68.20	32.35	PASS	Vertical	PK
6	35524.141	-16.14	50.39	34.25	68.20	33.95	PASS	Vertical	PK

U-NII-2A:

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1365.8746	12.75	33.99	46.74	74.00	27.26	PASS	Horizontal	PK
2	2797.0319	17.38	33.32	50.70	74.00	23.30	PASS	Horizontal	PK
3	4142.8257	22.18	31.05	53.23	74.00	20.77	PASS	Horizontal	PK
4	4991.8397	24.93	33.53	58.46	74.00	15.54	PASS	Horizontal	PK
5	12419.921	3.81	53.52	57.33	74.00	16.67	PASS	Horizontal	PK
6	17585.4043	14.05	50.21	64.26	68.20	3.94	PASS	Horizontal	PK
7	5009.0004	25.18	10.22	35.40	54.00	18.60	PASS	Horizontal	AV
8	12521.1261	4.75	42.30	47.05	54.00	6.95	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1336.1734	12.47	33.90	46.37	74.00	27.63	PASS	Vertical	PK
2	2802.0921	17.39	33.35	50.74	74.00	23.26	PASS	Vertical	PK
3	3961.7585	21.59	32.09	53.68	74.00	20.32	PASS	Vertical	PK
4	5035.6214	25.35	32.54	57.89	74.00	16.11	PASS	Vertical	PK
5	11853.5177	3.10	53.37	56.47	74.00	17.53	PASS	Vertical	PK
6	17036.2518	12.44	51.50	63.94	68.20	4.26	PASS	Vertical	PK
7	5005.9202	25.11	10.43	35.54	54.00	18.46	PASS	Vertical	AV
8	11848.3424	3.08	43.00	46.08	54.00	7.92	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19035.8014	-26.23	62.38	36.15	74.00	37.85	PASS	Horizontal	PK
2	21416.2967	-25.87	60.95	35.08	68.20	33.12	PASS	Horizontal	PK
3	24822.9129	-21.98	57.43	35.45	68.20	32.75	PASS	Horizontal	PK
4	28505.8602	-21.73	58.24	36.51	68.20	31.69	PASS	Horizontal	PK
5	31945.0378	-20.38	55.81	35.43	68.20	32.77	PASS	Horizontal	PK
6	38104.4042	-14.55	47.73	33.18	68.20	35.02	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19444.1378	-25.61	61.95	36.34	74.00	37.66	PASS	Vertical	PK
2	21808.7924	-25.54	60.93	35.39	68.20	32.81	PASS	Vertical	PK
3	24611.7045	-21.87	57.47	35.60	68.20	32.60	PASS	Vertical	PK
4	29707.1083	-20.80	57.28	36.48	68.20	31.72	PASS	Vertical	PK
5	33603.0241	-17.33	52.44	35.11	68.20	33.09	PASS	Vertical	PK
6	38122.8849	-14.46	47.64	33.18	68.20	35.02	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5280MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1365.2146	12.74	33.84	46.58	74.00	27.42	PASS	Horizontal	PK
2	2841.4737	17.56	32.81	50.37	74.00	23.63	PASS	Horizontal	PK
3	4093.5437	22.08	31.29	53.37	74.00	20.63	PASS	Horizontal	PK
4	5006.1402	25.11	32.92	58.03	74.00	15.97	PASS	Horizontal	PK
5	12597.0299	4.24	52.41	56.65	74.00	17.35	PASS	Horizontal	PK
6	17018.4259	12.56	51.18	63.74	68.20	4.46	PASS	Horizontal	PK
7	5008.3403	25.17	10.82	35.99	54.00	18.01	PASS	Horizontal	AV
8	12502.1501	4.52	42.16	46.68	54.00	7.32	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5280MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1394.9158	12.83	34.23	47.06	74.00	26.94	PASS	Vertical	PK
2	2818.8128	17.33	33.82	51.15	74.00	22.85	PASS	Vertical	PK
3	4137.7655	22.20	32.18	54.38	74.00	19.62	PASS	Vertical	PK
4	5004.8202	25.09	32.55	57.64	74.00	16.36	PASS	Vertical	PK
5	12313.5407	3.92	52.77	56.69	74.00	17.31	PASS	Vertical	PK
6	17002.3251	12.66	51.36	64.02	68.20	4.18	PASS	Vertical	PK
7	4137.5455	22.20	8.69	30.89	54.00	23.11	PASS	Vertical	AV
8	5011.4205	25.18	10.45	35.63	54.00	18.37	PASS	Vertical	AV
9	12344.5922	4.62	41.75	46.37	54.00	7.63	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5280MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18771.7909	-26.35	62.79	36.44	74.00	37.56	PASS	Horizontal	PK
2	20853.9542	-25.74	60.54	34.80	74.00	39.20	PASS	Horizontal	PK
3	23166.6867	-24.50	58.58	34.08	68.20	34.12	PASS	Horizontal	PK
4	25281.4113	-21.20	56.63	35.43	68.20	32.77	PASS	Horizontal	PK
5	28034.1614	-21.22	58.55	37.33	68.20	30.87	PASS	Horizontal	PK
6	33595.1038	-17.34	52.83	35.49	68.20	32.71	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5280MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19507.5003	-25.61	61.73	36.12	74.00	37.88	PASS	Vertical	PK
2	21400.456	-25.88	60.71	34.83	68.20	33.37	PASS	Vertical	PK
3	25121.2448	-21.48	57.47	35.99	68.20	32.21	PASS	Vertical	PK
4	28008.6403	-21.21	57.87	36.66	68.20	31.54	PASS	Vertical	PK
5	32400.896	-18.03	54.35	36.32	68.20	31.88	PASS	Vertical	PK
6	35546.1418	-16.14	50.81	34.67	68.20	33.53	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1366.9747	12.76	33.92	46.68	74.00	27.32	PASS	Horizontal	PK
2	2830.9132	17.43	33.37	50.80	74.00	23.20	PASS	Horizontal	PK
3	4134.4654	22.14	31.82	53.96	74.00	20.04	PASS	Horizontal	PK
4	4998.2199	24.97	33.60	58.57	74.00	15.43	PASS	Horizontal	PK
5	12503.3002	4.54	53.15	57.69	74.00	16.31	PASS	Horizontal	PK
6	17010.3755	12.61	50.92	63.53	68.20	4.67	PASS	Horizontal	PK
7	5009.0004	25.18	10.32	35.50	54.00	18.50	PASS	Horizontal	AV
8	12556.2028	4.98	41.41	46.39	54.00	7.61	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1395.1358	12.84	34.32	47.16	74.00	26.84	PASS	Vertical	PK
2	2813.5325	17.43	33.22	50.65	74.00	23.35	PASS	Vertical	PK
3	4067.3627	21.72	32.12	53.84	74.00	20.16	PASS	Vertical	PK
4	5020.4408	25.08	33.27	58.35	74.00	15.65	PASS	Vertical	PK
5	12376.7938	4.43	51.96	56.39	74.00	17.61	PASS	Vertical	PK
6	16995.9998	12.61	50.74	63.35	68.20	4.85	PASS	Vertical	PK
7	5011.6405	25.18	10.39	35.57	54.00	18.43	PASS	Vertical	AV
8	12507.9004	4.59	41.72	46.31	54.00	7.69	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19992.3997	-24.64	60.20	35.56	74.00	38.44	PASS	Horizontal	PK
2	22070.1628	-25.67	59.49	33.82	74.00	40.18	PASS	Horizontal	PK
3	25335.9734	-21.31	56.83	35.52	68.20	32.68	PASS	Horizontal	PK
4	27954.0782	-21.17	58.79	37.62	68.20	30.58	PASS	Horizontal	PK
5	29868.1547	-21.01	56.77	35.76	68.20	32.44	PASS	Horizontal	PK
6	35168.6067	-15.93	51.08	35.15	68.20	33.05	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19999.44	-24.62	60.89	36.27	74.00	37.73	PASS	Vertical	PK
2	22423.0569	-25.09	60.37	35.28	74.00	38.72	PASS	Vertical	PK
3	25274.371	-21.19	56.89	35.70	68.20	32.50	PASS	Vertical	PK
4	27379.4152	-21.66	57.58	35.92	68.20	32.28	PASS	Vertical	PK
5	30704.1882	-20.09	55.74	35.65	68.20	32.55	PASS	Vertical	PK
6	33581.9033	-17.39	53.36	35.97	68.20	32.23	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5270MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1365.8746	12.75	33.56	46.31	74.00	27.69	PASS	Horizontal	PK
2	2813.7526	17.42	33.27	50.69	74.00	23.31	PASS	Horizontal	PK
3	4245.3498	22.61	31.66	54.27	74.00	19.73	PASS	Horizontal	PK
4	5023.3009	25.15	33.31	58.46	74.00	15.54	PASS	Horizontal	PK
5	11983.4742	3.15	52.68	55.83	74.00	18.17	PASS	Horizontal	PK
6	17043.1522	12.39	51.09	63.48	68.20	4.72	PASS	Horizontal	PK
7	4324.553	22.87	8.42	31.29	54.00	22.71	PASS	Horizontal	AV
8	5005.2602	25.10	10.34	35.44	54.00	18.56	PASS	Horizontal	AV
9	11850.6425	3.11	42.74	45.85	54.00	8.15	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5270MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1363.8946	12.71	33.90	46.61	74.00	27.39	PASS	Vertical	PK
2	2800.332	17.37	33.93	51.30	74.00	22.70	PASS	Vertical	PK
3	4295.5118	22.89	30.33	53.22	74.00	20.78	PASS	Vertical	PK
4	5144.7458	27.49	30.72	58.21	74.00	15.79	PASS	Vertical	PK
5	11939.772	2.75	53.48	56.23	74.00	17.77	PASS	Vertical	PK
6	17071.9036	12.30	52.16	64.46	68.20	3.74	PASS	Vertical	PK
7	5009.0004	25.18	10.35	35.53	54.00	18.47	PASS	Vertical	AV
8	11848.9174	3.09	42.99	46.08	54.00	7.92	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5270MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19403.6561	-25.62	63.04	37.42	74.00	36.58	PASS	Horizontal	PK
2	21740.1496	-25.59	61.71	36.12	68.20	32.08	PASS	Horizontal	PK
3	23565.3426	-23.14	58.39	35.25	68.20	32.95	PASS	Horizontal	PK
4	28141.5257	-21.27	58.18	36.91	68.20	31.29	PASS	Horizontal	PK
5	31883.4353	-20.18	55.86	35.68	68.20	32.52	PASS	Horizontal	PK
6	35085.0034	-16.01	51.71	35.70	68.20	32.50	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5270MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19355.2542	-25.72	61.60	35.88	74.00	38.12	PASS	Vertical	PK
2	21568.5427	-25.77	61.24	35.47	68.20	32.73	PASS	Vertical	PK
3	25802.3921	-20.82	57.68	36.86	68.20	31.34	PASS	Vertical	PK
4	29622.6249	-20.64	56.80	36.16	68.20	32.04	PASS	Vertical	PK
5	33900.476	-17.85	53.24	35.39	68.20	32.81	PASS	Vertical	PK
6	37480.4592	-15.44	48.47	33.03	68.20	35.17	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1368.7347	12.79	33.76	46.55	74.00	27.45	PASS	Horizontal	PK
2	2869.6348	17.50	33.63	51.13	74.00	22.87	PASS	Horizontal	PK
3	4089.8036	22.15	30.91	53.06	74.00	20.94	PASS	Horizontal	PK
4	5018.4607	25.09	33.75	58.84	74.00	15.16	PASS	Horizontal	PK
5	11813.8407	2.48	53.61	56.09	74.00	17.91	PASS	Horizontal	PK
6	17570.4535	13.98	50.33	64.31	68.20	3.89	PASS	Horizontal	PK
7	5003.7201	25.06	10.98	36.04	54.00	17.96	PASS	Horizontal	AV
8	11841.4421	2.95	43.15	46.10	54.00	7.90	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1351.3541	12.48	33.93	46.41	74.00	27.59	PASS	Vertical	PK
2	2822.7729	17.34	33.51	50.85	74.00	23.15	PASS	Vertical	PK
3	4096.8439	21.99	31.12	53.11	74.00	20.89	PASS	Vertical	PK
4	5020.2208	25.07	32.72	57.79	74.00	16.21	PASS	Vertical	PK
5	12529.7515	4.85	51.92	56.77	74.00	17.23	PASS	Vertical	PK
6	17036.8268	12.44	51.37	63.81	68.20	4.39	PASS	Vertical	PK
7	5005.7002	25.10	10.42	35.52	54.00	18.48	PASS	Vertical	AV
8	12577.4789	4.59	42.12	46.71	54.00	7.29	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19538.3015	-25.60	61.45	35.85	74.00	38.15	PASS	Horizontal	PK
2	22175.767	-25.45	60.23	34.78	74.00	39.22	PASS	Horizontal	PK
3	25042.9217	-21.90	57.24	35.34	68.20	32.86	PASS	Horizontal	PK
4	28351.8541	-21.45	57.35	35.90	68.20	32.30	PASS	Horizontal	PK
5	32671.9469	-18.86	54.12	35.26	68.20	32.94	PASS	Horizontal	PK
6	35339.3336	-16.03	52.21	36.18	68.20	32.02	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	\	Test_Date	2026/6/25

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19533.0213	-25.60	60.97	35.37	74.00	38.63	PASS	Vertical	PK
2	21339.7336	-25.84	60.64	34.80	74.00	39.20	PASS	Vertical	PK
3	23836.3935	-22.26	58.14	35.88	74.00	38.12	PASS	Vertical	PK
4	26582.1033	-21.11	57.52	36.41	68.20	31.79	PASS	Vertical	PK
5	29969.3588	-21.06	56.16	35.10	68.20	33.10	PASS	Vertical	PK
6	35400.936	-16.09	51.41	35.32	68.20	32.88	PASS	Vertical	PK

U-NII-2C:

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1376.8751	12.77	34.18	46.95	74.00	27.05	PASS	Horizont	PK
2	2826.7331	17.38	33.28	50.66	74.00	23.34	PASS	Horizont	PK
3	4099.704	21.93	31.17	53.10	74.00	20.90	PASS	Horizont	PK
4	5025.501	25.19	32.33	57.52	74.00	16.48	PASS	Horizont	PK
5	11831.0916	2.78	54.71	57.49	74.00	16.51	PASS	Horizont	PK
6	17008.6504	12.62	50.92	63.54	68.20	4.66	PASS	Horizont	PK
7	5004.6002	25.08	10.75	35.83	54.00	18.17	PASS	Horizont	AV
8	11854.6677	3.10	42.91	46.01	54.00	7.99	PASS	Horizont	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	\	Test_Date	2026/6/25

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1372.0349	12.80	33.32	46.12	74.00	27.88	PASS	Vertical	PK
2	2867.8747	17.51	33.65	51.16	74.00	22.84	PASS	Vertical	PK
3	3955.3782	21.58	31.34	52.92	74.00	21.08	PASS	Vertical	PK
4	4889.0956	24.71	33.37	58.08	74.00	15.92	PASS	Vertical	PK
5	11877.6689	3.09	53.65	56.74	74.00	17.26	PASS	Vertical	PK
6	17019.001	12.56	51.82	64.38	68.20	3.82	PASS	Vertical	PK
7	5018.2407	25.10	10.46	35.56	54.00	18.44	PASS	Vertical	AV
8	11813.2657	2.47	43.49	45.96	54.00	8.04	PASS	Vertical	AV

