


Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/6/30

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1855.7904	14.48	36.10	50.58	74.00	23.42	PASS	Horizont	PK
2	2960.7974	17.76	36.19	53.95	74.00	20.05	PASS	Horizont	PK
3	4908.1272	-8.24	54.10	45.86	74.00	28.14	PASS	Horizont	PK
4	7050.27	-3.30	50.34	47.04	74.00	26.96	PASS	Horizont	PK
5	9849.4566	1.38	50.41	51.79	74.00	22.21	PASS	Horizont	PK
6	14715.7811	9.39	47.36	56.75	74.00	17.25	PASS	Horizont	PK
7	14618.7746	10.14	34.02	44.16	54.00	9.84	PASS	Horizont	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1832.4555	14.35	35.54	49.89	74.00	24.11	PASS	Vertical	PK
2	2982.2655	17.88	36.72	54.60	74.00	19.40	PASS	Vertical	PK
3	4970.1313	-8.07	54.26	46.19	74.00	27.81	PASS	Vertical	PK
4	7349.29	-2.85	52.23	49.38	74.00	24.62	PASS	Vertical	PK
5	11180.5454	2.14	51.08	53.22	74.00	20.78	PASS	Vertical	PK
6	16491.8995	11.79	48.84	60.63	74.00	13.37	PASS	Vertical	PK
7	2974.265	17.91	18.50	36.41	54.00	17.59	PASS	Vertical	AV
8	16564.9043	11.43	36.61	48.04	54.00	5.96	PASS	Vertical	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18759.9504	-26.37	62.45	36.08	74.00	37.92	PASS	Horizont	PK
2	21864.1546	-25.62	60.40	34.78	74.00	39.22	PASS	Horizont	PK
3	25194.6878	-21.07	56.67	35.60	74.00	38.40	PASS	Horizont	PK
4	29218.0087	-21.47	57.93	36.46	74.00	37.54	PASS	Horizont	PK
5	33149.326	-18.36	53.08	34.72	74.00	39.28	PASS	Horizont	PK
6	36583.8234	-15.83	50.02	34.19	74.00	39.81	PASS	Horizont	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19133.4853	-26.13	62.50	36.37	74.00	37.63	PASS	Vertical	PK
2	21399.536	-25.88	60.92	35.04	74.00	38.96	PASS	Vertical	PK
3	25083.3633	-21.68	56.51	34.83	74.00	39.17	PASS	Vertical	PK
4	28224.369	-21.32	58.47	37.15	74.00	36.85	PASS	Vertical	PK
5	30869.4748	-19.53	55.35	35.82	74.00	38.18	PASS	Vertical	PK
6	35585.5834	-16.15	50.14	33.99	74.00	40.01	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1861.3908	14.50	35.72	50.22	74.00	23.78	PASS	Horizont	PK
2	2976.2651	17.89	36.26	54.15	74.00	19.85	PASS	Horizont	PK
3	4964.1309	-8.06	53.17	45.11	74.00	28.89	PASS	Horizont	PK
4	7558.3039	-2.24	51.21	48.97	74.00	25.03	PASS	Horizont	PK
5	11337.5558	2.32	51.56	53.88	74.00	20.12	PASS	Horizont	PK
6	15936.8625	10.44	48.92	59.36	74.00	14.64	PASS	Horizont	PK
7	2969.4646	17.93	18.05	35.98	54.00	18.02	PASS	Horizont	AV
8	15955.8637	10.59	36.64	47.23	54.00	6.77	PASS	Horizont	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1771.3848	14.38	35.57	49.95	74.00	24.05	PASS	Vertical	PK
2	2945.463	17.63	36.33	53.96	74.00	20.04	PASS	Vertical	PK
3	4811.1207	-8.58	54.04	45.46	74.00	28.54	PASS	Vertical	PK
4	7689.3126	-1.81	50.90	49.09	74.00	24.91	PASS	Vertical	PK
5	11220.548	2.29	51.82	54.11	74.00	19.89	PASS	Vertical	PK
6	16275.8851	10.71	49.38	60.09	74.00	13.91	PASS	Vertical	PK
7	11288.5526	2.43	40.20	42.63	54.00	11.37	PASS	Vertical	AV
8	16428.8953	10.55	38.07	48.62	54.00	5.38	PASS	Vertical	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19384.6554	-25.65	61.55	35.90	74.00	38.10	PASS	Horizont	PK
2	20656.1462	-25.95	61.27	35.32	74.00	38.68	PASS	Horizont	PK
3	24057.5223	-22.14	58.17	36.03	74.00	37.97	PASS	Horizont	PK
4	28245.5298	-21.35	57.71	36.36	74.00	37.64	PASS	Horizont	PK
5	33062.8425	-18.60	52.88	34.28	74.00	39.72	PASS	Horizont	PK
6	37218.6487	-16.21	49.08	32.87	74.00	41.13	PASS	Horizont	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20035.1214	-24.78	60.96	36.18	74.00	37.82	PASS	Vertical	PK
2	22816.3927	-25.10	59.07	33.97	74.00	40.03	PASS	Vertical	PK
3	26692.5077	-21.32	57.06	35.74	74.00	38.26	PASS	Vertical	PK
4	30416.8167	-20.35	56.17	35.82	74.00	38.18	PASS	Vertical	PK
5	33638.7856	-17.41	51.67	34.26	74.00	39.74	PASS	Vertical	PK
6	37593.1037	-14.87	48.63	33.76	74.00	40.24	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1744.0496	14.10	35.52	49.62	74.00	24.38	PASS	Horizont	PK
2	2911.5941	17.74	37.01	54.75	74.00	19.25	PASS	Horizont	PK
3	4835.1223	-8.51	54.83	46.32	74.00	27.68	PASS	Horizont	PK
4	8584.3723	-0.51	51.47	50.96	74.00	23.04	PASS	Horizont	PK
5	12620.6414	4.60	51.70	56.30	74.00	17.70	PASS	Horizont	PK
6	16419.8947	10.37	50.08	60.45	74.00	13.55	PASS	Horizont	PK
7	2905.9937	17.75	17.76	35.51	54.00	18.49	PASS	Horizont	AV
8	12630.642	4.56	40.86	45.42	54.00	8.58	PASS	Horizont	AV
9	16420.8947	10.39	37.87	48.26	54.00	5.74	PASS	Horizont	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1749.9167	14.06	35.33	49.39	74.00	24.61	PASS	Vertical	PK
2	2908.2606	17.76	37.26	55.02	74.00	18.98	PASS	Vertical	PK
3	4804.1203	-8.60	54.28	45.68	74.00	28.32	PASS	Vertical	PK
4	7321.2881	-2.86	51.56	48.70	74.00	25.30	PASS	Vertical	PK
5	10659.5106	2.31	51.08	53.39	74.00	20.61	PASS	Vertical	PK
6	16345.8897	11.53	48.66	60.19	74.00	13.81	PASS	Vertical	PK
7	2884.1256	17.48	18.24	35.72	54.00	18.28	PASS	Vertical	AV
8	16350.8901	11.56	36.91	48.47	54.00	5.53	PASS	Vertical	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18896.1158	-26.28	62.79	36.51	74.00	37.49	PASS	Horizont	PK
2	21577.1031	-25.75	61.59	35.84	74.00	38.16	PASS	Horizont	PK
3	25496.4599	-21.09	56.95	35.86	74.00	38.14	PASS	Horizont	PK
4	28307.1723	-21.40	57.28	35.88	74.00	38.12	PASS	Horizont	PK
5	31816.1926	-19.95	54.74	34.79	74.00	39.21	PASS	Horizont	PK
6	34911.1964	-16.27	50.92	34.65	74.00	39.35	PASS	Horizont	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19330.3732	-25.77	61.29	35.52	74.00	38.48	PASS	Vertical	PK
2	21189.7676	-25.76	61.81	36.05	74.00	37.95	PASS	Vertical	PK
3	23847.7539	-22.24	58.36	36.12	74.00	37.88	PASS	Vertical	PK
4	26927.1171	-21.73	57.56	35.83	74.00	38.17	PASS	Vertical	PK
5	31610.1044	-19.64	54.58	34.94	74.00	39.06	PASS	Vertical	PK
6	36577.3831	-15.86	50.01	34.15	74.00	39.85	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1706.9805	14.11	35.92	50.03	74.00	23.97	PASS	Vertical	PK
2	2912.5275	17.72	36.11	53.83	74.00	20.17	PASS	Vertical	PK
3	4825.1217	-8.53	55.75	47.22	74.00	26.78	PASS	Vertical	PK
4	7790.3194	-1.96	51.51	49.55	74.00	24.45	PASS	Vertical	PK
5	11955.597	3.10	51.56	54.66	74.00	19.34	PASS	Vertical	PK
6	16519.9013	11.90	49.27	61.17	74.00	12.83	PASS	Vertical	PK
7	12124.6083	2.94	41.55	44.49	54.00	9.51	PASS	Vertical	AV
8	16501.9001	11.94	36.39	48.33	54.00	5.67	PASS	Vertical	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19967.0387	-24.72	60.97	36.25	74.00	37.75	PASS	Horizont	PK
2	21582.6233	-25.75	60.94	35.19	74.00	38.81	PASS	Horizont	PK
3	24347.3339	-21.93	57.75	35.82	74.00	38.18	PASS	Horizont	PK
4	26553.5821	-21.13	57.84	36.71	74.00	37.29	PASS	Horizont	PK
5	29704.7082	-20.80	56.59	35.79	74.00	38.21	PASS	Horizont	PK
6	35659.1864	-16.34	50.38	34.04	74.00	39.96	PASS	Horizont	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/6/30

Test Graph



Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19398.4559	-25.62	61.65	36.03	74.00	37.97	PASS	Vertical	PK
2	20698.4679	-25.86	60.98	35.12	74.00	38.88	PASS	Vertical	PK
3	24310.5324	-22.11	57.54	35.43	74.00	38.57	PASS	Vertical	PK
4	28243.6897	-21.34	57.89	36.55	74.00	37.45	PASS	Vertical	PK
5	32382.0153	-18.14	53.63	35.49	74.00	38.51	PASS	Vertical	PK
6	36560.8224	-15.94	50.39	34.45	74.00	39.55	PASS	Vertical	PK

Remark:


- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. The report records the lowest Peak value. If the Peak value is greater than 54dBμV/m, then the Average value at that time is recorded.

Restricted bands:

Test plot as follows:

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.51	51.47	74.00	22.53	PASS	Horizont	PK
2	2390	15.96	27.24	43.20	54.00	10.80	PASS	Horizont	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.71	51.67	74.00	22.33	PASS	Vertical	PK
2	2390	15.96	27.80	43.76	54.00	10.24	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	31.30	47.59	74.00	26.41	PASS	Horizont	PK
2	2483.5	16.29	24.91	41.20	54.00	12.80	PASS	Horizont	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	32.44	48.73	74.00	25.27	PASS	Vertical	PK
2	2483.5	16.29	26.06	42.35	54.00	11.65	PASS	Vertical	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.89	52.85	74.00	21.15	PASS	Horizont	PK
2	2390	15.96	28.10	44.06	54.00	9.94	PASS	Horizont	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.32	52.28	74.00	21.72	PASS	Vertical	PK
2	2390	15.96	28.11	44.07	54.00	9.93	PASS	Vertical	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	32.76	49.05	74.00	24.95	PASS	Horizont	PK
2	2483.5	16.29	25.41	41.70	54.00	12.30	PASS	Horizont	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	32.81	49.10	74.00	24.90	PASS	Vertical	PK
2	2483.5	16.29	25.64	41.93	54.00	12.07	PASS	Vertical	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	34.82	50.78	74.00	23.22	PASS	Horizont	PK
2	2390	15.96	27.56	43.52	54.00	10.48	PASS	Horizont	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.32	51.28	74.00	22.72	PASS	Vertical	PK
2	2390	15.96	27.47	43.43	54.00	10.57	PASS	Vertical	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	33.05	49.34	74.00	24.66	PASS	Horizont	PK
2	2483.5	16.29	26.67	42.96	54.00	11.04	PASS	Horizont	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/6/25

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	32.93	49.22	74.00	24.78	PASS	Vertical	PK
2	2483.5	16.29	26.21	42.50	54.00	11.50	PASS	Vertical	AV

Note:
The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level =Receiver Reading - Correct Factor
Correct Factor = Preamplifier Factor– Antenna Factor–Cable Factor

5 Appendix A

Refer to Appendix: Bluetooth Classic of EED32S809011.

6 PHOTOGRAPHS

Refer to Appendix Photographs of Report No. EED32S80901001.

Statement

1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. The result(s) shown in this report refer(s) only to the sample(s) tested;
4. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule stated in ILAC-G8:09/2019/CNAS-GL015:2022;
5. Without written approval of CTI, this report can't be reproduced except in full;

*** End of Report ***