


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19645.6658	-25.51	60.81	35.30	74.00	38.70	PASS	Vertical	PK
2	20947.2379	-25.91	60.74	34.83	74.00	39.17	PASS	Vertical	PK
3	22793.5517	-25.04	59.38	34.34	74.00	39.66	PASS	Vertical	PK
4	26986.0394	-21.81	57.81	36.00	68.20	32.20	PASS	Vertical	PK
5	33171.8069	-18.31	54.20	35.89	68.20	32.31	PASS	Vertical	PK
6	37488.3795	-15.40	48.52	33.12	68.20	35.08	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1326.2731	12.40	33.88	46.28	74.00	27.72	PASS	Horizontal	PK
2	2789.9916	17.39	33.56	50.95	74.00	23.05	PASS	Horizontal	PK
3	4055.4822	21.67	33.49	55.16	74.00	18.84	PASS	Horizontal	PK
4	4999.54	24.98	32.50	57.48	74.00	16.52	PASS	Horizontal	PK
5	11746.5623	2.42	53.53	55.95	74.00	18.05	PASS	Horizontal	PK
6	17006.9253	12.64	50.99	63.63	68.20	4.57	PASS	Horizontal	PK
7	3956.0382	21.58	9.19	30.77	54.00	23.23	PASS	Horizontal	AV
8	5008.1203	25.16	10.61	35.77	54.00	18.23	PASS	Horizontal	AV
9	11839.142	2.92	43.36	46.28	54.00	7.72	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1370.2748	12.81	33.87	46.68	74.00	27.32	PASS	Vertical	PK
2	2832.0133	17.45	33.29	50.74	74.00	23.26	PASS	Vertical	PK
3	4079.0232	21.83	31.60	53.43	74.00	20.57	PASS	Vertical	PK
4	5054.5422	25.57	32.45	58.02	74.00	15.98	PASS	Vertical	PK
5	12565.9783	4.80	52.00	56.80	74.00	17.20	PASS	Vertical	PK
6	17007.5004	12.63	50.95	63.58	68.20	4.62	PASS	Vertical	PK
7	5009.0004	25.18	10.61	35.79	54.00	18.21	PASS	Vertical	AV
8	12459.598	3.53	42.92	46.45	54.00	7.55	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19607.8243	-25.58	60.97	35.39	74.00	38.61	PASS	Horizontal	PK
2	21337.9735	-25.84	60.79	34.95	74.00	39.05	PASS	Horizontal	PK
3	23980.7192	-21.98	57.67	35.69	74.00	38.31	PASS	Horizontal	PK
4	26038.2415	-20.98	56.60	35.62	68.20	32.58	PASS	Horizontal	PK
5	31836.7935	-20.02	54.54	34.52	68.20	33.68	PASS	Horizontal	PK
6	35634.1454	-16.26	50.95	34.69	68.20	33.51	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19983.5993	-24.67	59.62	34.95	74.00	39.05	PASS	Vertical	PK
2	21763.0305	-25.57	60.43	34.86	68.20	33.34	PASS	Vertical	PK
3	25175.807	-21.17	57.38	36.21	68.20	31.99	PASS	Vertical	PK
4	28189.0476	-21.29	58.09	36.80	68.20	31.40	PASS	Vertical	PK
5	32370.0948	-18.22	53.68	35.46	68.20	32.74	PASS	Vertical	PK
6	35992.3197	-17.24	51.22	33.98	68.20	34.22	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1364.9946	12.72	34.30	47.02	74.00	26.98	PASS	Horizontal	PK
2	2879.0952	17.56	33.04	50.60	74.00	23.40	PASS	Horizontal	PK
3	4176.4871	22.26	30.94	53.20	74.00	20.80	PASS	Horizontal	PK
4	5006.5803	25.12	32.77	57.89	74.00	16.11	PASS	Horizontal	PK
5	12288.2394	3.53	54.07	57.60	74.00	16.40	PASS	Horizontal	PK
6	17030.5015	12.48	51.21	63.69	68.20	4.51	PASS	Horizontal	PK
7	5010.7604	25.19	10.53	35.72	54.00	18.28	PASS	Horizontal	AV
8	12551.6026	5.07	41.58	46.65	54.00	7.35	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1363.8946	12.71	33.42	46.13	74.00	27.87	PASS	Vertical	PK
2	2711.8885	17.24	33.96	51.20	74.00	22.80	PASS	Vertical	PK
3	4134.0254	22.12	31.93	54.05	74.00	19.95	PASS	Vertical	PK
4	5012.3005	25.17	32.54	57.71	74.00	16.29	PASS	Vertical	PK
5	12505.6003	4.56	52.72	57.28	74.00	16.72	PASS	Vertical	PK
6	16998.2999	12.65	51.17	63.82	68.20	4.38	PASS	Vertical	PK
7	4095.0838	22.04	8.97	31.01	54.00	22.99	PASS	Vertical	AV
8	5005.0402	25.09	10.52	35.61	54.00	18.39	PASS	Vertical	AV
9	12508.4754	4.60	41.88	46.48	54.00	7.52	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19228.5291	-25.99	62.12	36.13	74.00	37.87	PASS	Horizontal	PK
2	20816.1126	-25.68	60.49	34.81	74.00	39.19	PASS	Horizontal	PK
3	22855.1542	-25.23	59.44	34.21	74.00	39.79	PASS	Horizontal	PK
4	26134.1654	-21.21	56.39	35.18	68.20	33.02	PASS	Horizontal	PK
5	29677.1871	-20.75	58.06	37.31	68.20	30.89	PASS	Horizontal	PK
6	32690.4276	-18.84	55.55	36.71	68.20	31.49	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19949.278	-24.77	60.29	35.52	74.00	38.48	PASS	Vertical	PK
2	21812.3125	-25.55	60.40	34.85	68.20	33.35	PASS	Vertical	PK
3	24394.3358	-21.71	56.81	35.10	68.20	33.10	PASS	Vertical	PK
4	26694.7478	-21.32	56.99	35.67	68.20	32.53	PASS	Vertical	PK
5	29179.0872	-21.47	57.98	36.51	68.20	31.69	PASS	Vertical	PK
6	31810.3924	-19.93	54.44	34.51	68.20	33.69	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1546.5019	13.62	34.64	48.26	74.00	25.74	PASS	Horizont	PK
2	2806.0522	17.45	33.13	50.58	74.00	23.42	PASS	Horizont	PK
3	4105.2042	21.79	32.55	54.34	74.00	19.66	PASS	Horizont	PK
4	5018.2407	25.10	33.53	58.63	74.00	15.37	PASS	Horizont	PK
5	11794.2897	2.25	55.07	57.32	74.00	16.68	PASS	Horizont	PK
6	17055.8028	12.34	51.17	63.51	68.20	4.69	PASS	Horizont	PK
7	4248.6499	22.59	8.16	30.75	54.00	23.25	PASS	Horizont	AV
8	5008.1203	25.16	10.58	35.74	54.00	18.26	PASS	Horizont	AV
9	11859.268	3.11	42.73	45.84	54.00	8.16	PASS	Horizont	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1484.2394	13.36	33.75	47.11	74.00	26.89	PASS	Vertical	PK
2	2798.5719	17.38	33.55	50.93	74.00	23.07	PASS	Vertical	PK
3	4265.3706	22.70	30.82	53.52	74.00	20.48	PASS	Vertical	PK
4	5011.8605	25.17	33.36	58.53	74.00	15.47	PASS	Vertical	PK
5	11875.9438	3.09	53.89	56.98	74.00	17.02	PASS	Vertical	PK
6	17020.726	12.54	51.14	63.68	68.20	4.52	PASS	Vertical	PK
7	5005.9202	25.11	10.64	35.75	54.00	18.25	PASS	Vertical	AV
8	11812.6906	2.46	43.58	46.04	54.00	7.96	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20030.2412	-24.75	60.16	35.41	74.00	38.59	PASS	Horizontal	PK
2	21821.1128	-25.56	61.10	35.54	68.20	32.66	PASS	Horizontal	PK
3	25086.0434	-21.66	56.67	35.01	68.20	33.19	PASS	Horizontal	PK
4	29127.1651	-21.42	57.80	36.38	68.20	31.82	PASS	Horizontal	PK
5	33574.863	-17.43	52.19	34.76	68.20	33.44	PASS	Horizontal	PK
6	37266.6107	-16.12	49.27	33.15	68.20	35.05	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19909.6764	-24.90	60.92	36.02	74.00	37.98	PASS	Vertical	PK
2	22546.2618	-25.02	59.18	34.16	74.00	39.84	PASS	Vertical	PK
3	25000.68	-22.14	57.18	35.04	68.20	33.16	PASS	Vertical	PK
4	27983.9994	-21.19	58.85	37.66	68.20	30.54	PASS	Vertical	PK
5	30961.1584	-19.39	56.19	36.80	68.20	31.40	PASS	Vertical	PK
6	37576.3831	-14.96	47.72	32.76	68.20	35.44	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5550MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1338.3735	12.50	34.00	46.50	74.00	27.50	PASS	Horizontal	PK
2	2828.0531	17.39	33.02	50.41	74.00	23.59	PASS	Horizontal	PK
3	4159.5464	22.22	30.55	52.77	74.00	21.23	PASS	Horizontal	PK
4	5015.1606	25.13	33.06	58.19	74.00	15.81	PASS	Horizontal	PK
5	11825.9163	2.69	53.88	56.57	74.00	17.43	PASS	Horizontal	PK
6	17020.726	12.54	51.30	63.84	68.20	4.36	PASS	Horizontal	PK
7	5010.1004	25.20	10.34	35.54	54.00	18.46	PASS	Horizontal	AV
8	11812.6906	2.46	43.42	45.88	54.00	8.12	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5550MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1402.1761	12.89	33.96	46.85	74.00	27.15	PASS	Vertical	PK
2	2851.154	17.47	34.03	51.50	74.00	22.50	PASS	Vertical	PK
3	3949.658	21.53	31.82	53.35	74.00	20.65	PASS	Vertical	PK
4	5005.7002	25.10	32.98	58.08	74.00	15.92	PASS	Vertical	PK
5	12408.9954	3.99	52.65	56.64	74.00	17.36	PASS	Vertical	PK
6	17010.3755	12.61	51.37	63.98	68.20	4.22	PASS	Vertical	PK
7	5000.2	24.98	10.66	35.64	54.00	18.36	PASS	Vertical	AV
8	12429.1215	3.65	43.01	46.66	54.00	7.34	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5550MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19598.1439	-25.59	60.67	35.08	74.00	38.92	PASS	Horizontal	PK
2	21912.6365	-25.69	61.14	35.45	68.20	32.75	PASS	Horizontal	PK
3	24412.8165	-21.69	56.70	35.01	68.20	33.19	PASS	Horizontal	PK
4	27336.2935	-21.73	57.54	35.81	68.20	32.39	PASS	Horizontal	PK
5	31941.5177	-20.37	55.27	34.90	68.20	33.30	PASS	Horizontal	PK
6	35374.535	-16.06	51.27	35.21	68.20	32.99	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5550MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19285.7314	-25.87	61.34	35.47	74.00	38.53	PASS	Vertical	PK
2	21243.8098	-25.78	60.77	34.99	74.00	39.01	PASS	Vertical	PK
3	24022.9609	-22.02	57.63	35.61	68.20	32.59	PASS	Vertical	PK
4	27327.4931	-21.74	57.82	36.08	68.20	32.12	PASS	Vertical	PK
5	31602.7041	-19.63	54.53	34.90	74.00	39.10	PASS	Vertical	PK
6	33702.4681	-17.57	53.19	35.62	68.20	32.58	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5670MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1366.0946	12.75	33.97	46.72	74.00	27.28	PASS	Horizontal	PK
2	2805.8322	17.44	33.27	50.71	74.00	23.29	PASS	Horizontal	PK
3	3988.5995	21.64	31.16	52.80	74.00	21.20	PASS	Horizontal	PK
4	5020.6608	25.08	33.00	58.08	74.00	15.92	PASS	Horizontal	PK
5	11828.2164	2.73	53.60	56.33	74.00	17.67	PASS	Horizontal	PK
6	17109.8555	12.31	51.30	63.61	68.20	4.59	PASS	Horizontal	PK
7	5003.5001	25.06	10.66	35.72	54.00	18.28	PASS	Horizontal	AV
8	11833.9667	2.83	43.18	46.01	54.00	7.99	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5670MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1359.0544	12.63	34.53	47.16	74.00	26.84	PASS	Vertical	PK
2	2803.8522	17.42	33.52	50.94	74.00	23.06	PASS	Vertical	PK
3	4104.1042	21.82	31.87	53.69	74.00	20.31	PASS	Vertical	PK
4	5013.4005	25.16	33.19	58.35	74.00	15.65	PASS	Vertical	PK
5	11850.0675	3.11	53.43	56.54	74.00	17.46	PASS	Vertical	PK
6	17096.0548	12.26	51.91	64.17	68.20	4.03	PASS	Vertical	PK
7	5033.8614	25.33	10.43	35.76	54.00	18.24	PASS	Vertical	AV
8	11853.5177	3.10	42.97	46.07	54.00	7.93	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5670MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19346.4539	-25.74	60.96	35.22	74.00	38.78	PASS	Horizontal	PK
2	21796.4719	-25.53	60.53	35.00	68.20	33.20	PASS	Horizontal	PK
3	25000.68	-22.14	57.14	35.00	68.20	33.20	PASS	Horizontal	PK
4	29216.9287	-21.47	57.25	35.78	68.20	32.42	PASS	Horizontal	PK
5	31873.755	-20.15	55.01	34.86	68.20	33.34	PASS	Horizontal	PK
6	36539.7016	-16.04	50.06	34.02	68.20	34.18	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5670MHz
Remark:	\	Test_Date	2026/6/25

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19627.1851	-25.54	60.76	35.22	74.00	38.78	PASS	Vertical	PK
2	21827.2731	-25.56	60.74	35.18	68.20	33.02	PASS	Vertical	PK
3	24814.9926	-21.97	58.67	36.70	68.20	31.50	PASS	Vertical	PK
4	28429.2972	-21.56	57.72	36.16	68.20	32.04	PASS	Vertical	PK
5	31871.1148	-20.14	55.60	35.46	68.20	32.74	PASS	Vertical	PK
6	35529.4212	-16.13	51.10	34.97	68.20	33.23	PASS	Vertical	PK

U-NII-3:

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1375.775	12.78	33.74	46.52	74.00	27.48	PASS	Horizontal	PK
2	2803.1921	17.42	33.60	51.02	74.00	22.98	PASS	Horizontal	PK
3	4143.0457	22.18	30.48	52.66	74.00	21.34	PASS	Horizontal	PK
4	5019.3408	25.08	32.91	57.99	74.00	16.01	PASS	Horizontal	PK
5	11787.9644	2.26	53.49	55.75	74.00	18.25	PASS	Horizontal	PK
6	17579.079	14.02	50.00	64.02	68.20	4.18	PASS	Horizontal	PK
7	5014.2806	25.15	10.43	35.58	54.00	18.42	PASS	Horizontal	AV
8	11900.095	3.06	42.98	46.04	54.00	7.96	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Remark:	\	Test_Date	2026/6/25


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1394.6958	12.83	33.96	46.79	74.00	27.21	PASS	Vertical	PK
2	2823.4329	17.35	34.37	51.72	74.00	22.28	PASS	Vertical	PK
3	4044.9218	21.66	31.67	53.33	74.00	20.67	PASS	Vertical	PK
4	5021.3209	25.10	32.01	57.11	74.00	16.89	PASS	Vertical	PK
5	11950.6975	2.68	52.98	55.66	74.00	18.34	PASS	Vertical	PK
6	17006.3503	12.64	51.11	63.75	68.20	4.45	PASS	Vertical	PK
7	5009.0004	25.18	10.62	35.80	54.00	18.20	PASS	Vertical	AV
8	11855.2428	3.10	42.99	46.09	54.00	7.91	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Remark:	\	Test_Date	2026/6/25

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19155.4862	-26.11	61.49	35.38	74.00	38.62	PASS	Horizontal	PK
2	21071.3229	-25.92	61.19	35.27	74.00	38.73	PASS	Horizontal	PK
3	22722.2689	-25.03	59.37	34.34	74.00	39.66	PASS	Horizontal	PK
4	25792.7117	-20.81	57.18	36.37	68.20	31.83	PASS	Horizontal	PK
5	31001.6401	-19.34	55.21	35.87	68.20	32.33	PASS	Horizontal	PK
6	34630.9052	-16.15	51.12	34.97	68.20	33.23	PASS	Horizontal	PK