


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.02	53.50	68.20	14.70	PASS	Horizontal	PK
2	5350	24.48	16.17	40.65	54.00	13.35	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	28.85	53.33	68.20	14.87	PASS	Vertical	PK
2	5350	24.48	16.24	40.72	54.00	13.28	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.52	54.00	68.20	14.20	PASS	Horizont	PK
2	5350	24.48	15.61	40.09	54.00	13.91	PASS	Horizont	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	28.60	53.08	68.20	15.12	PASS	Vertical	PK
2	5350	24.48	15.33	39.81	54.00	14.19	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5270MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	28.98	53.46	68.20	14.74	PASS	Horizont	PK
2	5350	24.48	15.34	39.82	54.00	14.18	PASS	Horizont	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5270MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	30.32	54.80	68.20	13.40	PASS	Vertical	PK
2	5350	24.48	15.82	40.30	54.00	13.70	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	28.64	53.12	68.20	15.08	PASS	Horizont	PK
2	5350	24.48	15.08	39.56	54.00	14.44	PASS	Horizont	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.20	53.68	68.20	14.52	PASS	Vertical	PK
2	5350	24.48	15.62	40.10	54.00	13.90	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5260MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	28.38	52.86	68.20	15.34	PASS	Horizont	PK
2	5350	24.48	15.25	39.73	54.00	14.27	PASS	Horizont	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5260MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.21	53.69	68.20	14.51	PASS	Vertical	PK
2	5350	24.48	15.72	40.20	54.00	13.80	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5320MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.04	53.52	68.20	14.68	PASS	Horizont	PK
2	5350	24.48	15.38	39.86	54.00	14.14	PASS	Horizont	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5320MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.47	53.95	68.20	14.25	PASS	Vertical	PK
2	5350	24.48	15.30	39.78	54.00	14.22	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5270MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.32	53.80	68.20	14.40	PASS	Horizont	PK
2	5350	24.48	15.47	39.95	54.00	14.05	PASS	Horizont	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5270MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	31.10	55.58	68.20	12.62	PASS	Vertical	PK
2	5350	24.48	15.66	40.14	54.00	13.86	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	28.33	52.81	68.20	15.39	PASS	Horizont	PK
2	5350	24.48	15.81	40.29	54.00	13.71	PASS	Horizont	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	28.46	52.94	68.20	15.26	PASS	Vertical	PK
2	5350	24.48	15.99	40.47	54.00	13.53	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5260MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	30.30	54.78	68.20	13.42	PASS	Horizont	PK
2	5350	24.48	15.73	40.21	54.00	13.79	PASS	Horizont	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5260MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	28.54	53.02	68.20	15.18	PASS	Vertical	PK
2	5350	24.48	15.26	39.74	54.00	14.26	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5320MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.18	53.66	68.20	14.54	PASS	Horizontal	PK
2	5350	24.48	15.92	40.40	54.00	13.60	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5320MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.47	53.95	68.20	14.25	PASS	Vertical	PK
2	5350	24.48	15.37	39.85	54.00	14.15	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5270MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	28.48	52.96	68.20	15.24	PASS	Horizont	PK
2	5350	24.48	15.24	39.72	54.00	14.28	PASS	Horizont	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5270MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	28.73	53.21	68.20	14.99	PASS	Vertical	PK
2	5350	24.48	14.71	39.19	54.00	14.81	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5310MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.06	53.54	68.20	14.66	PASS	Horizontal	PK
2	5350	24.48	15.46	39.94	54.00	14.06	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5310MHz
Remark:	\	Test_Date	2026/6/24

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	30.14	54.62	68.20	13.58	PASS	Vertical	PK
2	5350	24.48	15.30	39.78	54.00	14.22	PASS	Vertical	AV

U-NII-2C:

Test_Mode	802.11 a Transmitting	Test_Frequency	5500MHz
Remark:	\	Test_Date	2026/6/24

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	32.31	57.18	68.20	11.02	PASS	Horizont	PK
2	5470	24.87	19.19	44.06	54.00	9.94	PASS	Horizont	AV