


Test_Mode	802.11 a Transmitting	Test_Frequency	5500MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	33.51	58.38	68.20	9.82	PASS	Vertical	PK
2	5470	24.87	19.37	44.24	54.00	9.76	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5700MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	31.90	56.77	68.20	11.43	PASS	Horizont	PK
2	5470	24.87	19.09	43.96	54.00	10.04	PASS	Horizont	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5700MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	33.42	58.29	68.20	9.91	PASS	Vertical	PK
2	5470	24.87	18.98	43.85	54.00	10.15	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	31.18	56.05	68.20	12.15	PASS	Horizont	PK
2	5470	24.87	19.65	44.52	54.00	9.48	PASS	Horizont	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	31.20	56.07	68.20	12.13	PASS	Vertical	PK
2	5470	24.87	18.86	43.73	54.00	10.27	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	33.23	58.10	68.20	10.10	PASS	Horizont	PK
2	5470	24.87	19.79	44.66	54.00	9.34	PASS	Horizont	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	33.18	58.05	68.20	10.15	PASS	Vertical	PK
2	5470	24.87	18.87	43.74	54.00	10.26	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5510MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	32.48	57.35	68.20	10.85	PASS	Horizont	PK
2	5470	24.87	19.16	44.03	54.00	9.97	PASS	Horizont	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5510MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	33.83	58.70	68.20	9.50	PASS	Vertical	PK
2	5470	24.87	19.42	44.29	54.00	9.71	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5670MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	31.20	56.07	68.20	12.13	PASS	Horizont	PK
2	5470	24.87	19.12	43.99	54.00	10.01	PASS	Horizont	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5670MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	32.12	56.99	68.20	11.21	PASS	Vertical	PK
2	5470	24.87	19.39	44.26	54.00	9.74	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5500MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	33.17	58.04	68.20	10.16	PASS	Horizont	PK
2	5470	24.87	18.86	43.73	54.00	10.27	PASS	Horizont	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5500MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	32.16	57.03	68.20	11.17	PASS	Vertical	PK
2	5470	24.87	20.00	44.87	54.00	9.13	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5700MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	32.79	57.66	68.20	10.54	PASS	Horizont	PK
2	5470	24.87	19.60	44.47	54.00	9.53	PASS	Horizont	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5700MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	32.59	57.46	68.20	10.74	PASS	Vertical	PK
2	5470	24.87	18.91	43.78	54.00	10.22	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	33.01	57.88	68.20	10.32	PASS	Horizont	PK
2	5470	24.87	19.23	44.10	54.00	9.90	PASS	Horizont	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	30.63	55.50	68.20	12.70	PASS	Vertical	PK
2	5470	24.87	19.65	44.52	54.00	9.48	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5670MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	31.54	56.41	68.20	11.79	PASS	Horizont	PK
2	5470	24.87	18.92	43.79	54.00	10.21	PASS	Horizont	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5670MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	31.80	56.67	68.20	11.53	PASS	Vertical	PK
2	5470	24.87	19.13	44.00	54.00	10.00	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5500MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	32.62	57.49	68.20	10.71	PASS	Horizont	PK
2	5470	24.87	19.08	43.95	54.00	10.05	PASS	Horizont	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5500MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	33.68	58.55	68.20	9.65	PASS	Vertical	PK
2	5470	24.87	19.64	44.51	54.00	9.49	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5700MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	33.88	58.75	68.20	9.45	PASS	Horizont	PK
2	5470	24.87	19.51	44.38	54.00	9.62	PASS	Horizont	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5700MHz
Remark:	\	Test_Date	2026/6/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	30.81	55.68	68.20	12.52	PASS	Vertical	PK
2	5470	24.87	18.80	43.67	54.00	10.33	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5510MHz
Remark:	\	Test_Date	2026/6/24

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	31.47	56.34	68.20	11.86	PASS	Horizont	PK
2	5470	24.87	19.31	44.18	54.00	9.82	PASS	Horizont	AV