


Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5320MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20019.6808	-24.71	61.88	37.17	74.00	36.83	PASS	Vertical	PK
2	23078.6831	-25.13	60.80	35.67	74.00	38.33	PASS	Vertical	PK
3	27367.0947	-21.68	58.68	37.00	68.20	31.20	PASS	Vertical	PK
4	31632.6253	-19.67	55.39	35.72	74.00	38.28	PASS	Vertical	PK
5	35853.2741	-16.89	51.74	34.85	68.20	33.35	PASS	Vertical	PK
6	38923.7169	-13.00	47.32	34.32	68.20	33.88	PASS	Vertical	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5500MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1490.3996	13.52	34.63	48.15	74.00	25.85	PASS	Horizontal	PK
2	2827.8331	17.39	34.73	52.12	74.00	21.88	PASS	Horizontal	PK
3	5307.3323	27.81	32.53	60.34	68.20	7.86	PASS	Horizontal	PK
4	6488.3395	28.62	33.75	62.37	68.20	5.83	PASS	Horizontal	PK
5	9784.5642	1.12	46.47	47.59	68.20	20.61	PASS	Horizontal	PK
6	17640.6070	14.29	41.87	56.16	68.20	12.04	PASS	Horizontal	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5500MHz

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1738.5695	14.19	34.39	48.58	68.20	19.62	PASS	Vertical	PK
2	3181.3873	18.62	34.87	53.49	68.20	14.71	PASS	Vertical	PK
3	5305.3522	27.81	32.18	59.99	68.20	8.21	PASS	Vertical	PK
4	6458.6383	28.27	33.80	62.07	68.20	6.13	PASS	Vertical	PK
5	10701.1601	2.62	45.36	47.98	74.00	26.02	PASS	Vertical	PK
6	17581.9541	14.03	41.97	56.00	68.20	12.20	PASS	Vertical	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5500MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20010.0004	-24.66	60.90	36.24	74.00	37.76	PASS	Horizontal	PK
2	22296.3319	-25.25	60.19	34.94	74.00	39.06	PASS	Horizontal	PK
3	24482.3393	-21.76	57.94	36.18	68.20	32.02	PASS	Horizontal	PK
4	27388.2155	-21.65	57.90	36.25	68.20	31.95	PASS	Horizontal	PK
5	31419.6568	-19.71	55.40	35.69	74.00	38.31	PASS	Horizontal	PK
6	35576.9431	-16.15	50.35	34.20	68.20	34.00	PASS	Horizontal	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5500MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20002.9601	-24.63	60.71	36.08	74.00	37.92	PASS	Vertical	PK
2	23405.1762	-23.55	59.56	36.01	68.20	32.19	PASS	Vertical	PK
3	26597.0639	-21.11	58.55	37.44	68.20	30.76	PASS	Vertical	PK
4	30620.5848	-20.49	56.51	36.02	68.20	32.18	PASS	Vertical	PK
5	34094.9638	-17.66	53.10	35.44	68.20	32.76	PASS	Vertical	PK
6	37965.3586	-15.08	49.34	34.26	68.20	33.94	PASS	Vertical	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5580MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1833.1733	14.50	34.83	49.33	68.20	18.87	PASS	Horizontal	PK
2	2929.9172	17.91	35.73	53.64	68.20	14.56	PASS	Horizontal	PK
3	5365.6346	27.93	31.85	59.78	74.00	14.22	PASS	Horizontal	PK
4	6409.1364	28.39	33.35	61.74	68.20	6.46	PASS	Horizontal	PK
5	9656.9078	1.17	47.61	48.78	68.20	19.42	PASS	Horizontal	PK
6	17660.7330	14.59	41.39	55.98	68.20	12.22	PASS	Horizontal	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5580MHz

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1779.9312	14.45	34.47	48.92	68.20	19.28	PASS	Vertical	PK
2	3107.2443	18.09	34.77	52.86	68.20	15.34	PASS	Vertical	PK
3	5329.1132	27.86	31.57	59.43	68.20	8.77	PASS	Vertical	PK
4	6417.2767	28.15	33.48	61.63	68.20	6.57	PASS	Vertical	PK
5	9751.2126	1.10	46.72	47.82	68.20	20.38	PASS	Vertical	PK
6	17001.7501	12.67	43.52	56.19	68.20	12.01	PASS	Vertical	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5580MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19908.7964	-24.90	61.34	36.44	74.00	37.56	PASS	Horizontal	PK
2	22805.8722	-25.07	60.29	35.22	74.00	38.78	PASS	Horizontal	PK
3	26582.9833	-21.11	58.88	37.77	68.20	30.43	PASS	Horizontal	PK
4	30974.3590	-19.37	56.94	37.57	68.20	30.63	PASS	Horizontal	PK
5	34934.5174	-16.23	51.47	35.24	68.20	32.96	PASS	Horizontal	PK
6	38763.5505	-13.37	48.05	34.68	68.20	33.52	PASS	Horizontal	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5580MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20032.8813	-24.77	60.57	35.80	74.00	38.20	PASS	Vertical	PK
2	22474.9790	-25.07	61.43	36.36	74.00	37.64	PASS	Vertical	PK
3	26130.6452	-21.20	57.54	36.34	68.20	31.86	PASS	Vertical	PK
4	29712.3885	-20.81	57.43	36.62	68.20	31.58	PASS	Vertical	PK
5	33602.1441	-17.33	53.67	36.34	68.20	31.86	PASS	Vertical	PK
6	37564.9426	-15.02	50.08	35.06	68.20	33.14	PASS	Vertical	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5700MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1832.7333	14.50	34.19	48.69	68.20	19.51	PASS	Horizontal	PK
2	2932.5573	17.88	33.68	51.56	68.20	16.64	PASS	Horizontal	PK
3	5238.2495	27.68	32.29	59.97	68.20	8.23	PASS	Horizontal	PK
4	6351.4941	28.50	33.51	62.01	68.20	6.19	PASS	Horizontal	PK
5	10252.0626	1.95	45.89	47.84	68.20	20.36	PASS	Horizontal	PK
6	17665.9083	14.73	41.14	55.87	68.20	12.33	PASS	Horizontal	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5700MHz

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1981.6793	14.65	34.89	49.54	68.20	18.66	PASS	Vertical	PK
2	3392.1557	19.26	34.01	53.27	68.20	14.93	PASS	Vertical	PK
3	5477.3991	26.48	33.43	59.91	68.20	8.29	PASS	Vertical	PK
4	6408.6963	28.39	33.29	61.68	68.20	6.52	PASS	Vertical	PK
5	10269.8885	1.95	46.20	48.15	68.20	20.05	PASS	Vertical	PK
6	17590.0045	14.07	41.75	55.82	68.20	12.38	PASS	Vertical	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5700MHz

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19819.9128	-25.17	62.04	36.87	74.00	37.13	PASS	Horizontal	PK
2	23389.3356	-23.59	59.36	35.77	68.20	32.43	PASS	Horizontal	PK
3	27066.1226	-21.86	59.25	37.39	68.20	30.81	PASS	Horizontal	PK
4	30347.7739	-20.59	57.40	36.81	68.20	31.39	PASS	Horizontal	PK
5	34956.5183	-16.19	52.23	36.04	68.20	32.16	PASS	Horizontal	PK
6	38527.7011	-13.83	48.47	34.64	68.20	33.56	PASS	Horizontal	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5700MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19947.5179	-24.78	61.61	36.83	74.00	37.17	PASS	Vertical	PK
2	22951.0780	-25.53	59.31	33.78	74.00	40.22	PASS	Vertical	PK
3	26267.9307	-21.30	58.62	37.32	68.20	30.88	PASS	Vertical	PK
4	30438.4175	-20.38	57.69	37.31	68.20	30.89	PASS	Vertical	PK
5	33605.6642	-17.34	54.37	37.03	68.20	31.17	PASS	Vertical	PK
6	38437.0575	-13.60	49.22	35.62	68.20	32.58	PASS	Vertical	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5745MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1803.6921	14.41	34.34	48.75	68.20	19.45	PASS	Horizontal	PK
2	3059.2824	18.37	34.31	52.68	68.20	15.52	PASS	Horizontal	PK
3	5300.9520	27.80	31.86	59.66	68.20	8.54	PASS	Horizontal	PK
4	6352.5941	28.49	34.22	62.71	68.20	5.49	PASS	Horizontal	PK
5	10414.7957	1.91	46.04	47.95	68.20	20.25	PASS	Horizontal	PK
6	17004.6252	12.64	43.24	55.88	68.20	12.32	PASS	Horizontal	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5745MHz

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1923.1569	14.87	34.62	49.49	68.20	18.71	PASS	Vertical	PK
2	3050.7020	18.20	35.15	53.35	68.20	14.85	PASS	Vertical	PK
3	5326.2531	27.85	31.95	59.80	68.20	8.40	PASS	Vertical	PK
4	6463.6985	28.25	34.21	62.46	68.20	5.74	PASS	Vertical	PK
5	8973.7737	-0.06	46.43	46.37	68.20	21.83	PASS	Vertical	PK
6	17577.9289	14.02	42.12	56.14	68.20	12.06	PASS	Vertical	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5745MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19967.7587	-24.72	61.96	37.24	74.00	36.76	PASS	Horizontal	PK
2	23136.7655	-24.72	59.45	34.73	68.20	33.47	PASS	Horizontal	PK
3	26347.1339	-21.22	57.72	36.50	68.20	31.70	PASS	Horizontal	PK
4	30742.0297	-19.90	56.51	36.61	68.20	31.59	PASS	Horizontal	PK
5	34863.2345	-16.37	51.70	35.33	68.20	32.87	PASS	Horizontal	PK
6	38824.2730	-13.19	48.02	34.83	68.20	33.37	PASS	Horizontal	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5745MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20001.2000	-24.63	62.44	37.81	74.00	36.19	PASS	Vertical	PK
2	22855.1542	-25.23	60.55	35.32	74.00	38.68	PASS	Vertical	PK
3	26367.3747	-21.20	58.64	37.44	68.20	30.76	PASS	Vertical	PK
4	30379.4552	-20.43	56.43	36.00	68.20	32.20	PASS	Vertical	PK
5	33429.6572	-18.02	53.90	35.88	68.20	32.32	PASS	Vertical	PK
6	37527.9811	-15.20	49.52	34.32	68.20	33.88	PASS	Vertical	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5785MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1661.5665	13.88	34.27	48.15	74.00	25.85	PASS	Horizontal	PK
2	2940.6976	17.79	34.85	52.64	68.20	15.56	PASS	Horizontal	PK
3	5307.3323	27.81	31.94	59.75	68.20	8.45	PASS	Horizontal	PK
4	6430.2572	28.24	33.44	61.68	68.20	6.52	PASS	Horizontal	PK
5	10756.3628	2.13	46.27	48.40	74.00	25.60	PASS	Horizontal	PK
6	17723.9862	15.73	40.04	55.77	74.00	18.23	PASS	Horizontal	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5785MHz

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1530.4412	13.64	35.25	48.89	74.00	25.11	PASS	Vertical	PK
2	2927.0571	17.84	35.77	53.61	68.20	14.59	PASS	Vertical	PK
3	5331.9733	27.86	32.26	60.12	68.20	8.08	PASS	Vertical	PK
4	6484.8194	28.65	33.16	61.81	68.20	6.39	PASS	Vertical	PK
5	10276.7888	1.96	46.41	48.37	68.20	19.83	PASS	Vertical	PK
6	17657.2829	14.51	42.26	56.77	68.20	11.43	PASS	Vertical	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5785MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20066.3227	-24.92	60.98	36.06	74.00	37.94	PASS	Horizontal	PK
2	23217.7287	-24.20	59.61	35.41	68.20	32.79	PASS	Horizontal	PK
3	26934.1174	-21.74	57.92	36.18	68.20	32.02	PASS	Horizontal	PK
4	30796.5919	-19.65	55.75	36.10	68.20	32.10	PASS	Horizontal	PK
5	34939.7976	-16.22	51.95	35.73	68.20	32.47	PASS	Horizontal	PK
6	38478.4191	-13.71	48.52	34.81	68.20	33.39	PASS	Horizontal	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5785MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19913.1965	-24.89	61.30	36.41	74.00	37.59	PASS	Vertical	PK
2	22672.9869	-25.02	59.43	34.41	74.00	39.59	PASS	Vertical	PK
3	25420.4568	-21.37	58.02	36.65	68.20	31.55	PASS	Vertical	PK
4	29670.1468	-20.73	57.20	36.47	68.20	31.73	PASS	Vertical	PK
5	33296.7719	-18.19	53.71	35.52	68.20	32.68	PASS	Vertical	PK
6	36498.3399	-16.24	50.32	34.08	74.00	39.92	PASS	Vertical	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5825MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1628.5651	13.90	35.29	49.19	68.20	19.01	PASS	Horizontal	PK
2	2711.2284	17.25	35.45	52.70	74.00	21.30	PASS	Horizontal	PK
3	5507.1003	26.60	34.21	60.81	68.20	7.39	PASS	Horizontal	PK
4	6467.8787	28.25	33.47	61.72	68.20	6.48	PASS	Horizontal	PK
5	9717.8609	1.14	46.36	47.50	68.20	20.70	PASS	Horizontal	PK
6	17742.3871	15.87	40.13	56.00	74.00	18.00	PASS	Horizontal	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5825MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1699.4080	14.16	34.29	48.45	74.00	25.55	PASS	Vertical	PK
2	3395.4558	19.23	33.76	52.99	68.20	15.21	PASS	Vertical	PK
3	5537.6815	26.93	33.66	60.59	68.20	7.61	PASS	Vertical	PK
4	6427.3971	28.20	33.98	62.18	68.20	6.02	PASS	Vertical	PK
5	10185.3593	1.68	46.17	47.85	68.20	20.35	PASS	Vertical	PK
6	17577.3539	14.01	42.03	56.04	68.20	12.16	PASS	Vertical	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5825MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20071.6029	-24.94	60.75	35.81	74.00	38.19	PASS	Horizontal	PK
2	22599.0640	-25.00	59.44	34.44	74.00	39.56	PASS	Horizontal	PK
3	25311.3325	-21.26	57.44	36.18	68.20	32.02	PASS	Horizontal	PK
4	29084.9234	-21.38	58.07	36.69	68.20	31.51	PASS	Horizontal	PK
5	32391.2156	-18.09	54.65	36.56	68.20	31.64	PASS	Horizontal	PK
6	37105.5642	-16.70	50.59	33.89	68.20	34.31	PASS	Horizontal	PK

Mode	802.11 a Transmitting	Remark	2026/6/10
Band	\	Channel	5825MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19955.4382	-24.76	61.76	37.00	74.00	37.00	PASS	Vertical	PK
2	23113.0045	-24.88	60.42	35.54	74.00	38.46	PASS	Vertical	PK
3	26579.4632	-21.11	58.71	37.60	68.20	30.60	PASS	Vertical	PK
4	30348.6539	-20.58	56.52	35.94	68.20	32.26	PASS	Vertical	PK
5	34454.8982	-16.90	52.74	35.84	68.20	32.36	PASS	Vertical	PK
6	38432.6573	-13.60	48.64	35.04	68.20	33.16	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5190MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1558.1623	13.68	34.67	48.35	74.00	25.65	PASS	Horizontal	PK
2	2416.1966	16.30	35.00	51.30	68.20	16.90	PASS	Horizontal	PK
3	5007.2403	25.13	33.48	58.61	74.00	15.39	PASS	Horizontal	PK
4	6494.0598	28.49	33.51	62.00	68.20	6.20	PASS	Horizontal	PK
5	9595.3798	1.22	45.68	46.90	68.20	21.30	PASS	Horizontal	PK
6	17566.4283	13.96	42.25	56.21	68.20	11.99	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5190MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1512.8405	13.43	34.23	47.66	74.00	26.34	PASS	Vertical	PK
2	3044.1018	18.19	34.14	52.33	68.20	15.87	PASS	Vertical	PK
3	5328.4531	27.86	31.90	59.76	68.20	8.44	PASS	Vertical	PK
4	6463.9186	28.25	34.15	62.40	68.20	5.80	PASS	Vertical	PK
5	10179.6090	1.69	45.48	47.17	68.20	21.03	PASS	Vertical	PK
6	17676.2588	14.98	40.52	55.50	68.20	12.70	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5190MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20088.3235	-25.01	61.27	36.26	74.00	37.74	PASS	Horizontal	PK
2	23377.0151	-23.64	58.91	35.27	68.20	32.93	PASS	Horizontal	PK
3	26324.2530	-21.24	58.20	36.96	68.20	31.24	PASS	Horizontal	PK
4	30695.3878	-20.13	55.88	35.75	68.20	32.45	PASS	Horizontal	PK
5	34575.4630	-16.22	50.94	34.72	68.20	33.48	PASS	Horizontal	PK
6	37920.4768	-15.14	48.87	33.73	68.20	34.47	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5190MHz

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19464.3786	-25.61	62.03	36.42	74.00	37.58	PASS	Vertical	PK
2	23098.9240	-24.98	59.79	34.81	74.00	39.19	PASS	Vertical	PK
3	25653.6661	-20.74	57.72	36.98	68.20	31.22	PASS	Vertical	PK
4	28498.8200	-21.72	58.24	36.52	68.20	31.68	PASS	Vertical	PK
5	33638.2255	-17.42	53.02	35.60	68.20	32.60	PASS	Vertical	PK
6	37441.7377	-15.63	49.48	33.85	68.20	34.35	PASS	Vertical	PK