


Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5230MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1660.9064	13.86	34.54	48.40	74.00	25.60	PASS	Horizontal	PK
2	2448.0979	16.49	34.95	51.44	68.20	16.76	PASS	Horizontal	PK
3	5364.0946	27.93	31.87	59.80	74.00	14.20	PASS	Horizontal	PK
4	6420.1368	28.06	33.65	61.71	68.20	6.49	PASS	Horizontal	PK
5	10218.1359	1.76	46.45	48.21	68.20	19.99	PASS	Horizontal	PK
6	17575.6288	14.01	41.54	55.55	68.20	12.65	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5230MHz

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1706.4483	14.21	34.49	48.70	74.00	25.30	PASS	Vertical	PK
2	2984.4794	18.04	34.30	52.34	68.20	15.86	PASS	Vertical	PK
3	5498.5199	26.58	33.37	59.95	68.20	8.25	PASS	Vertical	PK
4	6481.2993	28.66	33.48	62.14	68.20	6.06	PASS	Vertical	PK
5	10119.8060	1.76	45.64	47.40	68.20	20.80	PASS	Vertical	PK
6	17728.5864	15.77	39.69	55.46	74.00	18.54	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5230MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19518.9408	-25.61	61.42	35.81	74.00	38.19	PASS	Horizontal	PK
2	21323.8930	-25.84	60.65	34.81	74.00	39.19	PASS	Horizontal	PK
3	24963.7185	-22.10	57.21	35.11	68.20	33.09	PASS	Horizontal	PK
4	27784.2314	-21.10	58.38	37.28	68.20	30.92	PASS	Horizontal	PK
5	30940.9176	-19.41	56.05	36.64	68.20	31.56	PASS	Horizontal	PK
6	36280.0912	-16.73	51.46	34.73	68.20	33.47	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5230MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19513.6605	-25.61	61.53	35.92	74.00	38.08	PASS	Vertical	PK
2	22491.6997	-25.05	59.84	34.79	74.00	39.21	PASS	Vertical	PK
3	25614.9446	-20.72	57.28	36.56	68.20	31.64	PASS	Vertical	PK
4	29876.9551	-21.01	56.92	35.91	68.20	32.29	PASS	Vertical	PK
5	34233.1293	-17.36	51.59	34.23	68.20	33.97	PASS	Vertical	PK
6	37906.3963	-15.16	48.97	33.81	68.20	34.39	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5270MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1785.6514	14.39	34.64	49.03	68.20	19.17	PASS	Horizontal	PK
2	3191.2877	18.48	35.07	53.55	68.20	14.65	PASS	Horizontal	PK
3	5328.6731	27.86	32.16	60.02	68.20	8.18	PASS	Horizontal	PK
4	6456.6583	28.29	33.49	61.78	68.20	6.42	PASS	Horizontal	PK
5	10203.7602	1.66	46.21	47.87	68.20	20.33	PASS	Horizontal	PK
6	17108.1304	12.30	43.63	55.93	68.20	12.27	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5270MHz

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1162.3665	11.55	38.91	50.46	74.00	23.54	PASS	Vertical	PK
2	2700.4480	17.20	35.30	52.50	74.00	21.50	PASS	Vertical	PK
3	5326.6931	27.85	31.69	59.54	68.20	8.66	PASS	Vertical	PK
4	6465.0186	28.25	33.92	62.17	68.20	6.03	PASS	Vertical	PK
5	10839.7420	2.03	45.76	47.79	74.00	26.21	PASS	Vertical	PK
6	17574.4787	13.99	42.03	56.02	68.20	12.18	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5270MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18799.0720	-26.29	63.03	36.74	74.00	37.26	PASS	Horizontal	PK
2	20899.7160	-25.82	61.45	35.63	74.00	38.37	PASS	Horizontal	PK
3	24916.1966	-22.06	56.92	34.86	68.20	33.34	PASS	Horizontal	PK
4	28015.6806	-21.21	58.64	37.43	68.20	30.77	PASS	Horizontal	PK
5	32665.7866	-18.87	54.39	35.52	68.20	32.68	PASS	Horizontal	PK
6	36073.2829	-17.07	51.52	34.45	68.20	33.75	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5270MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19731.0292	-25.35	63.21	37.86	74.00	36.14	PASS	Vertical	PK
2	22246.1698	-25.33	60.39	35.06	74.00	38.94	PASS	Vertical	PK
3	25799.7520	-20.82	57.43	36.61	68.20	31.59	PASS	Vertical	PK
4	29969.3588	-21.06	57.27	36.21	68.20	31.99	PASS	Vertical	PK
5	35006.6803	-16.11	51.42	35.31	68.20	32.89	PASS	Vertical	PK
6	37382.7753	-15.88	49.36	33.48	68.20	34.72	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5310MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2184.7474	15.53	35.25	50.78	68.20	17.42	PASS	Horizontal	PK
2	3448.9180	19.37	34.35	53.72	68.20	14.48	PASS	Horizontal	PK
3	5326.6931	27.85	32.02	59.87	68.20	8.33	PASS	Horizontal	PK
4	6476.2391	28.52	33.45	61.97	68.20	6.23	PASS	Horizontal	PK
5	9748.3374	1.09	46.90	47.99	68.20	20.21	PASS	Horizontal	PK
6	17669.9335	14.82	40.99	55.81	68.20	12.39	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5310MHz

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1760.1304	14.33	34.05	48.38	68.20	19.82	PASS	Vertical	PK
2	2834.2134	17.48	34.52	52.00	74.00	22.00	PASS	Vertical	PK
3	5304.6922	27.81	32.01	59.82	68.20	8.38	PASS	Vertical	PK
4	6475.7990	28.50	34.37	62.87	68.20	5.33	PASS	Vertical	PK
5	10406.7453	1.86	46.12	47.98	68.20	20.22	PASS	Vertical	PK
6	17585.4043	14.05	42.21	56.26	68.20	11.94	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5310MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20052.2421	-24.85	61.94	37.09	74.00	36.91	PASS	Horizontal	PK
2	22426.5771	-25.08	60.58	35.50	74.00	38.50	PASS	Horizontal	PK
3	26247.6899	-21.31	58.66	37.35	68.20	30.85	PASS	Horizontal	PK
4	30399.6960	-20.33	57.03	36.70	68.20	31.50	PASS	Horizontal	PK
5	34388.0155	-17.22	51.68	34.46	68.20	33.74	PASS	Horizontal	PK
6	38122.8849	-14.46	49.00	34.54	68.20	33.66	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5310MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19767.1107	-25.29	61.97	36.68	74.00	37.32	PASS	Vertical	PK
2	22395.7758	-25.10	60.22	35.12	74.00	38.88	PASS	Vertical	PK
3	25286.6915	-21.21	58.08	36.87	68.20	31.33	PASS	Vertical	PK
4	29121.0048	-21.41	57.52	36.11	68.20	32.09	PASS	Vertical	PK
5	32165.9266	-19.53	54.42	34.89	68.20	33.31	PASS	Vertical	PK
6	35064.7626	-16.04	51.71	35.67	68.20	32.53	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5510MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1788.7315	14.36	34.58	48.94	68.20	19.26	PASS	Horizontal	PK
2	3050.4820	18.20	35.39	53.59	68.20	14.61	PASS	Horizontal	PK
3	5365.6346	27.93	31.81	59.74	74.00	14.26	PASS	Horizontal	PK
4	6467.4387	28.25	34.07	62.32	68.20	5.88	PASS	Horizontal	PK
5	10194.5597	1.66	46.27	47.93	68.20	20.27	PASS	Horizontal	PK
6	17575.6288	14.01	43.32	57.33	68.20	10.87	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5510MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1816.2326	14.50	34.35	48.85	68.20	19.35	PASS	Vertical	PK
2	3198.9880	18.38	34.74	53.12	68.20	15.08	PASS	Vertical	PK
3	5538.1215	26.94	33.16	60.10	68.20	8.10	PASS	Vertical	PK
4	6465.4586	28.25	33.86	62.11	68.20	6.09	PASS	Vertical	PK
5	10268.1634	1.95	46.38	48.33	68.20	19.87	PASS	Vertical	PK
6	17661.8831	14.62	41.21	55.83	68.20	12.37	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5510MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19533.9014	-25.60	63.12	37.52	74.00	36.48	PASS	Horizontal	PK
2	22301.6121	-25.25	60.43	35.18	74.00	38.82	PASS	Horizontal	PK
3	26078.7231	-21.08	58.89	37.81	68.20	30.39	PASS	Horizontal	PK
4	29674.5470	-20.74	57.34	36.60	68.20	31.60	PASS	Horizontal	PK
5	33091.7237	-18.52	54.06	35.54	68.20	32.66	PASS	Horizontal	PK
6	36694.5878	-16.29	50.99	34.70	68.20	33.50	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5510MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20029.3612	-24.75	62.43	37.68	74.00	36.32	PASS	Vertical	PK
2	22835.7934	-25.16	59.90	34.74	74.00	39.26	PASS	Vertical	PK
3	26034.7214	-20.98	58.08	37.10	68.20	31.10	PASS	Vertical	PK
4	29709.7484	-20.81	57.25	36.44	68.20	31.76	PASS	Vertical	PK
5	32960.5984	-18.77	53.15	34.38	68.20	33.82	PASS	Vertical	PK
6	38154.5662	-14.32	48.67	34.35	68.20	33.85	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5550MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1701.3881	14.17	34.34	48.51	74.00	25.49	PASS	Horizontal	PK
2	2689.0076	17.43	34.44	51.87	68.20	16.33	PASS	Horizontal	PK
3	5326.6931	27.85	32.15	60.00	68.20	8.20	PASS	Horizontal	PK
4	6486.1394	28.64	33.33	61.97	68.20	6.23	PASS	Horizontal	PK
5	9639.6570	1.18	45.99	47.17	68.20	21.03	PASS	Horizontal	PK
6	17032.2266	12.47	43.09	55.56	68.20	12.64	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5550MHz

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1684.0074	14.13	34.82	48.95	74.00	25.05	PASS	Vertical	PK
2	2899.1160	17.81	33.75	51.56	74.00	22.44	PASS	Vertical	PK
3	5011.8605	25.17	33.76	58.93	74.00	15.07	PASS	Vertical	PK
4	6426.5171	28.18	33.16	61.34	68.20	6.86	PASS	Vertical	PK
5	10307.8404	1.96	45.63	47.59	68.20	20.61	PASS	Vertical	PK
6	17653.8327	14.42	41.81	56.23	68.20	11.97	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5550MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20013.5205	-24.68	61.82	37.14	74.00	36.86	PASS	Horizontal	PK
2	23186.9275	-24.37	59.35	34.98	68.20	33.22	PASS	Horizontal	PK
3	26593.5437	-21.11	57.79	36.68	68.20	31.52	PASS	Horizontal	PK
4	30111.9245	-21.21	56.84	35.63	68.20	32.57	PASS	Horizontal	PK
5	33286.2114	-18.19	53.93	35.74	68.20	32.46	PASS	Horizontal	PK
6	37190.0476	-16.29	50.74	34.45	68.20	33.75	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5550MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19907.9163	-24.90	61.60	36.70	74.00	37.30	PASS	Vertical	PK
2	22709.9484	-25.02	60.48	35.46	74.00	38.54	PASS	Vertical	PK
3	25916.7967	-20.87	57.58	36.71	68.20	31.49	PASS	Vertical	PK
4	29760.7904	-20.91	56.76	35.85	68.20	32.35	PASS	Vertical	PK
5	33148.9260	-18.36	53.99	35.63	68.20	32.57	PASS	Vertical	PK
6	37509.5004	-15.30	49.42	34.12	68.20	34.08	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5670MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2185.8474	15.53	34.30	49.83	68.20	18.37	PASS	Horizontal	PK
2	3596.9839	19.80	33.22	53.02	68.20	15.18	PASS	Horizontal	PK
3	5303.1521	27.81	31.51	59.32	68.20	8.88	PASS	Horizontal	PK
4	6483.4993	28.66	33.03	61.69	68.20	6.51	PASS	Horizontal	PK
5	9706.9353	1.16	46.72	47.88	68.20	20.32	PASS	Horizontal	PK
6	17102.9551	12.26	43.18	55.44	68.20	12.76	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5670MHz

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2127.7651	15.52	34.09	49.61	68.20	18.59	PASS	Vertical	PK
2	3590.3836	19.78	34.07	53.85	68.20	14.35	PASS	Vertical	PK
3	5533.0613	26.82	32.85	59.67	68.20	8.53	PASS	Vertical	PK
4	6479.0992	28.63	33.71	62.34	68.20	5.86	PASS	Vertical	PK
5	11199.1350	2.73	45.59	48.32	74.00	25.68	PASS	Vertical	PK
6	17001.7501	12.67	42.70	55.37	68.20	12.83	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5670MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20018.8008	-24.70	61.04	36.34	74.00	37.66	PASS	Horizontal	PK
2	22872.7549	-25.28	60.03	34.75	74.00	39.25	PASS	Horizontal	PK
3	26282.0113	-21.28	58.74	37.46	68.20	30.74	PASS	Horizontal	PK
4	30443.6977	-20.38	56.64	36.26	68.20	31.94	PASS	Horizontal	PK
5	33586.3035	-17.38	54.77	37.39	68.20	30.81	PASS	Horizontal	PK
6	37577.2631	-14.95	49.86	34.91	68.20	33.29	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5670MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20045.2018	-24.82	61.73	36.91	74.00	37.09	PASS	Vertical	PK
2	22406.3363	-25.10	59.71	34.61	74.00	39.39	PASS	Vertical	PK
3	25665.9866	-20.75	57.63	36.88	68.20	31.32	PASS	Vertical	PK
4	28206.6483	-21.31	57.94	36.63	68.20	31.57	PASS	Vertical	PK
5	32393.8558	-18.07	54.66	36.59	68.20	31.61	PASS	Vertical	PK
6	36593.3837	-15.78	51.15	35.37	68.20	32.83	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5755MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2067.9227	14.92	35.00	49.92	68.20	18.28	PASS	Horizontal	PK
2	3178.3071	18.58	34.39	52.97	68.20	15.23	PASS	Horizontal	PK
3	5364.9746	27.93	32.06	59.99	74.00	14.01	PASS	Horizontal	PK
4	6445.4378	28.30	33.28	61.58	68.20	6.62	PASS	Horizontal	PK
5	11829.3665	2.75	46.46	49.21	74.00	24.79	PASS	Horizontal	PK
6	17578.5039	14.02	41.80	55.82	68.20	12.38	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5755MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2072.5429	15.02	34.39	49.41	68.20	18.79	PASS	Vertical	PK
2	3284.3514	18.79	34.19	52.98	68.20	15.22	PASS	Vertical	PK
3	5446.3779	26.63	33.42	60.05	74.00	13.95	PASS	Vertical	PK
4	6472.2789	28.34	33.44	61.78	68.20	6.42	PASS	Vertical	PK
5	10256.6628	1.95	45.67	47.62	68.20	20.58	PASS	Vertical	PK
6	17051.7776	12.34	43.41	55.75	68.20	12.45	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5755MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19953.6781	-24.76	60.81	36.05	74.00	37.95	PASS	Horizontal	PK
2	22682.6673	-25.02	60.09	35.07	74.00	38.93	PASS	Horizontal	PK
3	25843.7538	-20.84	57.06	36.22	68.20	31.98	PASS	Horizontal	PK
4	29943.8378	-21.04	56.83	35.79	68.20	32.41	PASS	Horizontal	PK
5	34078.2431	-17.70	52.88	35.18	68.20	33.02	PASS	Horizontal	PK
6	38167.7667	-14.25	48.23	33.98	68.20	34.22	PASS	Horizontal	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5755MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20024.9610	-24.73	61.28	36.55	74.00	37.45	PASS	Vertical	PK
2	22818.1927	-25.11	59.74	34.63	74.00	39.37	PASS	Vertical	PK
3	26217.7687	-21.35	58.05	36.70	68.20	31.50	PASS	Vertical	PK
4	28169.6868	-21.29	57.46	36.17	68.20	32.03	PASS	Vertical	PK
5	31811.2725	-19.94	55.01	35.07	68.20	33.13	PASS	Vertical	PK
6	37234.9294	-16.18	49.81	33.63	68.20	34.57	PASS	Vertical	PK

Mode	802.11 ax(HE40) Transmitting	Remark	2026/6/10
Band	\	Channel	5795MHz

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1800.3920	14.37	34.47	48.84	68.20	19.36	PASS	Horizontal	PK
2	3057.5223	18.34	35.30	53.64	68.20	14.56	PASS	Horizontal	PK
3	5502.7001	26.60	33.22	59.82	68.20	8.38	PASS	Horizontal	PK
4	6451.5981	28.34	34.58	62.92	68.20	5.28	PASS	Horizontal	PK
5	10406.7453	1.86	45.54	47.40	68.20	20.80	PASS	Horizontal	PK
6	17584.2542	14.04	42.71	56.75	68.20	11.45	PASS	Horizontal	PK