


Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.10	53.18	68.20	15.02	PASS	Vertical	PK
2	5150	24.08	15.65	39.73	54.00	14.27	PASS	Vertical	AV

Test_Mode	802.11ax(HE20)Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.98	53.06	68.20	15.14	PASS	Horizontal	PK
2	5150	24.08	14.62	38.70	54.00	15.30	PASS	Horizontal	AV

Test_Mode	802.11ax(HE20)Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.10	53.18	68.20	15.02	PASS	Vertical	PK
2	5150	24.08	14.61	38.69	54.00	15.31	PASS	Vertical	AV

Test_Mode	802.11ax(HE20)Transmittin g	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.66	52.74	68.20	15.46	PASS	Horizontal	PK
2	5150	24.08	14.60	38.68	54.00	15.32	PASS	Horizontal	AV

Test_Mode	802.11ax(HE20)Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.93	52.01	68.20	16.19	PASS	Vertical	PK
2	5150	24.08	13.69	37.77	54.00	16.23	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.00	52.08	68.20	16.12	PASS	Horizontal	PK
2	5150	24.08	15.15	39.23	54.00	14.77	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.69	52.77	68.20	15.43	PASS	Vertical	PK
2	5150	24.08	14.24	38.32	54.00	15.68	PASS	Vertical	AV

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.34	52.42	68.20	15.78	PASS	Horizontal	PK
2	5150	24.08	14.56	38.64	54.00	15.36	PASS	Horizontal	AV

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/6/10

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.92	53.00	68.20	15.20	PASS	Vertical	PK
2	5150	24.08	15.41	39.49	54.00	14.51	PASS	Vertical	AV

U-NII-2A:

Test_Mode	802.11 a Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.56	54.93	68.20	13.27	PASS	Horizontal	PK
2	5350	24.37	15.70	40.07	54.00	13.93	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.51	53.88	68.20	14.32	PASS	Vertical	PK
2	5350	24.37	15.41	39.78	54.00	14.22	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	33.11	57.59	68.20	10.61	PASS	Horizontal	PK
2	5350	24.48	17.46	41.94	54.00	12.06	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.33	53.81	68.20	14.39	PASS	Vertical	PK
2	5350	24.48	15.86	40.34	54.00	13.66	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.24	53.61	68.20	14.59	PASS	Horizontal	PK
2	5350	24.37	15.44	39.81	54.00	14.19	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.33	53.70	68.20	14.50	PASS	Vertical	PK
2	5350	24.37	16.25	40.62	54.00	13.38	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.63	54.11	68.20	14.09	PASS	Horizontal	PK
2	5350	24.48	16.58	41.06	54.00	12.94	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	30.09	54.57	68.20	13.63	PASS	Vertical	PK
2	5350	24.48	15.63	40.11	54.00	13.89	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.80	54.17	68.20	14.03	PASS	Horizontal	PK
2	5350	24.37	15.95	40.32	54.00	13.68	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.08	53.45	68.20	14.75	PASS	Vertical	PK
2	5350	24.37	16.17	40.54	54.00	13.46	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.65	55.02	68.20	13.18	PASS	Horizontal	PK
2	5350	24.37	15.47	39.84	54.00	14.16	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.10	53.47	68.20	14.73	PASS	Vertical	PK
2	5350	24.37	15.58	39.95	54.00	14.05	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	23.84	25.80	49.64	68.20	18.56	PASS	Horizontal	PK
2	5150	23.84	12.71	36.55	54.00	17.45	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/6/10

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	23.84	25.52	49.36	68.20	18.84	PASS	Vertical	PK
2	5150	23.84	12.29	36.13	54.00	17.87	PASS	Vertical	AV