


Vertical:



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		31.6202	13.13	12.59	25.72	40.00	-14.28	QP	100	178
2		55.9713	10.90	13.96	24.86	40.00	-15.14	QP	100	60
3		156.5950	17.38	10.48	27.86	43.50	-15.64	QP	100	256
4	*	364.2595	17.62	18.38	36.00	46.00	-10.00	QP	100	6
5		601.2157	8.92	22.99	31.91	46.00	-14.09	QP	100	162
6		954.7683	7.02	27.24	34.26	46.00	-11.74	QP	100	154


Remark:

- Margin=Measurement(Level)-Limit.
- Measurement(Level)=Reading Level+Correct Factor.
- In the test results, an asterisk (*) indicates Maximum Data, a cross (X) indicates over Limit, an exclamation mark (!) indicates over -6dB margin Limit.

Radiated Spurious Emission above 1GHz:

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1877.7919	14.45	35.29	49.74	74.00	24.26	PASS	Horizontal	PK
2	2877.9919	17.41	36.50	53.91	74.00	20.09	PASS	Horizontal	PK
3	4986.1324	-8.11	54.10	45.99	74.00	28.01	PASS	Horizontal	PK
4	7761.3174	-1.58	51.62	50.04	74.00	23.96	PASS	Horizontal	PK
5	11281.5521	2.43	51.56	53.99	74.00	20.01	PASS	Horizontal	PK
6	16490.8994	11.77	48.63	60.40	74.00	13.60	PASS	Horizontal	PK
7	16339.8893	11.46	37.14	48.60	54.00	5.40	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1870.3247	14.53	36.61	51.14	74.00	22.86	PASS	Vertical	PK
2	2716.9145	17.04	36.28	53.32	74.00	20.68	PASS	Vertical	PK
3	4887.1258	-8.33	54.66	46.33	74.00	27.67	PASS	Vertical	PK
4	7617.3078	-2.16	51.63	49.47	74.00	24.53	PASS	Vertical	PK
5	11903.5936	2.77	51.97	54.74	74.00	19.26	PASS	Vertical	PK
6	16256.8838	10.51	49.55	60.06	74.00	13.94	PASS	Vertical	PK
7	12001.6001	3.12	40.97	44.09	54.00	9.91	PASS	Vertical	AV
8	16421.8948	10.41	38.10	48.51	54.00	5.49	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18479.7592	-26.70	62.63	35.93	74.00	38.07	PASS	Horizontal	PK
2	19578.0031	-25.59	62.00	36.41	74.00	37.59	PASS	Horizontal	PK
3	20925.477	-25.87	61.08	35.21	74.00	38.79	PASS	Horizontal	PK
4	22442.6177	-25.07	60.79	35.72	74.00	38.28	PASS	Horizontal	PK
5	23824.433	-22.28	58.90	36.62	74.00	37.38	PASS	Horizontal	PK
6	25481.9993	-21.14	56.85	35.71	74.00	38.29	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18386.9355	-26.72	63.36	36.64	74.00	37.36	PASS	Vertical	PK
2	19534.4814	-25.60	61.67	36.07	74.00	37.93	PASS	Vertical	PK
3	20945.8778	-25.91	61.26	35.35	74.00	38.65	PASS	Vertical	PK
4	22296.4119	-25.25	60.26	35.01	74.00	38.99	PASS	Vertical	PK
5	23846.5339	-22.24	58.28	36.04	74.00	37.96	PASS	Vertical	PK
6	25497.2999	-21.08	57.46	36.38	74.00	37.62	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1910.9941	14.81	34.41	49.22	74.00	24.78	PASS	Horizontal	PK
2	2741.5828	16.89	35.84	52.73	74.00	21.27	PASS	Horizontal	PK
3	4920.128	-8.18	53.05	44.87	74.00	29.13	PASS	Horizontal	PK
4	7733.3156	-1.52	52.11	50.59	74.00	23.41	PASS	Horizontal	PK
5	11268.5512	2.41	51.18	53.59	74.00	20.41	PASS	Horizontal	PK
6	16326.8885	11.30	49.29	60.59	74.00	13.41	PASS	Horizontal	PK
7	16335.8891	11.41	37.48	48.89	54.00	5.11	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1832.3222	14.35	36.05	50.40	74.00	23.60	PASS	Vertical	PK
2	2733.7156	16.93	36.77	53.70	74.00	20.30	PASS	Vertical	PK
3	4982.1321	-8.11	53.76	45.65	74.00	28.35	PASS	Vertical	PK
4	7752.3168	-1.46	51.56	50.10	74.00	23.90	PASS	Vertical	PK
5	12038.6026	2.95	52.68	55.63	74.00	18.37	PASS	Vertical	PK
6	16513.9009	11.91	48.30	60.21	74.00	13.79	PASS	Vertical	PK
7	12005.6004	3.10	40.83	43.93	54.00	10.07	PASS	Vertical	AV
8	16346.8898	11.54	37.21	48.75	54.00	5.25	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18350.894	-26.77	63.68	36.91	74.00	37.09	PASS	Horizontal	PK
2	19472.9389	-25.61	61.88	36.27	74.00	37.73	PASS	Horizontal	PK
3	20576.2831	-26.00	60.69	34.69	74.00	39.31	PASS	Horizontal	PK
4	21818.0127	-25.56	61.55	35.99	74.00	38.01	PASS	Horizontal	PK
5	23399.756	-23.56	58.80	35.24	74.00	38.76	PASS	Horizontal	PK
6	25075.343	-21.72	57.61	35.89	74.00	38.11	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18500.84	-26.69	63.42	36.73	74.00	37.27	PASS	Vertical	PK
2	19591.2637	-25.59	60.68	35.09	74.00	38.91	PASS	Vertical	PK
3	20863.9346	-25.76	61.72	35.96	74.00	38.04	PASS	Vertical	PK
4	22101.9241	-25.60	60.15	34.55	74.00	39.45	PASS	Vertical	PK
5	23736.3695	-22.57	58.19	35.62	74.00	38.38	PASS	Vertical	PK
6	25287.5115	-21.21	57.38	36.17	74.00	37.83	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1740.9827	14.12	36.06	50.18	74.00	23.82	PASS	Horizontal	PK
2	2774.385	16.95	36.60	53.55	74.00	20.45	PASS	Horizontal	PK
3	4770.118	-8.63	53.73	45.10	74.00	28.90	PASS	Horizontal	PK
4	7764.3176	-1.62	51.06	49.44	74.00	24.56	PASS	Horizontal	PK
5	11986.5991	3.12	52.24	55.36	74.00	18.64	PASS	Horizontal	PK
6	16433.8956	10.66	49.87	60.53	74.00	13.47	PASS	Horizontal	PK
7	12004.6003	3.11	41.18	44.29	54.00	9.71	PASS	Horizontal	AV
8	16497.8999	11.90	36.87	48.77	54.00	5.23	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1723.1149	14.21	35.35	49.56	74.00	24.44	PASS	Vertical	PK
2	2795.5864	17.27	36.22	53.49	74.00	20.51	PASS	Vertical	PK
3	5014.1343	-8.07	53.05	44.98	74.00	29.02	PASS	Vertical	PK
4	7752.3168	-1.46	51.33	49.87	74.00	24.13	PASS	Vertical	PK
5	12003.6002	3.11	52.12	55.23	74.00	18.77	PASS	Vertical	PK
6	16420.8947	10.39	49.59	59.98	74.00	14.02	PASS	Vertical	PK
7	11995.5997	3.13	40.71	43.84	54.00	10.16	PASS	Vertical	AV
8	16266.8845	10.61	37.77	48.38	54.00	5.62	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18443.0377	-26.70	62.51	35.81	74.00	38.19	PASS	Horizontal	PK
2	19593.9838	-25.59	61.03	35.44	74.00	38.56	PASS	Horizontal	PK
3	20765.6706	-25.72	60.75	35.03	74.00	38.97	PASS	Horizontal	PK
4	22389.5756	-25.12	59.59	34.47	74.00	39.53	PASS	Horizontal	PK
5	23873.0549	-22.19	59.36	37.17	74.00	36.83	PASS	Horizontal	PK
6	25511.2404	-21.04	57.23	36.19	74.00	37.81	PASS	Horizontal	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18630.3852	-26.63	62.54	35.91	74.00	38.09	PASS	Vertical	PK
2	19651.7861	-25.50	61.04	35.54	74.00	38.46	PASS	Vertical	PK
3	20805.4522	-25.66	61.21	35.55	74.00	38.45	PASS	Vertical	PK
4	22382.0953	-25.13	59.79	34.66	74.00	39.34	PASS	Vertical	PK
5	23921.3369	-22.09	58.14	36.05	74.00	37.95	PASS	Vertical	PK
6	25679.5472	-20.75	57.26	36.51	74.00	37.49	PASS	Vertical	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2402MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1697.2465	14.06	35.07	49.13	74.00	24.87	PASS	Horizontal	PK
2	2847.8565	17.34	35.69	53.03	74.00	20.97	PASS	Horizontal	PK
3	4809.1206	-8.58	54.10	45.52	74.00	28.48	PASS	Horizontal	PK
4	7794.3196	-2.02	51.99	49.97	74.00	24.03	PASS	Horizontal	PK
5	11239.5493	2.36	50.88	53.24	74.00	20.76	PASS	Horizontal	PK
6	16404.8937	10.06	50.51	60.57	74.00	13.43	PASS	Horizontal	PK
7	16323.8883	11.26	37.15	48.41	54.00	5.59	PASS	Horizontal	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2402MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1289.3526	11.99	35.36	47.35	74.00	26.65	PASS	Vertical	PK
2	2813.8543	17.21	36.47	53.68	74.00	20.32	PASS	Vertical	PK
3	5032.1355	-8.00	53.34	45.34	74.00	28.66	PASS	Vertical	PK
4	7840.3227	-1.71	52.88	51.17	74.00	22.83	PASS	Vertical	PK
5	11459.564	2.48	50.77	53.25	74.00	20.75	PASS	Vertical	PK
6	16349.89	11.58	48.47	60.05	74.00	13.95	PASS	Vertical	PK
7	16424.895	10.47	38.29	48.76	54.00	5.24	PASS	Vertical	AV