


Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2402MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18564.4226	-26.69	62.77	36.08	74.00	37.92	PASS	Horizontal	PK
2	19543.6617	-25.60	61.41	35.81	74.00	38.19	PASS	Horizontal	PK
3	20837.0735	-25.71	62.21	36.50	74.00	37.50	PASS	Horizontal	PK
4	22180.4672	-25.44	59.62	34.18	74.00	39.82	PASS	Horizontal	PK
5	23695.2278	-22.71	58.06	35.35	74.00	38.65	PASS	Horizontal	PK
6	25542.5217	-20.92	56.70	35.78	74.00	38.22	PASS	Horizontal	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2402MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18506.9603	-26.69	62.72	36.03	74.00	37.97	PASS	Vertical	PK
2	19582.0833	-25.59	61.21	35.62	74.00	38.38	PASS	Vertical	PK
3	21193.4077	-25.76	61.07	35.31	74.00	38.69	PASS	Vertical	PK
4	23143.7257	-24.66	59.47	34.81	74.00	39.19	PASS	Vertical	PK
5	24369.8148	-21.82	58.50	36.68	74.00	37.32	PASS	Vertical	PK
6	25784.2714	-20.81	57.68	36.87	74.00	37.13	PASS	Vertical	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2441MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1638.1759	14.02	35.10	49.12	74.00	24.88	PASS	Horizontal	PK
2	2775.7184	16.98	36.12	53.10	74.00	20.90	PASS	Horizontal	PK
3	5012.1341	-8.06	52.94	44.88	74.00	29.12	PASS	Horizontal	PK
4	7474.2983	-2.31	51.25	48.94	74.00	25.06	PASS	Horizontal	PK
5	10470.498	2.15	49.14	51.29	74.00	22.71	PASS	Horizontal	PK
6	15397.8265	11.36	47.28	58.64	74.00	15.36	PASS	Horizontal	PK
7	15338.8226	9.79	36.02	45.81	54.00	8.19	PASS	Horizontal	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2441MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1737.5158	14.14	35.30	49.44	74.00	24.56	PASS	Vertical	PK
2	2790.2527	17.30	35.78	53.08	74.00	20.92	PASS	Vertical	PK
3	4875.125	-8.37	53.14	44.77	74.00	29.23	PASS	Vertical	PK
4	7940.3294	-1.39	51.09	49.70	74.00	24.30	PASS	Vertical	PK
5	12015.601	3.06	51.96	55.02	74.00	18.98	PASS	Vertical	PK
6	16327.8885	11.31	48.91	60.22	74.00	13.78	PASS	Vertical	PK
7	11993.5996	3.13	40.98	44.11	54.00	9.89	PASS	Vertical	AV
8	16423.8949	10.45	38.22	48.67	54.00	5.33	PASS	Vertical	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2441MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18353.6141	-26.76	64.01	37.25	74.00	36.75	PASS	Horizontal	PK
2	19607.2443	-25.58	60.75	35.17	74.00	38.83	PASS	Horizontal	PK
3	20817.0127	-25.68	60.93	35.25	74.00	38.75	PASS	Horizontal	PK
4	22265.1306	-25.30	60.14	34.84	74.00	39.16	PASS	Horizontal	PK
5	23826.4731	-22.28	58.80	36.52	74.00	37.48	PASS	Horizontal	PK
6	25620.3848	-20.73	56.72	35.99	74.00	38.01	PASS	Horizontal	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2441MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18365.8546	-26.75	63.07	36.32	74.00	37.68	PASS	Vertical	PK
2	19465.7986	-25.61	61.42	35.81	74.00	38.19	PASS	Vertical	PK
3	20872.7749	-25.78	61.10	35.32	74.00	38.68	PASS	Vertical	PK
4	22299.132	-25.25	59.76	34.51	74.00	39.49	PASS	Vertical	PK
5	23861.8345	-22.21	58.62	36.41	74.00	37.59	PASS	Vertical	PK
6	25327.2931	-21.29	57.27	35.98	74.00	38.02	PASS	Vertical	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1782.1855	14.27	36.26	50.53	74.00	23.47	PASS	Horizontal	PK
2	2838.1225	17.47	35.61	53.08	74.00	20.92	PASS	Horizontal	PK
3	4893.1262	-8.32	53.89	45.57	74.00	28.43	PASS	Horizontal	PK
4	7889.326	-1.41	51.33	49.92	74.00	24.08	PASS	Horizontal	PK
5	11868.5912	2.62	52.13	54.75	74.00	19.25	PASS	Horizontal	PK
6	16496.8998	11.88	48.41	60.29	74.00	13.71	PASS	Horizontal	PK
7	11939.596	3.02	41.18	44.20	54.00	9.80	PASS	Horizontal	AV
8	16334.889	11.40	37.18	48.58	54.00	5.42	PASS	Horizontal	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1824.9883	14.38	35.44	49.82	74.00	24.18	PASS	Vertical	PK
2	2770.6514	16.87	36.36	53.23	74.00	20.77	PASS	Vertical	PK
3	4989.1326	-8.12	54.22	46.10	74.00	27.90	PASS	Vertical	PK
4	7740.316	-1.48	50.83	49.35	74.00	24.65	PASS	Vertical	PK
5	11988.5992	3.12	51.85	54.97	74.00	19.03	PASS	Vertical	PK
6	16489.8993	11.74	47.97	59.71	74.00	14.29	PASS	Vertical	PK
7	11989.5993	3.12	40.72	43.84	54.00	10.16	PASS	Vertical	AV
8	16435.8957	10.71	38.10	48.81	54.00	5.19	PASS	Vertical	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18270.3108	-26.88	63.79	36.91	74.00	37.09	PASS	Horizontal	PK
2	19348.4939	-25.73	61.65	35.92	74.00	38.08	PASS	Horizontal	PK
3	20689.8476	-25.88	60.81	34.93	74.00	39.07	PASS	Horizontal	PK
4	21929.5372	-25.71	62.02	36.31	74.00	37.69	PASS	Horizontal	PK
5	23557.5223	-23.17	57.81	34.64	74.00	39.36	PASS	Horizontal	PK
6	25190.2676	-21.09	58.21	37.12	74.00	36.88	PASS	Horizontal	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18386.9355	-26.72	63.82	37.10	74.00	36.90	PASS	Vertical	PK
2	19441.3177	-25.61	61.29	35.68	74.00	38.32	PASS	Vertical	PK
3	20773.1509	-25.71	62.05	36.34	74.00	37.66	PASS	Vertical	PK
4	22145.7858	-25.51	60.48	34.97	74.00	39.03	PASS	Vertical	PK
5	23909.7764	-22.12	58.09	35.97	74.00	38.03	PASS	Vertical	PK
6	25382.0353	-21.40	57.15	35.75	74.00	38.25	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2402MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1696.8465	14.06	35.70	49.76	74.00	24.24	PASS	Horizontal	PK
2	2802.9202	17.24	35.43	52.67	74.00	21.33	PASS	Horizontal	PK
3	5061.1374	-7.84	54.04	46.20	74.00	27.80	PASS	Horizontal	PK
4	7572.3048	-2.20	51.28	49.08	74.00	24.92	PASS	Horizontal	PK
5	11183.5456	2.15	50.79	52.94	74.00	21.06	PASS	Horizontal	PK
6	16420.8947	10.39	51.65	62.04	74.00	11.96	PASS	Horizontal	PK
7	16349.89	11.58	37.36	48.94	54.00	5.06	PASS	Horizontal	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2402MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1809.7873	14.26	35.25	49.51	74.00	24.49	PASS	Vertical	PK
2	2711.1807	17.10	36.10	53.20	74.00	20.80	PASS	Vertical	PK
3	5053.1369	-8.02	53.59	45.57	74.00	28.43	PASS	Vertical	PK
4	7868.3246	-1.52	51.44	49.92	74.00	24.08	PASS	Vertical	PK
5	13206.6804	6.33	51.77	58.10	74.00	15.90	PASS	Vertical	PK
6	16329.8887	11.33	49.38	60.71	74.00	13.29	PASS	Vertical	PK
7	13189.6793	6.35	39.42	45.77	54.00	8.23	PASS	Vertical	AV
8	16371.8915	10.88	37.70	48.58	54.00	5.42	PASS	Vertical	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2402MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18440.9976	-26.70	63.21	36.51	74.00	37.49	PASS	Horizontal	PK
2	19762.9705	-25.30	61.46	36.16	74.00	37.84	PASS	Horizontal	PK
3	21041.4217	-25.95	60.66	34.71	74.00	39.29	PASS	Horizontal	PK
4	22637.7855	-25.01	59.71	34.70	74.00	39.30	PASS	Horizontal	PK
5	24355.8742	-21.89	58.34	36.45	74.00	37.55	PASS	Horizontal	PK
6	25720.6888	-20.78	56.99	36.21	74.00	37.79	PASS	Horizontal	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2402MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18473.2989	-26.70	63.23	36.53	74.00	37.47	PASS	Vertical	PK
2	19486.1994	-25.60	61.37	35.77	74.00	38.23	PASS	Vertical	PK
3	20899.636	-25.82	60.86	35.04	74.00	38.96	PASS	Vertical	PK
4	22394.3358	-25.11	59.91	34.80	74.00	39.20	PASS	Vertical	PK
5	23843.1337	-22.24	58.41	36.17	74.00	37.83	PASS	Vertical	PK
6	25758.7704	-20.80	57.12	36.32	74.00	37.68	PASS	Vertical	PK