


Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3506.7803	20.07	32.51	52.58	68.20	15.62	PASS	Horizontal	PK
2	5001.08	25.94	33.71	59.65	74.00	14.35	PASS	Horizontal	PK
3	6455.1182	29.69	32.28	61.97	68.20	6.23	PASS	Horizontal	PK
4	9692.9877	1.17	52.50	53.67	68.20	14.53	PASS	Horizontal	PK
5	13772.4309	7.13	51.33	58.46	68.20	9.74	PASS	Horizontal	PK
6	17027.0611	12.50	50.43	62.93	68.20	5.27	PASS	Horizontal	PK
7	5010.7604	26.23	10.55	36.78	54.00	17.22	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3477.0791	20.24	32.45	52.69	68.20	15.51	PASS	Vertical	PK
2	5021.1008	26.23	32.63	58.86	74.00	15.14	PASS	Vertical	PK
3	6481.5193	29.96	32.72	62.68	68.20	5.52	PASS	Vertical	PK
4	9779.0112	1.12	52.20	53.32	68.20	14.88	PASS	Vertical	PK
5	13754.9502	7.20	51.10	58.30	68.20	9.90	PASS	Vertical	PK
6	17017.8607	12.56	51.40	63.96	68.20	4.24	PASS	Vertical	PK
7	5029.4612	26.32	10.50	36.82	54.00	17.18	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19180.1272	-26.08	60.68	34.60	74.00	39.40	PASS	Horizontal	PK
2	22502.2601	-25.05	59.47	34.42	74.00	39.58	PASS	Horizontal	PK
3	25688.8676	-20.76	56.76	36.00	68.20	32.20	PASS	Horizontal	PK
4	28729.3892	-21.64	57.91	36.27	68.20	31.93	PASS	Horizontal	PK
5	32358.6543	-18.30	53.42	35.12	68.20	33.08	PASS	Horizontal	PK
6	35845.3538	-16.87	50.15	33.28	68.20	34.92	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19324.453	-25.79	60.68	34.89	74.00	39.11	PASS	Vertical	PK
2	21361.7345	-25.86	60.00	34.14	74.00	39.86	PASS	Vertical	PK
3	24587.9435	-21.86	56.88	35.02	68.20	33.18	PASS	Vertical	PK
4	27393.4957	-21.65	57.10	35.45	68.20	32.75	PASS	Vertical	PK
5	31512.0605	-19.67	54.39	34.72	74.00	39.28	PASS	Vertical	PK
6	35142.2057	-15.96	50.02	34.06	68.20	34.14	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5550MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3511.4005	20.10	33.58	53.68	68.20	14.52	PASS	Horizontal	PK
2	4994.9198	25.94	33.46	59.40	74.00	14.60	PASS	Horizontal	PK
3	6491.4197	29.84	34.29	64.13	68.20	4.07	PASS	Horizontal	PK
4	8785.3714	0.12	52.62	52.74	68.20	15.46	PASS	Horizontal	PK
5	13095.2838	6.41	50.44	56.85	68.20	11.35	PASS	Horizontal	PK
6	17023.841	12.52	50.53	63.05	68.20	5.15	PASS	Horizontal	PK
7	5018.2407	26.23	10.65	36.88	54.00	17.12	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5550MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3481.2592	20.14	32.92	53.06	68.20	15.14	PASS	Vertical	PK
2	5020.0008	26.22	33.17	59.39	74.00	14.61	PASS	Vertical	PK
3	6484.5994	29.93	32.31	62.24	68.20	5.96	PASS	Vertical	PK
4	9768.8908	1.11	52.80	53.91	68.20	14.29	PASS	Vertical	PK
5	13770.5908	7.14	50.56	57.70	68.20	10.50	PASS	Vertical	PK
6	17010.5004	12.61	50.82	63.43	68.20	4.77	PASS	Vertical	PK
7	5016.0406	26.22	10.59	36.81	54.00	17.19	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5550MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18823.7129	-26.29	61.37	35.08	74.00	38.92	PASS	Horizontal	PK
2	21816.7127	-25.56	60.52	34.96	68.20	33.24	PASS	Horizontal	PK
3	25531.3413	-20.96	56.04	35.08	68.20	33.12	PASS	Horizontal	PK
4	28700.348	-21.70	57.41	35.71	68.20	32.49	PASS	Horizontal	PK
5	32399.136	-18.04	53.49	35.45	68.20	32.75	PASS	Horizontal	PK
6	36588.9836	-15.81	49.51	33.70	68.20	34.50	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5550MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19007.6403	-26.26	61.22	34.96	74.00	39.04	PASS	Vertical	PK
2	21323.0129	-25.83	59.82	33.99	74.00	40.01	PASS	Vertical	PK
3	24556.2622	-21.83	56.79	34.96	68.20	33.24	PASS	Vertical	PK
4	28339.5336	-21.44	57.67	36.23	68.20	31.97	PASS	Vertical	PK
5	32441.3777	-18.22	53.62	35.40	68.20	32.80	PASS	Vertical	PK
6	35875.275	-16.94	50.84	33.90	68.20	34.30	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5670MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3444.5178	20.18	32.99	53.17	68.20	15.03	PASS	Horizontal	PK
2	5007.2403	26.14	33.16	59.30	74.00	14.70	PASS	Horizontal	PK
3	6445.6578	29.71	31.92	61.63	68.20	6.57	PASS	Horizontal	PK
4	9599.604	1.26	53.00	54.26	68.20	13.94	PASS	Horizontal	PK
5	13152.7861	6.03	51.17	57.20	68.20	11.00	PASS	Horizontal	PK
6	17035.3414	12.45	49.97	62.42	68.20	5.78	PASS	Horizontal	PK
7	5004.6002	26.06	10.77	36.83	54.00	17.17	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5670MHz
Tset_Engineer	\	Test_Date	2026/7/2

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3424.057	20.13	32.32	52.45	68.20	15.75	PASS	Vertical	PK
2	5007.6803	26.16	33.42	59.58	74.00	14.42	PASS	Vertical	PK
3	6475.579	29.86	33.20	63.06	68.20	5.14	PASS	Vertical	PK
4	9611.5645	1.24	52.23	53.47	68.20	14.73	PASS	Vertical	PK
5	13823.0329	7.12	50.29	57.41	68.20	10.79	PASS	Vertical	PK
6	16986.1194	12.44	49.85	62.29	68.20	5.91	PASS	Vertical	PK
7	5018.0207	26.23	10.46	36.69	54.00	17.31	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5510MHz
-----------	---------------------------------	----------------	---------