


Tset_Engineer	\	Test_Date	2026/7/28
---------------	---	-----------	-----------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3454.1982	19.27	32.66	51.93	68.20	16.27	PASS	Horizontal	PK
2	5039.1416	24.97	32.42	57.39	74.00	16.61	PASS	Horizontal	PK
3	6500	28.65	31.98	60.63	68.20	7.57	PASS	Horizontal	PK
4	9704.0282	1.16	52.75	53.91	68.20	14.29	PASS	Horizontal	PK
5	13725.969	7.23	51.30	58.53	68.20	9.67	PASS	Horizontal	PK
6	17075.363	12.30	51.38	63.68	68.20	4.52	PASS	Horizontal	PK
7	5008.1203	24.89	10.14	35.03	54.00	18.97	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5510MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3453.0981	19.30	32.98	52.28	68.20	15.92	PASS	Vertical	PK
2	5033.6413	24.96	32.54	57.50	74.00	16.50	PASS	Vertical	PK
3	6488.3395	28.65	31.26	59.91	68.20	8.29	PASS	Vertical	PK
4	9695.2878	1.17	52.65	53.82	68.20	14.38	PASS	Vertical	PK
5	13736.5495	7.23	51.19	58.42	68.20	9.78	PASS	Vertical	PK
6	17017.4007	12.57	50.42	62.99	68.20	5.21	PASS	Vertical	PK
7	5032.7613	24.96	9.87	34.83	54.00	19.17	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5510MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18824.593	-26.29	61.32	35.03	74.00	38.97	PASS	Horizontal	PK
2	22155.5262	-25.49	59.36	33.87	74.00	40.13	PASS	Horizontal	PK
3	25774.231	-20.81	56.46	35.65	68.20	32.55	PASS	Horizontal	PK
4	29165.0066	-21.45	56.96	35.51	68.20	32.69	PASS	Horizontal	PK
5	33049.482	-18.64	52.57	33.93	68.20	34.27	PASS	Horizontal	PK
6	36753.5501	-16.62	48.90	32.28	68.20	35.92	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5510MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18669.7068	-26.55	62.01	35.46	74.00	38.54	PASS	Vertical	PK
2	21332.6933	-25.83	60.93	35.10	74.00	38.90	PASS	Vertical	PK
3	25259.4104	-21.16	57.24	36.08	68.20	32.12	PASS	Vertical	PK
4	28154.7262	-21.28	57.21	35.93	68.20	32.27	PASS	Vertical	PK
5	31868.4747	-20.13	54.65	34.52	68.20	33.68	PASS	Vertical	PK
6	36618.9048	-15.86	49.16	33.30	68.20	34.90	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5550MHz
-----------	---------------------------------	----------------	---------

Tset_Engineer	\	Test_Date	2026/7/28
---------------	---	-----------	-----------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	3443.4177	19.25	32.20	51.45	68.20	16.75	PASS	Horizontal	PK
2	5068.6227	24.96	32.68	57.64	74.00	16.36	PASS	Horizontal	PK
3	6486.5795	28.64	32.98	61.62	68.20	6.58	PASS	Horizontal	PK
4	9635.4854	1.19	52.66	53.85	68.20	14.35	PASS	Horizontal	PK
5	13830.8532	7.15	51.55	58.70	68.20	9.50	PASS	Horizontal	PK
6	17000.84	12.67	50.85	63.52	68.20	4.68	PASS	Horizontal	PK
7	5038.2615	24.97	9.55	34.52	54.00	19.48	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5550MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3407.5563	19.08	32.02	51.10	68.20	17.10	PASS	Vertical	PK
2	5039.3616	24.97	32.47	57.44	74.00	16.56	PASS	Vertical	PK
3	6492.0797	28.66	32.83	61.49	68.20	6.71	PASS	Vertical	PK
4	9716.4487	1.15	52.55	53.70	68.20	14.50	PASS	Vertical	PK
5	13141.7457	6.07	51.71	57.78	68.20	10.42	PASS	Vertical	PK
6	17034.4214	12.45	50.70	63.15	68.20	5.05	PASS	Vertical	PK
7	5014.9406	24.87	10.15	35.02	54.00	18.98	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5550MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18768.2707	-26.35	61.47	35.12	74.00	38.88	PASS	Horizontal	PK
2	21191.8877	-25.76	61.07	35.31	74.00	38.69	PASS	Horizontal	PK
3	25045.5618	-21.89	56.48	34.59	68.20	33.61	PASS	Horizontal	PK
4	27841.4337	-21.09	57.61	36.52	68.20	31.68	PASS	Horizontal	PK
5	31878.1551	-20.16	54.40	34.24	68.20	33.96	PASS	Horizontal	PK
6	37196.2078	-16.27	50.07	33.80	68.20	34.40	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5550MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18895.8758	-26.28	61.52	35.24	74.00	38.76	PASS	Vertical	PK
2	21446.2178	-25.85	60.37	34.52	68.20	33.68	PASS	Vertical	PK
3	25220.6888	-21.09	56.81	35.72	68.20	32.48	PASS	Vertical	PK
4	28856.1142	-21.43	57.15	35.72	68.20	32.48	PASS	Vertical	PK
5	32392.0957	-18.09	53.42	35.33	68.20	32.87	PASS	Vertical	PK
6	37593.9838	-14.87	48.03	33.16	68.20	35.04	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5670MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3556.2823	19.41	32.62	52.03	68.20	16.17	PASS	Horizontal	PK
2	4994.4798	24.67	34.18	58.85	74.00	15.15	PASS	Horizontal	PK
3	6433.9974	28.20	33.49	61.69	68.20	6.51	PASS	Horizontal	PK
4	9658.0263	1.17	52.87	54.04	68.20	14.16	PASS	Horizontal	PK
5	13671.2268	6.85	51.90	58.75	68.20	9.45	PASS	Horizontal	PK
6	17037.6415	12.43	51.49	63.92	68.20	4.28	PASS	Horizontal	PK
7	5012.9605	24.90	10.05	34.95	54.00	19.05	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5670MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3534.9414	19.39	32.23	51.62	68.20	16.58	PASS	Vertical	PK
2	4996.8999	24.69	33.37	58.06	74.00	15.94	PASS	Vertical	PK
3	6468.0987	28.23	32.56	60.79	68.20	7.41	PASS	Vertical	PK
4	9689.7676	1.16	52.27	53.43	68.20	14.77	PASS	Vertical	PK
5	13092.9837	6.41	51.00	57.41	68.20	10.79	PASS	Vertical	PK
6	17048.6819	12.36	51.29	63.65	68.20	4.55	PASS	Vertical	PK
7	5006.3603	24.84	10.47	35.31	54.00	18.69	PASS	Vertical	AV