


Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3450.678	19.37	33.03	52.40	68.20	15.80	PASS	Horizontal	PK
2	5005.9202	24.83	33.40	58.23	74.00	15.77	PASS	Horizontal	PK
3	6453.5781	28.39	32.50	60.89	68.20	7.31	PASS	Horizontal	PK
4	9669.9868	1.16	53.26	54.42	68.20	13.78	PASS	Horizontal	PK
5	13720.4488	7.24	51.89	59.13	68.20	9.07	PASS	Horizontal	PK
6	17012.8005	12.59	51.19	63.78	68.20	4.42	PASS	Horizontal	PK
7	5004.6002	24.81	10.52	35.33	54.00	18.67	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3454.1982	19.27	32.57	51.84	68.20	16.36	PASS	Vertical	PK
2	5008.5603	24.90	33.27	58.17	74.00	15.83	PASS	Vertical	PK
3	6495.8198	28.65	32.10	60.75	68.20	7.45	PASS	Vertical	PK
4	9683.7874	1.17	53.29	54.46	68.20	13.74	PASS	Vertical	PK
5	13729.1892	7.23	51.45	58.68	68.20	9.52	PASS	Vertical	PK
6	17109.8644	12.31	51.50	63.81	68.20	4.39	PASS	Vertical	PK
7	5007.9003	24.89	10.40	35.29	54.00	18.71	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18898.5159	-26.28	61.16	34.88	74.00	39.12	PASS	Horizontal	PK
2	21884.4754	-25.65	59.97	34.32	68.20	33.88	PASS	Horizontal	PK
3	24552.7421	-21.82	56.96	35.14	68.20	33.06	PASS	Horizontal	PK
4	27071.4029	-21.86	57.35	35.49	68.20	32.71	PASS	Horizontal	PK
5	29167.6467	-21.45	57.05	35.60	68.20	32.60	PASS	Horizontal	PK
6	33274.771	-18.19	52.19	34.00	68.20	34.20	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19100.924	-26.16	61.08	34.92	74.00	39.08	PASS	Vertical	PK
2	22073.6829	-25.66	59.43	33.77	74.00	40.23	PASS	Vertical	PK
3	25809.4324	-20.83	57.55	36.72	68.20	31.48	PASS	Vertical	PK
4	29099.004	-21.39	56.53	35.14	68.20	33.06	PASS	Vertical	PK
5	31886.0754	-20.19	54.35	34.16	68.20	34.04	PASS	Vertical	PK
6	35886.7155	-16.98	50.76	33.78	68.20	34.42	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3558.0423	19.41	32.91	52.32	68.20	15.88	PASS	Horizontal	PK
2	5040.9016	24.97	34.20	59.17	74.00	14.83	PASS	Horizontal	PK
3	6439.2776	28.21	33.54	61.75	68.20	6.45	PASS	Horizontal	PK
4	10153.9262	1.77	51.78	53.55	68.20	14.65	PASS	Horizontal	PK
5	13718.1487	7.24	50.98	58.22	68.20	9.98	PASS	Horizontal	PK
6	17014.6406	12.58	51.42	64.00	68.20	4.20	PASS	Horizontal	PK
7	5003.9402	24.79	10.32	35.11	54.00	18.89	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3460.7984	19.13	33.01	52.14	68.20	16.06	PASS	Vertical	PK
2	5008.5603	24.90	32.68	57.58	74.00	16.42	PASS	Vertical	PK
3	6487.6795	28.64	32.23	60.87	68.20	7.33	PASS	Vertical	PK
4	9684.7074	1.17	53.78	54.95	68.20	13.25	PASS	Vertical	PK
5	13714.9286	7.25	52.31	59.56	68.20	8.64	PASS	Vertical	PK
6	17021.5409	12.54	52.02	64.56	68.20	3.64	PASS	Vertical	PK
7	5016.2606	24.85	10.27	35.12	54.00	18.88	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19468.7788	-25.61	60.30	34.69	74.00	39.31	PASS	Horizontal	PK
2	21991.8397	-25.80	59.65	33.85	68.20	34.35	PASS	Horizontal	PK
3	24052.8821	-22.12	57.12	35.00	68.20	33.20	PASS	Horizontal	PK
4	28327.2131	-21.43	56.77	35.34	68.20	32.86	PASS	Horizontal	PK
5	33130.4452	-18.42	52.83	34.41	68.20	33.79	PASS	Horizontal	PK
6	36726.2691	-16.47	48.56	32.09	68.20	36.11	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18863.3145	-26.28	61.58	35.30	74.00	38.70	PASS	Vertical	PK
2	20948.1179	-25.91	60.45	34.54	74.00	39.46	PASS	Vertical	PK
3	24292.2517	-22.20	57.35	35.15	68.20	33.05	PASS	Vertical	PK
4	27739.3496	-21.21	57.81	36.60	68.20	31.60	PASS	Vertical	PK
5	29200.208	-21.48	56.62	35.14	68.20	33.06	PASS	Vertical	PK
6	32192.3277	-19.36	52.68	33.32	68.20	34.88	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3451.7781	19.34	33.21	52.55	68.20	15.65	PASS	Horizontal	PK
2	5005.0402	24.82	32.80	57.62	74.00	16.38	PASS	Horizontal	PK
3	6486.5795	28.64	32.90	61.54	68.20	6.66	PASS	Horizontal	PK
4	9652.5061	1.17	53.51	54.68	68.20	13.52	PASS	Horizontal	PK
5	13674.447	6.89	50.86	57.75	68.20	10.45	PASS	Horizontal	PK
6	17022.4609	12.53	51.54	64.07	68.20	4.13	PASS	Horizontal	PK
7	5012.9605	24.90	10.49	35.39	54.00	18.61	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3345.7338	18.57	33.75	52.32	68.20	15.88	PASS	Vertical	PK
2	5019.1208	24.81	33.65	58.46	74.00	15.54	PASS	Vertical	PK
3	6481.0792	28.59	33.29	61.88	68.20	6.32	PASS	Vertical	PK
4	10125.865	1.77	51.89	53.66	68.20	14.54	PASS	Vertical	PK
5	14399.896	9.18	49.87	59.05	68.20	9.15	PASS	Vertical	PK
6	17575.403	14.01	50.23	64.24	68.20	3.96	PASS	Vertical	PK
7	5010.1004	24.93	10.28	35.21	54.00	18.79	PASS	Vertical	AV