


Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	32.70	56.78	68.20	11.42	PASS	Vertical	PK
2	5150	24.08	18.59	42.67	54.00	11.33	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.49	52.57	68.20	15.63	PASS	Horizontal	PK
2	5150	24.08	13.78	37.86	54.00	16.14	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.18	51.26	68.20	16.94	PASS	Vertical	PK
2	5150	24.08	13.93	38.01	54.00	15.99	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.74	51.82	68.20	16.38	PASS	Horizontal	PK
2	5150	24.08	14.48	38.56	54.00	15.44	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.11	51.19	68.20	17.01	PASS	Vertical	PK
2	5150	24.08	14.22	38.30	54.00	15.70	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.72	51.80	68.20	16.40	PASS	Horizontal	PK
2	5150	24.08	14.66	38.74	54.00	15.26	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.05	52.13	68.20	16.07	PASS	Vertical	PK
2	5150	24.08	13.90	37.98	54.00	16.02	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	32.75	56.83	68.20	11.37	PASS	Horizontal	PK
2	5150	24.08	16.50	40.58	54.00	13.42	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	30.88	54.96	68.20	13.24	PASS	Vertical	PK
2	5150	24.08	14.46	38.54	54.00	15.46	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.37	53.45	68.20	14.75	PASS	Horizontal	PK
2	5150	24.08	14.09	38.17	54.00	15.83	PASS	Horizontal	AV