Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	33.38	57.75	68.20	10.45	PASS	Vertical	PK
2	5350	24.37	17.94	42.31	54.00	11.69	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5320MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	33.04	57.41	68.20	10.79	PASS	Horizontal	PK
2	5350	24.37	18.90	43.27	54.00	10.73	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5320MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.18	54.55	68.20	13.65	PASS	Vertical	PK
2	5350	24.37	18.28	42.65	54.00	11.35	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	32.56	56.93	68.20	11.27	PASS	Horizontal	PK
2	5350	24.37	18.62	42.99	54.00	11.01	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	31.18	55.55	68.20	12.65	PASS	Vertical	PK
2	5350	24.37	17.90	42.27	54.00	11.73	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	40.46	64.83	68.20	3.37	PASS	Horizontal	PK
2	5350	24.37	20.93	45.30	54.00	8.70	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	36.06	60.43	68.20	7.77	PASS	Vertical	PK
2	5350	24.37	18.93	43.30	54.00	10.70	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	34.95	59.82	68.20	8.38	PASS	Horizontal	PK
2	5470	24.87	24.85	49.72	54.00	4.28	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5500MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	32.64	57.51	68.20	10.69	PASS	Vertical	PK
2	5470	24.87	20.08	44.95	54.00	9.05	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5700MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	29.76	54.63	68.20	13.57	PASS	Horizontal	PK
2	5470	24.87	16.20	41.07	54.00	12.93	PASS	Horizontal	AV