


Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5700MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	31.40	56.27	68.20	11.93	PASS	Vertical	PK
2	5470	24.87	16.27	41.14	54.00	12.86	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5510MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	42.20	67.07	68.20	1.13	PASS	Horizontal	PK
2	5470	24.87	27.51	52.38	54.00	1.62	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5510MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	38.85	63.72	68.20	4.48	PASS	Vertical	PK
2	5470	24.87	22.99	47.86	54.00	6.14	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5670MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	30.13	55.00	68.20	13.20	PASS	Horizontal	PK
2	5470	24.87	16.07	40.94	54.00	13.06	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5670MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	24.87	29.58	54.45	68.20	13.75	PASS	Vertical	PK
2	5470	24.87	17.22	42.09	54.00	11.91	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5742.066	-5.89	108.80	102.91	122.20	19.29	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5749.2296	-5.84	108.43	102.59	122.20	19.61	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5822.6563	-5.42	108.35	102.93	122.20	19.27	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5821.7609	-5.42	106.77	101.35	122.20	20.85	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5749.2296	-5.84	108.08	102.24	122.20	19.96	PASS	Horizontal	PK