


Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18375.035	-26.73	63.38	36.65	74.00	37.35	PASS	Horizontal	PK
2	19506.2602	-25.61	61.20	35.59	74.00	38.41	PASS	Horizontal	PK
3	20829.9332	-25.70	60.75	35.05	74.00	38.95	PASS	Horizontal	PK
4	22279.0712	-25.28	59.79	34.51	74.00	39.49	PASS	Horizontal	PK
5	23854.0142	-22.23	58.13	35.90	74.00	38.10	PASS	Horizontal	PK
6	25822.0129	-20.83	58.20	37.37	74.00	36.63	PASS	Horizontal	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18323.3529	-26.80	63.82	37.02	74.00	36.98	PASS	Vertical	PK
2	19351.8941	-25.73	62.24	36.51	74.00	37.49	PASS	Vertical	PK
3	21031.2212	-25.96	61.30	35.34	74.00	38.66	PASS	Vertical	PK
4	22326.6731	-25.21	60.30	35.09	74.00	38.91	PASS	Vertical	PK
5	23829.1932	-22.27	58.66	36.39	74.00	37.61	PASS	Vertical	PK
6	25582.9833	-20.77	57.12	36.35	74.00	37.65	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1706.9805	14.11	35.01	49.12	74.00	24.88	PASS	Horizontal	PK
2	2747.5832	16.96	35.57	52.53	74.00	21.47	PASS	Horizontal	PK
3	4912.1275	-8.23	53.95	45.72	74.00	28.28	PASS	Horizontal	PK
4	7793.3196	-2.01	51.85	49.84	74.00	24.16	PASS	Horizontal	PK
5	11840.5894	2.50	51.97	54.47	74.00	19.53	PASS	Horizontal	PK
6	16332.8889	11.38	48.90	60.28	74.00	13.72	PASS	Horizontal	PK
7	11947.5965	3.08	40.88	43.96	54.00	10.04	PASS	Horizontal	AV
8	16347.8899	11.56	36.92	48.48	54.00	5.52	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1868.8579	14.52	35.33	49.85	74.00	24.15	PASS	Vertical	PK
2	2828.2552	17.23	36.58	53.81	74.00	20.19	PASS	Vertical	PK
3	4903.1269	-8.28	52.84	44.56	74.00	29.44	PASS	Vertical	PK
4	7741.3161	-1.48	51.32	49.84	74.00	24.16	PASS	Vertical	PK
5	11272.5515	2.41	51.21	53.62	74.00	20.38	PASS	Vertical	PK
6	15923.8616	10.24	48.46	58.70	74.00	15.30	PASS	Vertical	PK
7	15814.8543	9.56	37.44	47.00	54.00	7.00	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18571.5629	-26.69	63.05	36.36	74.00	37.64	PASS	Horizontal	PK
2	19677.2871	-25.45	61.02	35.57	74.00	38.43	PASS	Horizontal	PK
3	20720.4488	-25.82	61.16	35.34	74.00	38.66	PASS	Horizontal	PK
4	22147.8259	-25.51	60.75	35.24	74.00	38.76	PASS	Horizontal	PK
5	23593.9038	-23.07	58.23	35.16	74.00	38.84	PASS	Horizontal	PK
6	25086.2234	-21.66	57.55	35.89	74.00	38.11	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18527.3611	-26.69	63.03	36.34	74.00	37.66	PASS	Vertical	PK
2	19506.2602	-25.61	61.47	35.86	74.00	38.14	PASS	Vertical	PK
3	20958.1183	-25.93	61.59	35.66	74.00	38.34	PASS	Vertical	PK
4	22216.5087	-25.38	59.95	34.57	74.00	39.43	PASS	Vertical	PK
5	23385.1354	-23.62	59.11	35.49	74.00	38.51	PASS	Vertical	PK
6	24779.1912	-21.95	57.60	35.65	74.00	38.35	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/7/28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1868.8579	14.52	34.82	49.34	74.00	24.66	PASS	Horizontal	PK
2	2915.9944	17.65	35.05	52.70	74.00	21.30	PASS	Horizontal	PK
3	4823.1215	-8.55	54.40	45.85	74.00	28.15	PASS	Horizontal	PK
4	7706.3138	-1.65	51.86	50.21	74.00	23.79	PASS	Horizontal	PK
5	12011.6008	3.08	51.25	54.33	74.00	19.67	PASS	Horizontal	PK
6	16428.8953	10.55	50.49	61.04	74.00	12.96	PASS	Horizontal	PK
7	11959.5973	3.11	41.16	44.27	54.00	9.73	PASS	Horizontal	AV
8	16447.8965	10.95	37.71	48.66	54.00	5.34	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/7/28

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1964.5976	14.62	35.33	49.95	74.00	24.05	PASS	Vertical	PK
2	2756.7838	16.94	35.43	52.37	74.00	21.63	PASS	Vertical	PK
3	4911.1274	-8.23	53.62	45.39	74.00	28.61	PASS	Vertical	PK
4	7641.3094	-2.24	51.83	49.59	74.00	24.41	PASS	Vertical	PK
5	11787.5858	2.37	51.61	53.98	74.00	20.02	PASS	Vertical	PK
6	16335.8891	11.41	48.75	60.16	74.00	13.84	PASS	Vertical	PK
7	16351.8901	11.53	37.15	48.68	54.00	5.32	PASS	Vertical	AV