


Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11A_6Mbps_5500	Voltage:	DC 5V
Environment:	23.8°C/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 22:56:42

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5430.015	37.75	54.38	16.63	68.20	13.82	150	315	Horizontal
2	5460.030	35.35	52.09	16.74	68.20	16.11	150	315	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5430.015	31.28	16.63	47.91	54.00	6.09	150	315	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11A_6Mbps_5500	Voltage:	DC 5V
Environment:	23.8°C/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 22:57:37

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5411.631	38.16	54.72	16.56	68.20	13.48	150	50	Vertical
2	5460.030	35.38	52.12	16.74	68.20	16.08	150	356	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading(dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5411.631	30.89	16.56	47.45	54.00	6.55	150	50	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11A_6Mbps_5700	Voltage:	DC 5V
Environment:	23.8°C/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:07:24

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.033	36.25	53.45	17.20	68.20	14.75	150	306	Horizontal
2	5737.601	37.94	55.18	17.24	68.20	13.02	150	315	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading(dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5737.601	30.56	17.24	47.80	54.00	6.20	150	315	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11A_6Mbps_5700	Voltage:	DC 5V
Environment:	23.8°C/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:08:10

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.033	35.49	52.69	17.20	68.20	15.51	150	3	Vertical
2	5740.378	37.53	54.78	17.25	68.20	13.42	150	15	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5740.378	30.57	17.25	47.82	54.00	6.18	150	15	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11A_6Mbps_5745	Voltage:	DC 5V
Environment:	23.8℃/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:11:54

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5639.520	35.04	52.03	16.99	68.30	16.27	150	305	Horizontal
2	5689.832	35.11	52.19	17.08	97.80	45.61	150	357	Horizontal
3	5723.194	36.88	54.06	17.18	118.18	64.12	150	321	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11A_6Mbps_5745	Voltage:	DC 5V
Environment:	23.8℃/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:12:39

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5635.130	35.31	52.28	16.97	68.30	16.02	150	10	Vertical
2	5678.014	34.64	51.70	17.06	89.07	37.37	150	336	Vertical
3	5724.275	35.19	52.38	17.19	120.65	68.27	150	20	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11A_6Mbps_5825	Voltage:	DC 5V
Environment:	23.8℃/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:14:55

Test Graph



Suspected Data List									
NO.	Frequency (MHz)	Reading(dBμV/m)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5852.189	36.05	53.67	17.62	117.31	63.64	150	330	Horizontal
2	5879.592	35.72	53.43	17.71	101.89	48.46	150	306	Horizontal
3	5937.371	34.34	52.23	17.89	68.30	16.07	150	78	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11A_6Mbps_5825	Voltage:	DC 5V
Environment:	23.8℃/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:15:41

Test Graph



Suspected Data List									
NO.	Frequency (MHz)	Reading(dBμV/m)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5853.674	34.67	52.30	17.63	113.92	61.62	150	349	Vertical
2	5884.380	34.83	52.56	17.73	98.34	45.78	150	191	Vertical
3	5940.260	34.46	52.36	17.90	68.30	15.94	150	46	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11N40_MCS0_5190	Voltage:	DC 5V
Environment:	23.8°C/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:19:05

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBµV/m)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5149.362	58.29	56.03	-2.26	68.20	12.17	100	296	Horizontal
2	5150.038	54.56	52.31	-2.25	68.20	15.89	100	306	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBµV/m)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5149.362	35.78	-2.26	33.52	54.00	20.48	100	296	Horizontal
2	5150.038	33.89	-2.25	31.64	54.00	22.36	100	306	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11N40_MCS0_5190	Voltage:	DC 5V
Environment:	23.8°C/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:20:02

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBµV/m)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.899	50.38	48.11	-2.27	68.20	20.09	100	39	Vertical
2	5150.038	49.34	47.09	-2.25	68.20	21.11	100	46	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11N40_MCS0_5310	Voltage:	DC 5V
Environment:	23.8°C/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:31:28

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBµV/m)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.055	35.23	51.52	16.29	68.20	16.68	150	315	Horizontal
2	5375.448	37.30	53.71	16.41	68.20	14.49	150	2	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11N40_MCS0_5310	Voltage:	DC 5V
Environment:	23.8°C/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:32:14

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.055	35.68	51.97	16.29	68.20	16.23	150	3	Vertical
2	5384.212	37.51	53.96	16.45	68.20	14.24	150	281	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11N40_MCS0_5510	Voltage:	DC 5V
Environment:	23.8°C/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:35:30

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5439.617	36.97	53.63	16.66	68.20	14.57	150	2	Horizontal
2	5460.040	34.77	51.51	16.74	68.20	16.69	150	70	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11N40_MCS0_5510	Voltage:	DC 5V
Environment:	23.8°C/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:36:16

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBµV/m)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5430.355	37.32	53.95	16.63	68.20	14.25	150	208	Vertical
2	5460.040	34.69	51.43	16.74	68.20	16.77	150	320	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11N40_MCS0_5670	Voltage:	DC 5V
Environment:	23.8°C/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:39:39

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBµV/m)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.013	36.13	53.33	17.20	68.20	14.87	150	298	Horizontal
2	5761.716	37.47	54.80	17.33	68.20	13.40	150	111	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading(dBµV/m)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5761.716	29.56	17.33	46.89	54.00	7.11	150	111	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11N40_MCS0_5670	Voltage:	DC 5V
Environment:	23.8°C/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:40:24

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.013	36.01	53.21	17.20	68.20	14.99	150	94	Vertical
2	5750.835	37.72	55.01	17.29	68.20	13.19	150	118	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5750.835	30.17	17.29	47.46	54.00	6.54	150	118	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11N40_MCS0_5755	Voltage:	DC 5V
Environment:	23.8℃/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:45:09

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5647.566	35.92	52.92	17.00	68.30	15.38	150	329	Horizontal
2	5685.385	34.99	52.06	17.07	94.52	42.46	150	150	Horizontal
3	5724.487	34.86	52.05	17.19	121.13	69.08	150	315	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11N40_MCS0_5755	Voltage:	DC 5V
Environment:	23.8℃/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:45:55

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5647.499	34.89	51.89	17.00	68.30	16.41	150	352	Vertical
2	5688.829	34.39	51.47	17.08	97.06	45.59	150	159	Vertical
3	5721.178	34.61	51.79	17.18	113.59	61.80	150	125	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11N40_MCS0_5795	Voltage:	DC 5V
Environment:	23.8℃/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:48:49

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5854.372	34.70	52.33	17.63	112.33	60.00	150	359	Horizontal
2	5880.485	34.62	52.33	17.71	101.23	48.90	150	95	Horizontal
3	5937.214	34.51	52.40	17.89	68.30	15.90	150	234	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:			
EUT:			
Model:	XPMALL-WIFI-01	SN:	
Mode:	11N40_MCS0_5795	Voltage:	DC 5V
Environment:	23.8℃/42%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-03-16 23:49:35

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5851.491	34.33	51.95	17.62	118.90	66.95	150	104	Vertical
2	5876.793	34.88	52.58	17.70	103.97	51.39	150	111	Vertical
3	5933.702	34.84	52.72	17.88	68.30	15.58	150	38	Vertical

Note1: Level=Reading+Factor, Margin=Limit - Level