


A.6 Band Edge

1. Cat-M_Band18(part22)


1.1. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:23965, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-49.47	-13	36.47	Pass	401
822	823	0.1	RMS	823	-44.22	-13	31.22	Pass	401
823	824	0.002	RMS	823.938	-45.51	-13	32.51	Pass	1001
824	844	0.1	RMS	824.35	18.02	30	11.98	Pass	401




1.2. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:23965, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.865	-46.93	-13	33.93	Pass	401
822	823	0.1	RMS	822.993	-38.34	-13	25.34	Pass	401
823	824	0.015	RMS	824	-38.73	-13	25.73	Pass	401
824	844	0.1	RMS	824.55	10.37	30	19.63	Pass	401




1.3. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:23965, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-51.46	-13	38.46	Pass	401
822	823	0.1	RMS	823	-46.23	-13	33.23	Pass	401
823	824	0.002	RMS	823.987	-43.81	-13	30.81	Pass	1001
824	844	0.1	RMS	824.35	18.12	30	11.88	Pass	401




1.4. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:23965, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-45.97	-13	32.97	Pass	401
822	823	0.1	RMS	823	-37.32	-13	24.32	Pass	401
823	824	0.015	RMS	824	-36.49	-13	23.49	Pass	401
824	844	0.1	RMS	824.35	10.95	30	19.05	Pass	401




1.5. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:23975, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	830	0.1	RMS	829.65	18.43	30	11.57	Pass	401
830	831	0.002	RMS	830.003	-42.25	-13	29.25	Pass	1001
831	832	0.1	RMS	831	-38.97	-13	25.97	Pass	401
832	850	0.1	RMS	832	-44.27	-13	31.27	Pass	401




1.6. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:23975, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	830	0.1	RMS	829	10.09	30	19.91	Pass	401
830	831	0.015	RMS	830	-35.78	-13	22.78	Pass	401
831	832	0.1	RMS	831	-40.04	-13	27.04	Pass	401
832	850	0.1	RMS	832.135	-47.58	-13	34.58	Pass	401




1.7. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:23975, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	830	0.1	RMS	829.65	18.41	30	11.59	Pass	401
830	831	0.002	RMS	830	-44.66	-13	31.66	Pass	1001
831	832	0.1	RMS	831.095	-43.43	-13	30.43	Pass	401
832	850	0.1	RMS	832.045	-48.02	-13	35.02	Pass	401



1.8. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:23975, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	830	0.1	RMS	829.05	10.88	30	19.12	Pass	401
830	831	0.015	RMS	830.008	-33.25	-13	20.25	Pass	401
831	832	0.1	RMS	831	-38.15	-13	25.15	Pass	401
832	850	0.1	RMS	832	-45.16	-13	32.16	Pass	401



2. Cat-M_Band19


2.1. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:24025, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	828	0.1	RMS	827.82	-51.07	-13	38.07	Pass	401
828	829	0.1	RMS	828.795	-45.79	-13	32.79	Pass	401
829	830	0.002	RMS	829.988	-45.34	-13	32.34	Pass	1001
830	850	0.1	RMS	830.35	18.3	30	11.7	Pass	401




2.2. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:24025, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	828	0.1	RMS	827.775	-48.19	-13	35.19	Pass	401
828	829	0.1	RMS	829	-39.17	-13	26.17	Pass	401
829	830	0.015	RMS	830	-39.28	-13	26.28	Pass	401
830	850	0.1	RMS	830.45	10.17	30	19.83	Pass	401




2.3. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:24025, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	828	0.1	RMS	827.955	-48.41	-13	35.41	Pass	401
828	829	0.1	RMS	828.985	-42.99	-13	29.99	Pass	401
829	830	0.002	RMS	829.999	-43.3	-13	30.3	Pass	1001
830	850	0.1	RMS	830.35	18.31	30	11.69	Pass	401




2.4. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:24025, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	828	0.1	RMS	828	-47.26	-13	34.26	Pass	401
828	829	0.1	RMS	829	-38.62	-13	25.62	Pass	401
829	830	0.015	RMS	829.993	-36.78	-13	23.78	Pass	401
830	850	0.1	RMS	830.6	10.65	30	19.35	Pass	401




2.5. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:24125, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	845	0.1	RMS	844.65	18.07	30	11.93	Pass	401
845	846	0.002	RMS	845.014	-43.13	-13	30.13	Pass	1001
846	847	0.1	RMS	846	-39.48	-13	26.48	Pass	401
847	865	0.1	RMS	847	-44.67	-13	31.67	Pass	401




2.6. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:24125, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	845	0.1	RMS	844.25	10.09	30	19.91	Pass	401
845	846	0.015	RMS	845.008	-35.99	-13	22.99	Pass	401
846	847	0.1	RMS	846	-40.95	-13	27.95	Pass	401
847	865	0.1	RMS	847	-47.64	-13	34.64	Pass	401




2.7. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:24125, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	845	0.1	RMS	844.65	17.97	30	12.03	Pass	401
845	846	0.002	RMS	845.009	-43.39	-13	30.39	Pass	1001
846	847	0.1	RMS	846.063	-39.1	-13	26.1	Pass	401
847	865	0.1	RMS	847	-45.25	-13	32.25	Pass	401




2.8. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:24125, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	845	0.1	RMS	843.95	10.66	30	19.34	Pass	401
845	846	0.015	RMS	845.008	-33.1	-13	20.1	Pass	401
846	847	0.1	RMS	846.048	-38.55	-13	25.55	Pass	401
847	865	0.1	RMS	847	-45.37	-13	32.37	Pass	401




2.9. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:24050, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	828	0.1	RMS	828	-51.8	-13	38.8	Pass	401
828	829	0.1	RMS	828.995	-46.8	-13	33.8	Pass	401
829	830	0.002	RMS	829.99	-54.93	-13	41.93	Pass	1001
830	850	0.1	RMS	830.75	18.03	30	11.97	Pass	401




2.10. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:24050, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	828	0.1	RMS	827.82	-48.38	-13	35.38	Pass	401
828	829	0.1	RMS	828.993	-41.99	-13	28.99	Pass	401
829	830	0.015	RMS	829.623	-39.59	-13	26.59	Pass	401
830	850	0.1	RMS	831	10.07	30	19.93	Pass	401




2.11. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:24050, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	828	0.1	RMS	826.92	-52.68	-13	39.68	Pass	401
828	829	0.1	RMS	828.975	-49.03	-13	36.03	Pass	401
829	830	0.002	RMS	829.923	-56.89	-13	43.89	Pass	1001
830	850	0.1	RMS	830.75	17.79	30	12.21	Pass	401




2.12. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:24050, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	828	0.1	RMS	828	-47.27	-13	34.27	Pass	401
828	829	0.1	RMS	828.993	-40.62	-13	27.62	Pass	401
829	830	0.015	RMS	829.97	-36.79	-13	23.79	Pass	401
830	850	0.1	RMS	830.9	11.71	30	18.29	Pass	401




2.13. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:24100, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	845	0.1	RMS	844.2	17.81	30	12.19	Pass	401
845	846	0.002	RMS	845.033	-54.68	-13	41.68	Pass	1001
846	847	0.1	RMS	846.033	-45.48	-13	32.48	Pass	401
847	865	0.1	RMS	847	-51.71	-13	38.71	Pass	401




2.14. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:24100, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	845	0.1	RMS	843.55	10.23	30	19.77	Pass	401
845	846	0.015	RMS	845.013	-40	-13	27	Pass	401
846	847	0.1	RMS	846.02	-42.16	-13	29.16	Pass	401
847	865	0.1	RMS	847	-48.05	-13	35.05	Pass	401




2.15. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:24100, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	845	0.1	RMS	844.25	17.8	30	12.2	Pass	401
845	846	0.002	RMS	845.031	-56.7	-13	43.7	Pass	1001
846	847	0.1	RMS	846.098	-48.2	-13	35.2	Pass	401
847	865	0.1	RMS	848.08	-51.93	-13	38.93	Pass	401




2.16. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:24100, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	845	0.1	RMS	843.6	11.68	30	18.32	Pass	401
845	846	0.015	RMS	845	-36.48	-13	23.48	Pass	401
846	847	0.1	RMS	846	-41.04	-13	28.04	Pass	401
847	865	0.1	RMS	847	-46.33	-13	33.33	Pass	401




2.17. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:24075, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	828	0.1	RMS	827.145	-52.44	-13	39.44	Pass	401
828	829	0.1	RMS	829	-48.19	-13	35.19	Pass	401
829	830	0.002	RMS	829.983	-57.38	-13	44.38	Pass	1001
830	850	0.1	RMS	831	17.86	30	12.14	Pass	401




2.18. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:24075, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	828	0.1	RMS	828	-48.31	-13	35.31	Pass	401
828	829	0.1	RMS	829	-42.36	-13	29.36	Pass	401
829	830	0.015	RMS	829.868	-37.55	-13	24.55	Pass	401
830	850	0.1	RMS	831.25	11.26	30	18.74	Pass	401




2.19. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:24075, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	828	0.1	RMS	827.19	-52.35	-13	39.35	Pass	401
828	829	0.1	RMS	829	-50.31	-13	37.31	Pass	401
829	830	0.002	RMS	829.996	-59.07	-13	46.07	Pass	1001
830	850	0.1	RMS	831	17.89	30	12.11	Pass	401




2.20. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:24075, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	828	0.1	RMS	827.775	-48.35	-13	35.35	Pass	401
828	829	0.1	RMS	829	-43.93	-13	30.93	Pass	401
829	830	0.015	RMS	829.963	-40.46	-13	27.46	Pass	401
830	850	0.1	RMS	831.05	11.72	30	18.28	Pass	401




2.21. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:24075, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	845	0.1	RMS	844	17.91	30	12.09	Pass	401
845	846	0.002	RMS	845.014	-57.06	-13	44.06	Pass	1001
846	847	0.1	RMS	846.075	-46.81	-13	33.81	Pass	401
847	865	0.1	RMS	847.81	-51.65	-13	38.65	Pass	401




2.22. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:24075, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	845	0.1	RMS	843.3	11.18	30	18.82	Pass	401
845	846	0.015	RMS	845.038	-39.88	-13	26.88	Pass	401
846	847	0.1	RMS	846	-43.38	-13	30.38	Pass	401
847	865	0.1	RMS	847	-48.45	-13	35.45	Pass	401




2.23. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:24075, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	845	0.1	RMS	843.95	17.65	30	12.35	Pass	401
845	846	0.002	RMS	845.003	-59.91	-13	46.91	Pass	1001
846	847	0.1	RMS	846	-50.14	-13	37.14	Pass	401
847	865	0.1	RMS	847.855	-52.07	-13	39.07	Pass	401



2.24. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:24075, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:5, RB Position:1)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
825	845	0.1	RMS	843.4	11.74	30	18.26	Pass	401
845	846	0.015	RMS	845	-41.54	-13	28.54	Pass	401
846	847	0.1	RMS	846.145	-41.67	-13	28.67	Pass	401
847	865	0.1	RMS	847.135	-47.25	-13	34.25	Pass	401



3. Cat-M_Band26(part22)


3.1. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.82	-45.89	-13	32.89	Pass	401
822	823	0.1	RMS	822.92	-40.31	-13	27.31	Pass	401
823	824	0.002	RMS	823.999	-34.14	-13	21.14	Pass	1001
824	844	0.1	RMS	824.25	18.1	30	11.9	Pass	401




3.2. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-47.3	-13	34.3	Pass	401
822	823	0.1	RMS	823	-39.15	-13	26.15	Pass	401
823	824	0.015	RMS	824	-34.56	-13	21.56	Pass	401
824	844	0.1	RMS	824.45	9.23	30	20.77	Pass	401




3.3. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.91	-46.82	-13	33.82	Pass	401
822	823	0.1	RMS	822.988	-41.04	-13	28.04	Pass	401
823	824	0.002	RMS	823.995	-35.45	-13	22.45	Pass	1001
824	844	0.1	RMS	824.25	17.24	30	12.76	Pass	401




3.4. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-47.37	-13	34.37	Pass	401
822	823	0.1	RMS	823	-38.77	-13	25.77	Pass	401
823	824	0.015	RMS	824	-32.44	-13	19.44	Pass	401
824	844	0.1	RMS	824.45	9.74	30	20.26	Pass	401




3.5. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.75	17.96	30	12.04	Pass	401
849	850	0.002	RMS	849.005	-35.07	-13	22.07	Pass	1001
850	851	0.1	RMS	850	-40.34	-13	27.34	Pass	401
851	869	0.1	RMS	851.045	-45.82	-13	32.82	Pass	401




3.6. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.05	9.08	30	20.92	Pass	401
849	850	0.015	RMS	849	-34.33	-13	21.33	Pass	401
850	851	0.1	RMS	850.163	-40.77	-13	27.77	Pass	401
851	869	0.1	RMS	851	-46.37	-13	33.37	Pass	401




3.7. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.75	17.04	30	12.96	Pass	401
849	850	0.002	RMS	849.007	-36.15	-13	23.15	Pass	1001
850	851	0.1	RMS	850.19	-40.3	-13	27.3	Pass	401
851	869	0.1	RMS	851.135	-46.8	-13	33.8	Pass	401




3.8. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.25	9.59	30	20.41	Pass	401
849	850	0.015	RMS	849	-33.5	-13	20.5	Pass	401
850	851	0.1	RMS	850	-42.09	-13	29.09	Pass	401
851	869	0.1	RMS	851	-48.42	-13	35.42	Pass	401




3.9. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:26805, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-45.87	-13	32.87	Pass	401
822	823	0.1	RMS	822.993	-40.61	-13	27.61	Pass	401
823	824	0.002	RMS	823.988	-45.3	-13	32.3	Pass	1001
824	844	0.1	RMS	824.4	18.2	30	11.8	Pass	401




3.10. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:26805, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-49.05	-13	36.05	Pass	401
822	823	0.1	RMS	822.998	-40.97	-13	27.97	Pass	401
823	824	0.015	RMS	823.995	-40.89	-13	27.89	Pass	401
824	844	0.1	RMS	824.6	9.23	30	20.77	Pass	401




3.11. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:26805, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-47.3	-13	34.3	Pass	401
822	823	0.1	RMS	822.998	-41.88	-13	28.88	Pass	401
823	824	0.002	RMS	823.985	-47.67	-13	34.67	Pass	1001
824	844	0.1	RMS	824.4	17.26	30	12.74	Pass	401




3.12. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:26805, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-48.48	-13	35.48	Pass	401
822	823	0.1	RMS	822.998	-40.47	-13	27.47	Pass	401
823	824	0.015	RMS	824	-39.42	-13	26.42	Pass	401
824	844	0.1	RMS	824.6	9.79	30	20.21	Pass	401




3.13. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:27025, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.55	17.84	30	12.16	Pass	401
849	850	0.002	RMS	849.011	-47.6	-13	34.6	Pass	1001
850	851	0.1	RMS	850.09	-41.2	-13	28.2	Pass	401
851	869	0.1	RMS	851	-46.17	-13	33.17	Pass	401




3.14. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:27025, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.85	9.04	30	20.96	Pass	401
849	850	0.015	RMS	849.1	-39.76	-13	26.76	Pass	401
850	851	0.1	RMS	850.085	-41.52	-13	28.52	Pass	401
851	869	0.1	RMS	851	-47.75	-13	34.75	Pass	401




3.15. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:27025, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.6	17.01	30	12.99	Pass	401
849	850	0.002	RMS	849.001	-47.11	-13	34.11	Pass	1001
850	851	0.1	RMS	850.005	-41.68	-13	28.68	Pass	401
851	869	0.1	RMS	851	-46.77	-13	33.77	Pass	401




3.16. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:27025, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.85	9.52	30	20.48	Pass	401
849	850	0.015	RMS	849	-39.37	-13	26.37	Pass	401
850	851	0.1	RMS	850	-43.16	-13	30.16	Pass	401
851	869	0.1	RMS	851	-49.85	-13	36.85	Pass	401




3.17. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:26815, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-49.94	-13	36.94	Pass	401
822	823	0.1	RMS	823	-44.28	-13	31.28	Pass	401
823	824	0.002	RMS	823.993	-45.87	-13	32.87	Pass	1001
824	844	0.1	RMS	824.35	17.8	30	12.2	Pass	401




3.18. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:26815, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.955	-47.31	-13	34.31	Pass	401
822	823	0.1	RMS	822.998	-38.47	-13	25.47	Pass	401
823	824	0.015	RMS	824	-39.02	-13	26.02	Pass	401
824	844	0.1	RMS	824.55	10.23	30	19.77	Pass	401




3.19. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:26815, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-51.51	-13	38.51	Pass	401
822	823	0.1	RMS	823	-46.42	-13	33.42	Pass	401
823	824	0.002	RMS	823.987	-44.39	-13	31.39	Pass	1001
824	844	0.1	RMS	824.35	17.87	30	12.13	Pass	401




3.20. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:26815, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-46.26	-13	33.26	Pass	401
822	823	0.1	RMS	823	-37.87	-13	24.87	Pass	401
823	824	0.015	RMS	823.983	-37.16	-13	24.16	Pass	401
824	844	0.1	RMS	824.35	10.62	30	19.38	Pass	401




3.21. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:27015, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	17.71	30	12.29	Pass	401
849	850	0.002	RMS	849.001	-46.44	-13	33.44	Pass	1001
850	851	0.1	RMS	850.085	-43.56	-13	30.56	Pass	401
851	869	0.1	RMS	851	-50.15	-13	37.15	Pass	401




3.22. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:27015, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.95	10.07	30	19.93	Pass	401
849	850	0.015	RMS	849.003	-35.55	-13	22.55	Pass	401
850	851	0.1	RMS	850.15	-39.97	-13	26.97	Pass	401
851	869	0.1	RMS	851.045	-46.67	-13	33.67	Pass	401




3.23. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:27015, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	17.61	30	12.39	Pass	401
849	850	0.002	RMS	849.009	-48.01	-13	35.01	Pass	1001
850	851	0.1	RMS	850.078	-46.27	-13	33.27	Pass	401
851	869	0.1	RMS	851	-51.72	-13	38.72	Pass	401




3.24. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:27015, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.95	10.47	30	19.53	Pass	401
849	850	0.015	RMS	849	-33.93	-13	20.93	Pass	401
850	851	0.1	RMS	850.03	-38.69	-13	25.69	Pass	401
851	869	0.1	RMS	851	-45.26	-13	32.26	Pass	401




3.25. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:26840, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-51.83	-13	38.83	Pass	401
822	823	0.1	RMS	823	-46.9	-13	33.9	Pass	401
823	824	0.002	RMS	823.992	-54.97	-13	41.97	Pass	1001
824	844	0.1	RMS	824.75	18.03	30	11.97	Pass	401




3.26. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:26840, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.82	-48.38	-13	35.38	Pass	401
822	823	0.1	RMS	822.998	-42.28	-13	29.28	Pass	401
823	824	0.015	RMS	823.625	-38.93	-13	25.93	Pass	401
824	844	0.1	RMS	825	10.17	30	19.83	Pass	401




3.27. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:26840, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	820.92	-52.58	-13	39.58	Pass	401
822	823	0.1	RMS	822.98	-49.16	-13	36.16	Pass	401
823	824	0.002	RMS	823.923	-56.59	-13	43.59	Pass	1001
824	844	0.1	RMS	824.75	17.87	30	12.13	Pass	401




3.28. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:26840, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.955	-47.24	-13	34.24	Pass	401
822	823	0.1	RMS	822.968	-40.99	-13	27.99	Pass	401
823	824	0.015	RMS	823.97	-36.67	-13	23.67	Pass	401
824	844	0.1	RMS	824.9	11.76	30	18.24	Pass	401




3.29. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:26990, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.2	17.65	30	12.35	Pass	401
849	850	0.002	RMS	849.021	-54.95	-13	41.95	Pass	1001
850	851	0.1	RMS	850.068	-45.85	-13	32.85	Pass	401
851	869	0.1	RMS	851	-51.9	-13	38.9	Pass	401




3.30. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:26990, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.55	10.11	30	19.89	Pass	401
849	850	0.015	RMS	849	-40.12	-13	27.12	Pass	401
850	851	0.1	RMS	850.013	-43.07	-13	30.07	Pass	401
851	869	0.1	RMS	851	-47.25	-13	34.25	Pass	401




3.31. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:26990, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.2	17.72	30	12.28	Pass	401
849	850	0.002	RMS	849.018	-56.64	-13	43.64	Pass	1001
850	851	0.1	RMS	850.183	-48.61	-13	35.61	Pass	401
851	869	0.1	RMS	852.08	-52.06	-13	39.06	Pass	401




3.32. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:26990, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.55	11.59	30	18.41	Pass	401
849	850	0.015	RMS	849.005	-37.18	-13	24.18	Pass	401
850	851	0.1	RMS	850.043	-40.54	-13	27.54	Pass	401
851	869	0.1	RMS	851	-46.26	-13	33.26	Pass	401




3.33. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:26865, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.145	-52.26	-13	39.26	Pass	401
822	823	0.1	RMS	823	-48.37	-13	35.37	Pass	401
823	824	0.002	RMS	823.983	-57.45	-13	44.45	Pass	1001
824	844	0.1	RMS	825	17.92	30	12.08	Pass	401




3.34. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:26865, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-47.73	-13	34.73	Pass	401
822	823	0.1	RMS	822.998	-41.88	-13	28.88	Pass	401
823	824	0.015	RMS	823.868	-37.15	-13	24.15	Pass	401
824	844	0.1	RMS	825.25	11.31	30	18.69	Pass	401




3.35. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:26865, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.145	-52.72	-13	39.72	Pass	401
822	823	0.1	RMS	823	-50.16	-13	37.16	Pass	401
823	824	0.002	RMS	823.976	-59.76	-13	46.76	Pass	1001
824	844	0.1	RMS	825	17.8	30	12.2	Pass	401




3.36. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:26865, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-48.29	-13	35.29	Pass	401
822	823	0.1	RMS	822.99	-43.36	-13	30.36	Pass	401
823	824	0.015	RMS	823.963	-40.25	-13	27.25	Pass	401
824	844	0.1	RMS	825.25	11.77	30	18.23	Pass	401




3.37. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:26965, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848	17.77	30	12.23	Pass	401
849	850	0.002	RMS	849.001	-57.21	-13	44.21	Pass	1001
850	851	0.1	RMS	850.203	-47.75	-13	34.75	Pass	401
851	869	0.1	RMS	851.855	-51.75	-13	38.75	Pass	401




3.38. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:26965, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.3	11.03	30	18.97	Pass	401
849	850	0.015	RMS	849.028	-40.33	-13	27.33	Pass	401
850	851	0.1	RMS	850.003	-43.51	-13	30.51	Pass	401
851	869	0.1	RMS	851	-47.83	-13	34.83	Pass	401




3.39. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:26965, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848	17.6	30	12.4	Pass	401
849	850	0.002	RMS	849.009	-60.19	-13	47.19	Pass	1001
850	851	0.1	RMS	850	-50.24	-13	37.24	Pass	401
851	869	0.1	RMS	851.81	-52.29	-13	39.29	Pass	401



3.40. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:26965, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:5, RB Position:1)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.4	11.53	30	18.47	Pass	401
849	850	0.015	RMS	849.028	-42.71	-13	29.71	Pass	401
850	851	0.1	RMS	850.003	-43.2	-13	30.2	Pass	401
851	869	0.1	RMS	851.225	-47.8	-13	34.8	Pass	401



1. Cat-M_Band18(part90)


1.1. Cat-M Band Edge_Part90(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
795	814.9625	0.1	RMS	814.963	-28.55	-13	15.55	Pass	401
814.9625	815	0.002	RMS	814.967	-44.8	-20	24.8	Pass	401
815	835	0.1	RMS	815.35	18.18	30	11.82	Pass	401




1.2. Cat-M Band Edge_Part90(Subtest:2, Channel:23875, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
795	814.9625	0.1	RMS	814.963	-30.9	-13	17.9	Pass	401
814.9625	815	0.015	RMS	815	-38.26	-20	18.26	Pass	401
815	835	0.1	RMS	815.55	10.42	30	19.58	Pass	401




1.3. Cat-M Band Edge_Part90(Subtest:3, Channel:23875, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
795	814.9625	0.1	RMS	814.963	-30.51	-13	17.51	Pass	401
814.9625	815	0.002	RMS	814.987	-43.3	-20	23.3	Pass	401
815	835	0.1	RMS	815.35	18.09	30	11.91	Pass	401




1.4. Cat-M Band Edge_Part90(Subtest:4, Channel:23875, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
795	814.9625	0.1	RMS	814.963	-28.28	-13	15.28	Pass	401
814.9625	815	0.015	RMS	815	-36.09	-20	16.09	Pass	401
815	835	0.1	RMS	815.35	11	30	19	Pass	401




1.5. Cat-M Band Edge_Part90(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.65	18.05	30	11.95	Pass	401
824	824.0375	0.002	RMS	824	-44.91	-20	24.91	Pass	401
824.0375	844	0.1	RMS	824.038	-29.05	-13	16.05	Pass	401




1.6. Cat-M Band Edge_Part90(Subtest:6, Channel:23915, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.95	10.39	30	19.61	Pass	401
824	824.0375	0.015	RMS	824.007	-36.2	-20	16.2	Pass	401
824.0375	844	0.1	RMS	824.038	-28.89	-13	15.89	Pass	401




1.7. Cat-M Band Edge_Part90(Subtest:7, Channel:23915, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.65	17.96	30	12.04	Pass	401
824	824.0375	0.002	RMS	824.014	-46.41	-20	26.41	Pass	401
824.0375	844	0.1	RMS	824.038	-30.68	-13	17.68	Pass	401



1.8. Cat-M Band Edge_Part90(Subtest:8, Channel:23915, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.95	10.89	30	19.11	Pass	401
824	824.0375	0.015	RMS	824.016	-34.27	-20	14.27	Pass	401
824.0375	844	0.1	RMS	824.038	-27.46	-13	14.46	Pass	401



2. Cat-M_Band26(part90)


2.1. Cat-M Band Edge_Part90(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-18.49	-13	5.49	Pass	401
813.9625	814	0.002	RMS	813.999	-33.66	-20	13.66	Pass	401
814	834	0.1	RMS	814.25	18.27	30	11.73	Pass	401




2.2. Cat-M Band Edge_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-26.84	-13	13.84	Pass	401
813.9625	814	0.015	RMS	813.999	-34.35	-20	14.35	Pass	401
814	834	0.1	RMS	814.45	9.41	30	20.59	Pass	401




2.3. Cat-M Band Edge_Part90(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-20.59	-13	7.59	Pass	401
813.9625	814	0.002	RMS	813.995	-34.99	-20	14.99	Pass	401
814	834	0.1	RMS	814.25	17.41	30	12.59	Pass	401




2.4. Cat-M Band Edge_Part90(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-24.3	-13	11.3	Pass	401
813.9625	814	0.015	RMS	814	-32.38	-20	12.38	Pass	401
814	834	0.1	RMS	814.45	9.8	30	20.2	Pass	401




2.5. Cat-M Band Edge_Part90(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.75	17.95	30	12.05	Pass	401
824	824.0375	0.002	RMS	824.006	-34.02	-20	14.02	Pass	401
824.0375	844	0.1	RMS	824.038	-20.31	-13	7.31	Pass	401




2.6. Cat-M Band Edge_Part90(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.05	9.26	30	20.74	Pass	401
824	824.0375	0.015	RMS	824.002	-34.12	-20	14.12	Pass	401
824.0375	844	0.1	RMS	824.038	-26.64	-13	13.64	Pass	401




2.7. Cat-M Band Edge_Part90(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.75	17.11	30	12.89	Pass	401
824	824.0375	0.002	RMS	824.007	-35.63	-20	15.63	Pass	401
824.0375	844	0.1	RMS	824.038	-20.87	-13	7.87	Pass	401




2.8. Cat-M Band Edge_Part90(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.25	9.58	30	20.42	Pass	401
824	824.0375	0.015	RMS	824.001	-33.83	-20	13.83	Pass	401
824.0375	844	0.1	RMS	824.038	-26.34	-13	13.34	Pass	401




2.9. Cat-M Band Edge_Part90(Subtest:1, Channel:26705, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-29.59	-13	16.59	Pass	401
813.9625	814	0.002	RMS	813.988	-45.02	-20	25.02	Pass	401
814	834	0.1	RMS	814.4	18.23	30	11.77	Pass	401




2.10. Cat-M Band Edge_Part90(Subtest:2, Channel:26705, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-32.29	-13	19.29	Pass	401
813.9625	814	0.015	RMS	813.997	-39.89	-20	19.89	Pass	401
814	834	0.1	RMS	814.6	9.35	30	20.65	Pass	401




2.11. Cat-M Band Edge_Part90(Subtest:3, Channel:26705, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.913	-33.06	-13	20.06	Pass	401
813.9625	814	0.002	RMS	813.985	-46.9	-20	26.9	Pass	401
814	834	0.1	RMS	814.4	17.41	30	12.59	Pass	401




2.12. Cat-M Band Edge_Part90(Subtest:4, Channel:26705, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.913	-31.53	-13	18.53	Pass	401
813.9625	814	0.015	RMS	813.97	-38.44	-20	18.44	Pass	401
814	834	0.1	RMS	814.6	9.86	30	20.14	Pass	401




2.13. Cat-M Band Edge_Part90(Subtest:5, Channel:26775, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.55	17.96	30	12.04	Pass	401
824	824.0375	0.002	RMS	824.012	-46.65	-20	26.65	Pass	401
824.0375	844	0.1	RMS	824.038	-31.7	-13	18.7	Pass	401




2.14. Cat-M Band Edge_Part90(Subtest:6, Channel:26775, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.85	9.28	30	20.72	Pass	401
824	824.0375	0.015	RMS	824.021	-40.69	-20	20.69	Pass	401
824.0375	844	0.1	RMS	824.038	-33.48	-13	20.48	Pass	401




2.15. Cat-M Band Edge_Part90(Subtest:7, Channel:26775, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.55	17.11	30	12.89	Pass	401
824	824.0375	0.002	RMS	824.002	-47.15	-20	27.15	Pass	401
824.0375	844	0.1	RMS	824.038	-31.81	-13	18.81	Pass	401




2.16. Cat-M Band Edge_Part90(Subtest:8, Channel:26775, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.85	9.58	30	20.42	Pass	401
824	824.0375	0.015	RMS	824.017	-40.6	-20	20.6	Pass	401
824.0375	844	0.1	RMS	824.038	-33.17	-13	20.17	Pass	401




2.17. Cat-M Band Edge_Part90(Subtest:1, Channel:26715, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-29.52	-13	16.52	Pass	401
813.9625	814	0.002	RMS	813.993	-45.28	-20	25.28	Pass	401
814	834	0.1	RMS	814.35	17.9	30	12.1	Pass	401




2.18. Cat-M Band Edge_Part90(Subtest:2, Channel:26715, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-30.86	-13	17.86	Pass	401
813.9625	814	0.015	RMS	814	-38.29	-20	18.29	Pass	401
814	834	0.1	RMS	814.55	10.29	30	19.71	Pass	401




2.19. Cat-M Band Edge_Part90(Subtest:3, Channel:26715, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-29.85	-13	16.85	Pass	401
813.9625	814	0.002	RMS	813.987	-43.45	-20	23.45	Pass	401
814	834	0.1	RMS	814.35	18	30	12	Pass	401




2.20. Cat-M Band Edge_Part90(Subtest:4, Channel:26715, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-28.87	-13	15.87	Pass	401
813.9625	814	0.015	RMS	813.987	-36.55	-20	16.55	Pass	401
814	834	0.1	RMS	814.35	10.76	30	19.24	Pass	401




2.21. Cat-M Band Edge_Part90(Subtest:5, Channel:26765, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.65	17.78	30	12.22	Pass	401
824	824.0375	0.002	RMS	824.001	-45.07	-20	25.07	Pass	401
824.0375	844	0.1	RMS	824.038	-29.16	-13	16.16	Pass	401




2.22. Cat-M Band Edge_Part90(Subtest:6, Channel:26765, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.95	10.23	30	19.77	Pass	401
824	824.0375	0.015	RMS	824.001	-36.63	-20	16.63	Pass	401
824.0375	844	0.1	RMS	824.038	-29.5	-13	16.5	Pass	401




2.23. Cat-M Band Edge_Part90(Subtest:7, Channel:26765, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.65	17.71	30	12.29	Pass	401
824	824.0375	0.002	RMS	824.014	-46.72	-20	26.72	Pass	401
824.0375	844	0.1	RMS	824.038	-31.85	-13	18.85	Pass	401




2.24. Cat-M Band Edge_Part90(Subtest:8, Channel:26765, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.95	10.64	30	19.36	Pass	401
824	824.0375	0.015	RMS	824.016	-34.61	-20	14.61	Pass	401
824.0375	844	0.1	RMS	824.038	-27.73	-13	14.73	Pass	401




2.25. Cat-M Band Edge_Part90(Subtest:1, Channel:26740, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-39.19	-13	26.19	Pass	401
813.9625	814	0.002	RMS	813.992	-54.91	-20	34.91	Pass	401
814	834	0.1	RMS	814.75	18.01	30	11.99	Pass	401




2.26. Cat-M Band Edge_Part90(Subtest:2, Channel:26740, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.663	-31.82	-13	18.82	Pass	401
813.9625	814	0.015	RMS	813.998	-41.04	-20	21.04	Pass	401
814	834	0.1	RMS	815	10.26	30	19.74	Pass	401




2.27. Cat-M Band Edge_Part90(Subtest:3, Channel:26740, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-41.13	-13	28.13	Pass	401
813.9625	814	0.002	RMS	813.999	-56.16	-20	36.16	Pass	401
814	834	0.1	RMS	814.75	17.88	30	12.12	Pass	401




2.28. Cat-M Band Edge_Part90(Subtest:4, Channel:26740, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-28.83	-13	15.83	Pass	401
813.9625	814	0.015	RMS	813.972	-36.26	-20	16.26	Pass	401
814	834	0.1	RMS	814.9	11.78	30	18.22	Pass	401




2.29. Cat-M Band Edge_Part90(Subtest:5, Channel:26740, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.2	17.77	30	12.23	Pass	401
824	824.0375	0.002	RMS	824.02	-54.66	-20	34.66	Pass	401
824.0375	844	0.1	RMS	824.038	-39.69	-13	26.69	Pass	401




2.30. Cat-M Band Edge_Part90(Subtest:6, Channel:26740, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.55	10.36	30	19.64	Pass	401
824	824.0375	0.015	RMS	824.001	-40.82	-20	20.82	Pass	401
824.0375	844	0.1	RMS	824.038	-33.76	-13	20.76	Pass	401




2.31. Cat-M Band Edge_Part90(Subtest:7, Channel:26740, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.2	17.84	30	12.16	Pass	401
824	824.0375	0.002	RMS	824.019	-56.34	-20	36.34	Pass	401
824.0375	844	0.1	RMS	824.038	-41.66	-13	28.66	Pass	401



2.32. Cat-M Band Edge_Part90(Subtest:8, Channel:26740, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.5	11.73	30	18.27	Pass	401
824	824.0375	0.015	RMS	824.006	-37.11	-20	17.11	Pass	401
824.0375	844	0.1	RMS	824.038	-29.65	-13	16.65	Pass	401



1. NB-IoT_Band18(824-830)_BPSK_3.75kHz_1@0_Low

1.2. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	822	-45.71	-13	32.71	Pass	401
822	823	0.1	RMS	823	-39.76	-13	26.76	Pass	11
823	823.9	0.02	RMS	823.9	-26.15	-13	13.15	Pass	401
823.9	824	0.000051	RMS	824	-15.6	-13	2.6	Pass	3922
824	834	0.02	RMS	824.01	18.03	30	11.97	Pass	1001



2. NB-IoT_Band18(824-830)_QPSK_3.75kHz_1@0_Low

2.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	822	-44.53	-13	31.53	Pass	401
822	823	0.1	RMS	823	-38.02	-13	25.02	Pass	11
823	823.9	0.02	RMS	823.9	-25	-13	12	Pass	401
823.9	824	0.000051	RMS	824	-15.59	-13	2.59	Pass	3922
824	834	0.02	RMS	824.01	19.4	30	10.6	Pass	1001



3. NB-IoT_Band18(824-830)_BPSK_15kHz_1@0_Low

3.2. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	820.16	-61.31	-13	48.31	Pass	401
822	823	0.1	RMS	822.998	-61.92	-13	48.92	Pass	401
823	823.9	0.02	RMS	823.9	-45.41	-13	32.41	Pass	401
823.9	824	0.00015	RMS	823.994	-16.77	-13	3.77	Pass	1334
824	834	0.02	RMS	824.01	11.07	30	18.93	Pass	1001



4. NB-IoT_Band18(824-830)_QPSK_15kHz_1@0_Low

4.2. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	820.18	-62.47	-13	49.47	Pass	401
822	823	0.1	RMS	823	-61.13	-13	48.13	Pass	401
823	823.9	0.02	RMS	823.9	-46.01	-13	33.01	Pass	401
823.9	824	0.00015	RMS	823.986	-20.87	-13	7.87	Pass	1334
824	834	0.02	RMS	824.02	9.16	30	20.84	Pass	1001



5. NB-IoT_Band18(824-830)_QPSK_15kHz_12@0_Low

5.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	820.24	-62.16	-13	49.16	Pass	401
822	823	0.1	RMS	823	-57.16	-13	44.16	Pass	401
823	823.994	0.002	RMS	823.994	-29.03	-13	16.03	Pass	995
823.994	824	0.002	RMS	823.999	-24.81	-13	11.81	Pass	401
824	834	0.02	RMS	824.09	-1.54	30	31.54	Pass	1001



6. NB-IoT_Band19_BPSK_3.75kHz_1@0_Low

6.2. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	828	0.1	RMS	828	-45.73	-13	32.73	Pass	401
828	829	0.1	RMS	829	-39.68	-13	26.68	Pass	11
829	829.9	0.02	RMS	829.9	-26.15	-13	13.15	Pass	401
829.9	830	0.000051	RMS	830	-15.16	-13	2.16	Pass	3922
830	840	0.02	RMS	830.01	18.1	30	11.9	Pass	1001



7. NB-IoT_Band19_QPSK_3.75kHz_1@0_Low

7.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	828	0.1	RMS	827.98	-44.64	-13	31.64	Pass	401
828	829	0.1	RMS	829	-38.4	-13	25.4	Pass	11
829	829.9	0.02	RMS	829.9	-24.85	-13	11.85	Pass	401
829.9	830	0.000051	RMS	829.992	-22.32	-13	9.32	Pass	3922
830	840	0.02	RMS	830.01	19.43	30	10.57	Pass	1001



8. NB-IoT_Band19_BPSK_15kHz_1@0_Low

8.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	828	0.1	RMS	826.16	-54.38	-13	41.38	Pass	401
828	829	0.1	RMS	828.998	-55.19	-13	42.19	Pass	401
829	829.9	0.02	RMS	829.9	-39.25	-13	26.25	Pass	401
829.9	830	0.00015	RMS	829.984	-13.13	-13	0.13	Pass	1334
830	840	0.02	RMS	830.01	17.72	30	12.28	Pass	1001



9. NB-IoT_Band19_QPSK_15kHz_1@0_Low

9.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	828	0.1	RMS	826.16	-56.48	-13	43.48	Pass	401
828	829	0.1	RMS	828.998	-55.67	-13	42.67	Pass	401
829	829.9	0.02	RMS	829.898	-40.38	-13	27.38	Pass	401
829.9	830	0.00015	RMS	829.984	-14.07	-13	1.07	Pass	1334
830	840	0.02	RMS	830.01	14.98	30	15.02	Pass	1001



10. NB-IoT_Band19_QPSK_15kHz_12@0_Low

10.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	828	0.1	RMS	826.24	-62.13	-13	49.13	Pass	401
828	829	0.1	RMS	829	-57.85	-13	44.85	Pass	11
829	829.994	0.002	RMS	829.986	-27.19	-13	14.19	Pass	995
829.994	830	0.002	RMS	830	-22.33	-13	9.33	Pass	401
830	840	0.02	RMS	830.04	-1.57	30	31.57	Pass	1001



11. NB-IoT_Band26(part22)_BPSK_15kHz_1@0_Low

11.2. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	820.16	-61.33	-13	48.33	Pass	401
822	823	0.1	RMS	823	-62.05	-13	49.05	Pass	11
823	823.9	0.02	RMS	823.9	-45	-13	32	Pass	46
823.9	824	0.00015	RMS	823.97	-27.01	-13	14.01	Pass	1334
824	834	0.02	RMS	824.02	11.27	30	18.73	Pass	1001



12. NB-IoT_Band26(part22)_QPSK_15kHz_1@0_Low

12.2. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	820.16	-57.8	-13	44.8	Pass	401
822	823	0.1	RMS	823	-57.74	-13	44.74	Pass	11
823	823.9	0.02	RMS	823.88	-36.88	-13	23.88	Pass	46
823.9	824	0.00015	RMS	823.985	-28.49	-13	15.49	Pass	1334
824	834	0.02	RMS	824.01	13.76	30	16.24	Pass	1001



13. NB-IoT_Band26(part22)_QPSK_15kHz_12@0_Low

13.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	820.22	-62.21	-13	49.21	Pass	401
822	823	0.1	RMS	823	-56.66	-13	43.66	Pass	11
823	823.994	0.002	RMS	823.986	-28.94	-13	15.94	Pass	995
823.994	824	0.002	RMS	823.999	-24.66	-13	11.66	Pass	401
824	834	0.02	RMS	824.09	-1.48	30	31.48	Pass	1001



14. NB-IoT_Band26(part22)_BPSK_3.75kHz_1@0_Low

14.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	820.16	-54.23	-13	41.23	Pass	401
822	823	0.1	RMS	823	-56.25	-13	43.25	Pass	11
823	823.9	0.02	RMS	823.88	-38.02	-13	25.02	Pass	46
823.9	824	0.000039	RMS	823.995	-13.21	-13	0.21	Pass	5129
824	834	0.02	RMS	824.01	17.94	30	12.06	Pass	1001



15. NB-IoT_Band26(part22)_QPSK_3.75kHz_1@0_Low

15.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	820.16	-55.54	-13	42.54	Pass	401
822	823	0.1	RMS	823	-55.23	-13	42.23	Pass	11
823	823.9	0.02	RMS	823.9	-34.57	-13	21.57	Pass	46
823.9	824	0.000039	RMS	823.999	-13.72	-13	0.72	Pass	5129
824	834	0.02	RMS	824.01	16.09	30	13.91	Pass	1001



1. NB-IoT_Band18(815-824)_BPSK_3.75kHz_1@0_Low

1.2. NB-IoT Band Edge for Lower_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
805	813	0.1	RMS	812.96	-51.16	-13	38.16	Pass	401
813	814	0.1	RMS	813.998	-44.48	-13	31.48	Pass	401
814	814.9625	0.01	RMS	814.963	-23.73	-13	10.73	Pass	401
814.9625	815	0.000039	RMS	815	-20.87	-20	0.87	Pass	1924
815	825	0.02	RMS	815.01	13.26	30	16.74	Pass	1001



2. NB-IoT_Band18(815-824)_QPSK_3.75kHz_1@0_Low

2.2. NB-IoT Band Edge for Lower_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
805	813	0.1	RMS	812.94	-52.21	-13	39.21	Pass	401
813	814	0.1	RMS	814	-45.55	-13	32.55	Pass	401
814	814.9625	0.01	RMS	814.963	-25.17	-13	12.17	Pass	401
814.9625	815	0.000039	RMS	814.995	-25.3	-20	5.3	Pass	1924
815	825	0.02	RMS	815.01	12.33	30	17.67	Pass	1001



3. NB-IoT_Band18(815-824)_BPSK_15kHz_1@0_Low

3.2. NB-IoT Band Edge for Lower_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
805	813	0.1	RMS	811.18	-61.65	-13	48.65	Pass	401
813	814	0.1	RMS	813.998	-62.01	-13	49.01	Pass	401
814	814.9625	0.01	RMS	814.963	-24.13	-13	11.13	Pass	401
814.9625	815	0.00015	RMS	814.994	-21.01	-20	1.01	Pass	501
815	825	0.02	RMS	815.02	10.71	30	19.29	Pass	1001



4. NB-IoT_Band18(815-824)_QPSK_15kHz_1@0_Low

4.2. NB-IoT Band Edge for Lower_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
805	813	0.1	RMS	811.16	-63.12	-13	50.12	Pass	401
813	814	0.1	RMS	813.988	-62.06	-13	49.06	Pass	401
814	814.9625	0.01	RMS	814.963	-25.83	-13	12.83	Pass	401
814.9625	815	0.00015	RMS	814.983	-27.06	-20	7.06	Pass	501
815	825	0.02	RMS	815.02	9.05	30	20.95	Pass	1001



5. NB-IoT_Band18(815-824)_QPSK_15kHz_12@0_Low

5.1. NB-IoT Band Edge for Lower_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
805	813	0.1	RMS	811.22	-63.4	-13	50.4	Pass	401
813	814	0.1	RMS	814	-57.04	-13	44.04	Pass	401
814	814.9625	0.01	RMS	814.963	-34.07	-13	21.07	Pass	401
814.9625	815	0.002	RMS	814.999	-24.12	-20	4.12	Pass	401
815	825	0.02	RMS	815.03	-0.81	30	30.81	Pass	1001



6. NB-IoT_Band26(part90)_BPSK_3.75kHz_1@0_Low

6.3. NB-IoT Band Edge for Lower_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	812	0.1	RMS	812	-50.97	-13	37.97	Pass	401
812	813	0.1	RMS	812.998	-44.43	-13	31.43	Pass	401
813	813.9625	0.01	RMS	813.963	-23.82	-13	10.82	Pass	401
813.9625	814	0.000039	RMS	814	-21.81	-20	1.81	Pass	1924
814	824	0.02	RMS	814.01	13.3	30	16.7	Pass	1001



7. NB-IoT_Band26(part90)_QPSK_3.75kHz_1@0_Low

7.3. NB-IoT Band Edge for Lower_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	812	0.1	RMS	812	-52.04	-13	39.04	Pass	401
812	813	0.1	RMS	813	-45.47	-13	32.47	Pass	401
813	813.9625	0.01	RMS	813.963	-25.06	-13	12.06	Pass	401
813.9625	814	0.000039	RMS	814	-21.75	-20	1.75	Pass	1924
814	824	0.02	RMS	814.01	12.47	30	17.53	Pass	1001



8. NB-IoT_Band26(part90)_QPSK_15kHz_12@0_Low

8.1. NB-IoT Band Edge for Lower_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	812	0.1	RMS	810.22	-62.91	-13	49.91	Pass	401
812	813	0.1	RMS	812.995	-56.96	-13	43.96	Pass	401
813	813.9625	0.01	RMS	813.963	-33.8	-13	20.8	Pass	401
813.9625	814	0.002	RMS	813.999	-24.06	-20	4.06	Pass	401
814	824	0.02	RMS	814.16	-0.85	30	30.85	Pass	1001



9. NB-IoT_Band26(part90)_BPSK_15kHz_1@0_Low

9.1. NB-IoT Band Edge for Lower_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	812	0.1	RMS	810.16	-61.73	-13	48.73	Pass	401
812	813	0.1	RMS	812.998	-61.92	-13	48.92	Pass	401
813	813.9625	0.01	RMS	813.963	-24.22	-13	11.22	Pass	401
813.9625	814	0.00015	RMS	813.982	-21.8	-20	1.8	Pass	501
814	824	0.02	RMS	814.02	10.38	30	19.62	Pass	1001



10. NB-IoT_Band26(part90)_QPSK_15kHz_1@0_Low

10.1. NB-IoT Band Edge for Lower_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	812	0.1	RMS	810.16	-62.84	-13	49.84	Pass	401
812	813	0.1	RMS	812.98	-62.29	-13	49.29	Pass	401
813	813.9625	0.01	RMS	813.963	-26.22	-13	13.22	Pass	401
813.9625	814	0.00015	RMS	813.995	-27.59	-20	7.59	Pass	501
814	824	0.02	RMS	814.02	7.48	30	22.52	Pass	1001



1. NB-IoT_Band18(824-830)_QPSK_3.75kHz_1@47_High

1.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	830	0.02	RMS	829.98	19.17	30	10.83	Pass	1001
830	830.1	0.000051	RMS	830.001	-13.42	-13	0.42	Pass	3922
830.1	831	0.02	RMS	830.1	-23.79	-13	10.79	Pass	401
831	832	0.1	RMS	831	-37.17	-13	24.17	Pass	11
832	840	0.1	RMS	832.02	-43.98	-13	30.98	Pass	401



2. NB-IoT_Band18(824-830)_BPSK_3.75kHz_1@47_High

2.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	830	0.02	RMS	829.98	19.9	30	10.1	Pass	1001
830	830.1	0.000051	RMS	830	-14.1	-13	1.1	Pass	3922
830.1	831	0.02	RMS	830.1	-23.03	-13	10.03	Pass	401
831	832	0.1	RMS	831	-37.26	-13	24.26	Pass	11
832	840	0.1	RMS	832	-43.16	-13	30.16	Pass	401



3. NB-IoT_Band18(824-830)_QPSK_15kHz_1@11_High

3.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	830	0.02	RMS	829.85	19.26	30	10.74	Pass	1001
830	830.1	0.00015	RMS	830	-30.02	-13	17.02	Pass	1334
830.1	831	0.02	RMS	830.1	-30.12	-13	17.12	Pass	401
831	832	0.1	RMS	831	-38.36	-13	25.36	Pass	11
832	840	0.1	RMS	832.02	-44.6	-13	31.6	Pass	401



4. NB-IoT_Band18(824-830)_BPSK_15kHz_1@11_High

4.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	830	0.02	RMS	829.85	20.08	30	9.92	Pass	1001
830	830.1	0.00015	RMS	830.008	-30.47	-13	17.47	Pass	1334
830.1	831	0.02	RMS	830.1	-29.32	-13	16.32	Pass	401
831	832	0.1	RMS	831	-37.87	-13	24.87	Pass	11
832	840	0.1	RMS	832	-43.81	-13	30.81	Pass	401



5. NB-IoT_Band18(824-830)_QPSK_15kHz_12@0_High

5.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	830	0.02	RMS	829.89	-0.98	30	30.98	Pass	1001
830	830.006	0.002	RMS	830.001	-21.49	-13	8.49	Pass	101
830.006	831	0.002	RMS	830.006	-19.31	-13	6.31	Pass	995
831	832	0.1	RMS	831	-53.69	-13	40.69	Pass	11
832	840	0.1	RMS	839.95	-53.85	-13	40.85	Pass	161



6. NB-IoT_Band19_BPSK_3.75kHz_1@47_High

6.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
835	845	0.02	RMS	844.98	17.88	30	12.12	Pass	1001
845	845.1	0.000051	RMS	845.001	-16.31	-13	3.31	Pass	3922
845.1	846	0.02	RMS	845.1	-24.96	-13	11.96	Pass	401
846	847	0.1	RMS	846	-38.77	-13	25.77	Pass	11
847	855	0.1	RMS	847.02	-45.32	-13	32.32	Pass	401



7. NB-IoT_Band19_QPSK_3.75kHz_1@47_High

7.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
835	845	0.02	RMS	844.98	19.25	30	10.75	Pass	1001
845	845.1	0.000051	RMS	845.005	-17.6	-13	4.6	Pass	3922
845.1	846	0.02	RMS	845.1	-23.88	-13	10.88	Pass	401
846	847	0.1	RMS	846	-37.89	-13	24.89	Pass	11
847	855	0.1	RMS	847	-44.08	-13	31.08	Pass	401



8. NB-IoT_Band19_BPSK_15kHz_1@11_High

8.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
835	845	0.02	RMS	844.98	17.8	30	12.2	Pass	1001
845	845.1	0.00015	RMS	845.029	-21.97	-13	8.97	Pass	1334
845.1	846	0.02	RMS	845.1	-37.32	-13	24.32	Pass	401
846	847	0.1	RMS	846.1	-51.35	-13	38.35	Pass	11
847	855	0.1	RMS	848.8	-50.78	-13	37.78	Pass	401



9. NB-IoT_Band19_QPSK_15kHz_1@11_High

9.2. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
835	845	0.02	RMS	844.98	13.53	30	16.47	Pass	1001
845	845.1	0.00015	RMS	845.016	-14.03	-13	1.03	Pass	1334
845.1	846	0.02	RMS	845.1	-41.11	-13	28.11	Pass	401
846	847	0.1	RMS	846.1	-53.7	-13	40.7	Pass	11
847	855	0.1	RMS	848.8	-53.95	-13	40.95	Pass	401



10. NB-IoT_Band19_QPSK_15kHz_12@0_High

10.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
835	845	0.02	RMS	844.83	-1.42	30	31.42	Pass	1001
845	845.006	0.002	RMS	845.001	-21.66	-13	8.66	Pass	401
845.006	846	0.002	RMS	845.006	-20.65	-13	7.65	Pass	995
846	847	0.1	RMS	846	-52.77	-13	39.77	Pass	11
847	855	0.1	RMS	848.8	-53.59	-13	40.59	Pass	401



11. NB-IoT_Band26(part22)_BPSK_3.75kHz_1@47_High

11.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.02	RMS	848.98	18.97	30	11.03	Pass	1001
849	849.1	0.000051	RMS	849.008	-19.09	-13	6.09	Pass	3922
849.1	850	0.02	RMS	849.1	-24.87	-13	11.87	Pass	401
850	851	0.1	RMS	850.003	-37.59	-13	24.59	Pass	401
851	859	0.1	RMS	851	-44.23	-13	31.23	Pass	401



12. NB-IoT_Band26(part22)_QPSK_3.75kHz_1@47_High

12.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.02	RMS	848.98	19.35	30	10.65	Pass	1001
849	849.1	0.000051	RMS	849.001	-14.84	-13	1.84	Pass	3922
849.1	850	0.02	RMS	849.1	-24.67	-13	11.67	Pass	401
850	851	0.1	RMS	850.003	-37.43	-13	24.43	Pass	401
851	859	0.1	RMS	851.02	-44.12	-13	31.12	Pass	401



13. NB-IoT_Band26(part22)_BPSK_15kHz_1@11_High

13.2. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.02	RMS	848.98	11.71	30	18.29	Pass	1001
849	849.1	0.00015	RMS	849.006	-13.74	-13	0.74	Pass	1334
849.1	850	0.02	RMS	849.1	-44.44	-13	31.44	Pass	401
850	851	0.1	RMS	850.058	-57.14	-13	44.14	Pass	401
851	859	0.1	RMS	852.8	-56.88	-13	43.88	Pass	401



14. NB-IoT_Band26(part22)_QPSK_15kHz_1@11_High

14.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.02	RMS	848.98	11.75	30	18.25	Pass	1001
849	849.1	0.00015	RMS	849.002	-33.67	-13	20.67	Pass	1334
849.1	850	0.02	RMS	849.1	-43.82	-13	30.82	Pass	401
850	851	0.1	RMS	850.075	-55.96	-13	42.96	Pass	401
851	859	0.1	RMS	852.8	-55.76	-13	42.76	Pass	401



15. NB-IoT_Band26(part22)_QPSK_15kHz_12@0_High

15.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.02	RMS	848.83	-1.44	30	31.44	Pass	1001
849	849.1	0.00015	RMS	849.005	-33.2	-13	20.2	Pass	1334
849.1	850	0.02	RMS	849.1	-42.51	-13	29.51	Pass	401
850	851	0.1	RMS	850	-53.42	-13	40.42	Pass	401
851	859	0.1	RMS	852.72	-54.05	-13	41.05	Pass	401



1. NB-IoT_Band18(815-824)_BPSK_3.75kHz_1@47_High

1.1. NB-IoT Band Edge for Upper_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.02	RMS	823.99	12.69	30	17.31	Pass	1001
824	824.0375	0.000039	RMS	824.005	-24.59	-20	4.59	Pass	1924
824.0375	825	0.02	RMS	824.038	-15.4	-13	2.4	Pass	401
825	826	0.1	RMS	825.005	-43.37	-13	30.37	Pass	401
826	834	0.1	RMS	826.02	-50.29	-13	37.29	Pass	401



2. NB-IoT_Band18(815-824)_QPSK_3.75kHz_1@47_High

2.1. NB-IoT Band Edge for Upper_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.02	RMS	823.99	12.33	30	17.67	Pass	1001
824	824.0375	0.000039	RMS	824.001	-25.19	-20	5.19	Pass	1924
824.0375	825	0.02	RMS	824.038	-16.4	-13	3.4	Pass	401
825	826	0.1	RMS	825.015	-44.65	-13	31.65	Pass	401
826	834	0.1	RMS	826	-51.39	-13	38.39	Pass	401



3. NB-IoT_Band18(815-824)_BPSK_15kHz_1@11_High

3.1. NB-IoT Band Edge for Upper_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.02	RMS	823.98	6.73	30	23.27	Pass	1001
824	824.0375	0.00015	RMS	824.005	-21.15	-20	1.15	Pass	501
824.0375	825	0.02	RMS	824.038	-17.63	-13	4.63	Pass	401
825	826	0.1	RMS	825.093	-61.73	-13	48.73	Pass	401
826	834	0.1	RMS	827.82	-61.9	-13	48.9	Pass	401



4. NB-IoT_Band18(815-824)_QPSK_15kHz_1@11_High

4.1. NB-IoT Band Edge for Upper_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.02	RMS	823.98	3.39	30	26.61	Pass	1001
824	824.0375	0.00015	RMS	824	-20.66	-20	0.66	Pass	501
824.0375	825	0.02	RMS	824.038	-21.33	-13	8.33	Pass	401
825	826	0.1	RMS	825.08	-63.9	-13	50.9	Pass	401
826	834	0.1	RMS	827.8	-64.31	-13	51.31	Pass	401



5. NB-IoT_Band18(815-824)_QPSK_15kHz_12@0_High

5.2. NB-IoT Band Edge for Upper_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.02	RMS	823.95	-0.9	30	30.9	Pass	1001
824	824.0375	0.002	RMS	824.001	-21.61	-20	1.61	Pass	401
824.0375	825	0.02	RMS	824.038	-23.35	-13	10.35	Pass	401
825	826	0.1	RMS	825	-53.45	-13	40.45	Pass	401
826	834	0.1	RMS	827.72	-54.75	-13	41.75	Pass	401



6. NB-IoT_Band26(part90)_QPSK_15kHz_12@0_High

6.1. NB-IoT Band Edge for Upper_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.02	RMS	823.9	-0.74	30	30.74	Pass	1001
824	824.0375	0.002	RMS	824	-23.29	-20	3.29	Pass	401
824.0375	825	0.02	RMS	824.038	-24.39	-13	11.39	Pass	401
825	826	0.1	RMS	825.003	-53.21	-13	40.21	Pass	401
826	834	0.1	RMS	831.24	-53.91	-13	40.91	Pass	401



7. NB-IoT_Band26(part90)_BPSK_3.75kHz_1@47_High

7.1. NB-IoT Band Edge for Upper_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.02	RMS	823.99	13.41	30	16.59	Pass	1001
824	824.0375	0.000039	RMS	824.001	-21.95	-20	1.95	Pass	1924
824.0375	825	0.02	RMS	824.038	-15.33	-13	2.33	Pass	401
825	826	0.1	RMS	825.015	-43.47	-13	30.47	Pass	401
826	834	0.1	RMS	826.02	-50.31	-13	37.31	Pass	401



8. NB-IoT_Band26(part90)_QPSK_3.75kHz_1@47_High

8.1. NB-IoT Band Edge for Upper_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.02	RMS	823.99	12.41	30	17.59	Pass	1001
824	824.0375	0.000039	RMS	824.001	-21.33	-20	1.33	Pass	1924
824.0375	825	0.02	RMS	824.038	-16.22	-13	3.22	Pass	401
825	826	0.1	RMS	825.005	-44.58	-13	31.58	Pass	401
826	834	0.1	RMS	826.02	-51.37	-13	38.37	Pass	401



9. NB-IoT_Band26(part90)_BPSK_15kHz_1@11_High

9.1. NB-IoT Band Edge for Upper_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.02	RMS	823.98	10.34	30	19.66	Pass	1001
824	824.0375	0.00015	RMS	824.034	-28.32	-20	8.32	Pass	501
824.0375	825	0.02	RMS	824.038	-14.25	-13	1.25	Pass	401
825	826	0.1	RMS	825.093	-57.88	-13	44.88	Pass	401
826	834	0.1	RMS	827.82	-58.36	-13	45.36	Pass	401



10. NB-IoT_Band26(part90)_QPSK_15kHz_1@11_High

10.1. NB-IoT Band Edge for Upper_Part90(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.02	RMS	823.98	8.46	30	21.54	Pass	1001
824	824.0375	0.00015	RMS	824.017	-21.77	-20	1.77	Pass	501
824.0375	825	0.02	RMS	824.038	-16.37	-13	3.37	Pass	401
825	826	0.1	RMS	825.065	-58.71	-13	45.71	Pass	401
826	834	0.1	RMS	827.82	-59.31	-13	46.31	Pass	401



1. Cat-M_Band2


1.1. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-37.62	-13	24.62	Pass	401
1848	1849	1	RMS	1849	-23.32	-13	10.32	Pass	3
1849	1850	0.002	RMS	1849.996	-32.83	-13	19.83	Pass	1001
1850	1870	0.1	RMS	1850.25	17.5	30	12.5	Pass	401




1.2. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-35.1	-13	22.1	Pass	401
1848	1849	1	RMS	1849	-20.69	-13	7.69	Pass	3
1849	1850	0.015	RMS	1849.998	-35.14	-13	22.14	Pass	401
1850	1870	0.1	RMS	1850.6	8.02	30	21.98	Pass	401




1.3. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-39.47	-13	26.47	Pass	401
1848	1849	1	RMS	1849	-25.53	-13	12.53	Pass	3
1849	1850	0.002	RMS	1849.982	-36.86	-13	23.86	Pass	1001
1850	1870	0.1	RMS	1850.25	16.88	30	13.12	Pass	401




1.4. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-36.7	-13	23.7	Pass	401
1848	1849	1	RMS	1849	-21.74	-13	8.74	Pass	3
1849	1850	0.015	RMS	1850	-33.2	-13	20.2	Pass	401
1850	1870	0.1	RMS	1850.6	8.94	30	21.06	Pass	401




1.5. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.75	17.77	30	12.23	Pass	401
1910	1911	0.002	RMS	1910.004	-32.47	-13	19.47	Pass	1001
1911	1912	1	RMS	1911	-18.26	-13	5.26	Pass	3
1912	1930	1	RMS	1912	-32.27	-13	19.27	Pass	401




1.6. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.05	8.41	30	21.59	Pass	401
1910	1911	0.015	RMS	1910.005	-33.5	-13	20.5	Pass	401
1911	1912	1	RMS	1911	-18.31	-13	5.31	Pass	3
1912	1930	1	RMS	1912	-32.2	-13	19.2	Pass	401




1.7. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.75	16.42	30	13.58	Pass	401
1910	1911	0.002	RMS	1910.006	-35.6	-13	22.6	Pass	1001
1911	1912	1	RMS	1911	-18.33	-13	5.33	Pass	3
1912	1930	1	RMS	1912	-31.69	-13	18.69	Pass	401




1.8. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.05	8.62	30	21.38	Pass	401
1910	1911	0.015	RMS	1910	-33.43	-13	20.43	Pass	401
1911	1912	1	RMS	1911	-19.39	-13	6.39	Pass	3
1912	1930	1	RMS	1912	-34.09	-13	21.09	Pass	401




1.9. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:18615, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-34.19	-13	21.19	Pass	401
1848	1849	1	RMS	1849	-20.37	-13	7.37	Pass	3
1849	1850	0.002	RMS	1849.998	-43.39	-13	30.39	Pass	1001
1850	1870	0.1	RMS	1850.4	17.66	30	12.34	Pass	401




1.10. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:18615, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-37.17	-13	24.17	Pass	401
1848	1849	1	RMS	1849	-22.55	-13	9.55	Pass	3
1849	1850	0.015	RMS	1849.275	-40.62	-13	27.62	Pass	401
1850	1870	0.1	RMS	1850.6	8.24	30	21.76	Pass	401




1.11. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:18615, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-35.23	-13	22.23	Pass	401
1848	1849	1	RMS	1849	-20.97	-13	7.97	Pass	3
1849	1850	0.002	RMS	1849.992	-47.26	-13	34.26	Pass	1001
1850	1870	0.1	RMS	1850.4	16.46	30	13.54	Pass	401




1.12. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:18615, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-36.48	-13	23.48	Pass	401
1848	1849	1	RMS	1849	-21.99	-13	8.99	Pass	3
1849	1850	0.015	RMS	1850	-38.32	-13	25.32	Pass	401
1850	1870	0.1	RMS	1850.75	8.63	30	21.37	Pass	401




1.13. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:19185, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.55	17.72	30	12.28	Pass	401
1910	1911	0.002	RMS	1910.016	-44.4	-13	31.4	Pass	1001
1911	1912	1	RMS	1911	-18.47	-13	5.47	Pass	3
1912	1930	1	RMS	1912	-31.99	-13	18.99	Pass	401




1.14. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:19185, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	8.09	30	21.91	Pass	401
1910	1911	0.015	RMS	1910.093	-35.94	-13	22.94	Pass	401
1911	1912	1	RMS	1911	-19.27	-13	6.27	Pass	3
1912	1930	1	RMS	1912	-33.24	-13	20.24	Pass	401




1.15. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:19185, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.55	16.23	30	13.77	Pass	401
1910	1911	0.002	RMS	1910.004	-45.84	-13	32.84	Pass	1001
1911	1912	1	RMS	1911	-19.86	-13	6.86	Pass	3
1912	1930	1	RMS	1912	-32.9	-13	19.9	Pass	401




1.16. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:19185, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	8.65	30	21.35	Pass	401
1910	1911	0.015	RMS	1910.11	-36.84	-13	23.84	Pass	401
1911	1912	1	RMS	1911	-21.23	-13	8.23	Pass	3
1912	1930	1	RMS	1912	-35.38	-13	22.38	Pass	401




1.17. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:18625, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-37.06	-13	24.06	Pass	401
1848	1849	1	RMS	1849	-22.96	-13	9.96	Pass	3
1849	1850	0.002	RMS	1849.968	-42.18	-13	29.18	Pass	1001
1850	1870	0.1	RMS	1850.35	17.36	30	12.64	Pass	401




1.18. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:18625, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-34.43	-13	21.43	Pass	401
1848	1849	1	RMS	1849	-19.37	-13	6.37	Pass	3
1849	1850	0.015	RMS	1850	-36.35	-13	23.35	Pass	401
1850	1870	0.1	RMS	1850.55	9.19	30	20.81	Pass	401




1.19. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:18625, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-40.7	-13	27.7	Pass	401
1848	1849	1	RMS	1849	-25.87	-13	12.87	Pass	3
1849	1850	0.002	RMS	1849.998	-42.22	-13	29.22	Pass	1001
1850	1870	0.1	RMS	1850.35	17.61	30	12.39	Pass	401




1.20. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:18625, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-34.28	-13	21.28	Pass	401
1848	1849	1	RMS	1849	-19.39	-13	6.39	Pass	3
1849	1850	0.015	RMS	1850	-32.53	-13	19.53	Pass	401
1850	1870	0.1	RMS	1850.45	9.91	30	20.09	Pass	401




1.21. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:19175, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.65	17.63	30	12.37	Pass	401
1910	1911	0.002	RMS	1910.08	-41.99	-13	28.99	Pass	1001
1911	1912	1	RMS	1911	-21.16	-13	8.16	Pass	3
1912	1930	1	RMS	1912	-35.04	-13	22.04	Pass	401




1.22. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:19175, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909	9.13	30	20.87	Pass	401
1910	1911	0.015	RMS	1910	-35.77	-13	22.77	Pass	401
1911	1912	1	RMS	1911	-17.6	-13	4.6	Pass	3
1912	1930	1	RMS	1912.045	-32.51	-13	19.51	Pass	401




1.23. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:19175, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.65	17.41	30	12.59	Pass	401
1910	1911	0.002	RMS	1910.002	-42.44	-13	29.44	Pass	1001
1911	1912	1	RMS	1911	-24.79	-13	11.79	Pass	3
1912	1930	1	RMS	1912	-38.94	-13	25.94	Pass	401




1.24. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:19175, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.15	10.04	30	19.96	Pass	401
1910	1911	0.015	RMS	1910	-33.8	-13	20.8	Pass	401
1911	1912	1	RMS	1911	-16.94	-13	3.94	Pass	3
1912	1930	1	RMS	1912	-31.4	-13	18.4	Pass	401




1.25. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:18650, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-39.24	-13	26.24	Pass	401
1848	1849	1	RMS	1849	-24.63	-13	11.63	Pass	3
1849	1850	0.002	RMS	1849.92	-53.49	-13	40.49	Pass	1001
1850	1870	0.1	RMS	1850.75	17.45	30	12.55	Pass	401




1.26. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:18650, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-37.37	-13	24.37	Pass	401
1848	1849	1	RMS	1849	-24.1	-13	11.1	Pass	3
1849	1850	0.015	RMS	1849.62	-37.27	-13	24.27	Pass	401
1850	1870	0.1	RMS	1851	9.01	30	20.99	Pass	401




1.27. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:18650, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-42.68	-13	29.68	Pass	401
1848	1849	1	RMS	1849	-28.12	-13	15.12	Pass	3
1849	1850	0.002	RMS	1849.984	-54.82	-13	41.82	Pass	1001
1850	1870	0.1	RMS	1850.75	17.73	30	12.27	Pass	401




1.28. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:18650, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-35.87	-13	22.87	Pass	401
1848	1849	1	RMS	1849	-21.52	-13	8.52	Pass	3
1849	1850	0.015	RMS	1849.998	-35.21	-13	22.21	Pass	401
1850	1870	0.1	RMS	1850.9	11.05	30	18.95	Pass	401




1.29. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:19150, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.2	16.96	30	13.04	Pass	401
1910	1911	0.002	RMS	1910.128	-53.06	-13	40.06	Pass	1001
1911	1912	1	RMS	1911	-23.99	-13	10.99	Pass	3
1912	1930	1	RMS	1912.045	-37.4	-13	24.4	Pass	401




1.30. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:19150, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.55	9.19	30	20.81	Pass	401
1910	1911	0.015	RMS	1910.38	-37.84	-13	24.84	Pass	401
1911	1912	1	RMS	1911	-20.99	-13	7.99	Pass	3
1912	1930	1	RMS	1912	-35.49	-13	22.49	Pass	401




1.31. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:19150, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.2	17.29	30	12.71	Pass	401
1910	1911	0.002	RMS	1910.018	-55.07	-13	42.07	Pass	1001
1911	1912	1	RMS	1911	-26.72	-13	13.72	Pass	3
1912	1930	1	RMS	1912	-40.8	-13	27.8	Pass	401




1.32. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:19150, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.55	10.98	30	19.02	Pass	401
1910	1911	0.015	RMS	1910.09	-34.08	-13	21.08	Pass	401
1911	1912	1	RMS	1911	-18.32	-13	5.32	Pass	3
1912	1930	1	RMS	1912	-33.22	-13	20.22	Pass	401




1.33. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:18675, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-40.98	-13	27.98	Pass	401
1848	1849	1	RMS	1849	-26.16	-13	13.16	Pass	3
1849	1850	0.002	RMS	1849.984	-56.33	-13	43.33	Pass	1001
1850	1870	0.1	RMS	1851	17.48	30	12.52	Pass	401




1.34. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:18675, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1847.955	-37.79	-13	24.79	Pass	401
1848	1849	1	RMS	1849	-24.6	-13	11.6	Pass	3
1849	1850	0.015	RMS	1849.993	-34.38	-13	21.38	Pass	401
1850	1870	0.1	RMS	1851.25	10.23	30	19.77	Pass	401




1.35. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:18675, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-43.8	-13	30.8	Pass	401
1848	1849	1	RMS	1849	-29.09	-13	16.09	Pass	3
1849	1850	0.002	RMS	1849.992	-58.49	-13	45.49	Pass	1001
1850	1870	0.1	RMS	1851	17.6	30	12.4	Pass	401




1.36. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:18675, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-37.05	-13	24.05	Pass	401
1848	1849	1	RMS	1849	-23.57	-13	10.57	Pass	3
1849	1850	0.015	RMS	1849.89	-39.73	-13	26.73	Pass	401
1850	1870	0.1	RMS	1851.25	11.03	30	18.97	Pass	401




1.37. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:19125, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.95	17.45	30	12.55	Pass	401
1910	1911	0.002	RMS	1910.006	-54.43	-13	41.43	Pass	1001
1911	1912	1	RMS	1911	-24.86	-13	11.86	Pass	3
1912	1930	1	RMS	1912.09	-38.61	-13	25.61	Pass	401




1.38. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:19125, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.3	10.04	30	19.96	Pass	401
1910	1911	0.015	RMS	1910.115	-34.9	-13	21.9	Pass	401
1911	1912	1	RMS	1911	-21.8	-13	8.8	Pass	3
1912	1930	1	RMS	1912	-36.45	-13	23.45	Pass	401




1.39. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:19125, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.95	17.11	30	12.89	Pass	401
1910	1911	0.002	RMS	1910.026	-57.85	-13	44.85	Pass	1001
1911	1912	1	RMS	1911	-28.07	-13	15.07	Pass	3
1912	1930	1	RMS	1912	-42.12	-13	29.12	Pass	401




1.40. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:19125, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.45	10.87	30	19.13	Pass	401
1910	1911	0.015	RMS	1910.033	-38.54	-13	25.54	Pass	401
1911	1912	1	RMS	1911	-19.76	-13	6.76	Pass	3
1912	1930	1	RMS	1912	-34.81	-13	21.81	Pass	401




1.41. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:18700, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-42.84	-13	29.84	Pass	401
1848	1849	1	RMS	1849	-27.9	-13	14.9	Pass	3
1849	1850	0.002	RMS	1849.792	-58.93	-13	45.93	Pass	1001
1850	1870	0.1	RMS	1851.45	17.38	30	12.62	Pass	401




1.42. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:18700, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-39.36	-13	26.36	Pass	401
1848	1849	1	RMS	1849	-26.58	-13	13.58	Pass	3
1849	1850	0.015	RMS	1849.943	-44.07	-13	31.07	Pass	401
1850	1870	0.1	RMS	1851.65	10.24	30	19.76	Pass	401




1.43. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:18700, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-45.72	-13	32.72	Pass	401
1848	1849	1	RMS	1849	-31.08	-13	18.08	Pass	3
1849	1850	0.002	RMS	1849.998	-61.96	-13	48.96	Pass	1001
1850	1870	0.1	RMS	1851.45	17.67	30	12.33	Pass	401




1.44. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:18700, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-38.65	-13	25.65	Pass	401
1848	1849	1	RMS	1849	-25.84	-13	12.84	Pass	3
1849	1850	0.015	RMS	1849.95	-44.88	-13	31.88	Pass	401
1850	1870	0.1	RMS	1851.65	10.92	30	19.08	Pass	401




1.45. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:19100, Bandwidth:20, Modulation:QPSK, NB Index:15, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.55	17.33	30	12.67	Pass	401
1910	1911	0.002	RMS	1910.05	-57.67	-13	44.67	Pass	1001
1911	1912	1	RMS	1911	-26.04	-13	13.04	Pass	3
1912	1930	1	RMS	1912	-40.45	-13	27.45	Pass	401




1.46. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:19100, Bandwidth:20, Modulation:QPSK, NB Index:15, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1907.85	10.05	30	19.95	Pass	401
1910	1911	0.015	RMS	1910.028	-42.89	-13	29.89	Pass	401
1911	1912	1	RMS	1911	-24.42	-13	11.42	Pass	3
1912	1930	1	RMS	1912	-38.58	-13	25.58	Pass	401




1.47. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:19100, Bandwidth:20, Modulation:16QAM, NB Index:15, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.55	17.3	30	12.7	Pass	401
1910	1911	0.002	RMS	1910.006	-61.29	-13	48.29	Pass	1001
1911	1912	1	RMS	1911	-29.58	-13	16.58	Pass	3
1912	1930	1	RMS	1912.045	-44.04	-13	31.04	Pass	401



1.48. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:19100, Bandwidth:20, Modulation:16QAM, NB Index:15, RB Number:5, RB Position:1)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1907.9	10.83	30	19.17	Pass	401
1910	1911	0.015	RMS	1910.055	-42.77	-13	29.77	Pass	401
1911	1912	1	RMS	1911	-22.23	-13	9.23	Pass	3
1912	1930	1	RMS	1912	-37.01	-13	24.01	Pass	401



2. Cat-M_Band4


2.1. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-32.86	-13	19.86	Pass	401
1708	1709	1	RMS	1709	-18.8	-13	5.8	Pass	3
1709	1710	0.002	RMS	1709.998	-31.52	-13	18.52	Pass	1001
1710	1730	0.1	RMS	1710.25	18.34	30	11.66	Pass	401




2.2. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-34.78	-13	21.78	Pass	401
1708	1709	1	RMS	1709	-21.51	-13	8.51	Pass	3
1709	1710	0.015	RMS	1710	-34.41	-13	21.41	Pass	401
1710	1730	0.1	RMS	1710.45	8.95	30	21.05	Pass	401




2.3. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-33.33	-13	20.33	Pass	401
1708	1709	1	RMS	1709	-19.36	-13	6.36	Pass	3
1709	1710	0.002	RMS	1709.998	-33.06	-13	20.06	Pass	1001
1710	1730	0.1	RMS	1710.25	17.29	30	12.71	Pass	401




2.4. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-34.27	-13	21.27	Pass	401
1708	1709	1	RMS	1709	-20.09	-13	7.09	Pass	3
1709	1710	0.015	RMS	1710	-31.73	-13	18.73	Pass	401
1710	1730	0.1	RMS	1710.6	9.47	30	20.53	Pass	401




2.5. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.75	18.09	30	11.91	Pass	401
1755	1756	0.002	RMS	1755.014	-32.2	-13	19.2	Pass	1001
1756	1757	1	RMS	1756	-20.73	-13	7.73	Pass	3
1757	1775	1	RMS	1757	-34.92	-13	21.92	Pass	401




2.6. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.15	8.66	30	21.34	Pass	401
1755	1756	0.015	RMS	1755.01	-33.86	-13	20.86	Pass	401
1756	1757	1	RMS	1756	-19.01	-13	6.01	Pass	3
1757	1775	1	RMS	1757	-34.09	-13	21.09	Pass	401




2.7. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.75	17.37	30	12.63	Pass	401
1755	1756	0.002	RMS	1755.002	-36.04	-13	23.04	Pass	1001
1756	1757	1	RMS	1756	-22.68	-13	9.68	Pass	3
1757	1775	1	RMS	1757	-36.32	-13	23.32	Pass	401




2.8. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.35	9.81	30	20.19	Pass	401
1755	1756	0.015	RMS	1755.003	-31.57	-13	18.57	Pass	401
1756	1757	1	RMS	1756	-18.91	-13	5.91	Pass	3
1757	1775	1	RMS	1757	-32.91	-13	19.91	Pass	401




2.9. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:19965, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-36.19	-13	23.19	Pass	401
1708	1709	1	RMS	1709	-22.52	-13	9.52	Pass	3
1709	1710	0.002	RMS	1709.936	-45.54	-13	32.54	Pass	1001
1710	1730	0.1	RMS	1710.4	18.04	30	11.96	Pass	401




2.10. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:19965, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-35.25	-13	22.25	Pass	401
1708	1709	1	RMS	1709	-22.09	-13	9.09	Pass	3
1709	1710	0.015	RMS	1709.793	-38.84	-13	25.84	Pass	401
1710	1730	0.1	RMS	1710.7	8.53	30	21.47	Pass	401




2.11. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:19965, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1707.955	-38.3	-13	25.3	Pass	401
1708	1709	1	RMS	1709	-25.32	-13	12.32	Pass	3
1709	1710	0.002	RMS	1709.998	-47.16	-13	34.16	Pass	1001
1710	1730	0.1	RMS	1710.45	17.37	30	12.63	Pass	401




2.12. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:19965, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-36.7	-13	23.7	Pass	401
1708	1709	1	RMS	1709	-23.21	-13	10.21	Pass	3
1709	1710	0.015	RMS	1709.853	-39.08	-13	26.08	Pass	401
1710	1730	0.1	RMS	1710.8	9.43	30	20.57	Pass	401




2.13. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:20385, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.6	17.93	30	12.07	Pass	401
1755	1756	0.002	RMS	1755.062	-44.94	-13	31.94	Pass	1001
1756	1757	1	RMS	1756	-21.5	-13	8.5	Pass	3
1757	1775	1	RMS	1757	-35.81	-13	22.81	Pass	401




2.14. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:20385, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.5	8.81	30	21.19	Pass	401
1755	1756	0.015	RMS	1755.078	-36.54	-13	23.54	Pass	401
1756	1757	1	RMS	1756	-19.89	-13	6.89	Pass	3
1757	1775	1	RMS	1757	-35.09	-13	22.09	Pass	401




2.15. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:20385, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.6	17.23	30	12.77	Pass	401
1755	1756	0.002	RMS	1755.068	-45.11	-13	32.11	Pass	1001
1756	1757	1	RMS	1756	-23.44	-13	10.44	Pass	3
1757	1775	1	RMS	1757	-37.27	-13	24.27	Pass	401




2.16. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:20385, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.2	9.76	30	20.24	Pass	401
1755	1756	0.015	RMS	1755.013	-35.36	-13	22.36	Pass	401
1756	1757	1	RMS	1756	-19.96	-13	6.96	Pass	3
1757	1775	1	RMS	1757	-34.1	-13	21.1	Pass	401




2.17. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:19975, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-35.64	-13	22.64	Pass	401
1708	1709	1	RMS	1709	-21.82	-13	8.82	Pass	3
1709	1710	0.002	RMS	1709.984	-41.54	-13	28.54	Pass	1001
1710	1730	0.1	RMS	1710.35	17.78	30	12.22	Pass	401




2.18. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:19975, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-33.96	-13	20.96	Pass	401
1708	1709	1	RMS	1709	-18.74	-13	5.74	Pass	3
1709	1710	0.015	RMS	1710	-32.84	-13	19.84	Pass	401
1710	1730	0.1	RMS	1710.55	9.96	30	20.04	Pass	401




2.19. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:19975, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-38.67	-13	25.67	Pass	401
1708	1709	1	RMS	1709	-24.72	-13	11.72	Pass	3
1709	1710	0.002	RMS	1709.998	-42.42	-13	29.42	Pass	1001
1710	1730	0.1	RMS	1710.35	18.28	30	11.72	Pass	401




2.20. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:19975, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-33.81	-13	20.81	Pass	401
1708	1709	1	RMS	1709	-19.21	-13	6.21	Pass	3
1709	1710	0.015	RMS	1710	-30.76	-13	17.76	Pass	401
1710	1730	0.1	RMS	1710.55	10.55	30	19.45	Pass	401




2.21. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:20375, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.65	18.02	30	11.98	Pass	401
1755	1756	0.002	RMS	1755.062	-41.24	-13	28.24	Pass	1001
1756	1757	1	RMS	1756	-15.78	-13	2.78	Pass	3
1757	1775	1	RMS	1757	-30.11	-13	17.11	Pass	401




2.22. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:20375, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754	9.78	30	20.22	Pass	401
1755	1756	0.015	RMS	1755.02	-34.01	-13	21.01	Pass	401
1756	1757	1	RMS	1756	-17.68	-13	4.68	Pass	3
1757	1775	1	RMS	1757	-32.75	-13	19.75	Pass	401




2.23. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:20375, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.65	18.18	30	11.82	Pass	401
1755	1756	0.002	RMS	1755.21	-42.94	-13	29.94	Pass	1001
1756	1757	1	RMS	1756	-21.35	-13	8.35	Pass	3
1757	1775	1	RMS	1757	-34.89	-13	21.89	Pass	401




2.24. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:20375, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.05	10.76	30	19.24	Pass	401
1755	1756	0.015	RMS	1755.003	-33.98	-13	20.98	Pass	401
1756	1757	1	RMS	1756	-17.42	-13	4.42	Pass	3
1757	1775	1	RMS	1757	-31.63	-13	18.63	Pass	401




2.25. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:20000, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-34.92	-13	21.92	Pass	401
1708	1709	1	RMS	1709	-20.44	-13	7.44	Pass	3
1709	1710	0.002	RMS	1709.94	-49.52	-13	36.52	Pass	1001
1710	1730	0.1	RMS	1710.75	18.2	30	11.8	Pass	401




2.26. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:20000, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-37.09	-13	24.09	Pass	401
1708	1709	1	RMS	1709	-24.97	-13	11.97	Pass	3
1709	1710	0.015	RMS	1709.618	-37.14	-13	24.14	Pass	401
1710	1730	0.1	RMS	1711	9.81	30	20.19	Pass	401




2.27. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:20000, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-38.79	-13	25.79	Pass	401
1708	1709	1	RMS	1709	-24.17	-13	11.17	Pass	3
1709	1710	0.002	RMS	1709.976	-52.7	-13	39.7	Pass	1001
1710	1730	0.1	RMS	1710.75	18.43	30	11.57	Pass	401




2.28. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:20000, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-35.5	-13	22.5	Pass	401
1708	1709	1	RMS	1709	-21.35	-13	8.35	Pass	3
1709	1710	0.015	RMS	1709.915	-35.78	-13	22.78	Pass	401
1710	1730	0.1	RMS	1711	11.8	30	18.2	Pass	401




2.29. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:20350, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.2	17.77	30	12.23	Pass	401
1755	1756	0.002	RMS	1755.286	-53.16	-13	40.16	Pass	1001
1756	1757	1	RMS	1756	-22.74	-13	9.74	Pass	3
1757	1775	1	RMS	1757	-36.65	-13	23.65	Pass	401




2.30. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:20350, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.55	9.97	30	20.03	Pass	401
1755	1756	0.015	RMS	1755	-36.42	-13	23.42	Pass	401
1756	1757	1	RMS	1756	-20.3	-13	7.3	Pass	3
1757	1775	1	RMS	1757	-34.5	-13	21.5	Pass	401




2.31. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:20350, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754.25	17.97	30	12.03	Pass	401
1755	1756	0.002	RMS	1755.25	-55.16	-13	42.16	Pass	1001
1756	1757	1	RMS	1756	-25.94	-13	12.94	Pass	3
1757	1775	1	RMS	1757	-40.04	-13	27.04	Pass	401




2.32. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:20350, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.55	11.68	30	18.32	Pass	401
1755	1756	0.015	RMS	1755.03	-34.55	-13	21.55	Pass	401
1756	1757	1	RMS	1756	-17.88	-13	4.88	Pass	3
1757	1775	1	RMS	1757	-32.5	-13	19.5	Pass	401




2.33. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:20025, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-36.04	-13	23.04	Pass	401
1708	1709	1	RMS	1709	-21.88	-13	8.88	Pass	3
1709	1710	0.002	RMS	1709.998	-51.78	-13	38.78	Pass	1001
1710	1730	0.1	RMS	1711.05	18.29	30	11.71	Pass	401




2.34. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:20025, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-37.31	-13	24.31	Pass	401
1708	1709	1	RMS	1709	-25.24	-13	12.24	Pass	3
1709	1710	0.015	RMS	1709.98	-35.54	-13	22.54	Pass	401
1710	1730	0.1	RMS	1711.25	11	30	19	Pass	401




2.35. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:20025, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-39.82	-13	26.82	Pass	401
1708	1709	1	RMS	1709	-25.3	-13	12.3	Pass	3
1709	1710	0.002	RMS	1709.99	-55.12	-13	42.12	Pass	1001
1710	1730	0.1	RMS	1711	18.46	30	11.54	Pass	401




2.36. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:20025, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-36.29	-13	23.29	Pass	401
1708	1709	1	RMS	1709	-22.7	-13	9.7	Pass	3
1709	1710	0.015	RMS	1709.955	-40.76	-13	27.76	Pass	401
1710	1730	0.1	RMS	1711.1	11.83	30	18.17	Pass	401




2.37. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:20325, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.95	17.88	30	12.12	Pass	401
1755	1756	0.002	RMS	1755.04	-53.46	-13	40.46	Pass	1001
1756	1757	1	RMS	1756	-24.13	-13	11.13	Pass	3
1757	1775	1	RMS	1757	-37.8	-13	24.8	Pass	401




2.38. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:20325, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.3	11	30	19	Pass	401
1755	1756	0.015	RMS	1755.113	-34.9	-13	21.9	Pass	401
1756	1757	1	RMS	1756	-21.36	-13	8.36	Pass	3
1757	1775	1	RMS	1757	-35.21	-13	22.21	Pass	401




2.39. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:20325, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1754	17.76	30	12.24	Pass	401
1755	1756	0.002	RMS	1755.052	-56.08	-13	43.08	Pass	1001
1756	1757	1	RMS	1756	-27.45	-13	14.45	Pass	3
1757	1775	1	RMS	1757	-41.7	-13	28.7	Pass	401




2.40. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:20325, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.4	11.69	30	18.31	Pass	401
1755	1756	0.015	RMS	1755	-38.54	-13	25.54	Pass	401
1756	1757	1	RMS	1756	-19.1	-13	6.1	Pass	3
1757	1775	1	RMS	1757	-33.86	-13	20.86	Pass	401




2.41. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:20050, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1707.955	-38.22	-13	25.22	Pass	401
1708	1709	1	RMS	1709	-24.32	-13	11.32	Pass	3
1709	1710	0.002	RMS	1709.992	-55.18	-13	42.18	Pass	1001
1710	1730	0.1	RMS	1711.45	18.43	30	11.57	Pass	401




2.42. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:20050, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-39.2	-13	26.2	Pass	401
1708	1709	1	RMS	1709	-27.97	-13	14.97	Pass	3
1709	1710	0.015	RMS	1709.943	-45.46	-13	32.46	Pass	401
1710	1730	0.1	RMS	1711.7	11.07	30	18.93	Pass	401




2.43. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:20050, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-42.51	-13	29.51	Pass	401
1708	1709	1	RMS	1709	-27.79	-13	14.79	Pass	3
1709	1710	0.002	RMS	1709.552	-58.39	-13	45.39	Pass	1001
1710	1730	0.1	RMS	1711.45	18.56	30	11.44	Pass	401




2.44. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:20050, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1707.865	-37.32	-13	24.32	Pass	401
1708	1709	1	RMS	1709	-25.2	-13	12.2	Pass	3
1709	1710	0.015	RMS	1709.995	-44.97	-13	31.97	Pass	401
1710	1730	0.1	RMS	1711.8	11.62	30	18.38	Pass	401




2.45. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:20300, Bandwidth:20, Modulation:QPSK, NB Index:15, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.55	17.89	30	12.11	Pass	401
1755	1756	0.002	RMS	1755.002	-53.02	-13	40.02	Pass	1001
1756	1757	1	RMS	1756	-21.37	-13	8.37	Pass	3
1757	1775	1	RMS	1757	-35.82	-13	22.82	Pass	401




2.46. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:20300, Bandwidth:20, Modulation:QPSK, NB Index:15, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1752.9	10.91	30	19.09	Pass	401
1755	1756	0.015	RMS	1755.023	-43.66	-13	30.66	Pass	401
1756	1757	1	RMS	1756	-23.95	-13	10.95	Pass	3
1757	1775	1	RMS	1757	-36.64	-13	23.64	Pass	401




2.47. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:20300, Bandwidth:20, Modulation:16QAM, NB Index:15, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.55	18.11	30	11.89	Pass	401
1755	1756	0.002	RMS	1755.01	-57.66	-13	44.66	Pass	1001
1756	1757	1	RMS	1756	-26.22	-13	13.22	Pass	3
1757	1775	1	RMS	1757	-40.23	-13	27.23	Pass	401



2.48. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:20300, Bandwidth:20, Modulation:16QAM, NB Index:15, RB Number:5, RB Position:1)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.2	11.81	30	18.19	Pass	401
1755	1756	0.015	RMS	1755.015	-42.32	-13	29.32	Pass	401
1756	1757	1	RMS	1756	-22.96	-13	9.96	Pass	3
1757	1775	1	RMS	1757	-37.18	-13	24.18	Pass	401



3. Cat-M_Band5


3.1. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-46.26	-13	33.26	Pass	401
822	823	0.1	RMS	823	-35.83	-13	22.83	Pass	19
823	824	0.002	RMS	823.994	-35.42	-13	22.42	Pass	1001
824	844	0.1	RMS	824.25	12.62	30	17.38	Pass	401




3.2. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-47.65	-13	34.65	Pass	401
822	823	0.1	RMS	823	-37.78	-13	24.78	Pass	19
823	824	0.015	RMS	824	-31.97	-13	18.97	Pass	401
824	844	0.1	RMS	824.25	7.86	30	22.14	Pass	401




3.3. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-46.74	-13	33.74	Pass	401
822	823	0.1	RMS	823	-35.5	-13	22.5	Pass	19
823	824	0.002	RMS	823.998	-36.09	-13	23.09	Pass	1001
824	844	0.1	RMS	824.25	12.4	30	17.6	Pass	401




3.4. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-45.3	-13	32.3	Pass	401
822	823	0.1	RMS	822.778	-35.3	-13	22.3	Pass	19
823	824	0.015	RMS	824	-32.41	-13	19.41	Pass	401
824	844	0.1	RMS	824.4	7.86	30	22.14	Pass	401




3.5. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.75	12.8	30	17.2	Pass	401
849	850	0.002	RMS	849.004	-34.58	-13	21.58	Pass	1001
850	851	0.1	RMS	850.222	-35.41	-13	22.41	Pass	19
851	869	0.1	RMS	851.18	-46.53	-13	33.53	Pass	401




3.6. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.85	8.02	30	21.98	Pass	401
849	850	0.015	RMS	849	-32.41	-13	19.41	Pass	401
850	851	0.1	RMS	850	-40.5	-13	27.5	Pass	19
851	869	0.1	RMS	851.315	-50.62	-13	37.62	Pass	401




3.7. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.75	12.45	30	17.55	Pass	401
849	850	0.002	RMS	849.004	-34.5	-13	21.5	Pass	1001
850	851	0.1	RMS	850	-35.33	-13	22.33	Pass	19
851	869	0.1	RMS	851.045	-46.68	-13	33.68	Pass	401




3.8. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.7	7.93	30	22.07	Pass	401
849	850	0.015	RMS	849.005	-31.92	-13	18.92	Pass	401
850	851	0.1	RMS	850.111	-34.96	-13	21.96	Pass	19
851	869	0.1	RMS	851.09	-45.47	-13	32.47	Pass	401




3.9. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:20415, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-45.14	-13	32.14	Pass	401
822	823	0.1	RMS	823	-36.2	-13	23.2	Pass	19
823	824	0.002	RMS	823.98	-44.33	-13	31.33	Pass	1001
824	844	0.1	RMS	824.4	12.45	30	17.55	Pass	401




3.10. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:20415, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-49.07	-13	36.07	Pass	401
822	823	0.1	RMS	823	-38.11	-13	25.11	Pass	19
823	824	0.015	RMS	823.28	-40.67	-13	27.67	Pass	401
824	844	0.1	RMS	824.4	7.98	30	22.02	Pass	401




3.11. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:20415, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-46.18	-13	33.18	Pass	401
822	823	0.1	RMS	823	-37.34	-13	24.34	Pass	19
823	824	0.002	RMS	823.998	-45.84	-13	32.84	Pass	1001
824	844	0.1	RMS	824.4	12.27	30	17.73	Pass	401




3.12. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:20415, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-48.07	-13	35.07	Pass	401
822	823	0.1	RMS	823	-38.06	-13	25.06	Pass	19
823	824	0.015	RMS	823.965	-39.19	-13	26.19	Pass	401
824	844	0.1	RMS	824.4	8.13	30	21.87	Pass	401




3.13. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:20635, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.6	12.5	30	17.5	Pass	401
849	850	0.002	RMS	849.05	-45.98	-13	32.98	Pass	1001
850	851	0.1	RMS	850	-35.91	-13	22.91	Pass	19
851	869	0.1	RMS	851	-45.21	-13	32.21	Pass	401




3.14. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:20635, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.65	7.92	30	22.08	Pass	401
849	850	0.015	RMS	849.018	-37.6	-13	24.6	Pass	401
850	851	0.1	RMS	850	-36.58	-13	23.58	Pass	19
851	869	0.1	RMS	851	-46.92	-13	33.92	Pass	401




3.15. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:20635, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.6	12.42	30	17.58	Pass	401
849	850	0.002	RMS	849.002	-45.84	-13	32.84	Pass	1001
850	851	0.1	RMS	850	-35.79	-13	22.79	Pass	19
851	869	0.1	RMS	851	-45.57	-13	32.57	Pass	401




3.16. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:20635, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.85	8.44	30	21.56	Pass	401
849	850	0.015	RMS	849	-36.96	-13	23.96	Pass	401
850	851	0.1	RMS	850	-38.85	-13	25.85	Pass	19
851	869	0.1	RMS	851.045	-49.24	-13	36.24	Pass	401




3.17. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:20425, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-50.07	-13	37.07	Pass	401
822	823	0.1	RMS	822.778	-39.7	-13	26.7	Pass	19
823	824	0.002	RMS	823.966	-44.33	-13	31.33	Pass	1001
824	844	0.1	RMS	824.35	12.29	30	17.71	Pass	401




3.18. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:20425, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.91	-46.35	-13	33.35	Pass	401
822	823	0.1	RMS	823	-35.34	-13	22.34	Pass	19
823	824	0.015	RMS	824	-36.97	-13	23.97	Pass	401
824	844	0.1	RMS	824.35	8.13	30	21.87	Pass	401




3.19. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:20425, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-53.19	-13	40.19	Pass	401
822	823	0.1	RMS	823	-42.67	-13	29.67	Pass	19
823	824	0.002	RMS	823.986	-44.8	-13	31.8	Pass	1001
824	844	0.1	RMS	824.35	12.41	30	17.59	Pass	401




3.20. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:20425, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-45.86	-13	32.86	Pass	401
822	823	0.1	RMS	823	-35.56	-13	22.56	Pass	19
823	824	0.015	RMS	824	-35.68	-13	22.68	Pass	401
824	844	0.1	RMS	824.35	8.45	30	21.55	Pass	401




3.21. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:20625, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	12.57	30	17.43	Pass	401
849	850	0.002	RMS	849.04	-44.51	-13	31.51	Pass	1001
850	851	0.1	RMS	850	-38.14	-13	25.14	Pass	19
851	869	0.1	RMS	851	-49.89	-13	36.89	Pass	401




3.22. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:20625, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.75	8.14	30	21.86	Pass	401
849	850	0.015	RMS	849.063	-33.36	-13	20.36	Pass	401
850	851	0.1	RMS	850	-36.06	-13	23.06	Pass	19
851	869	0.1	RMS	851	-46.26	-13	33.26	Pass	401




3.23. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:20625, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	12.65	30	17.35	Pass	401
849	850	0.002	RMS	849.01	-46.75	-13	33.75	Pass	1001
850	851	0.1	RMS	850	-41.59	-13	28.59	Pass	19
851	869	0.1	RMS	852.485	-52.74	-13	39.74	Pass	401




3.24. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:20625, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.95	8.63	30	21.37	Pass	401
849	850	0.015	RMS	849	-31.89	-13	18.89	Pass	401
850	851	0.1	RMS	850	-35.33	-13	22.33	Pass	19
851	869	0.1	RMS	851	-44.76	-13	31.76	Pass	401




3.25. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:20450, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-52.36	-13	39.36	Pass	401
822	823	0.1	RMS	823	-42.59	-13	29.59	Pass	19
823	824	0.002	RMS	823.976	-54.18	-13	41.18	Pass	1001
824	844	0.1	RMS	824.75	12.45	30	17.55	Pass	401




3.26. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:20450, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.82	-47.64	-13	34.64	Pass	401
822	823	0.1	RMS	823	-39.03	-13	26.03	Pass	19
823	824	0.015	RMS	823.623	-38.4	-13	25.4	Pass	401
824	844	0.1	RMS	824.75	8.04	30	21.96	Pass	401




3.27. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:20450, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	820.875	-53.84	-13	40.84	Pass	401
822	823	0.1	RMS	823	-44.78	-13	31.78	Pass	19
823	824	0.002	RMS	823.924	-56.27	-13	43.27	Pass	1001
824	844	0.1	RMS	824.75	12.35	30	17.65	Pass	401




3.28. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:20450, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-46.5	-13	33.5	Pass	401
822	823	0.1	RMS	823	-36.9	-13	23.9	Pass	19
823	824	0.015	RMS	823.925	-35.27	-13	22.27	Pass	401
824	844	0.1	RMS	824.75	8.84	30	21.16	Pass	401




3.29. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:20600, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.2	12.49	30	17.51	Pass	401
849	850	0.002	RMS	849.02	-54.54	-13	41.54	Pass	1001
850	851	0.1	RMS	850	-41	-13	28	Pass	19
851	869	0.1	RMS	851	-52.21	-13	39.21	Pass	401




3.30. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:20600, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.35	8.18	30	21.82	Pass	401
849	850	0.015	RMS	849	-38.46	-13	25.46	Pass	401
850	851	0.1	RMS	850	-38.11	-13	25.11	Pass	19
851	869	0.1	RMS	851.045	-47.8	-13	34.8	Pass	401




3.31. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:20600, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.2	12.53	30	17.47	Pass	401
849	850	0.002	RMS	849.018	-57.05	-13	44.05	Pass	1001
850	851	0.1	RMS	850	-44.44	-13	31.44	Pass	19
851	869	0.1	RMS	852.08	-52.52	-13	39.52	Pass	401



3.32. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:20600, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.5	8.92	30	21.08	Pass	401
849	850	0.015	RMS	849.005	-34.78	-13	21.78	Pass	401
850	851	0.1	RMS	850	-36.31	-13	23.31	Pass	19
851	869	0.1	RMS	851	-45.47	-13	32.47	Pass	401



4. Cat-M_Band12


4.1. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	696.91	-45.1	-13	32.1	Pass	401
697	698.9	0.1	RMS	698.9	-20.49	-13	7.49	Pass	39
698.9	699	0.03	RMS	699	-16.31	-13	3.31	Pass	401
699	719	0.1	RMS	699.25	12.39	30	17.61	Pass	401




4.2. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-46.74	-13	33.74	Pass	401
697	698.9	0.1	RMS	698.9	-27.45	-13	14.45	Pass	39
698.9	699	0.03	RMS	699	-28.41	-13	15.41	Pass	401
699	719	0.1	RMS	699.4	7.68	30	22.32	Pass	401




4.3. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	696.955	-45.79	-13	32.79	Pass	401
697	698.9	0.1	RMS	698.9	-22.88	-13	9.88	Pass	39
698.9	699	0.03	RMS	699	-18.91	-13	5.91	Pass	401
699	719	0.1	RMS	699.25	12.32	30	17.68	Pass	401




4.4. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	696.955	-46.33	-13	33.33	Pass	401
697	698.9	0.1	RMS	698.9	-24.63	-13	11.63	Pass	39
698.9	699	0.03	RMS	698.999	-26.18	-13	13.18	Pass	401
699	719	0.1	RMS	699.25	8.05	30	21.95	Pass	401




4.5. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.75	12.39	30	17.61	Pass	401
716	716.1	0.03	RMS	716.002	-19.4	-13	6.4	Pass	401
716.1	718	0.1	RMS	716.1	-24.37	-13	11.37	Pass	39
718	736	0.1	RMS	718.09	-45.39	-13	32.39	Pass	401




4.6. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	714.85	7.57	30	22.43	Pass	401
716	716.1	0.03	RMS	716	-30.89	-13	17.89	Pass	401
716.1	718	0.1	RMS	716.1	-27.33	-13	14.33	Pass	39
718	736	0.1	RMS	718	-45.25	-13	32.25	Pass	401




4.7. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.75	12.21	30	17.79	Pass	401
716	716.1	0.03	RMS	716	-21.95	-13	8.95	Pass	401
716.1	718	0.1	RMS	716.1	-24.34	-13	11.34	Pass	39
718	736	0.1	RMS	718.09	-46.13	-13	33.13	Pass	401




4.8. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.05	7.88	30	22.12	Pass	401
716	716.1	0.03	RMS	716.002	-29.52	-13	16.52	Pass	401
716.1	718	0.1	RMS	716.1	-25.78	-13	12.78	Pass	39
718	736	0.1	RMS	718	-47.24	-13	34.24	Pass	401



4.9. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:23025, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-45.2	-13	32.2	Pass	401
697	698.9	0.1	RMS	698.9	-25.75	-13	12.75	Pass	39
698.9	699	0.03	RMS	699	-33.27	-13	20.27	Pass	401
699	719	0.1	RMS	699.4	12.45	30	17.55	Pass	401



4.10. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:23025, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-48.04	-13	35.04	Pass	401
697	698.9	0.1	RMS	698.9	-29.58	-13	16.58	Pass	39
698.9	699	0.03	RMS	698.927	-35.46	-13	22.46	Pass	401
699	719	0.1	RMS	699.4	7.76	30	22.24	Pass	401

