



4.11. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:23025, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-46.35	-13	33.35	Pass	401
697	698.9	0.1	RMS	698.9	-26.75	-13	13.75	Pass	39
698.9	699	0.03	RMS	698.997	-34.54	-13	21.54	Pass	401
699	719	0.1	RMS	699.45	12.17	30	17.83	Pass	401




4.12. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:23025, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-47.64	-13	34.64	Pass	401
697	698.9	0.1	RMS	698.9	-27.19	-13	14.19	Pass	39
698.9	699	0.03	RMS	698.999	-33.06	-13	20.06	Pass	401
699	719	0.1	RMS	699.4	8.14	30	21.86	Pass	401




4.13. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:23165, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.55	12.27	30	17.73	Pass	401
716	716.1	0.03	RMS	716.041	-34.62	-13	21.62	Pass	401
716.1	718	0.1	RMS	716.1	-28.95	-13	15.95	Pass	39
718	736	0.1	RMS	718	-45.92	-13	32.92	Pass	401




4.14. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:23165, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	714.85	7.54	30	22.46	Pass	401
716	716.1	0.03	RMS	716.002	-36.62	-13	23.62	Pass	401
716.1	718	0.1	RMS	716.1	-29.7	-13	16.7	Pass	39
718	736	0.1	RMS	718	-47.14	-13	34.14	Pass	401




4.15. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:23165, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.6	12.18	30	17.82	Pass	401
716	716.1	0.03	RMS	716	-34.89	-13	21.89	Pass	401
716.1	718	0.1	RMS	716.1	-27.07	-13	14.07	Pass	39
718	736	0.1	RMS	718	-46.36	-13	33.36	Pass	401




4.16. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:23165, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	714.85	7.84	30	22.16	Pass	401
716	716.1	0.03	RMS	716.098	-35.25	-13	22.25	Pass	401
716.1	718	0.1	RMS	716.1	-27.93	-13	14.93	Pass	39
718	736	0.1	RMS	718	-48.56	-13	35.56	Pass	401




4.17. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:23035, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-49.74	-13	36.74	Pass	401
697	698.9	0.1	RMS	698.9	-27.56	-13	14.56	Pass	39
698.9	699	0.03	RMS	698.999	-29.89	-13	16.89	Pass	401
699	719	0.1	RMS	699.35	12.32	30	17.68	Pass	401




4.18. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:23035, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	696.955	-45.63	-13	32.63	Pass	401
697	698.9	0.1	RMS	698.9	-25.42	-13	12.42	Pass	39
698.9	699	0.03	RMS	698.999	-31.03	-13	18.03	Pass	401
699	719	0.1	RMS	699.35	7.92	30	22.08	Pass	401




4.19. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:23035, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	695.47	-52.07	-13	39.07	Pass	401
697	698.9	0.1	RMS	698.9	-29.7	-13	16.7	Pass	39
698.9	699	0.03	RMS	698.999	-30.25	-13	17.25	Pass	401
699	719	0.1	RMS	699.35	12.52	30	17.48	Pass	401




4.20. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:23035, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-45.07	-13	32.07	Pass	401
697	698.9	0.1	RMS	698.9	-24.12	-13	11.12	Pass	39
698.9	699	0.03	RMS	698.999	-28.61	-13	15.61	Pass	401
699	719	0.1	RMS	699.35	8.41	30	21.59	Pass	401




4.21. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:23155, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.65	12.22	30	17.78	Pass	401
716	716.1	0.03	RMS	716.001	-31.93	-13	18.93	Pass	401
716.1	718	0.1	RMS	716.1	-27.59	-13	14.59	Pass	39
718	736	0.1	RMS	718	-50.23	-13	37.23	Pass	401




4.22. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:23155, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	714.75	7.74	30	22.26	Pass	401
716	716.1	0.03	RMS	716.002	-32.59	-13	19.59	Pass	401
716.1	718	0.1	RMS	716.1	-25.17	-13	12.17	Pass	39
718	736	0.1	RMS	718	-45.47	-13	32.47	Pass	401




4.23. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:23155, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.65	12.4	30	17.6	Pass	401
716	716.1	0.03	RMS	716	-32.87	-13	19.87	Pass	401
716.1	718	0.1	RMS	716.1	-29.77	-13	16.77	Pass	39
718	736	0.1	RMS	719.485	-53.08	-13	40.08	Pass	401




4.24. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:23155, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	714.95	8.27	30	21.73	Pass	401
716	716.1	0.03	RMS	716	-30.01	-13	17.01	Pass	401
716.1	718	0.1	RMS	716.1	-23.63	-13	10.63	Pass	39
718	736	0.1	RMS	718	-44.75	-13	31.75	Pass	401




4.25. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:23060, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	696.91	-46.67	-13	33.67	Pass	401
697	698.9	0.1	RMS	698.9	-28.93	-13	15.93	Pass	39
698.9	699	0.03	RMS	698.997	-38.88	-13	25.88	Pass	401
699	719	0.1	RMS	699.8	12.37	30	17.63	Pass	401




4.26. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:23060, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-47.45	-13	34.45	Pass	401
697	698.9	0.1	RMS	698.9	-30.86	-13	17.86	Pass	39
698.9	699	0.03	RMS	698.997	-37.15	-13	24.15	Pass	401
699	719	0.1	RMS	699.75	7.79	30	22.21	Pass	401




4.27. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:23060, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	696.865	-50.58	-13	37.58	Pass	401
697	698.9	0.1	RMS	698.9	-33.9	-13	20.9	Pass	39
698.9	699	0.03	RMS	698.942	-42.39	-13	29.39	Pass	401
699	719	0.1	RMS	699.75	12.43	30	17.57	Pass	401




4.28. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:23060, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-46.38	-13	33.38	Pass	401
697	698.9	0.1	RMS	698.9	-28.02	-13	15.02	Pass	39
698.9	699	0.03	RMS	698.998	-33.54	-13	20.54	Pass	401
699	719	0.1	RMS	699.75	8.51	30	21.49	Pass	401




4.29. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:23130, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.2	12.24	30	17.76	Pass	401
716	716.1	0.03	RMS	716.003	-43.85	-13	30.85	Pass	401
716.1	718	0.1	RMS	716.2	-35.13	-13	22.13	Pass	39
718	736	0.1	RMS	718	-52.48	-13	39.48	Pass	401




4.30. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:23130, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	714.55	7.77	30	22.23	Pass	401
716	716.1	0.03	RMS	716	-36.76	-13	23.76	Pass	401
716.1	718	0.1	RMS	716.1	-29.85	-13	16.85	Pass	39
718	736	0.1	RMS	718.045	-47.22	-13	34.22	Pass	401




4.31. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:23130, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.2	12.27	30	17.73	Pass	401
716	716.1	0.03	RMS	716.012	-40.1	-13	27.1	Pass	401
716.1	718	0.1	RMS	716.1	-36.57	-13	23.57	Pass	39
718	736	0.1	RMS	718	-47.27	-13	34.27	Pass	401



4.32. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:23130, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	714.5	8.71	30	21.29	Pass	401
716	716.1	0.03	RMS	716.001	-33	-13	20	Pass	401
716.1	718	0.1	RMS	716.1	-26.77	-13	13.77	Pass	39
718	736	0.1	RMS	718	-45.67	-13	32.67	Pass	401



5. Cat-M_Band13


5.1. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-59.7	-35	24.7	Pass	2401
775	776.9	0.1	RMS	776.9	-26.66	-13	13.66	Pass	39
776.9	777	0.03	RMS	776.998	-29.57	-13	16.57	Pass	401
777	797	0.1	RMS	777.3	12.14	30	17.86	Pass	401




5.2. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.86	-54.97	-35	19.97	Pass	2401
775	776.9	0.1	RMS	776.2	-26.81	-13	13.81	Pass	39
776.9	777	0.03	RMS	777	-31.88	-13	18.88	Pass	401
777	797	0.1	RMS	777.35	7.98	30	22.02	Pass	401




5.3. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:23205, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.97	-58.74	-35	23.74	Pass	2401
775	776.9	0.1	RMS	776.9	-28.52	-13	15.52	Pass	39
776.9	777	0.03	RMS	776.971	-30.34	-13	17.34	Pass	401
777	797	0.1	RMS	777.35	12.23	30	17.77	Pass	401




5.4. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:23205, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-54.99	-35	19.99	Pass	2401
775	776.9	0.1	RMS	776.9	-25.19	-13	12.19	Pass	39
776.9	777	0.03	RMS	777	-29.58	-13	16.58	Pass	401
777	797	0.1	RMS	777.35	8.36	30	21.64	Pass	401




5.5. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	786.65	12.13	30	17.87	Pass	401
787	787.1	0.03	RMS	787	-30.83	-13	17.83	Pass	401
787.1	793	0.1	RMS	787.1	-27.45	-13	14.45	Pass	117
793	805	0.01	RMS	793.48	-71.86	-35	36.86	Pass	2401




5.6. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	785.75	7.97	30	22.03	Pass	401
787	787.1	0.03	RMS	787.002	-32.15	-13	19.15	Pass	401
787.1	793	0.1	RMS	787.1	-25.86	-13	12.86	Pass	117
793	805	0.01	RMS	793.27	-66.29	-35	31.29	Pass	2401




5.7. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:23255, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	786.65	12.25	30	17.75	Pass	401
787	787.1	0.03	RMS	787	-31.72	-13	18.72	Pass	401
787.1	793	0.1	RMS	787.1	-29.3	-13	16.3	Pass	117
793	805	0.01	RMS	793.21	-71.88	-35	36.88	Pass	2401




5.8. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:23255, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	785.95	8.36	30	21.64	Pass	401
787	787.1	0.03	RMS	787	-29.33	-13	16.33	Pass	401
787.1	793	0.1	RMS	787.1	-23.72	-13	10.72	Pass	117
793	805	0.01	RMS	793.01	-64.68	-35	29.68	Pass	2401




5.9. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:23230, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	773.85	-61.44	-35	26.44	Pass	2401
775	776.9	0.1	RMS	776.9	-34.88	-13	21.88	Pass	39
776.9	777	0.03	RMS	776.999	-43.21	-13	30.21	Pass	401
777	797	0.1	RMS	777.75	12.21	30	17.79	Pass	401




5.10. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:23230, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.9	-56.48	-35	21.48	Pass	2401
775	776.9	0.1	RMS	776.7	-26.25	-13	13.25	Pass	39
776.9	777	0.03	RMS	776.9	-34.91	-13	21.91	Pass	401
777	797	0.1	RMS	777.75	7.98	30	22.02	Pass	401




5.11. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:23230, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.93	-57.26	-35	22.26	Pass	2401
775	776.9	0.1	RMS	776.9	-36.47	-13	23.47	Pass	39
776.9	777	0.03	RMS	776.986	-39.02	-13	26.02	Pass	401
777	797	0.1	RMS	777.75	12.23	30	17.77	Pass	401




5.12. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:23230, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-55.8	-35	20.8	Pass	2401
775	776.9	0.1	RMS	776.9	-23.79	-13	10.79	Pass	39
776.9	777	0.03	RMS	776.981	-31.17	-13	18.17	Pass	401
777	797	0.1	RMS	777.75	8.78	30	21.22	Pass	401




5.13. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:23230, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	786.2	12.21	30	17.79	Pass	401
787	787.1	0.03	RMS	787.013	-40.15	-13	27.15	Pass	401
787.1	793	0.1	RMS	787.1	-34.65	-13	21.65	Pass	117
793	805	0.01	RMS	804.98	-56.87	-35	21.87	Pass	2401




5.14. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:23230, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	785.3	7.8	30	22.2	Pass	401
787	787.1	0.03	RMS	787.001	-36.37	-13	23.37	Pass	401
787.1	793	0.1	RMS	787.202	-29.22	-13	16.22	Pass	117
793	805	0.01	RMS	804.98	-57.67	-35	22.67	Pass	2401




5.15. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:23230, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	786.25	12.18	30	17.82	Pass	401
787	787.1	0.03	RMS	787	-42.98	-13	29.98	Pass	401
787.1	793	0.1	RMS	787.1	-37.81	-13	24.81	Pass	117
793	805	0.01	RMS	804.98	-55.92	-35	20.92	Pass	2401



5.16. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	787	0.1	RMS	785.5	8.75	30	21.25	Pass	401
787	787.1	0.03	RMS	787.007	-30.99	-13	17.99	Pass	401
787.1	793	0.1	RMS	787.1	-25.95	-13	12.95	Pass	117
793	805	0.01	RMS	804.98	-56.03	-35	21.03	Pass	2401



6. Cat-M_Band66


6.3. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-33.53	-13	20.53	Pass	401
1708	1709	1	RMS	1709	-19.63	-13	6.63	Pass	3
1709	1710	0.002	RMS	1709.996	-32.12	-13	19.12	Pass	1001
1710	1730	0.1	RMS	1710.25	17.7	30	12.3	Pass	401




6.4. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-35.18	-13	22.18	Pass	401
1708	1709	1	RMS	1709	-22.02	-13	9.02	Pass	3
1709	1710	0.015	RMS	1709.998	-35.13	-13	22.13	Pass	401
1710	1730	0.1	RMS	1710.45	8.38	30	21.62	Pass	401




6.5. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-33.95	-13	20.95	Pass	401
1708	1709	1	RMS	1709	-20.3	-13	7.3	Pass	3
1709	1710	0.002	RMS	1709.998	-34.36	-13	21.36	Pass	1001
1710	1730	0.1	RMS	1710.25	16.99	30	13.01	Pass	401




6.6. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-34.6	-13	21.6	Pass	401
1708	1709	1	RMS	1709	-20.72	-13	7.72	Pass	3
1709	1710	0.015	RMS	1710	-32.65	-13	19.65	Pass	401
1710	1730	0.1	RMS	1710.55	8.86	30	21.14	Pass	401




6.7. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.75	17.26	30	12.74	Pass	401
1780	1781	0.002	RMS	1780.014	-32.74	-13	19.74	Pass	1001
1781	1782	1	RMS	1781	-21.67	-13	8.67	Pass	3
1782	1800	1	RMS	1782	-35.57	-13	22.57	Pass	401




6.8. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.15	7.91	30	22.09	Pass	401
1780	1781	0.015	RMS	1780.01	-34.1	-13	21.1	Pass	401
1781	1782	1	RMS	1781	-20.54	-13	7.54	Pass	3
1782	1800	1	RMS	1782	-35.44	-13	22.44	Pass	401




6.9. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.75	16.32	30	13.68	Pass	401
1780	1781	0.002	RMS	1780.008	-37.57	-13	24.57	Pass	1001
1781	1782	1	RMS	1781	-23.83	-13	10.83	Pass	3
1782	1800	1	RMS	1782	-37.48	-13	24.48	Pass	401




6.10. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.4	8.99	30	21.01	Pass	401
1780	1781	0.015	RMS	1780	-32.37	-13	19.37	Pass	401
1781	1782	1	RMS	1781	-19.34	-13	6.34	Pass	3
1782	1800	1	RMS	1782	-33.73	-13	20.73	Pass	401




6.11. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:131987, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-34.2	-13	21.2	Pass	401
1708	1709	1	RMS	1709	-20.39	-13	7.39	Pass	3
1709	1710	0.002	RMS	1709.988	-44.86	-13	31.86	Pass	1001
1710	1730	0.1	RMS	1710.4	17.86	30	12.14	Pass	401




6.12. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:131987, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1707.955	-36.49	-13	23.49	Pass	401
1708	1709	1	RMS	1709	-23.04	-13	10.04	Pass	3
1709	1710	0.015	RMS	1709.903	-40	-13	27	Pass	401
1710	1730	0.1	RMS	1710.6	8.48	30	21.52	Pass	401




6.13. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:131987, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-35.1	-13	22.1	Pass	401
1708	1709	1	RMS	1709	-21	-13	8	Pass	3
1709	1710	0.002	RMS	1709.966	-46.86	-13	33.86	Pass	1001
1710	1730	0.1	RMS	1710.4	16.79	30	13.21	Pass	401




6.14. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:131987, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-35.95	-13	22.95	Pass	401
1708	1709	1	RMS	1709	-21.82	-13	8.82	Pass	3
1709	1710	0.015	RMS	1709.998	-38.8	-13	25.8	Pass	401
1710	1730	0.1	RMS	1710.6	8.87	30	21.13	Pass	401




6.15. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:132657, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.55	16.83	30	13.17	Pass	401
1780	1781	0.002	RMS	1780.016	-45.77	-13	32.77	Pass	1001
1781	1782	1	RMS	1781	-19.42	-13	6.42	Pass	3
1782	1800	1	RMS	1782	-32.8	-13	19.8	Pass	401




6.16. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:132657, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.85	8.16	30	21.84	Pass	401
1780	1781	0.015	RMS	1780.095	-35.61	-13	22.61	Pass	401
1781	1782	1	RMS	1781	-19.8	-13	6.8	Pass	3
1782	1800	1	RMS	1782	-33.82	-13	20.82	Pass	401




6.17. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:132657, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.6	15.88	30	14.12	Pass	401
1780	1781	0.002	RMS	1780.038	-47.41	-13	34.41	Pass	1001
1781	1782	1	RMS	1781	-19.21	-13	6.21	Pass	3
1782	1800	1	RMS	1782	-32.79	-13	19.79	Pass	401




6.18. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:132657, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.05	8.44	30	21.56	Pass	401
1780	1781	0.015	RMS	1780	-35.78	-13	22.78	Pass	401
1781	1782	1	RMS	1781	-21.52	-13	8.52	Pass	3
1782	1800	1	RMS	1782	-35.37	-13	22.37	Pass	401




6.19. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:131997, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-37.42	-13	24.42	Pass	401
1708	1709	1	RMS	1709	-23.33	-13	10.33	Pass	3
1709	1710	0.002	RMS	1709.984	-43.69	-13	30.69	Pass	1001
1710	1730	0.1	RMS	1710.35	17.54	30	12.46	Pass	401




6.20. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:131997, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-34.26	-13	21.26	Pass	401
1708	1709	1	RMS	1709	-19.9	-13	6.9	Pass	3
1709	1710	0.015	RMS	1710	-36.05	-13	23.05	Pass	401
1710	1730	0.1	RMS	1710.5	9.51	30	20.49	Pass	401




6.21. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:131997, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-39.73	-13	26.73	Pass	401
1708	1709	1	RMS	1709	-26.2	-13	13.2	Pass	3
1709	1710	0.002	RMS	1709.998	-43.41	-13	30.41	Pass	1001
1710	1730	0.1	RMS	1710.35	17.92	30	12.08	Pass	401




6.22. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:131997, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-34.07	-13	21.07	Pass	401
1708	1709	1	RMS	1709	-19.53	-13	6.53	Pass	3
1709	1710	0.015	RMS	1709.99	-33.15	-13	20.15	Pass	401
1710	1730	0.1	RMS	1710.55	10.22	30	19.78	Pass	401




6.23. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:132647, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.65	16.95	30	13.05	Pass	401
1780	1781	0.002	RMS	1780.08	-44.24	-13	31.24	Pass	1001
1781	1782	1	RMS	1781	-21.85	-13	8.85	Pass	3
1782	1800	1	RMS	1782	-35.48	-13	22.48	Pass	401




6.24. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:132647, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.95	9.03	30	20.97	Pass	401
1780	1781	0.015	RMS	1780.005	-35.3	-13	22.3	Pass	401
1781	1782	1	RMS	1781	-17.93	-13	4.93	Pass	3
1782	1800	1	RMS	1782.09	-32.66	-13	19.66	Pass	401




6.25. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:132647, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.65	16.92	30	13.08	Pass	401
1780	1781	0.002	RMS	1780.02	-46.19	-13	33.19	Pass	1001
1781	1782	1	RMS	1781	-25.77	-13	12.77	Pass	3
1782	1800	1	RMS	1782.045	-39.36	-13	26.36	Pass	401




6.26. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:132647, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.95	9.74	30	20.26	Pass	401
1780	1781	0.015	RMS	1780	-33.75	-13	20.75	Pass	401
1781	1782	1	RMS	1781	-16.66	-13	3.66	Pass	3
1782	1800	1	RMS	1782	-31.1	-13	18.1	Pass	401




6.27. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:132022, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-39.04	-13	26.04	Pass	401
1708	1709	1	RMS	1709	-25.03	-13	12.03	Pass	3
1709	1710	0.002	RMS	1709.956	-52.56	-13	39.56	Pass	1001
1710	1730	0.1	RMS	1710.75	17.65	30	12.35	Pass	401




6.28. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:132022, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-36.75	-13	23.75	Pass	401
1708	1709	1	RMS	1709	-24.02	-13	11.02	Pass	3
1709	1710	0.015	RMS	1709.623	-38.26	-13	25.26	Pass	401
1710	1730	0.1	RMS	1710.95	9.41	30	20.59	Pass	401




6.29. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:132022, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-42.14	-13	29.14	Pass	401
1708	1709	1	RMS	1709	-27.9	-13	14.9	Pass	3
1709	1710	0.002	RMS	1709.956	-55.17	-13	42.17	Pass	1001
1710	1730	0.1	RMS	1710.75	17.86	30	12.14	Pass	401




6.30. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:132022, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-35.79	-13	22.79	Pass	401
1708	1709	1	RMS	1709	-21.7	-13	8.7	Pass	3
1709	1710	0.015	RMS	1709.998	-37.18	-13	24.18	Pass	401
1710	1730	0.1	RMS	1710.85	11.28	30	18.72	Pass	401




6.31. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:132622, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.2	16.72	30	13.28	Pass	401
1780	1781	0.002	RMS	1780.006	-53.99	-13	40.99	Pass	1001
1781	1782	1	RMS	1781	-24	-13	11	Pass	3
1782	1800	1	RMS	1782	-37.39	-13	24.39	Pass	401




6.32. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:132622, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.55	9.45	30	20.55	Pass	401
1780	1781	0.015	RMS	1780.383	-37.72	-13	24.72	Pass	401
1781	1782	1	RMS	1781	-21.36	-13	8.36	Pass	3
1782	1800	1	RMS	1782.09	-35.38	-13	22.38	Pass	401




6.33. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:132622, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1779.2	16.94	30	13.06	Pass	401
1780	1781	0.002	RMS	1780.022	-56.72	-13	43.72	Pass	1001
1781	1782	1	RMS	1781	-27.51	-13	14.51	Pass	3
1782	1800	1	RMS	1782	-41.11	-13	28.11	Pass	401




6.34. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:132622, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.75	10.95	30	19.05	Pass	401
1780	1781	0.015	RMS	1780.085	-35.87	-13	22.87	Pass	401
1781	1782	1	RMS	1781	-17.98	-13	4.98	Pass	3
1782	1800	1	RMS	1782	-32.75	-13	19.75	Pass	401




6.35. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:132047, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-40.49	-13	27.49	Pass	401
1708	1709	1	RMS	1709	-25.9	-13	12.9	Pass	3
1709	1710	0.002	RMS	1709.982	-54.98	-13	41.98	Pass	1001
1710	1730	0.1	RMS	1711	17.76	30	12.24	Pass	401




6.36. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:132047, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-36.69	-13	23.69	Pass	401
1708	1709	1	RMS	1709	-24.08	-13	11.08	Pass	3
1709	1710	0.015	RMS	1709.995	-34.55	-13	21.55	Pass	401
1710	1730	0.1	RMS	1711.25	10.77	30	19.23	Pass	401




6.37. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:132047, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-43.15	-13	30.15	Pass	401
1708	1709	1	RMS	1709	-29.05	-13	16.05	Pass	3
1709	1710	0.002	RMS	1709.992	-57.43	-13	44.43	Pass	1001
1710	1730	0.1	RMS	1711	18.04	30	11.96	Pass	401




6.38. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:132047, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-36.79	-13	23.79	Pass	401
1708	1709	1	RMS	1709	-23.25	-13	10.25	Pass	3
1709	1710	0.015	RMS	1709.995	-41.24	-13	28.24	Pass	401
1710	1730	0.1	RMS	1711.05	11.32	30	18.68	Pass	401




6.39. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:132597, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.95	16.85	30	13.15	Pass	401
1780	1781	0.002	RMS	1780.012	-55.3	-13	42.3	Pass	1001
1781	1782	1	RMS	1781	-24.52	-13	11.52	Pass	3
1782	1800	1	RMS	1782	-38.41	-13	25.41	Pass	401




6.40. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:132597, Bandwidth:15, Modulation:QPSK, NB Index:11, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.3	10.24	30	19.76	Pass	401
1780	1781	0.015	RMS	1780.115	-35.82	-13	22.82	Pass	401
1781	1782	1	RMS	1781	-21.73	-13	8.73	Pass	3
1782	1800	1	RMS	1782	-35.8	-13	22.8	Pass	401




6.41. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:132597, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.95	16.75	30	13.25	Pass	401
1780	1781	0.002	RMS	1780	-59.92	-13	46.92	Pass	1001
1781	1782	1	RMS	1781	-28.51	-13	15.51	Pass	3
1782	1800	1	RMS	1782	-42.35	-13	29.35	Pass	401




6.42. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:132597, Bandwidth:15, Modulation:16QAM, NB Index:11, RB Number:5, RB Position:1)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.45	10.98	30	19.02	Pass	401
1780	1781	0.015	RMS	1780	-39.45	-13	26.45	Pass	401
1781	1782	1	RMS	1781	-19.78	-13	6.78	Pass	3
1782	1800	1	RMS	1782	-34.38	-13	21.38	Pass	401




6.43. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:132072, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-42.52	-13	29.52	Pass	401
1708	1709	1	RMS	1709	-27.73	-13	14.73	Pass	3
1709	1710	0.002	RMS	1709.99	-59.21	-13	46.21	Pass	1001
1710	1730	0.1	RMS	1711.45	17.67	30	12.33	Pass	401




6.44. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:132072, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-38.2	-13	25.2	Pass	401
1708	1709	1	RMS	1709	-26.7	-13	13.7	Pass	3
1709	1710	0.015	RMS	1709.94	-44.25	-13	31.25	Pass	401
1710	1730	0.1	RMS	1711.65	10.55	30	19.45	Pass	401




6.45. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:132072, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-45.24	-13	32.24	Pass	401
1708	1709	1	RMS	1709	-30.22	-13	17.22	Pass	3
1709	1710	0.002	RMS	1709.554	-61.75	-13	48.75	Pass	1001
1710	1730	0.1	RMS	1711.45	18	30	12	Pass	401




6.46. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:132072, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-38.36	-13	25.36	Pass	401
1708	1709	1	RMS	1709	-25.48	-13	12.48	Pass	3
1709	1710	0.015	RMS	1710	-45.66	-13	32.66	Pass	401
1710	1730	0.1	RMS	1711.55	11.41	30	18.59	Pass	401




6.47. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:132572, Bandwidth:20, Modulation:QPSK, NB Index:15, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.55	16.92	30	13.08	Pass	401
1780	1781	0.002	RMS	1780.02	-58.01	-13	45.01	Pass	501
1781	1782	1	RMS	1781	-26.42	-13	13.42	Pass	3
1782	1800	1	RMS	1782.045	-40.68	-13	27.68	Pass	401




6.48. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:132572, Bandwidth:20, Modulation:QPSK, NB Index:15, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1777.85	10.47	30	19.53	Pass	401
1780	1781	0.015	RMS	1780.03	-42.53	-13	29.53	Pass	401
1781	1782	1	RMS	1781	-24.03	-13	11.03	Pass	3
1782	1800	1	RMS	1782	-37.69	-13	24.69	Pass	401




6.49. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:132572, Bandwidth:20, Modulation:16QAM, NB Index:15, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.55	17.08	30	12.92	Pass	401
1780	1781	0.002	RMS	1780.012	-62.62	-13	49.62	Pass	1001
1781	1782	1	RMS	1781	-30.16	-13	17.16	Pass	3
1782	1800	1	RMS	1782	-44.41	-13	31.41	Pass	401



6.50. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:132572, Bandwidth:20, Modulation:16QAM, NB Index:15, RB Number:5, RB Position:1)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1777.85	11.06	30	18.94	Pass	401
1780	1781	0.015	RMS	1780.043	-42.98	-13	29.98	Pass	401
1781	1782	1	RMS	1781	-21.91	-13	8.91	Pass	3
1782	1800	1	RMS	1782	-36.55	-13	23.55	Pass	401



1. NB-IoT_Band2_BPSK_3.75kHz_1@0_Low

1.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.57	-13	19.57	Pass	401
1848	1849	1	RMS	1849	-27.13	-13	14.13	Pass	3
1849	1849.9	0.02	RMS	1849.896	-24.06	-13	11.06	Pass	401
1849.9	1850	0.000039	RMS	1849.999	-18.03	-13	5.03	Pass	5129
1850	1860	0.02	RMS	1850.02	17.11	30	12.89	Pass	1001



2. NB-IoT_Band2_QPSK_3.75kHz_1@0_Low

2.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-34.18	-13	21.18	Pass	401
1848	1849	1	RMS	1849	-26.72	-13	13.72	Pass	3
1849	1849.9	0.02	RMS	1849.898	-24.31	-13	11.31	Pass	401
1849.9	1850	0.000039	RMS	1850	-21.01	-13	8.01	Pass	5129
1850	1860	0.02	RMS	1850.02	16.22	30	13.78	Pass	1001



3. NB-IoT_Band2_BPSK_15kHz_1@0_Low

3.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.61	-13	30.61	Pass	401
1848	1849	1	RMS	1849	-43.88	-13	30.88	Pass	3
1849	1849.9	0.02	RMS	1849.9	-25.19	-13	12.19	Pass	401
1849.9	1850	0.00015	RMS	1849.998	-18	-13	5	Pass	1334
1850	1860	0.02	RMS	1850.02	15.83	30	14.17	Pass	1001



4. NB-IoT_Band2_QPSK_15kHz_1@0_Low

4.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.78	-13	30.78	Pass	401
1848	1849	1	RMS	1849	-40.9	-13	27.9	Pass	3
1849	1849.9	0.02	RMS	1849.9	-25.32	-13	12.32	Pass	401
1849.9	1850	0.00015	RMS	1849.998	-19.32	-13	6.32	Pass	1334
1850	1860	0.02	RMS	1850.02	15.12	30	14.88	Pass	1001



5. NB-IoT_Band2_QPSK_15kHz_12@0_Low

5.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.86	-50.11	-13	37.11	Pass	401
1848	1849	1	RMS	1848	-50.69	-13	37.69	Pass	3
1849	1849.994	0.002	RMS	1849.994	-27.08	-13	14.08	Pass	993
1849.994	1850	0.002	RMS	1849.999	-22.58	-13	9.58	Pass	401
1850	1860	0.02	RMS	1850.12	-1.67	30	31.67	Pass	1001



6. NB-IoT_Band4_BPSK_3.75kHz_1@0_Low

6.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-32.45	-13	19.45	Pass	401
1708	1709	1	RMS	1709	-25.56	-13	12.56	Pass	3
1709	1709.9	0.02	RMS	1709.896	-23.32	-13	10.32	Pass	401
1709.9	1710	0.000039	RMS	1709.999	-19.09	-13	6.09	Pass	5129
1710	1720	0.02	RMS	1710.02	17.56	30	12.44	Pass	1001



7. NB-IoT_Band4_QPSK_3.75kHz_1@0_Low

7.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.72	-13	20.72	Pass	401
1708	1709	1	RMS	1709	-27.05	-13	14.05	Pass	3
1709	1709.9	0.02	RMS	1709.896	-24.54	-13	11.54	Pass	401
1709.9	1710	0.000039	RMS	1710	-20.66	-13	7.66	Pass	5129
1710	1720	0.02	RMS	1710.02	16.78	30	13.22	Pass	1001



8. NB-IoT_Band4_QPSK_15kHz_1@0_Low

8.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.78	-13	32.78	Pass	401
1708	1709	1	RMS	1709	-40.36	-13	27.36	Pass	3
1709	1709.9	0.02	RMS	1709.9	-29.86	-13	16.86	Pass	401
1709.9	1710	0.00015	RMS	1709.998	-15.78	-13	2.78	Pass	1333
1710	1720	0.02	RMS	1710.02	13.97	30	16.03	Pass	1001



9. NB-IoT_Band4_BPSK_15kHz_1@0_Low

9.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.41	-13	30.41	Pass	401
1708	1709	1	RMS	1709	-40.8	-13	27.8	Pass	3
1709	1709.9	0.02	RMS	1709.9	-29.11	-13	16.11	Pass	401
1709.9	1710	0.00015	RMS	1709.998	-13.49	-13	0.49	Pass	1333
1710	1720	0.02	RMS	1710.02	16.49	30	13.51	Pass	1001



10. NB-IoT_Band4_QPSK_15kHz_12@0_Low

10.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-49.78	-13	36.78	Pass	401
1708	1709	1	RMS	1709	-42.61	-13	29.61	Pass	3
1709	1709.994	0.002	RMS	1709.994	-26.66	-13	13.66	Pass	993
1709.994	1710	0.002	RMS	1709.999	-22.63	-13	9.63	Pass	401
1710	1720	0.02	RMS	1710.02	-1.51	30	31.51	Pass	1001



11. NB-IoT_Band5_BPSK_3.75kHz_1@0_Low

11.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	821.94	-42.45	-13	29.45	Pass	401
822	823	0.1	RMS	823	-37.07	-13	24.07	Pass	21
823	823.9	0.02	RMS	823.898	-22.15	-13	9.15	Pass	401
823.9	824	0.000051	RMS	823.999	-16.92	-13	3.92	Pass	3921
824	834	0.02	RMS	824.02	19.17	30	10.83	Pass	1001



12. NB-IoT_Band5_QPSK_3.75kHz_1@0_Low

12.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	821.94	-42.44	-13	29.44	Pass	401
822	823	0.1	RMS	823	-37.69	-13	24.69	Pass	21
823	823.9	0.02	RMS	823.891	-23.03	-13	10.03	Pass	401
823.9	824	0.000051	RMS	824	-18.14	-13	5.14	Pass	3921
824	834	0.02	RMS	824.02	18.23	30	11.77	Pass	1001



13. NB-IoT_Band5_BPSK_15kHz_1@0_Low

13.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	820.18	-53.71	-13	40.71	Pass	401
822	823	0.1	RMS	823	-53.23	-13	40.23	Pass	21
823	823.9	0.02	RMS	823.898	-36.07	-13	23.07	Pass	401
823.9	824	0.00015	RMS	823.998	-14.1	-13	1.1	Pass	1333
824	834	0.02	RMS	824.02	18.42	30	11.58	Pass	1001



14. NB-IoT_Band5_QPSK_15kHz_1@0_Low

14.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	820.18	-55.04	-13	42.04	Pass	401
822	823	0.1	RMS	823	-54.57	-13	41.57	Pass	21
823	823.9	0.02	RMS	823.891	-35.82	-13	22.82	Pass	401
823.9	824	0.00015	RMS	823.996	-15.73	-13	2.73	Pass	1333
824	834	0.02	RMS	824.02	15.16	30	14.84	Pass	1001



15. NB-IoT_Band5_QPSK_15kHz_12@0_Low

15.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	822	0.1	RMS	821.48	-61.36	-13	48.36	Pass	401
822	823	0.1	RMS	823	-57.3	-13	44.3	Pass	21
823	823.994	0.002	RMS	823.986	-29.09	-13	16.09	Pass	995
823.994	824	0.002	RMS	823.999	-21.29	-13	8.29	Pass	401
824	834	0.02	RMS	824.1	1.14	30	28.86	Pass	1001



16. NB-IoT_Band12_BPSK_3.75kHz_1@0_Low

16.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	697	0.1	RMS	696.98	-44.01	-13	31.01	Pass	401
697	698	0.1	RMS	697.913	-36.97	-13	23.97	Pass	401
698	698.9	0.1	RMS	698.9	-14.67	-13	1.67	Pass	19
698.9	699	0.000039	RMS	698.999	-18.91	-13	5.91	Pass	5129
699	709	0.02	RMS	699.02	17.94	30	12.06	Pass	1001



17. NB-IoT_Band12_QPSK_3.75kHz_1@0_Low

17.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	697	0.1	RMS	696.98	-44.56	-13	31.56	Pass	401
697	698	0.1	RMS	697.988	-36.99	-13	23.99	Pass	401
698	698.9	0.1	RMS	698.9	-17.14	-13	4.14	Pass	19
698.9	699	0.000039	RMS	699	-20.3	-13	7.3	Pass	5129
699	709	0.02	RMS	699.02	17.31	30	12.69	Pass	1001



18. NB-IoT_Band12_BPSK_15kHz_1@0_Low

18.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	697	0.1	RMS	695.18	-52.61	-13	39.61	Pass	401
697	698	0.1	RMS	697.998	-52.59	-13	39.59	Pass	401
698	698.9	0.1	RMS	698.9	-22.97	-13	9.97	Pass	19
698.9	699	0.00015	RMS	699	-13.7	-13	0.7	Pass	1333
699	709	0.02	RMS	699.02	17.39	30	12.61	Pass	1001



19. NB-IoT_Band12_QPSK_15kHz_1@0_Low

19.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	697	0.1	RMS	695.18	-55.12	-13	42.12	Pass	401
697	698	0.1	RMS	697.988	-51.56	-13	38.56	Pass	401
698	698.9	0.1	RMS	698.9	-25.89	-13	12.89	Pass	19
698.9	699	0.00015	RMS	698.999	-14.25	-13	1.25	Pass	1333
699	709	0.02	RMS	699.02	15.48	30	14.52	Pass	1001



20. NB-IoT_Band12_QPSK_15kHz_12@0_Low

20.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	697	0.1	RMS	695.32	-61.88	-13	48.88	Pass	401
697	698.9	0.1	RMS	698.9	-31.59	-13	18.59	Pass	39
698.9	698.994	0.002	RMS	698.985	-25.94	-13	12.94	Pass	401
698.994	699	0.002	RMS	698.998	-22.62	-13	9.62	Pass	401
699	709	0.02	RMS	699.14	1.19	30	28.81	Pass	1001



21. NB-IoT_Band13_BPSK_3.75kHz_1@0_Low

21.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	775	0.1	RMS	774.88	-42.92	-13	29.92	Pass	401
775	776	0.1	RMS	776	-36.6	-13	23.6	Pass	21
776	776.9	0.1	RMS	776.9	-16.04	-13	3.04	Pass	19
776.9	777	0.000039	RMS	776.999	-18.55	-13	5.55	Pass	5129
777	787	0.02	RMS	777.02	18.25	30	11.75	Pass	1001



22. NB-IoT_Band13_QPSK_3.75kHz_1@0_Low

22.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	775	0.1	RMS	775	-43.15	-13	30.15	Pass	401
775	776	0.1	RMS	776	-38.17	-13	25.17	Pass	21
776	776.9	0.1	RMS	776.9	-16.35	-13	3.35	Pass	19
776.9	777	0.000039	RMS	777	-20.33	-13	7.33	Pass	5129
777	787	0.02	RMS	777.02	17.59	30	12.41	Pass	1001



23. NB-IoT_Band13_QPSK_15kHz_1@0_Low

23.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	775	0.1	RMS	773.18	-56.42	-13	43.42	Pass	401
775	776	0.1	RMS	776	-53.34	-13	40.34	Pass	21
776	776.9	0.1	RMS	776.9	-26.33	-13	13.33	Pass	19
776.9	777	0.00015	RMS	776.999	-16.15	-13	3.15	Pass	1333
777	787	0.02	RMS	777.02	16.08	30	13.92	Pass	1001



24. NB-IoT_Band13_BPSK_15kHz_1@0_Low

24.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	775	0.1	RMS	773.18	-54.64	-13	41.64	Pass	401
775	776	0.1	RMS	775.1	-55.8	-13	42.8	Pass	21
776	776.9	0.1	RMS	776.9	-24.88	-13	11.88	Pass	19
776.9	777	0.00015	RMS	776.998	-13.59	-13	0.59	Pass	1333
777	787	0.02	RMS	777.02	16.92	30	13.08	Pass	1001



25. NB-IoT_Band13_QPSK_15kHz_12@0_Low

25.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	775	0.1	RMS	773.3	-61.93	-13	48.93	Pass	401
775	776.9	0.1	RMS	776.9	-33.5	-13	20.5	Pass	39
776.9	776.994	0.002	RMS	776.993	-26.92	-13	13.92	Pass	401
776.994	777	0.002	RMS	776.999	-22.48	-13	9.48	Pass	401
777	787	0.02	RMS	777.14	1.33	30	28.67	Pass	1001



26. NB-IoT_Band66_BPSK_15kHz_1@0_Low

26.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.69	-13	31.69	Pass	401
1708	1709	1	RMS	1709	-40.02	-13	27.02	Pass	3
1709	1709.9	0.02	RMS	1709.9	-30.89	-13	17.89	Pass	401
1709.9	1710	0.00015	RMS	1709.998	-15.17	-13	2.17	Pass	1333
1710	1720	0.02	RMS	1710.02	14.92	30	15.08	Pass	1001



27. NB-IoT_Band66_QPSK_15kHz_1@0_Low

27.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-46.36	-13	33.36	Pass	401
1708	1709	1	RMS	1709	-44.94	-13	31.94	Pass	3
1709	1709.9	0.02	RMS	1709.9	-31.82	-13	18.82	Pass	401
1709.9	1710	0.00015	RMS	1709.996	-17.97	-13	4.97	Pass	1333
1710	1720	0.02	RMS	1710.02	13.45	30	16.55	Pass	1001



28. NB-IoT_Band66_QPSK_3.75kHz_1@0_Low

28.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-35.51	-13	22.51	Pass	401
1708	1709	1	RMS	1709	-28.65	-13	15.65	Pass	3
1709	1709.9	0.02	RMS	1709.889	-25.8	-13	12.8	Pass	401
1709.9	1710	0.000039	RMS	1710	-21.8	-13	8.8	Pass	5129
1710	1720	0.02	RMS	1710.02	15.84	30	14.16	Pass	1001



29. NB-IoT_Band66_BPSK_3.75kHz_1@0_Low

29.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-33.96	-13	20.96	Pass	401
1708	1709	1	RMS	1709	-28.76	-13	15.76	Pass	3
1709	1709.9	0.02	RMS	1709.898	-24.3	-13	11.3	Pass	401
1709.9	1710	0.000039	RMS	1709.999	-19.96	-13	6.96	Pass	5129
1710	1720	0.02	RMS	1710.02	16.83	30	13.17	Pass	1001



30. NB-IoT_Band66_QPSK_15kHz_12@0_Low

30.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-50.78	-13	37.78	Pass	401
1708	1709	1	RMS	1709	-50.91	-13	37.91	Pass	3
1709	1709.994	0.002	RMS	1709.992	-32.12	-13	19.12	Pass	993
1709.994	1710	0.002	RMS	1709.999	-24.15	-13	11.15	Pass	401
1710	1720	0.02	RMS	1710.18	-1.83	30	31.83	Pass	1001



31. NB-IoT_Band71_BPSK_3.75kHz_1@0_Low

31.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	661	0.1	RMS	660.98	-42.05	-13	29.05	Pass	401
661	662	0.1	RMS	661.985	-35.19	-13	22.19	Pass	401
662	662.9	0.1	RMS	662.9	-16.68	-13	3.68	Pass	19
662.9	663	0.000039	RMS	662.999	-17.49	-13	4.49	Pass	5129
663	673	0.02	RMS	663.02	19.31	30	10.69	Pass	1001



32. NB-IoT_Band71_QPSK_3.75kHz_1@0_Low

32.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	661	0.1	RMS	660.84	-42.75	-13	29.75	Pass	401
661	662	0.1	RMS	661.995	-35.44	-13	22.44	Pass	401
662	662.9	0.1	RMS	662.9	-16.39	-13	3.39	Pass	19
662.9	663	0.000039	RMS	663	-19	-13	6	Pass	5129
663	673	0.02	RMS	663.02	18.48	30	11.52	Pass	1001



33. NB-IoT_Band71_BPSK_15kHz_1@0_Low

33.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	661	0.1	RMS	659.18	-51.92	-13	38.92	Pass	401
661	662	0.1	RMS	661.98	-50.24	-13	37.24	Pass	401
662	662.9	0.1	RMS	662.9	-21.92	-13	8.92	Pass	19
662.9	663	0.00015	RMS	662.996	-14.29	-13	1.29	Pass	1333
663	673	0.02	RMS	663.02	19.19	30	10.81	Pass	1001



34. NB-IoT_Band71_QPSK_15kHz_1@0_Low

34.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	661	0.1	RMS	659.18	-53.2	-13	40.2	Pass	401
661	662	0.1	RMS	661.98	-52.9	-13	39.9	Pass	401
662	662.9	0.1	RMS	662.9	-23.4	-13	10.4	Pass	19
662.9	663	0.00015	RMS	662.996	-14.88	-13	1.88	Pass	1333
663	673	0.02	RMS	663.02	15.66	30	14.34	Pass	1001



35. NB-IoT_Band71_QPSK_15kHz_12@0_Low

35.1. NB-IoT Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	661	0.1	RMS	659.24	-61.57	-13	48.57	Pass	401
661	662.9	0.1	RMS	662.9	-17.33	-13	4.33	Pass	401
662.9	662.994	0.002	RMS	662.987	-26.18	-13	13.18	Pass	401
662.994	663	0.002	RMS	662.999	-21.62	-13	8.62	Pass	401
663	673	0.02	RMS	663.1	-0.29	30	30.29	Pass	1001



1. NB-IoT_Band2_QPSK_15kHz_12@0_High

1.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.02	RMS	1909.88	-2.77	30	32.77	Pass	1001
1910	1910.006	0.002	RMS	1910.002	-20.36	-13	7.36	Pass	401
1910.006	1911	0.002	RMS	1910.006	-28.24	-13	15.24	Pass	993
1911	1912	1	RMS	1911	-40.01	-13	27.01	Pass	3
1912	1920	1	RMS	1912.22	-40.8	-13	27.8	Pass	401



2. NB-IoT_Band2_BPSK_15kHz_1@11_High

2.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.02	RMS	1909.98	15.06	30	14.94	Pass	1001
1910	1910.1	0.00015	RMS	1910.002	-14.67	-13	1.67	Pass	1333
1910.1	1911	0.02	RMS	1910.105	-34.95	-13	21.95	Pass	401
1911	1912	1	RMS	1911	-37.43	-13	24.43	Pass	3
1912	1920	1	RMS	1912	-39.51	-13	26.51	Pass	401



3. NB-IoT_Band2_QPSK_15kHz_1@11_High

3.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.02	RMS	1909.98	14.34	30	15.66	Pass	1001
1910	1910.1	0.00015	RMS	1910.003	-16.59	-13	3.59	Pass	1333
1910.1	1911	0.02	RMS	1910.114	-36.69	-13	23.69	Pass	401
1911	1912	1	RMS	1911	-36.72	-13	23.72	Pass	3
1912	1920	1	RMS	1912	-39.76	-13	26.76	Pass	401



4. NB-IoT_Band2_QPSK_3.75kHz_1@47_High

4.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.02	RMS	1909.98	16.95	30	13.05	Pass	1001
1910	1910.1	0.000039	RMS	1910.001	-21.05	-13	8.05	Pass	5129
1910.1	1911	0.02	RMS	1910.102	-25.29	-13	12.29	Pass	401
1911	1912	1	RMS	1911	-28.6	-13	15.6	Pass	3
1912	1920	1	RMS	1912.02	-33.72	-13	20.72	Pass	401



5. NB-IoT_Band2_BPSK_3.75kHz_1@47_High

5.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.02	RMS	1909.98	17.52	30	12.48	Pass	1001
1910	1910.1	0.000039	RMS	1910	-19.85	-13	6.85	Pass	5129
1910.1	1911	0.02	RMS	1910.1	-23.58	-13	10.58	Pass	401
1911	1912	1	RMS	1911	-27.74	-13	14.74	Pass	3
1912	1920	1	RMS	1912.08	-33.43	-13	20.43	Pass	401



6. NB-IoT_Band4_QPSK_15kHz_12@0_High

6.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.02	RMS	1754.98	-0.85	30	30.85	Pass	1001
1755	1755.006	0.002	RMS	1755	-20.42	-13	7.42	Pass	401
1755.006	1756	0.002	RMS	1755.012	-30.7	-13	17.7	Pass	993
1756	1757	1	RMS	1756	-41.04	-13	28.04	Pass	3
1757	1765	1	RMS	1757	-41.41	-13	28.41	Pass	401



7. NB-IoT_Band4_QPSK_15kHz_1@11_High

7.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.02	RMS	1754.98	14.87	30	15.13	Pass	1001
1755	1755.1	0.00015	RMS	1755.003	-16.21	-13	3.21	Pass	1333
1755.1	1756	0.02	RMS	1755.107	-37.24	-13	24.24	Pass	401
1756	1757	1	RMS	1756	-40.45	-13	27.45	Pass	3
1757	1765	1	RMS	1757	-40.71	-13	27.71	Pass	401



8. NB-IoT_Band4_BPSK_15kHz_1@11_High

8.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.02	RMS	1754.98	15.59	30	14.41	Pass	1001
1755	1755.1	0.00015	RMS	1755.001	-13.7	-13	0.7	Pass	1333
1755.1	1756	0.02	RMS	1755.102	-35.86	-13	22.86	Pass	401
1756	1757	1	RMS	1756	-37.08	-13	24.08	Pass	3
1757	1765	1	RMS	1757	-40.26	-13	27.26	Pass	401



9. NB-IoT_Band4_BPSK_3.75kHz_1@47_High

9.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.02	RMS	1754.98	17.51	30	12.49	Pass	1001
1755	1755.1	0.000051	RMS	1755	-18.52	-13	5.52	Pass	3921
1755.1	1756	0.02	RMS	1755.102	-24.78	-13	11.78	Pass	401
1756	1757	1	RMS	1756	-26.98	-13	13.98	Pass	3
1757	1765	1	RMS	1757	-33.14	-13	20.14	Pass	401



10. NB-IoT_Band4_QPSK_3.75kHz_1@47_High

10.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.02	RMS	1754.98	17.13	30	12.87	Pass	1001
1755	1755.1	0.000051	RMS	1755.001	-20.02	-13	7.02	Pass	3921
1755.1	1756	0.02	RMS	1755.102	-25.53	-13	12.53	Pass	401
1756	1757	1	RMS	1756	-27.81	-13	14.81	Pass	3
1757	1765	1	RMS	1757.02	-33.68	-13	20.68	Pass	401



11. NB-IoT_Band5_QPSK_15kHz_12@0_High

11.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.02	RMS	848.92	-0.1	30	30.1	Pass	1001
849	849.006	0.002	RMS	849.001	-18.89	-13	5.89	Pass	401
849.006	850	0.002	RMS	849.016	-24.63	-13	11.63	Pass	995
850	851	0.1	RMS	850	-52.49	-13	39.49	Pass	21
851	859	0.1	RMS	852.78	-53.04	-13	40.04	Pass	401



12. NB-IoT_Band5_QPSK_15kHz_1@11_High

12.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.02	RMS	848.98	15.27	30	14.73	Pass	1001
849	849.1	0.00015	RMS	849	-14.91	-13	1.91	Pass	1333
849.1	850	0.02	RMS	849.102	-36.64	-13	23.64	Pass	401
850	851	0.1	RMS	850	-52.56	-13	39.56	Pass	21
851	859	0.1	RMS	852.84	-50.68	-13	37.68	Pass	401



13. NB-IoT_Band5_BPSK_15kHz_1@11_High

13.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.02	RMS	848.98	17.79	30	12.21	Pass	1001
849	849.1	0.00015	RMS	849.001	-13.42	-13	0.42	Pass	1333
849.1	850	0.02	RMS	849.102	-37.61	-13	24.61	Pass	401
850	851	0.1	RMS	850	-51.02	-13	38.02	Pass	21
851	859	0.1	RMS	852.82	-50.22	-13	37.22	Pass	401



14. NB-IoT_Band5_BPSK_3.75kHz_1@47_High

14.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.02	RMS	848.98	19	30	11	Pass	1001
849	849.1	0.000051	RMS	849.001	-17.09	-13	4.09	Pass	3921
849.1	850	0.02	RMS	849.1	-21.77	-13	8.77	Pass	401
850	851	0.1	RMS	850	-34.87	-13	21.87	Pass	21
851	859	0.1	RMS	851.04	-42.19	-13	29.19	Pass	401



15. NB-IoT_Band5_QPSK_3.75kHz_1@47_High

15.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.02	RMS	848.98	18.2	30	11.8	Pass	1001
849	849.1	0.000051	RMS	849.001	-18.39	-13	5.39	Pass	3921
849.1	850	0.02	RMS	849.1	-23.55	-13	10.55	Pass	401
850	851	0.1	RMS	850.1	-37.88	-13	24.88	Pass	21
851	859	0.1	RMS	851	-43.11	-13	30.11	Pass	401



16. NB-IoT_Band12_QPSK_15kHz_12@0_High

16.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.02	RMS	715.9	-0.9	30	30.9	Pass	1001
716	716.006	0.002	RMS	716.002	-19.38	-13	6.38	Pass	401
716.006	716.1	0.002	RMS	716.015	-24.33	-13	11.33	Pass	401
716.1	718	0.1	RMS	716.1	-34.64	-13	21.64	Pass	39
718	726	0.1	RMS	719.7	-53.35	-13	40.35	Pass	401



17. NB-IoT_Band12_QPSK_15kHz_1@11_High

17.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.02	RMS	715.98	14.5	30	15.5	Pass	1001
716	716.1	0.00015	RMS	716	-15.58	-13	2.58	Pass	1333
716.1	717	0.1	RMS	716.1	-27.87	-13	14.87	Pass	19
717	718	0.1	RMS	717	-52.56	-13	39.56	Pass	21
718	726	0.1	RMS	719.82	-51.29	-13	38.29	Pass	401



18. NB-IoT_Band12_BPSK_15kHz_1@11_High

18.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.02	RMS	715.98	16.83	30	13.17	Pass	1001
716	716.1	0.00015	RMS	716.001	-13.4	-13	0.4	Pass	1333
716.1	717	0.1	RMS	716.1	-24.39	-13	11.39	Pass	19
717	718	0.1	RMS	717.9	-52.27	-13	39.27	Pass	21
718	726	0.1	RMS	719.82	-50.6	-13	37.6	Pass	401



19. NB-IoT_Band12_BPSK_3.75kHz_1@47_High

19.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.02	RMS	715.98	18.33	30	11.67	Pass	1001
716	716.1	0.000039	RMS	716.001	-18.76	-13	5.76	Pass	5129
716.1	717	0.1	RMS	716.1	-17.19	-13	4.19	Pass	19
717	718	0.1	RMS	717.2	-38.68	-13	25.68	Pass	21
718	726	0.1	RMS	718.04	-42.59	-13	29.59	Pass	401



20. NB-IoT_Band12_QPSK_3.75kHz_1@47_High

20.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.02	RMS	715.98	17.5	30	12.5	Pass	1001
716	716.1	0.000039	RMS	716.001	-20.4	-13	7.4	Pass	5129
716.1	717	0.1	RMS	716.1	-15.63	-13	2.63	Pass	19
717	718	0.1	RMS	717.1	-39.96	-13	26.96	Pass	21
718	726	0.1	RMS	718.04	-43.43	-13	30.43	Pass	401



21. NB-IoT_Band13_BPSK_15kHz_1@11_High

21.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
777	787	0.02	RMS	786.98	17.06	30	12.94	Pass	1001
787	787.1	0.00015	RMS	787.001	-13.15	-13	0.15	Pass	1333
787.1	788	0.1	RMS	787.1	-25.16	-13	12.16	Pass	19
788	789	0.1	RMS	788.003	-51.27	-13	38.27	Pass	401
789	797	0.1	RMS	790.82	-50.74	-13	37.74	Pass	401



22. NB-IoT_Band13_QPSK_15kHz_1@11_High

22.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
777	787	0.02	RMS	786.98	14.52	30	15.48	Pass	1001
787	787.1	0.00015	RMS	787.002	-16.25	-13	3.25	Pass	1333
787.1	788	0.1	RMS	787.1	-28.09	-13	15.09	Pass	19
788	789	0.1	RMS	788.008	-50.74	-13	37.74	Pass	401
789	797	0.1	RMS	790.82	-51.64	-13	38.64	Pass	401



23. NB-IoT_Band13_QPSK_3.75kHz_1@47_High

23.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
777	787	0.02	RMS	786.98	17.35	30	12.65	Pass	1001
787	787.1	0.000039	RMS	787.001	-20.71	-13	7.71	Pass	5129
787.1	788	0.1	RMS	787.1	-18.01	-13	5.01	Pass	19
788	789	0.1	RMS	788.01	-36.52	-13	23.52	Pass	401
789	797	0.1	RMS	789.08	-43.43	-13	30.43	Pass	401



24. NB-IoT_Band13_BPSK_3.75kHz_1@47_High

24.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
777	787	0.02	RMS	786.98	18.24	30	11.76	Pass	1001
787	787.1	0.000039	RMS	787.001	-19.05	-13	6.05	Pass	5129
787.1	788	0.1	RMS	787.1	-16.37	-13	3.37	Pass	19
788	789	0.1	RMS	788	-35.14	-13	22.14	Pass	401
789	797	0.1	RMS	789.06	-42.45	-13	29.45	Pass	401



25. NB-IoT_Band13_QPSK_15kHz_12@0_High

25.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
777	787	0.02	RMS	786.92	-0.84	30	30.84	Pass	1001
787	787.006	0.002	RMS	787.002	-19.89	-13	6.89	Pass	401
787.006	787.1	0.002	RMS	787.006	-25.01	-13	12.01	Pass	401
787.1	789	0.1	RMS	787.1	-20.61	-13	7.61	Pass	401
789	797	0.1	RMS	790.68	-52.96	-13	39.96	Pass	401



26. NB-IoT_Band66_BPSK_15kHz_1@11_High

26.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.02	RMS	1779.98	14.24	30	15.76	Pass	1001
1780	1780.1	0.00015	RMS	1780.001	-16.03	-13	3.03	Pass	1333
1780.1	1781	0.02	RMS	1780.102	-36.9	-13	23.9	Pass	401
1781	1782	1	RMS	1781	-39.28	-13	26.28	Pass	3
1782	1790	1	RMS	1782	-40.63	-13	27.63	Pass	401



27. NB-IoT_Band66_QPSK_15kHz_1@11_High

27.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.02	RMS	1779.98	12.74	30	17.26	Pass	1001
1780	1780.1	0.00015	RMS	1780.002	-17.97	-13	4.97	Pass	1333
1780.1	1781	0.02	RMS	1780.1	-35.96	-13	22.96	Pass	401
1781	1782	1	RMS	1781	-40.24	-13	27.24	Pass	3
1782	1790	1	RMS	1782	-41.03	-13	28.03	Pass	401



28. NB-IoT_Band66_QPSK_3.75kHz_1@47_High

28.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.02	RMS	1779.98	15.33	30	14.67	Pass	1001
1780	1780.1	0.000039	RMS	1780.001	-22.69	-13	9.69	Pass	5129
1780.1	1781	0.02	RMS	1780.1	-26.92	-13	13.92	Pass	401
1781	1782	1	RMS	1781	-30.1	-13	17.1	Pass	3
1782	1790	1	RMS	1782.02	-35.3	-13	22.3	Pass	401



29. NB-IoT_Band66_BPSK_3.75kHz_1@47_High

29.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.02	RMS	1779.98	16.55	30	13.45	Pass	1001
1780	1780.1	0.000039	RMS	1780.001	-20.55	-13	7.55	Pass	5129
1780.1	1781	0.02	RMS	1780.107	-25.38	-13	12.38	Pass	401
1781	1782	1	RMS	1781	-28.95	-13	15.95	Pass	3
1782	1790	1	RMS	1782	-34.28	-13	21.28	Pass	401



30. NB-IoT_Band66_QPSK_15kHz_12@0_High

30.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.02	RMS	1779.92	-2.01	30	32.01	Pass	1001
1780	1780.006	0.002	RMS	1780.001	-21.44	-13	8.44	Pass	401
1780.006	1781	0.002	RMS	1780.014	-30.62	-13	17.62	Pass	993
1781	1782	1	RMS	1781	-40.55	-13	27.55	Pass	3
1782	1790	1	RMS	1782.02	-41.57	-13	28.57	Pass	401



31. NB-IoT_Band71_BPSK_15kHz_1@11_High

31.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.02	RMS	697.98	16.52	30	13.48	Pass	1001
698	698.1	0.00015	RMS	698.001	-13.37	-13	0.37	Pass	1333
698.1	699	0.1	RMS	698.1	-25.2	-13	12.2	Pass	19
699	700	0.1	RMS	699.91	-51.7	-13	38.7	Pass	401
700	708	0.1	RMS	701.84	-50.94	-13	37.94	Pass	401



32. NB-IoT_Band71_QPSK_15kHz_1@11_High

32.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.02	RMS	697.98	14.34	30	15.66	Pass	1001
698	698.1	0.00015	RMS	698	-16.72	-13	3.72	Pass	1333
698.1	699	0.1	RMS	698.1	-28.21	-13	15.21	Pass	19
699	700	0.1	RMS	699.038	-52.1	-13	39.1	Pass	401
700	708	0.1	RMS	701.82	-51.46	-13	38.46	Pass	401



33. NB-IoT_Band71_BPSK_3.75kHz_1@47_High

33.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.02	RMS	697.98	17.55	30	12.45	Pass	1001
698	698.1	0.000039	RMS	698.001	-19.74	-13	6.74	Pass	5129
698.1	699	0.1	RMS	698.1	-18.52	-13	5.52	Pass	19
699	700	0.1	RMS	699.01	-37.31	-13	24.31	Pass	401
700	708	0.1	RMS	700	-43.58	-13	30.58	Pass	401



34. NB-IoT_Band71_QPSK_3.75kHz_1@47_High

34.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.02	RMS	697.98	16.51	30	13.49	Pass	1001
698	698.1	0.000039	RMS	698.001	-21.72	-13	8.72	Pass	5129
698.1	699	0.1	RMS	698.1	-18.41	-13	5.41	Pass	19
699	700	0.1	RMS	699.005	-37.62	-13	24.62	Pass	401
700	708	0.1	RMS	700.04	-43.69	-13	30.69	Pass	401



35. NB-IoT_Band71_QPSK_15kHz_12@0_High


35.1. NB-IoT Band Edge for Upper_Part22-24-27(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.02	RMS	697.92	-0.93	30	30.93	Pass	1001
698	698.006	0.002	RMS	698.003	-19.94	-13	6.94	Pass	401
698.006	698.1	0.002	RMS	698.017	-26.36	-13	13.36	Pass	401
698.1	700	0.1	RMS	698.1	-34.17	-13	21.17	Pass	39
700	708	0.1	RMS	706.98	-53.54	-13	40.54	Pass	401




1. NB-IoT_Band13_BPSK_3.75kHz_1@0_Low

1.1. NB-IoT Emissions Mask for Lower_Part22-24-27(NTNV)




2. NB-IoT_Band13_QPSK_3.75kHz_1@0_Low

2.1. NB-IoT Emissions Mask for Lower_Part22-24-27(NTNV)




3. NB-IoT_Band13_QPSK_15kHz_1@0_Low

3.1. NB-IoT Emissions Mask for Lower_Part22-24-27(NTNV)




4. NB-IoT_Band13_BPSK_15kHz_1@0_Low

4.1. NB-IoT Emissions Mask for Lower_Part22-24-27(NTNV)




5. NB-IoT_Band13_QPSK_15kHz_12@0_Low

5.1. NB-IoT Emissions Mask for Lower_Part22-24-27(NTNV)



1. NB-IoT_Band13_BPSK_15kHz_1@11_High


1.1. NB-IoT Emissions Mask for Upper_Part22-24-27(NTNV)



2. NB-IoT_Band13_QPSK_15kHz_1@11_High

2.1. NB-IoT Emissions Mask for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	806	0.01	RMS	806	-59.67	-35	24.67	Pass	2601



3. NB-IoT_Band13_QPSK_3.75kHz_1@47_High

3.1. NB-IoT Emissions Mask for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	806	0.01	RMS	806	-57.19	-35	22.19	Pass	2601



4. NB-IoT_Band13_BPSK_3.75kHz_1@47_High

4.1. NB-IoT Emissions Mask for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	806	0.01	RMS	806	-56.76	-35	21.76	Pass	2601



5. NB-IoT_Band13_QPSK_15kHz_12@0_High

5.1. NB-IoT Emissions Mask for Upper_Part22-24-27(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	806	0.01	RMS	806	-71.06	-35	36.06	Pass	2601



--BLANK BELOW--