

Right Ear


GFSK				
Channel	Measured Max. Out of Band Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-37.51	5.86	-14.14	Pass
Middle	-37.61	5.92	-14.08	Pass
High	-37.76	5.62	-14.39	Pass
8-DPSK				
Channel	Measured Max. Out of Band Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-37.56	5.82	-14.19	Pass
Middle	-37.68	5.92	-14.08	Pass
High	-37.10	5.63	-14.37	Pass

Hopping Mode				
Mode	Measured Max. Out of Band Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
GFSK	-25.57	6.12	-13.88	Pass
8-DPSK	-25.86	6.14	-13.86	Pass




Test Plots

Left Ear


GFSK LOW CHANNEL, CARRIER LEVEL




GFSK LOW CHANNEL, BAND EDGE

GFSK LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHzGFSK LOW CHANNEL, SPURIOUS
3 GHz ~ 25 GHz


GFSK MIDDLE CHANNEL, CARRIER LEVEL



GFSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




GFSK HIGH CHANNEL, CARRIER LEVEL




GFSK HIGH CHANNEL, BAND EDGE



GFSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz






GFSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




8-DPSK LOW CHANNEL, CARRIER LEVEL





8-DPSK LOW CHANNEL, BAND EDGE

8-DPSK LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz8-DPSK LOW CHANNEL, SPURIOUS
3 GHz ~ 25 GHz



8-DPSK MIDDLE CHANNEL, CARRIER LEVEL





8-DPSK MIDDLE CHANNEL, SPURIOUS
3 GHz ~ 25 GHz




8-DPSK HIGH CHANNEL, BAND EDGE




8-DPSK HIGH CHANNEL, SPURIOUS
3 GHz ~ 25 GHz





GFSK HOPPING, CARRIER LEVEL




GFSK HOPPING BAND EDGE (LOW)




GFSK HOPPING BAND EDGE (HIGH)

GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHzGFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz



8-DPSK HOPPING, CARRIER LEVEL



8-DPSK Hopping BAND EDGE (LOW)



8-DPSK Hopping BAND EDGE (HIGH)



8-DPSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz8-DPSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

Right Ear


GFSK LOW CHANNEL, CARRIER LEVEL




GFSK LOW CHANNEL, BAND EDGE

GFSK LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHzGFSK LOW CHANNEL, SPURIOUS
3 GHz ~ 25 GHz


GFSK MIDDLE CHANNEL, CARRIER LEVEL




GFSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




GFSK HIGH CHANNEL, CARRIER LEVEL




GFSK HIGH CHANNEL, BAND EDGE




GFSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz






GFSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




8-DPSK LOW CHANNEL, CARRIER LEVEL




8-DPSK LOW CHANNEL, BAND EDGE

8-DPSK LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz8-DPSK LOW CHANNEL, SPURIOUS
3 GHz ~ 25 GHz


8-DPSK MIDDLE CHANNEL, CARRIER LEVEL




8-DPSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8-DPSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




8-DPSK HIGH CHANNEL, CARRIER LEVEL




8-DPSK HIGH CHANNEL, BAND EDGE




8-DPSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8-DPSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz






GFSK HOPPING, CARRIER LEVEL




GFSK HOPPING BAND EDGE (LOW)



GFSK HOPPING BAND EDGE (HIGH)

GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHzGFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz



8-DPSK HOPPING, CARRIER LEVEL



8-DPSK Hopping BAND EDGE (LOW)



8-DPSK Hopping BAND EDGE (HIGH)

8-DPSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz8-DPSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

A.7 Conducted Emissions

Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.


Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

Left Ear

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.702	36.50	10.68	56.00	19.50	Peak	L	Pass
1**	0.702	24.96	10.68	46.00	21.04	AV	L	Pass
2	1.234	36.30	10.34	56.00	19.70	Peak	L	Pass
2**	1.234	24.62	10.34	46.00	21.38	AV	L	Pass
3	1.660	36.00	10.04	56.00	20.00	Peak	L	Pass
3**	1.660	24.61	10.04	46.00	21.39	AV	L	Pass
4	3.036	36.48	10.19	56.00	19.52	Peak	L	Pass
4**	3.036	24.03	10.19	46.00	21.97	AV	L	Pass
5	6.918	36.21	10.43	60.00	23.79	Peak	L	Pass
5**	6.918	25.09	10.43	50.00	24.91	AV	L	Pass
6	19.322	37.80	11.14	60.00	22.20	Peak	L	Pass
6**	19.322	24.62	11.14	50.00	25.38	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C




No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.854	37.85	10.64	56.00	18.15	Peak	N	Pass
1**	0.854	24.50	10.64	46.00	21.50	AV	N	Pass
2	1.216	36.09	10.14	56.00	19.91	Peak	N	Pass
2**	1.216	23.31	10.14	46.00	22.69	AV	N	Pass
3	2.154	36.17	10.22	56.00	19.83	Peak	N	Pass
3**	2.154	24.60	10.22	46.00	21.40	AV	N	Pass
4	3.296	36.19	10.38	56.00	19.81	Peak	N	Pass
4**	3.296	24.36	10.38	46.00	21.64	AV	N	Pass
5	5.882	36.30	10.46	60.00	23.70	Peak	N	Pass
5**	5.882	23.65	10.46	50.00	26.35	AV	N	Pass
6	19.526	37.36	10.77	60.00	22.64	Peak	N	Pass
6**	19.526	25.08	10.77	50.00	24.92	AV	N	Pass

Right Ear

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.396	36.09	10.63	57.94	21.85	Peak	L	Pass
1**	0.396	25.82	10.63	47.94	22.12	AV	L	Pass
2	0.914	35.38	10.21	56.00	20.62	Peak	L	Pass
2**	0.914	24.56	10.21	46.00	21.44	AV	L	Pass
3	1.266	36.10	10.53	56.00	19.90	Peak	L	Pass
3**	1.266	24.19	10.53	46.00	21.81	AV	L	Pass
4	2.272	36.91	10.27	56.00	19.09	Peak	L	Pass
4**	2.272	24.34	10.27	46.00	21.66	AV	L	Pass
5	13.554	39.57	10.37	60.00	20.43	Peak	L	Pass
5**	13.554	30.67	10.37	50.00	19.33	AV	L	Pass
6	21.270	38.22	11.35	60.00	21.78	Peak	L	Pass
6**	21.270	25.77	11.35	50.00	24.23	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.578	35.23	10.16	56.00	20.77	Peak	N	Pass
1**	0.578	24.97	10.16	46.00	21.03	AV	N	Pass
2	1.240	35.79	10.40	56.00	20.21	Peak	N	Pass
2**	1.240	23.72	10.40	46.00	22.28	AV	N	Pass
3	1.756	35.62	10.21	56.00	20.38	Peak	N	Pass
3**	1.756	23.55	10.21	46.00	22.45	AV	N	Pass
4	3.160	35.65	10.12	56.00	20.35	Peak	N	Pass
4**	3.160	23.60	10.12	46.00	22.40	AV	N	Pass
5	5.776	36.83	10.40	60.00	23.17	Peak	N	Pass
5**	5.776	23.73	10.40	50.00	26.27	AV	N	Pass
6	17.706	36.69	11.19	60.00	23.31	Peak	N	Pass
6**	17.706	25.27	11.19	50.00	24.73	AV	N	Pass

A.8 Radiated Spurious Emission

Note ¹: The symbol of "--" in the table which means not application.

Note ²: For the test data above 1 GHz, according the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.

Note ⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)


The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Test Data and Plots

Left Ear

30 MHz to 1 GHz, ANT H


10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	51.335	11.05	-29.08	29.5	18.45	Peak	268.00	100	Horizontal	Pass
2	59.578	11.21	-29.57	29.5	18.29	Peak	230.00	200	Horizontal	Pass
3	170.372	13.91	-28.40	33.0	19.09	Peak	360.00	200	Horizontal	Pass
4	365.536	19.84	-24.88	35.5	15.66	Peak	329.00	200	Horizontal	Pass
5	654.766	25.90	-17.03	35.5	9.60	Peak	252.00	100	Horizontal	Pass
6	919.510	29.06	-12.08	35.5	6.44	Peak	100.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	40.910	12.43	-29.41	29.5	17.07	Peak	97.00	200	Vertical	Pass
2	86.731	13.05	-34.57	29.5	16.45	Peak	97.00	200	Vertical	Pass
3	148.553	20.82	-28.49	33.0	12.18	Peak	270.00	100	Vertical	Pass
4	156.553	23.46	-28.20	33.0	9.54	Peak	303.00	100	Vertical	Pass
5	169.160	22.93	-28.28	33.0	10.07	Peak	360.00	200	Vertical	Pass
6	367.718	25.87	-24.82	35.5	9.63	Peak	38.00	100	Vertical	Pass

Right Ear

30 MHz to 1 GHz, ANT H


10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	48.910	13.23	-28.92	29.5	16.27	Peak	80.00	200	Horizontal	Pass
2	171.827	18.19	-28.60	33.0	14.81	Peak	351.00	200	Horizontal	Pass
3	203.344	16.55	-31.17	33.0	16.45	Peak	357.00	200	Horizontal	Pass
4	214.011	16.13	-31.10	33.0	16.87	Peak	193.00	200	Horizontal	Pass
5	331.595	21.50	-25.73	35.5	14.00	Peak	89.00	200	Horizontal	Pass
6	929.693	30.72	-11.83	35.5	4.78	Peak	0.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	49.638	13.61	-28.88	29.5	15.89	Peak	195.00	200	Vertical	Pass
2	120.430	19.08	-30.55	33.0	13.92	Peak	187.00	100	Vertical	Pass
3	158.735	18.64	-28.06	33.0	14.36	Peak	41.00	200	Vertical	Pass
4	165.039	19.74	-28.28	33.0	13.26	Peak	201.00	100	Vertical	Pass
5	334.261	20.07	-25.63	35.5	15.43	Peak	260.00	100	Vertical	Pass
6	604.824	25.44	-17.48	35.5	10.06	Peak	349.00	200	Vertical	Pass


Note¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note²: The spurious from 18GHz-25GHz is noise only, do not show on the report.

Left Ear

FSK LOW CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.100	41.37	-18.62	74.0	32.63	Peak	267.00	100	Horizontal	Pass
1**	1575.100	36.45	-18.62	54.0	17.55	AV	267.00	100	Horizontal	Pass
2	2401.800	100.98	-13.91	74.0	-26.98	Peak	184.00	100	Horizontal	N/A
2**	2401.800	100.13	-13.91	54.0	-46.13	AV	184.00	100	Horizontal	N/A
3	4804.000	48.94	-6.79	74.0	25.06	Peak	318.00	100	Horizontal	Pass
3**	4804.000	43.13	-6.79	54.0	10.87	AV	318.00	100	Horizontal	Pass
4	7206.138	46.72	-1.99	74.0	27.28	Peak	299.00	100	Horizontal	Pass
4**	7206.138	42.15	-1.99	54.0	11.85	AV	299.00	100	Horizontal	Pass
5	9608.200	53.68	0.30	74.0	20.32	Peak	41.00	100	Horizontal	Pass
5**	9608.200	52.70	0.30	--	--	AV	41.00	100	Horizontal	N/A
6	14412.412	53.01	3.98	74.0	20.99	Peak	67.00	100	Horizontal	Pass
6**	14412.412	49.51	3.98	54.0	4.49	AV	67.00	100	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.900	44.03	-17.78	74.0	29.97	Peak	112.00	100	Vertical	Pass
1**	1331.900	33.55	-17.78	54.0	20.45	AV	112.00	100	Vertical	Pass
2	2401.800	93.05	-13.91	74.0	-19.05	Peak	183.00	100	Vertical	N/A
2**	2401.800	91.78	-13.91	54.0	-37.78	AV	183.00	100	Vertical	N/A
3	4804.200	51.61	-6.81	74.0	22.39	Peak	160.00	100	Vertical	Pass
3**	4804.200	49.24	-6.81	54.0	4.76	AV	160.00	100	Vertical	Pass
4	7206.138	48.46	-1.99	74.0	25.54	Peak	319.00	100	Vertical	Pass
4**	7206.138	44.55	-1.99	54.0	9.45	AV	319.00	100	Vertical	Pass
5	9608.200	58.06	0.30	74.0	15.94	Peak	310.00	100	Vertical	Pass
5**	9608.200	56.86	0.30	--	--	AV	310.00	100	Vertical	N/A
6	14412.412	52.44	3.98	74.0	21.56	Peak	85.00	100	Vertical	Pass
6**	14412.412	48.47	3.98	54.0	5.53	AV	85.00	100	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2249.100	47.85	-13.92	74.0	26.15	Peak	229.00	100	Horizontal	Pass
1**	2249.100	44.58	-13.92	54.0	9.42	AV	229.00	100	Horizontal	Pass
2	2441.100	99.01	-13.39	74.0	-25.01	Peak	188.00	100	Horizontal	N/A
2**	2441.100	98.84	-13.39	54.0	-44.84	AV	188.00	100	Horizontal	N/A
3	4882.400	48.91	-7.09	74.0	25.09	Peak	321.00	100	Horizontal	Pass
3**	4882.400	45.09	-7.09	54.0	8.91	AV	321.00	100	Horizontal	Pass
4	7323.438	45.80	-1.93	74.0	28.20	Peak	317.00	100	Horizontal	Pass
4**	7323.438	43.65	-1.93	54.0	10.35	AV	317.00	100	Horizontal	Pass
5	9764.312	53.15	-0.68	74.0	20.85	Peak	40.00	100	Horizontal	Pass
5**	9764.312	52.14	-0.68	--	--	AV	40.00	100	Horizontal	N/A
6	14646.300	50.52	3.70	74.0	23.48	Peak	61.00	100	Horizontal	Pass
6**	14646.300	46.34	3.70	54.0	7.66	AV	61.00	100	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.800	44.26	-17.72	74.0	29.74	Peak	73.00	100	Vertical	Pass
1**	1327.800	35.50	-17.72	54.0	18.50	AV	73.00	100	Vertical	Pass
2	2441.200	88.73	-13.31	74.0	-14.73	Peak	244.00	100	Vertical	N/A
2**	2441.200	88.49	-13.31	54.0	-34.49	AV	244.00	100	Vertical	N/A
3	4882.000	52.64	-7.10	74.0	21.36	Peak	157.00	100	Vertical	Pass
3**	4882.000	50.38	-7.10	54.0	3.62	AV	157.00	100	Vertical	Pass
4	7323.438	48.42	-1.93	74.0	25.58	Peak	329.00	100	Vertical	Pass
4**	7323.438	44.65	-1.93	54.0	9.35	AV	329.00	100	Vertical	Pass
5	9764.312	55.87	-0.68	74.0	18.13	Peak	306.00	100	Vertical	Pass
5**	9764.312	54.68	-0.68	--	--	AV	306.00	100	Vertical	N/A
6	14646.300	50.32	3.70	74.0	23.68	Peak	86.00	100	Vertical	Pass
6**	14646.300	45.50	3.70	54.0	8.50	AV	86.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2288.100	50.67	-13.71	74.0	23.33	Peak	187.00	100	Horizontal	Pass
1**	2288.100	49.16	-13.71	54.0	4.84	AV	187.00	100	Horizontal	Pass
2	2479.800	96.27	-13.54	74.0	-22.27	Peak	187.00	100	Horizontal	N/A
2**	2479.800	94.87	-13.54	54.0	-40.87	AV	187.00	100	Horizontal	N/A
3	4960.200	47.30	-6.71	74.0	26.70	Peak	58.00	100	Horizontal	Pass
3**	4960.200	44.40	-6.71	54.0	9.60	AV	58.00	100	Horizontal	Pass
4	7440.163	46.82	-1.56	74.0	27.18	Peak	307.00	100	Horizontal	Pass
4**	7440.163	42.31	-1.56	54.0	11.69	AV	307.00	100	Horizontal	Pass
5	9920.137	54.21	-0.20	74.0	19.79	Peak	40.00	100	Horizontal	Pass
5**	9920.137	52.61	-0.20	--	--	AV	40.00	100	Horizontal	N/A
6	14880.187	50.78	5.29	74.0	23.22	Peak	61.00	100	Horizontal	Pass
6**	14880.187	46.82	5.29	54.0	7.18	AV	61.00	100	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.400	45.72	-17.58	74.0	28.28	Peak	117.00	100	Vertical	Pass
1**	1329.400	35.16	-17.58	54.0	18.84	AV	117.00	100	Vertical	Pass
2	2480.100	85.74	-13.55	74.0	-11.74	Peak	239.00	100	Vertical	N/A
2**	2480.100	85.51	-13.55	54.0	-31.51	AV	239.00	100	Vertical	N/A
3	4960.400	50.34	-6.81	74.0	23.66	Peak	158.00	100	Vertical	Pass
3**	4960.400	47.76	-6.81	54.0	6.24	AV	158.00	100	Vertical	Pass
4	7440.163	49.04	-1.56	74.0	24.96	Peak	321.00	100	Vertical	Pass
4**	7440.163	44.78	-1.56	54.0	9.22	AV	321.00	100	Vertical	Pass
5	9920.425	55.00	-0.17	74.0	19.00	Peak	303.00	100	Vertical	Pass
5**	9920.425	53.90	-0.17	--	--	AV	303.00	100	Vertical	N/A
6	14880.187	52.26	5.29	74.0	21.74	Peak	313.00	100	Vertical	Pass
6**	14880.187	46.48	5.29	54.0	7.52	AV	313.00	100	Vertical	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1800.200	42.66	-18.69	74.0	31.34	Peak	343.00	100	Horizontal	Pass
1**	1800.200	36.98	-18.69	54.0	17.02	AV	343.00	100	Horizontal	Pass
2	2401.900	99.63	-13.97	74.0	-25.63	Peak	181.00	100	Horizontal	N/A
2**	2401.900	98.65	-13.97	54.0	-44.65	AV	181.00	100	Horizontal	N/A
3	4804.000	47.11	-6.79	74.0	26.89	Peak	324.00	100	Horizontal	Pass
3**	4804.000	43.19	-6.79	54.0	10.81	AV	324.00	100	Horizontal	Pass
4	7206.138	45.53	-1.99	74.0	28.47	Peak	308.00	100	Horizontal	Pass
4**	7206.138	41.08	-1.99	54.0	12.92	AV	308.00	100	Horizontal	Pass
5	9608.200	54.18	0.30	74.0	19.82	Peak	41.00	100	Horizontal	Pass
5**	9608.200	52.61	0.30	--	--	AV	41.00	100	Horizontal	N/A
6	14412.151	51.09	3.96	74.0	22.91	Peak	60.00	100	Horizontal	Pass
6**	14412.151	46.43	3.96	54.0	7.57	AV	60.00	100	Horizontal	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.700	45.58	-17.67	74.0	28.42	Peak	116.00	100	Vertical	Pass
1**	1332.700	34.26	-17.67	54.0	19.74	AV	116.00	100	Vertical	Pass
2	2402.000	91.72	-14.03	74.0	-17.72	Peak	186.00	100	Vertical	N/A
2**	2402.000	88.91	-14.03	54.0	-34.91	AV	186.00	100	Vertical	N/A
3	4804.200	51.69	-6.81	74.0	22.31	Peak	161.00	100	Vertical	Pass
3**	4804.200	49.04	-6.81	54.0	4.96	AV	161.00	100	Vertical	Pass
4	7206.138	45.18	-1.99	74.0	28.82	Peak	349.00	100	Vertical	Pass
4**	7206.138	41.51	-1.99	54.0	12.49	AV	349.00	100	Vertical	Pass
5	9608.200	57.77	0.30	74.0	16.23	Peak	306.00	100	Vertical	Pass
5**	9608.200	56.74	0.30	--	--	AV	306.00	100	Vertical	N/A
6	14412.412	51.76	3.98	74.0	22.24	Peak	86.00	100	Vertical	Pass
6**	14412.412	48.14	3.98	54.0	5.86	AV	86.00	100	Vertical	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.900	42.17	-18.73	74.0	31.83	Peak	360.00	100	Horizontal	Pass
1**	1574.900	34.85	-18.73	54.0	19.15	AV	360.00	100	Horizontal	Pass
2	2249.100	47.02	-13.92	74.0	26.98	Peak	212.00	100	Horizontal	Pass
2**	2249.100	43.77	-13.92	54.0	10.23	AV	212.00	100	Horizontal	Pass
3	2441.200	98.25	-13.31	74.0	-24.25	Peak	182.00	100	Horizontal	N/A
3**	2441.200	98.04	-13.31	54.0	-44.04	AV	182.00	100	Horizontal	N/A
4	4882.200	47.95	-7.10	74.0	26.05	Peak	322.00	100	Horizontal	Pass
4**	4882.200	44.59	-7.10	54.0	9.41	AV	322.00	100	Horizontal	Pass
5	9764.312	53.72	-0.68	74.0	20.28	Peak	41.00	100	Horizontal	Pass
5**	9764.312	52.35	-0.68	--	--	AV	41.00	100	Horizontal	N/A
6	14646.563	47.93	3.70	74.0	26.07	Peak	54.00	100	Horizontal	Pass
6**	14646.563	43.08	3.70	54.0	10.92	AV	54.00	100	Horizontal	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.100	44.89	-17.52	74.0	29.11	Peak	71.00	100	Vertical	Pass
1**	1329.100	33.18	-17.52	54.0	20.82	AV	71.00	100	Vertical	Pass
2	2441.200	87.27	-13.31	74.0	-13.27	Peak	182.00	100	Vertical	N/A
2**	2441.200	85.54	-13.31	54.0	-31.54	AV	182.00	100	Vertical	N/A
3	4882.200	51.93	-7.10	74.0	22.07	Peak	160.00	100	Vertical	Pass
3**	4882.200	50.60	-7.10	54.0	3.40	AV	160.00	100	Vertical	Pass
4	7323.150	46.52	-1.93	74.0	27.48	Peak	331.00	100	Vertical	Pass
4**	7323.150	41.77	-1.93	54.0	12.23	AV	331.00	100	Vertical	Pass
5	9764.312	56.16	-0.68	74.0	17.84	Peak	301.00	100	Vertical	Pass
5**	9764.312	55.08	-0.68	--	--	AV	301.00	100	Vertical	N/A
6	14646.300	49.74	3.70	74.0	24.26	Peak	8.00	100	Vertical	Pass
6**	14646.300	44.84	3.70	54.0	9.16	AV	8.00	100	Vertical	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1799.900	43.69	-18.71	74.0	30.31	Peak	342.00	100	Horizontal	Pass
1**	1799.900	37.12	-18.71	54.0	16.88	AV	342.00	100	Horizontal	Pass
2	2287.900	48.91	-13.54	74.0	25.09	Peak	231.00	100	Horizontal	Pass
2**	2287.900	47.00	-13.54	54.0	7.00	AV	231.00	100	Horizontal	Pass
3	2479.900	96.39	-13.54	74.0	-22.39	Peak	190.00	100	Horizontal	N/A
3**	2479.900	95.74	-13.54	54.0	-41.74	AV	190.00	100	Horizontal	N/A
4	4960.200	47.32	-6.71	74.0	26.68	Peak	321.00	100	Horizontal	Pass
4**	4960.200	44.41	-6.71	54.0	9.59	AV	321.00	100	Horizontal	Pass
5	9920.425	53.95	-0.17	74.0	20.05	Peak	63.00	100	Horizontal	Pass
5**	9920.425	52.77	-0.17	--	--	AV	63.00	100	Horizontal	N/A
6	14126.812	51.78	5.58	74.0	22.22	Peak	161.00	100	Horizontal	Pass
6**	14126.812	41.91	5.58	54.0	12.09	AV	161.00	100	Horizontal	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.800	44.16	-17.85	74.0	29.84	Peak	115.00	100	Vertical	Pass
1**	1330.800	34.04	-17.85	54.0	19.96	AV	115.00	100	Vertical	Pass
2	2479.900	84.60	-13.54	74.0	-10.60	Peak	125.00	100	Vertical	N/A
2**	2479.900	83.68	-13.54	54.0	-29.68	AV	125.00	100	Vertical	N/A
3	4960.200	49.92	-6.71	74.0	24.08	Peak	164.00	100	Vertical	Pass
3**	4960.200	48.14	-6.71	54.0	5.86	AV	164.00	100	Vertical	Pass
4	7440.163	47.90	-1.56	74.0	26.10	Peak	354.00	100	Vertical	Pass
4**	7440.163	43.54	-1.56	54.0	10.46	AV	354.00	100	Vertical	Pass
5	9920.425	55.18	-0.17	74.0	18.82	Peak	303.00	100	Vertical	Pass
5**	9920.425	54.58	-0.17	--	--	AV	303.00	100	Vertical	N/A
6	14879.925	51.66	5.29	74.0	22.34	Peak	104.00	100	Vertical	Pass
6**	14879.925	42.82	5.29	54.0	11.18	AV	104.00	100	Vertical	Pass

Right Ear

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD), FCC Part 15C, FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2210.000	46.28	-14.09	74.0	27.72	Peak	47.00	100	Horizontal	Pass
1**	2210.000	41.82	-14.09	54.0	12.18	AV	47.00	100	Horizontal	Pass
2	2402.000	97.44	-14.03	74.0	-23.44	Peak	47.00	100	Horizontal	N/A
2**	2402.000	97.14	-14.03	54.0	-43.14	AV	47.00	100	Horizontal	N/A
3	4826.200	46.74	-7.29	74.0	27.26	Peak	360.00	100	Horizontal	Pass
3**	4826.200	36.29	-7.29	54.0	17.71	AV	360.00	100	Horizontal	Pass
4	7206.425	46.14	-1.99	74.0	27.86	Peak	272.00	100	Horizontal	Pass
4**	7206.425	42.58	-1.99	54.0	11.42	AV	272.00	100	Horizontal	Pass
5	9608.487	49.02	0.28	74.0	24.98	Peak	285.00	100	Horizontal	Pass
5**	9608.487	47.21	0.28	--	--	AV	285.00	100	Horizontal	N/A
6	14412.412	49.31	3.98	74.0	24.69	Peak	0.00	100	Horizontal	Pass
6**	14412.412	43.54	3.98	54.0	10.46	AV	0.00	100	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1800.100	43.54	-18.70	74.0	30.46	Peak	161.00	100	Vertical	Pass
1**	1800.100	39.23	-18.70	54.0	14.77	AV	161.00	100	Vertical	Pass
2	2401.800	91.72	-13.91	74.0	-17.72	Peak	100.00	100	Vertical	N/A
2**	2401.800	91.16	-13.91	54.0	-37.16	AV	100.00	100	Vertical	N/A
3	5318.800	47.77	-6.83	74.0	26.23	Peak	78.00	100	Vertical	Pass
3**	5318.800	36.93	-6.83	54.0	17.07	AV	78.00	100	Vertical	Pass
4	7206.425	46.13	-1.99	74.0	27.87	Peak	101.00	100	Vertical	Pass
4**	7206.425	40.62	-1.99	54.0	13.38	AV	101.00	100	Vertical	Pass
5	9608.200	54.52	0.30	74.0	19.48	Peak	165.00	100	Vertical	Pass
5**	9608.200	53.22	0.30	--	--	AV	165.00	100	Vertical	N/A
6	14412.412	49.06	3.98	74.0	24.94	Peak	356.00	100	Vertical	Pass
6**	14412.412	44.52	3.98	54.0	9.48	AV	356.00	100	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1799.700	42.62	-18.73	74.0	31.38	Peak	132.00	100	Horizontal	Pass
1**	1799.700	35.46	-18.73	54.0	18.54	AV	132.00	100	Horizontal	Pass
2	2249.300	48.83	-13.93	74.0	25.17	Peak	234.00	100	Horizontal	Pass
2**	2249.300	46.63	-13.93	54.0	7.37	AV	234.00	100	Horizontal	Pass
3	2441.200	97.22	-13.31	74.0	-23.22	Peak	234.00	100	Horizontal	N/A
3**	2441.200	96.93	-13.31	54.0	-42.93	AV	234.00	100	Horizontal	N/A
4	4846.400	46.46	-6.57	74.0	27.54	Peak	118.00	100	Horizontal	Pass
4**	4846.400	37.62	-6.57	54.0	16.38	AV	118.00	100	Horizontal	Pass
5	7323.150	47.12	-1.93	74.0	26.88	Peak	271.00	100	Horizontal	Pass
5**	7323.150	42.54	-1.93	54.0	11.46	AV	271.00	100	Horizontal	Pass
6	9764.312	49.45	-0.68	74.0	24.55	Peak	64.00	100	Horizontal	Pass
6**	9764.312	47.01	-0.68	--	--	AV	64.00	100	Horizontal	N/A

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2249.300	48.03	-13.93	74.0	25.97	Peak	130.00	100	Vertical	Pass
1**	2249.300	43.05	-13.93	54.0	10.95	AV	130.00	100	Vertical	Pass
2	2441.200	90.59	-13.31	74.0	-16.59	Peak	242.00	100	Vertical	N/A
2**	2441.200	90.23	-13.31	54.0	-36.23	AV	242.00	100	Vertical	N/A
3	4882.400	44.32	-7.09	74.0	29.68	Peak	261.00	100	Vertical	Pass
3**	4882.400	40.72	-7.09	54.0	13.28	AV	261.00	100	Vertical	Pass
4	7323.438	46.09	-1.93	74.0	27.91	Peak	228.00	100	Vertical	Pass
4**	7323.438	41.06	-1.93	54.0	12.94	AV	228.00	100	Vertical	Pass
5	9764.312	52.40	-0.68	74.0	21.60	Peak	164.00	100	Vertical	Pass
5**	9764.312	50.89	-0.68	--	--	AV	164.00	100	Vertical	N/A
6	14646.300	48.40	3.70	74.0	25.60	Peak	360.00	100	Vertical	Pass
6**	14646.300	44.50	3.70	54.0	9.50	AV	360.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1799.900	43.35	-18.71	74.0	30.65	Peak	360.00	100	Horizontal	Pass
1**	1799.900	38.72	-18.71	54.0	15.28	AV	360.00	100	Horizontal	Pass
2	2287.900	50.50	-13.54	74.0	23.50	Peak	21.00	100	Horizontal	Pass
2**	2287.900	47.33	-13.54	54.0	6.67	AV	21.00	100	Horizontal	Pass
3	2479.900	93.07	-13.54	74.0	-19.07	Peak	225.00	100	Horizontal	N/A
3**	2479.900	92.22	-13.54	54.0	-38.22	AV	225.00	100	Horizontal	N/A
4	6859.800	51.97	-0.70	74.0	22.03	Peak	96.00	100	Horizontal	Pass
4**	6859.800	43.70	-0.70	54.0	10.30	AV	96.00	100	Horizontal	Pass
5	9920.425	49.43	-0.17	74.0	24.57	Peak	63.00	100	Horizontal	Pass
5**	9920.425	45.72	-0.17	--	--	AV	63.00	100	Horizontal	N/A
6	13455.863	47.23	4.45	74.0	26.77	Peak	305.00	100	Horizontal	Pass
6**	13455.863	42.54	4.45	54.0	11.46	AV	305.00	100	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD) FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.400	44.22	-17.50	74.0	29.78	Peak	77.00	100	Vertical	Pass
1**	1328.400	34.08	-17.50	54.0	19.92	AV	77.00	100	Vertical	Pass
2	2288.100	49.42	-13.71	74.0	24.58	Peak	138.00	100	Vertical	Pass
2**	2288.100	47.20	-13.71	54.0	6.80	AV	138.00	100	Vertical	Pass
3	2479.900	85.63	-13.54	74.0	-11.63	Peak	259.00	100	Vertical	N/A
3**	2479.900	85.01	-13.54	54.0	-31.01	AV	259.00	100	Vertical	N/A
4	4960.200	45.66	-6.71	74.0	28.34	Peak	139.00	100	Vertical	Pass
4**	4960.200	40.88	-6.71	54.0	13.12	AV	139.00	100	Vertical	Pass
5	7985.838	50.80	-0.79	74.0	23.20	Peak	115.00	100	Vertical	Pass
5**	7985.838	38.29	-0.79	54.0	15.71	AV	115.00	100	Vertical	Pass
6	9920.137	51.72	-0.20	74.0	22.28	Peak	160.00	100	Vertical	Pass
6**	9920.137	50.39	-0.20	--	--	AV	160.00	100	Vertical	N/A

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2210.300	43.63	-14.04	74.0	30.37	Peak	129.00	100	Horizontal	Pass
1**	2210.300	40.37	-14.04	54.0	13.63	AV	129.00	100	Horizontal	Pass
2	2401.800	96.97	-13.91	74.0	-22.97	Peak	27.00	100	Horizontal	N/A
2**	2401.800	95.48	-13.91	54.0	-41.48	AV	27.00	100	Horizontal	N/A
3	4838.000	46.35	-6.68	74.0	27.65	Peak	321.00	100	Horizontal	Pass
3**	4838.000	37.16	-6.68	54.0	16.84	AV	321.00	100	Horizontal	Pass
4	7206.138	47.04	-1.99	74.0	26.96	Peak	255.00	100	Horizontal	Pass
4**	7206.138	41.84	-1.99	54.0	12.16	AV	255.00	100	Horizontal	Pass
5	9608.200	51.61	0.30	74.0	22.39	Peak	259.00	100	Horizontal	Pass
5**	9608.200	48.27	0.30	--	--	AV	259.00	100	Horizontal	N/A
6	14412.151	48.12	3.96	74.0	25.88	Peak	0.00	100	Horizontal	Pass
6**	14412.151	42.90	3.96	54.0	11.10	AV	0.00	100	Horizontal	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.600	43.20	-17.88	74.0	30.80	Peak	101.00	100	Vertical	Pass
1**	1330.600	32.63	-17.88	54.0	21.37	AV	101.00	100	Vertical	Pass
2	2401.800	93.06	-13.91	74.0	-19.06	Peak	122.00	100	Vertical	N/A
2**	2401.800	89.90	-13.91	54.0	-35.90	AV	122.00	100	Vertical	N/A
3	4804.200	44.74	-6.81	74.0	29.26	Peak	79.00	100	Vertical	Pass
3**	4804.200	40.48	-6.81	54.0	13.52	AV	79.00	100	Vertical	Pass
4	7206.712	44.53	-1.99	74.0	29.47	Peak	255.00	100	Vertical	Pass
4**	7206.712	41.68	-1.99	54.0	12.32	AV	255.00	100	Vertical	Pass
5	9608.200	51.81	0.30	74.0	22.19	Peak	145.00	100	Vertical	Pass
5**	9608.200	50.45	0.30	--	--	AV	145.00	100	Vertical	N/A
6	14412.151	49.39	3.96	74.0	24.61	Peak	322.00	100	Vertical	Pass
6**	14412.151	44.68	3.96	54.0	9.32	AV	322.00	100	Vertical	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2248.900	47.16	-14.03	74.0	26.84	Peak	35.00	100	Horizontal	Pass
1**	2248.900	44.06	-14.03	54.0	9.94	AV	35.00	100	Horizontal	Pass
2	2440.900	96.28	-13.56	74.0	-22.28	Peak	229.00	100	Horizontal	N/A
2**	2440.900	94.81	-13.56	54.0	-40.81	AV	229.00	100	Horizontal	N/A
3	4843.400	46.34	-6.43	74.0	27.66	Peak	78.00	100	Horizontal	Pass
3**	4843.400	37.62	-6.43	54.0	16.38	AV	78.00	100	Horizontal	Pass
4	6670.600	51.75	-2.15	74.0	22.25	Peak	280.00	100	Horizontal	Pass
4**	6670.600	43.26	-2.15	54.0	10.74	AV	280.00	100	Horizontal	Pass
5	7323.438	45.92	-1.93	74.0	28.08	Peak	256.00	100	Horizontal	Pass
5**	7323.438	41.49	-1.93	54.0	12.51	AV	256.00	100	Horizontal	Pass
6	9764.312	49.40	-0.68	74.0	24.60	Peak	60.00	100	Horizontal	Pass
6**	9764.312	46.55	-0.68	--	--	AV	60.00	100	Horizontal	N/A

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.000	45.38	-17.81	74.0	28.62	Peak	131.00	100	Vertical	Pass
1**	1331.000	32.55	-17.81	54.0	21.45	AV	131.00	100	Vertical	Pass
2	2249.400	45.32	-13.97	74.0	28.68	Peak	190.00	100	Vertical	Pass
2**	2249.400	42.26	-13.97	54.0	11.74	AV	190.00	100	Vertical	Pass
3	2440.800	90.27	-13.65	74.0	-16.27	Peak	241.00	100	Vertical	N/A
3**	2440.800	89.40	-13.65	54.0	-35.40	AV	241.00	100	Vertical	N/A
4	4882.400	44.12	-7.09	74.0	29.88	Peak	97.00	100	Vertical	Pass
4**	4882.400	40.57	-7.09	54.0	13.43	AV	97.00	100	Vertical	Pass
5	7962.550	50.07	-1.03	74.0	23.93	Peak	154.00	100	Vertical	Pass
5**	7962.550	38.09	-1.03	54.0	15.91	AV	154.00	100	Vertical	Pass
6	9764.312	52.85	-0.68	74.0	21.15	Peak	162.00	100	Vertical	Pass
6**	9764.312	51.06	-0.68	--	--	AV	162.00	100	Vertical	N/A

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2288.300	48.01	-13.85	74.0	25.99	Peak	360.00	100	Horizontal	Pass
1**	2288.300	46.01	-13.85	54.0	7.99	AV	360.00	100	Horizontal	Pass
2	2479.800	91.89	-13.54	74.0	-17.89	Peak	229.00	100	Horizontal	N/A
2**	2479.800	89.22	-13.54	54.0	-35.22	AV	229.00	100	Horizontal	N/A
3	4840.800	46.79	-6.20	74.0	27.21	Peak	58.00	100	Horizontal	Pass
3**	4840.800	37.90	-6.20	54.0	16.10	AV	58.00	100	Horizontal	Pass
4	6987.000	51.47	-1.63	74.0	22.53	Peak	321.00	100	Horizontal	Pass
4**	6987.000	42.17	-1.63	54.0	11.83	AV	321.00	100	Horizontal	Pass
5	9920.425	48.70	-0.17	74.0	25.30	Peak	264.00	100	Horizontal	Pass
5**	9920.425	45.93	-0.17	--	--	AV	264.00	100	Horizontal	N/A
6	14137.575	51.20	5.92	74.0	22.80	Peak	322.00	100	Horizontal	Pass
6**	14137.575	41.67	5.92	54.0	12.33	AV	322.00	100	Horizontal	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.400	44.53	-17.72	74.0	29.47	Peak	121.00	100	Vertical	Pass
1**	1332.400	38.84	-17.72	54.0	15.16	AV	121.00	100	Vertical	Pass
2	2288.100	47.70	-13.71	74.0	26.30	Peak	345.00	100	Vertical	Pass
2**	2288.100	43.61	-13.71	54.0	10.39	AV	345.00	100	Vertical	Pass
3	2480.100	84.46	-13.55	74.0	-10.46	Peak	254.00	100	Vertical	N/A
3**	2480.100	82.78	-13.55	54.0	-28.78	AV	254.00	100	Vertical	N/A
4	4960.200	44.27	-6.71	74.0	29.73	Peak	239.00	100	Vertical	Pass
4**	4960.200	40.61	-6.71	54.0	13.39	AV	239.00	100	Vertical	Pass
5	7994.750	50.38	-0.83	74.0	23.62	Peak	113.00	100	Vertical	Pass
5**	7994.750	38.82	-0.83	54.0	15.18	AV	113.00	100	Vertical	Pass
6	9920.137	51.72	-0.20	74.0	22.28	Peak	160.00	100	Vertical	Pass
6**	9920.137	50.14	-0.20	--	--	AV	160.00	100	Vertical	N/A

A.9 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note ⁴: The Level (dBuV/m) has been corrected by factor.

Note ⁵: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


Left Ear

GFSK LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.167	54.01	-1.95	74.0	19.99	Peak	100.00	400	Horizontal	Pass
1**	2388.167	42.02	-1.95	54.0	11.98	AV	100.00	400	Horizontal	Pass
2	2390.000	51.82	-2.16	74.0	22.18	Peak	215.00	400	Horizontal	Pass
2**	2390.000	41.73	-2.16	54.0	12.27	AV	215.00	400	Horizontal	Pass

GFSK HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.97	-1.04	74.0	21.03	Peak	52.00	300	Horizontal	Pass
1**	2483.500	42.66	-1.04	54.0	11.34	AV	52.00	300	Horizontal	Pass
2	2492.800	54.43	-1.04	74.0	19.57	Peak	260.00	200	Horizontal	Pass
2**	2492.800	42.58	-1.04	54.0	11.42	AV	260.00	200	Horizontal	Pass

8-DPSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2324.833	54.27	-1.71	74.0	19.73	Peak	40.00	100	Horizontal	Pass
1**	2324.833	41.91	-1.71	54.0	12.09	AV	40.00	100	Horizontal	Pass
2	2390.000	52.49	-2.16	74.0	21.51	Peak	306.00	100	Horizontal	Pass
2**	2390.000	42.08	-2.16	54.0	11.92	AV	306.00	100	Horizontal	Pass


8-DPSK HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.16	-1.04	74.0	20.84	Peak	121.00	400	Horizontal	Pass
1**	2483.500	42.60	-1.04	54.0	11.40	AV	121.00	400	Horizontal	Pass
2	2494.250	54.84	-1.45	74.0	19.16	Peak	84.00	300	Horizontal	Pass
2**	2494.250	42.20	-1.45	54.0	11.80	AV	84.00	300	Horizontal	Pass


Right Ear

GFSK LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.333	53.67	-1.74	74.0	20.33	Peak	6.00	100	Horizontal	Pass
1**	2387.333	42.28	-1.74	54.0	11.72	AV	6.00	100	Horizontal	Pass
2	2390.000	51.35	-2.16	74.0	22.65	Peak	334.00	400	Horizontal	Pass
2**	2390.000	41.94	-2.16	54.0	12.06	AV	334.00	400	Horizontal	Pass

GFSK HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	55.99	-1.03	74.0	18.01	Peak	340.00	100	Horizontal	Pass
1**	2483.550	42.46	-1.03	54.0	11.54	AV	340.00	100	Horizontal	Pass
2	2489.000	54.72	-0.79	74.0	19.28	Peak	139.00	400	Horizontal	Pass
2**	2489.000	42.68	-0.79	54.0	11.32	AV	139.00	400	Horizontal	Pass

8-DPSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2358.167	54.04	-1.88	74.0	19.96	Peak	8.00	100	Horizontal	Pass
1**	2358.167	41.94	-1.88	54.0	12.06	AV	8.00	100	Horizontal	Pass
2	2390.000	51.90	-2.16	74.0	22.10	Peak	226.00	300	Horizontal	Pass
2**	2390.000	41.76	-2.16	54.0	12.24	AV	226.00	300	Horizontal	Pass

8-DPSK HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.06	-1.04	74.0	20.94	Peak	4.00	400	Horizontal	Pass
1**	2483.500	42.40	-1.04	54.0	11.60	AV	4.00	400	Horizontal	Pass
2	2488.600	55.26	-0.71	74.0	18.74	Peak	273.00	400	Horizontal	Pass
2**	2488.600	42.80	-0.71	54.0	11.20	AV	273.00	400	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-EE26040587-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-EE26040587-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-EE26040587-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--